• GOVERNMENT OF INDIA

ARCHÆOLOGICAL SURVEY OF INDIA

ARCHÆOLOGICAL

LIBRARY


ACCESSION NO. 29161

CALL No. 745.2095442

Bad

D,G.A. 79

29161 VJ. 2-



NOT TO BE ISSUED

HAND-BOOK

OF THE

MANUFACTURES AND ARTS





WITH A COMBINED GLOSSARY AND INDEX OF VERNACULAR TRADES AND TECHNICAL TERMS, &c., &c.

Val 2.

FORMING VOL. II

TO THE "HAND-BOOK OF THE ECONOMIC PRODUCTS OF THE PUNJAB."

PREPARED UNDER THE ORDERS OF GOVERNMENT,

 $\mathbf{B}\mathbf{Y}$

B. H. BADEN POWELL,

H. M. BENGAL CIVIL SERVICE.

DH625

Bad

LAHORE:

PUNJAB PRINTING COMPANY,

1872.

GENTRAL ARCHAEOLOGICAL LIBRARY, NEW DELHI.

Fact Bad

NOTICE.

It is necessary that a word or two should be said in explanation of the system of spelling adopted in this book.

From typographical and other difficulties, the varieties of consonants in the vernacular, have not been distinguished by the discritical points sometimes adopted. To this, indeed, an exception is to be found in the nasal "n" which often closes Punjabí words, this is represented by "ñ."

The vowels in all purely vernaeular words are either accented or unaccented. Of the accented vowels —

á is always broad, as in the French "gateau."

e is always pronounced "ay," or as "é" in French.

í is long, as "ee."

o is long, like "ó" in depôt.

ú is long, as "oo."

y is a consonant, as in "yes."

The unaccented vowels are—

a always like the "a" in "organ."

i like "i" in "pit."

u like the "u" in "full."

The varieties of consonants need not, for the mere understanding of the terms in this book, be nicely attended to.

Indeed, in any case, it is rare to find an European who really distinguishes between the س and the و ب ن بظ بف or between ; or between

The only thing I could have wished would have been to disting the guttural ¿ ghain, and the khe ;; but this was impracticable for want of type.

I may add in the āin z is represented by an apostrophe (') before the vowel to which it is attached.

Any reader who will remember the vowel list, just given, will find no difficulty in correctly pronouncing the vernacular words in the book.

I have not, however, thought it necessary to alter the received spelling of such common words as "Calcutta," "Punjab," "Lahore;" but in the case of the technical names of fabries, tools, &c., every one's experience of the defects of such an uncertain method as that formerly in use will tell him that there is no other system which secures accuracy but the "letter for letter" system.

CONTENTS.

								Pages.
Introductory Sketch of the Ma	NUFACT	URES	OF THE	Punja	в,	•••	•…	i—xxii.
CLASS V.	COTTO		IANUFA	ACTUI	RES,		•••	1
CLASS VI.	WOOL	LEN	MANU	FACT	URES,	•••	•••	25
Division ICarpets,	•••	• • • •		••	•••		• • •	26
Woollen fabries,		• • •	•••	•••				28
DIVISION II.—Manufactures of Pas	shmina c	or sha	iwl wool,			•••		33
Shawls,	•••	•••	•••			• • •	•••	33
Other fabrics,						••		47
DIVISION III Fabrics of Hair, &c	٠,	•••	•••	•••	•••	• • •		49
Report on Shawls,	•••	•••	•••	•••	•••	•••	•••	53
CLASS VI			ANTEA	ריזיזי⊋	Ed			
Division I.—Silk woven fabrics,								57
Division II.—Miscellaneous Silk fa						•••	•••	71
DIVISION 11.—Miscentaneous one la			····	•••	•••	•••	•••	**
• CLASS VIII.	FIBRO	ors	MANUI	ACTU	JRES,		•••	74
Division I.—Fibrous fabrics,				•••		•••	· .	75
Division II.—Paper,				•••	~~~	•••		77
Division III.—Other fibrous manu	factures,	,	•••		•••	•••		85
Report on Fibrous 1								91
•								
CLAS		ЕМ	BROIDE	RY,				96
CLASS X.—ARTICLES OF CLO	THING	i an	D ETH	XOGR	APHI	'AL SI	PE-	
ULASS A.—ARTICIDO OF CIRC	CIME!	NS.				.,	***	101
Note on dresses worn by F						•••		118
Appendix on Costumes in							•••	119
arpponan on treatment								
CLASS XI.	• LEATH	ER	MANUF	ACTT	RES.			121
• Note on Shoes worn in the					-			133
Tiote on one of our me	3	•						

ï

METAL MANUFACTURES. CLASS XII. 137 DIVISION I .- Non-Precious Metals, 137 Works in Brass, &c., 143 Hardware. ... 144 Cutlery, 152 Report on Cutlery and Hardware, Division II.—Precious Metals -(A & B) Gold wire drawing and fabrics woven with gold lace and wire, 156 (C) Vessels of precious metal for use and ornament, inlaid or 165 otherwise. (D) Plating in Gold and Silver, 172 ... Note on process of Gold beating, 173 CLASS XIII. JEWELLERY, 175 . . . List of ornaments worn in the Punjab, 181 Jury Report on Jewellery, & ., 189 Note on the art of Enamelling, 191 Pearl boring, 192 Gem-autting 193 . . . Scal engraving. 193 Foil or Tinsel making. 194 Note on the History of the "Ko'r-i-núr" Diamond, 195 CLASS XIV. ARTICLES OF VERTU, 202 CLASS XV. WOOD MANUFACTURES. 203 Division I.—Furniture. 203 Division II .- Carved and Inla'd work, 205 Jury Report on Furniture and Wood Carving, 209 ... • • • • DIVISION III. - Turned and Lacquered ware, 211 CLASS XVI. IVORY CARVING. .. 214 CLASS XVII. PAPIER MACHE AND PAINTED WARE, 218 CLASS XVIII. POTTERY, 220 Division I .- Glazed Pottery, 220 ٠.. DIVISION II.—Unglazed Pottery, 228 ... Jury report on Pottery, 232

	CO	NTEN	TS.					V
CLASS XIX	GI	ASS	MANU	FACTI	TRES.			235
Note on Looking-Glass m								239
CLASS XX. ORNAMENT	FAL (OR F.	ANCY	MANU	FACTU	JRES,		241
SECTION	T (M	101	TIX	ERV			
					1217 1	•		xxiv
Introductory Sketch,			···	•••	•••	•••	•••	XXIV
CLASS	XXI.	PRI	ME M	OVER	8,	•••	•••	243
CLASS XXII. MACHINES FOR	e Mor	VING	AND	RAISI	NG BO	DIES		243
Division I.—Machines for raising w	ater,						, ···	243
Division II.—(Unrepresented,)	,							
Dryision III.—Carriages, &c.,			•••	•••	•••	•••	•••	214
Jury report on Carri	ages,		•••			•••		249
Danier IV - Railway plant.			•••	•••			•••	252
Division VBoats,		•••		•••	•••	• • •	•••	253
CLASS XXIII. INSTRUMENTS CLASS XXIV. MATI								258
CLASS XXIV. MAII	NSTE	RUME	ENTS,					259
CLASS XXV.		GTCA	L INS	STRUM	IENTS,	•••		264
CLASS XXVI	. MU	SICA	L INS	STRUM	ENTS,	•••	•••	270
DIVISION I -Stringed Instruments,			•••				•••	272
Division II - Wind Instruments,		• • •	•••	***	•••	•••	•••	277
Division III _Miscellaneous.		•••			•••	• • •	•••	278
Division IV.—Drums,		•••	•••	•••	•••	•••	•••	279
CLASS XXVII. SMALL MACH.	INES	FOR	VARI	OUS F	URPO	SES,	•••	280
• CLASS XXVII	it A	ยนร	AVD	ORDX	ANCE			282
				OTHER.	,		•••	25 2
Division I.—Ordnance,	or St	···	•••	•••	•••	•••	•••	28 5
Division II.—Firearms for Warfare	01 2	,O10,	•••			•••	•••	291
Division III.—Swords and Daggers		•	•••	•••	•••	•••	•••	294
Division IV.—Miscellaneous,	•••	•••	•••	•••	•••	•••	•••	楽り堂

CONTENTS.

CLASS XXIX. IMP	LEMEN	TS U	SED	FOR T	RADE	S AN	D	
	OCCUI	PATIO)NS,	•••	•••	•••	•••	296
	•••							296
Division II.—Agricultural Implem	ients,	•••		•••	•••	•••	•••	310
Division III.—Horticultural Imple	ements,	···		•••	•••	•••	•••	321
CLASS	XXX.	(Not	repres	ented.)				
CLASS XXXI.	BUIL	DING	COL	NTRIVA	ANCES	3 .		
DIVISION I House Building Contr	rivances,	,			•••	•••	•••	322
Division IIBridges,		•••	•••	•••	•••	•••	•••	333
Division III.—Wells,	•••	•••		- •	•••	•••	•••	336
SECTIO INTEODUCTORY SKETCH,		. F		E AI	RTS.	•	•••	341
CLASS	XXXII	. (U	Inrepre	esented). -				
CLASS XXXI		RITTI		HARAC	TERS	,	•••	347
CLASS XXXIV.	PAIN	TING	S AN	VD DRA	AWIN	GS,	 o	3 50
•	00 3737	3777	MOT	TITO				0.50
	SS XX					***	•••	353 354
Jury Report on Fine Art	Specime	118,	•••	•••	•••	•••	•••	994

INDEX OF ENGLISH TERMS,
INDEX AND GLOSSARY OF TECHNICAL VERNACULAR TERMS,

ERRATA.

Please to correct your book or you may be misled as to Vernacular terms.

```
Page vii, line 14 from top. for "Bishahr, " read "Basahir.
       viii. ( p. 3 ), for "coarse blankets called hira and mats for the floor called asan," read
             "coarse blankets and mats for the floor called "bhura.
           7, No. 70, for "Kálábágh," read " from Kálabágh.
         11, line 15, and throughout the page, for "gorn, ' read "ghorn,'
  .. 13, No. 197. for "in shamyana," read "a shamyana, ,, 25-28, and passim, for "lohi," read "loh."
         28, line 14 from the bottom, for "Bishair, ' real "Basahir."
         29, the heading "GALIM," should be read galim
         30, No. 279, for "a thick rug," reed "a thick rug"
34, line 8 from the top, for "Un Rampúri," reed "Un Rampúri"
         47. No. 392. for 'urmuk,' read 'urmak,' and for "camel's hair," read "sheeps wood
            roughly embroidered
         61, lines 8 and 11 from the bottom { for "treddles," read heddles.
         62, line 6 from the top
71, ... 538, for 'sash,' real 'leash
         72. ... 545. for "banchi," read "penchi"
73. (Prize list), for "twilled silk," read "twisted silk,"
         74, line 4 from bottom, for "course, " read " coarse.
         98, line 7 from bottom, for "one," read "some" 99 No. 602, for chabbadar, cool "phabladar"
       111, line 13 from bottom, for 'stra' - "tape,' read "strip of paper,' 117, No. 668, for "kufshi,' reac - katshi,' 118, line 8 from bottom, for "stationery, read "stationery,'
       130, line 8 from top, for "integrament," read "integrament," 130, last line but one, for "itasse," read "itasse!" 132, last line, for "brought," read "wrought,"
       139, line 12 from bottom, for "karáhí, a flat iron, &c," read "karáhí an open cauldren,
               see p. 143.
       142, last line, for "bindli," rend " jugiagar "
       145. No. 735. for morthed brass. " ret" morthed brown."
162. line 8 from v. for "treddles." real "heddles."
164. line 6 from r "tom, for "chan," real "chan,"
      180, line 10 trop top, for "broad thin rings," read "broad plain rings."

181, No. 29. for "durish the read "bunda" or "bundela, thong most worn by
               Bundelas or people of Bundelkand).
      181, No. 32, for "pipal-watti, and "pipal-watra" 181, ..., 34, (last line from bottom), for "fig 18," read "fig 17."
      182, ... 43. for "cartilogo, real" cartilage, and a No 52, remiss 1" cont "fig 12" 187, line 9 from bottom, for "unbta y metal," real "imbury metal," 188, last line, for "engraves, real "polishes
      194, line 11 from top. for "nath ' read "nath
      197, last foot note. for "kair,' rend "kan.
      199, line 9 from bottom, fir "set out from," reid "set out for,"
      215, line 12 from top. for "should," read "show." 222, line 8 from top. for "is," read "are.
              No. 839, for "course blown," read "coarse blown,
      237,
      244, line 2 from top. for "las. read "láo.
      276, line 2 from bottom. for "parkar," read "parkar."
      292, hine 3 from top. \ for "bahidi" and "bahbid" 294, hine 4 from top.
     294, nne 4 from top. )

300, line 16 from bottom, the "nimgáz" read "nimgaz"
304, (2nd heading), the "JHD SZ," read "Jild SZ"
307, (3rd ...), Bhárpanja, the second time should be without the facent (Bharpanja, 1811), line 13 from top, for "curves, read "eaves"
331, foot note, the "p. VIII. read "Vol. VIII."
      333. line 10 from bottom, for "for either." and "from either."
```



LIST OF PLATES AND SKETCH DIAGRAMS.

These market with a casterisk (s are replace), the reconstation copies to the reconstant f that f the f the f that f is a f that f is a f-such that f-such th

	Plate.	<u> </u>	
*	. 1	To face page.	(35 St w) ()
3 't	- 1		To H. Kashina J. Stay Lath and Same
	$\frac{3}{1 \cdot 6}$	•	A backers of A Arman Congress
	5	•	55 A prince to the second second
	6		and compared the a
*	7 8 9		18 Problem of the Art Arthurst Conversed
THE TANKS	10		
2	11		121 (atomic and a complete contraction of the contr
1 24	12		1.2 Dominio de la 1800
	111		1 f. Sarak and the second experience of ments
,	15		
	1 10		168. De Sarat application of many differential to the factor
÷	17		167 Control L. De Borrow
-	15		175 Proceedings of the Control of th
	19		98 1 To 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	20 21		All Control of the Co
	22		
	2.3		, T
	່ 21 25		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	50		Defended in the Control of the Contr
	27		- 1 .
٠	25		2.2 (1) (1) (2) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
	20 20		2.6 (1) (1) (1) (1) (1) (2) (1) (2) (1) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
	: 1		
>	; 2		_ ' ' ' '
	: :}		ET STATE OF THE ST
-	: † :5		$=\frac{1}{2}\int_{0}^{T} dt dt$
	. 11		• (,
	117		= 7 of the first term of the state of the s
*	: >		272 () () () () () () () () () (
	.,65 300 ₹		
	11		1 to The state of the state of
•	12		187 K - 1 - 1
	13	•	2 (4) (4) (4) (4) (4) (4) (4) (4
**	. 45 . 45		$\begin{array}{llllllllllllllllllllllllllllllllllll$
	14.		I I To also the last points
	17		The location was as quality of the location of
	; \$\\ 40		Silling to the second of the s
	» '£.'		128 Catvolic dag manaprovince di Prezi
		•••	



SECTION B. MANUFACTURES.

INTRODUCTION.

IN THE FIRST VOLUME of this work, the products described were only those which are utilized in the state in which nature produces them, or which, though subjected to various processes of manipulation, alteration or refinement, are still considered as raw material,—being destined for further treatment, either to be dressed as food, woven up to form clothing, or wrought, adapted and blended together to form other objects of use or ornament.

Accordingly, in the first volume we passed in review the metallic ores and crude metals, the stones, the earths, the grains, the timbers and the fibres, which are either found in the Panjab and its adjacent countries, or else are imported to meet the wants of its population. In this the second volume we have to observe the results of these crude substance, and to see how they are turned to account and used for manufacturing the various articles which are demanded by the habits and customs of the several classes of people inhabiting the provinces.

The interest which attaches to the study of the manufactures of a country is widely different in kind from that which attaches to the contemplation of its natural products. In the latter we see only the results of physical conditions of soil and climate, more or less modified by cultivation, and by the amount of skill (itself indicative of civilization) with which the valued plants of other countries have been introduced and naturalized; and our throughts are carried away to the study of their botany and chemistry in an economic point of view, while the ultimate practical result attained is the development of produce that is valuable commercially or excellent for local consumption. But when, among the manufactures, we see the hand of man brought to bear on the raw material, and can notice how far he has rendered it subservient to his purposes, we are at once

in possession of a standard by which to mark the degree of skill which the people possess; while by observing the classes of articles made, and how far the wants of civilized life are supplied by them, we are enabled to fix the degree of civilization to which they have advanced; lastly, the form of the objects made, the colour and the pattern worked out, give us insight into the aesthetic peculiarities of the manufacturers, their perception of beauty, their appreciation of colour, their inventive faculty and other similar powers, which may help us, even though it be only partially and to a limited extent, to fix the place which the producers should hold in the ranks of the intellectual creation.

Separated from the manufactures only for the convenience of classification, is the division which embraces machinery, tools and implements—the aids which man has invented, and gradually improved on and elaborated, with a view to reduce his labour, to save time, and, in not a few instances, to do for him what his own hands are unable to accomplish.

In this department still more may be learnt and inferred as to the state of progress in which the people are, and also the inventive and reasoning faculties they are capable of exercising.

Lastly, and appropriately concluding the collection, as summing up what we can learn of the mind from the works of the hand, comes the department of tine arts. I cannot here dwell on the indications afforded by this department; indeed it would be unnecessary, for though I have not yet applied these principles of examination to the collection which has to be described, yet, with regard to fine arts, every one must feel before approaching this section, that these indications are of a mind and a power which has scarcely yet taken the first steps in progress and cultivation. Among a highly civilized people, as the eye wanders over their art productions, we read the workings, not only of the general but of the individual mind; we trace in one, the grand aspiring mind that has grasped and rendered in its work the noblest ideal of form; in another we see the loving spirit dwelling in cestasy on the calm beauties of nature,—the gleaning lights, the soft shades, the clear blue skies and the sunny foliage of the homestead and the winding lane; in another we feel the sanctity of

hallowed conception and of the spirit heavenward tending in its flight, in another the sympathies of human suffering and the touch of tenderness that never fails to awake its response in the gazer's heart;—in all, the aim at what is capable of calling forth the best feelings of human nature, be it the deeper affections and emotions of the heart, or the happy spirit and the harmless mirth of its lighter hours; but in a country like this, we must not expect to find anything that appeals to minder to deep feeling; delicacy of finish, beauty of colour, wonderful imitation, all are to be met with, and these said, we have concluded the enumeration of what the art of the period can furnish.

How far education, the diffusion of European knowledge, and above all the spread of a purer faith, will expand, improve, and exalt, it is for coming years to show, and will be for the exhibitions of future time to display to public notice.

But we must pass on to the consideration of the classes before us, and the application to their study, of such principles as have been above indicated.

I shall deal at present only with the 1st section—that containing manufactured articles, reserving any comment that may be offered to illustrate the others for the appropriate places which they occupy.

The manufactures present themselves under the following classes:-

CLASS V.

COTTON MANUFACTURES.

These consist of native cloths worked with native thread, both coloured and plain. The coloured cloths are generally either striped and check goods, with or without borders, such as "linghis" and "sisis," or fabrics woven in a pecular diagonal method and called "khes." Coarse cloths dyed red, called "silii," and "khárvá," and the same dyed with indigo called "viloh," are much in use. Of course other coloured cloths are used in all shades and varieties, but are not distinguished as kinds of cloth, as "vilot" and "khárvá" are.

Of white cloths: there are, 1st, damask cloth, principally made at Jálandhar, Hushyarpúr, Patyála, and also at Lúdhiána. This fabric is about the best of all the thicker cotton fabrics, and shows the

greatest advance in workmanship; it is generally patterned with diamond-shapes, fancifully called "bulbul chashm" (or nightingale's eyes). Fabrics of this kind are often woven with a red or blue border, for "chaddars," the sheet or wrapper used as an over-dress.

"Chantáhis" and "dotáhis" are also white cloths, patterned with diamonds or a "herring-bone" in the fabric; sometimes red and black or black and white thread are intermingled in the pattern.

Thick white cloth is "dosátí," which means literally a fabric with two threads or two fibres in each thread; there are varieties "chausí" "painsí" &c. according to the number of fibres in each thread, which of course causes a variety in the thickness and compact texture of the cloth.

Coarser than "dosáti" is the one thread fabric or "eksátí," this is a cheap cloth, much used for dusters, &c., and worn by the poorer classes. "Gozzí" is a thinner and also common class of fabric, but if well made, like some of the specimens from the jails, it is a very serviceable article.

Next are several varieties of thin cloths, varying in fineness, down to the softest "molmal," or muslin. Stiff muslin like European "book muslin" is unknown.

The varieties of printed calico goods, gay floor cloths or covers, "lihif," and "toshaks" or quilts, are merely varieties of the above cloths coloured by a process already described in the dye department of section A. (vol. I.)

The next and a very useful class of cotton fabric is the "dari" (durree) or cotton carpet. This is a thick floor cloth, the web being of stout cotton threads and the woof consisting of similar threads of thickness varying according to the quality of the fabric, and dyed of various colours. Almost any pattern can be produced with care, if only the forms be composed of right lines; but the commonest patterns are series of stripes, which is well arranged as to colour, have a very pleasing effect, especially in a large room. There are several varieties of durree,—the large ones are called "shatranji," The manufacture will be more particularly described hereafter.

Cotton rugs are made with a pile like Turkey carpets in some places, especially Multan.

Another cotton manufacture is broad tape, or "newir," made exactly on the same principle as the durree, only varying in width from 1 inch to $2\frac{1}{2}$; it is also applied to the manufacture of horse girths.

Cotton rope, coloured and plain, horse nets, fringe for a horse's head to keep off flies, and narrow tape called "fita," are also among the manufactures of this class. All the above are made with native thread.

The next class is of articles made with European thread, and consists of finer white fabrics, such as the richer classes wear. The great bulk of the white cloth used for turbans and for dresses, is Glasgow or Manchester cambric, and fine linen occasionally is to be met with.

There is no difference in form of the articles made with English thread, and the loom is the same,—only the cloth is finer.

Lastly, there are the jail manufactures of table cloths (damask), table napkins and towels of all sorts, fine and rough (Turkish towels), which are made principally by the convicts, with the native looon, and native or English thread, according as the fabric is to be of finer or coarser sort.

I cannot here enter into a description of the looms employed for weaving; this belongs to the section devoted to machinery and implements;—I may mention here however that the loom is of one universal • construction and entirely of hand power.

Much improvement has been effected in jails as to the fabric produced, by greater attention to the preparation and evenness of the threads, by the more regular working of the shuttle and the compacting together of the threads of the woof, and the skilful joining of the ends of the threads:—but nothing has been done to improve the loom itself. It is not often that the excellent weaving thus learnt in the jail is turned to account on the release of the prisoner, though to this there are some exceptions, one of which is noticed by Mr. Cowan in his report on Kachi in the old Leia district, where the manufacture of the blanket had flourished, consequent on the exertions of a man who had learnt in jail. As a rule, however, the natives are so attached to the custom of their family, that if a man should happen to be in a butcher's family, he will not leave the occupation. I once asked a man of this

class who had attained great excellence in weaving while in jail, what he would do when he was released, and reminded him that he might be the best weaver in his village; but he remarked that his caste or business was "kasai" (butcher's) and he should return to that occupation. I believe this is very much the case with other trades, even with those who learn to perfection in the Lahore Central Jail the somewhat high art of manufacturing Turkey carpets.

To turn, therefore, to account the manufacturing skill that can be acquired in the best of our jails, such as Lahore and Gujrat, the officers in charge should endeavour to apportion to the various works, men of such castes (or rather hereditary occupations, for this kind of distinction is hardly a religious caste so much as customary prejudice) as will be likely to carry away with them and put into practice, on their release, the knowledge they have acquired.

CLASS VI.

The next fabrics of textile manufacture are those made of wool.

In this province woollen manufactures are either of (1) "pashmina," Thibet goat hair, (the process of preparing and collecting which has already been described under Class II in Section A_j , and of Kirmání wool and Rampúr wool; or (2) country sheep's wool; or (3) goat and camel hair.

Of "pashmina" there is plain "pashmina pattu," i. e., woven cloth, which has been felted; it is made of various degrees of fineness, and in colour generally black, white, grey, and shades of brown or drab. Pashmina is also woven into a fine class of coloured, black or white fabrics, which are afterwards richly embroidered round the edge with silk of the same colour; this class of manufacture is more recent, and articles of European clothing and shawls are the principal manufactures.

The next class of pashmina goods are the "olwin" and "sada" shawls, being fine pashmina fabrics coloured and woven into a long oblong shawl without pattern or embroidery; they are much esteemed for softness and texture.

Lastly, come that wonderful class of manufactures which are known as Kashmir shawls. They are of two kinds, loom wove, where the whole pattern is wrought in the loom, with an endless series of threads of all colours,—the other "amlikar," where a foundation

is made of a plain fabric, or a fabric in portions of different colours, the surface of which is then minutely worked over by hand with a pattern embroidered in fine pashm thread or sometimes silk. For this class of work only the finest pashmina is used, the threads are fine twined and do not "felt."

In other pashmina goods there are qualities of softness and fineness dependent on the wool used, for the same animals yield a fleece which has to be separated into qualities—of the inner wool or pashm, which is the finest, and then the second and third and the outer hair, which is coarse. The fine wool of the sheep of Kirmán is largely imported, and second class pashmina goods are made of it, but Kirmání wool is also largely used to adulterate real pashmina, being mixed with it. The subject will be noticed when we come to the class of shawls. At Rámpúr, the chief town of Bishahr, the wool is of such exquisite softness, almost like Kirmání, that it is largely imported and made up at Lúdhiána and other places into plain shawls or wrappers of great softness and durability called "Rámpúr chaddars."

2. Country wool.—This is the wool of the "dimba," or flat tailed sheep of the Salt Range and of Peshawar, and black and white wool of the common sheep. From these the "kambal" or blanket is made. The best come from Rohtak, Sirsa, Gugaira and Leia, and good blankets are also made in the hills:—very good blankets are made in the Lahore district, but the thread employed is twisted too hard, and this deprives it of the property of felting, and produces a more open texture and a harsher feel.* In many places they are also finished without subjecting them to any process of rubbing and working in with any softening agent such as European fabrics are treated with. In some places they are softened by men's feet repeatedly treading them, after saturation with the liquor of the soap nut ("rita").

Beyond blankets made in the plains and a coarse flannel or pattú in the hills, very few other woollen fabrics are seen. The climate of the plains

^{*}The property of hillow which weel passesses is dependent on the structure of the weel fibres. Under the nacroscope they are found to consist of a series of rings or pants fitting one into the other, like the points of the well known marketail plant a Figurettum, the edges of the jointed rings are surfaced and whose a number of fibres are rubbed or present to their the serratures become entaughed and felt together. Excessive twisting of worther the series give the fibres are is done in Europe for worsted—destroys the feating property.

does not demand the use of wool for warmth during several months, and when the winter does set in, either pashmina or European flannel is used, or more commonly the ordinary cotton cloth made double and padded with cotton wool. In some of the jails attempts have been made to make plaids and coarse cloth. The Kashmiris also make woollen cloth something like our tweeds.

One other class of fabric remains to be noticed, viz., pile or Turkey carpets. A number of these are made of great excellence at Multán, while others are imported, chiefly of small size, from Bukhára, Yarkand, and Kashmír—for which latter carpets pashmína is employed. The Lahore Central Jail produces very fine samples, manufactured by the convicts whose term of imprisonment is sufficiently long to admit of their learning to perfection the art, which requires much more skill than the ordinary mechanical operations of the loom.

3. Goat hair &c. This is principally used for making coarse bags in which grain and other burdens are carried on the backs of cattle and camels. Coarse blankets called "bora" and mats for the floor called "asan" are also made of goat's hair. In some places ropes are also made of hair but are not strong.

There is in Pesháwar a fine kind of goat hair worked into a pattú or cloth.

Comel hair. The soft inner wool is woven into chogahs, (long overcoats.) and some kinds of cloth. But these are mostly made in the Kabul, Bukhara and Kohkan states.

CLASS VII. Silks.

This class embraces a very important article of manufacture, which has been for ages carried on in the Panjab, though it is said that at present the silks made at Multán and Lahore are of less value and excellence than they formerly were.

In the exhibition of 1864, however, an Amritsar firm, Messrs, Devi Sahai and Chunga Mull, by reviving expressly the manufacture, and making up silks of the fine old qualities, demonstrated that the art is not lost, but that there is no longer that demand for the better made and more expensive class of fabric which there was in the days of

native rule, when the court patronized the manufacture and required the richest products of the loom for its wear.

At present the best silks are made at Multán, Lahore and Baháwalpúr. The former are principally plain, striped, or shot silks. Silk pieces made plain or unicolourous are called "daryai;" if they have a metallic texture or "shot," produced by the silk of warp and woof being different colours—the silk is called "daryai dhápcháň."

Neat check silks are also made; these find the readiest sale among European ladies; and as they will wash and wear well they are really valuable and useful articles; they are called "daryai chárkhánah."

When the silk pieces have a plain ground colour, but variegated by stripes of a second colour in the direction of the length, the fabric is called "gilbadan." Large silk scarves, generally square, with a rich gold border, are called "Sáfá." Turbans and waistbelts are also made of long pieces of silk with silver gold thread borders and fringes.

The Baháwalpúr silks are remarkable for their design: they often have patterns in two or three colours or variegated by the introduction of gold or silver thread, and sometimes are unicolourous, the pattern being of the nature of a damask produced by the arrangement of the threads.

These fabrics also are often varied by the intermixture of satin or glossy portions with the plain silk. Regular satin is called "atlas," and is not produced at Lahore or Multán, or even Baháwalpúr. That which is sold in shops is imported from Europe, or more rarely from Bukhára, Yarkand and China. Russian satin also is sometimes met with. A kind of striped satin is brought from Hindustán and Bombay, and is called "mashrú."

There is another curious fabric produced in the Baháwalpúr territory; this is generally made striped as a gúlbadan, and is a very close woven silk, or a mixture of silk and cotton artifically glazed. In fact, these fabrics look exactly like a piece of common glazed furniture chintz, and to our European ideas it seems a great waste of silk to make such fabrics out of it.

Notwithstanding the local manufactures, silk "dopattas," or scarves worked with gold, are largely imported from Benares, which latter place supplies the silk "dhotis," (large silk sheets, worn by Hindús in lieu of the "paijama," or loose trowsers of the Musulmans) and spotted handkerchiefs called "bindi."

Silk fabrics, very thin, almost like muslin, and inwoven with gold thread, are also used in various parts of the Panjab, both as "dopattas" or scarves, and as "mandils," which when twisted up into narrow rolls, like a rope, are worn coiled round the head for a turban.

Kamkháb ("kincob") a rich silk fabric worked all over with patterns in gold thread (something like the cloth of gold of ancient days in Europe), is not made in the Panjab except perhaps at a few places, as Nabha, and a little at Amritsar; it is principally imported from Benares, or from Ahmadabad (Bombay).

Occasionally the silk "khes" and "sárí," or thick silk scarves of the Dakhan and Central India, find their way up to the Panjab from Jhánsi, Gwalior, and via Delhi.

Velvet, called "makhmal," is not made, as far as I know, in any part of India, and certainly not in the Panjab. It is in demand for native saddles and saddle cloths, which are made of velvet richly embroidered with gold. It is also used for "masuals," the small carpet on which kings and great dignitaries sit, and for cushions, and for the covering of sword scabbards. It used to be imported from Russia viá Bukhára, and was of a thin quality; but the superior velvets of France and England have driven out the trade, and the imports are from Calcutta and Bombay. Russian velvet is still to be seen on the scabbards of Irán or Persian and Bukhára swords. Cotton velvet is imported also, none is made in the Panjab.

The funcy articles in silk, that is, articles made without the aid of the loom, are more numerous than those of the cotton or wool classes. First there are the "ixirband," or netted sashes: these are universally employed as a string or girdle by which the paijamas are fastened round the waist, they are made of silk netted, either plain or coloured, and the long ends of silk are knotted off and end in tassels, which are sometimes ornamented with gold thread and beads &c. The making of these articles is a trade by itself called "patholi" or "ilákabandi." Various head ornaments are made of silk; among them the female "paránda," which consists of long skeins of crimson silk, which are not plaited or twisted but left loose, only secured at each end by being bound up and the lower end being formed into a long tag ending with a tassel, generally highly ornamented with gold thread tinsel &c. This long tail of 'silk is

plaited by the women into their hair and hangs down their back, the tassels of the "paránda" giving a finish to the plait.

Horse trappings of all kinds, fringes for the nose, the long tassels that ornament the trappings of the saddle, and leading ropes, called "baydaur," are also made of silk.

Another kind of fancy manufacture is curious, and confined chiefly to one or two men resident of the Gújranwalla district, who also visit Lahore:—it consists in working pieces of coloured chenille (or piping of long piled velvet) side by side on to any cloth, in such a way as to form patterns or designs in leaves and flowers; the cloth, so-worked in is made up into cushions &c.,—or else the chenille is neatly glued on to the surface of a glove box or trinket case; these present a very pleasing appearance when well made.

CLASS VIII.

FIBROUS MANUFACTURES.

This class gradually takes us out of the division of "Textile Manufactures." Its first division is intended for fabrics not included in the previous three classes.

The necessity for such a division is almost exclusively of European creation; it will contain the canvas woven of the flax grown at Sealkot, and also some linen fabrics of European manufacture but from Indian fibre.

One indigenous fabric of this class is the coarse sacking or "tát," answering to the "gunny" of Bengal: it is used for packing, or for a floor cloth, or for making sacks and bags for grain, &c., &c.

The second division of this class contains ropes of all kinds. The commonest forms of these are the ropes of "bán mánji" or the sheaths of the flower stalks of the Saccharum mánja already described; ropes of hemp, and of "san," and also of the "sankokra" or Rozelle plant are commonly used. The coarser kinds of grass rope used as make-shifts by the villagers for agricultural purposes, are hardly to be classed as manufactures, and are exhibited with the fibrous products of Section A.

The next division contains native paper, either plain or colored; it differs not in kind, like European note paper, foolscap, tissue paper, printing paper, &c., but only in quality and excellence of manufacture and in the size of the sheets.

The paper of Kashmír is however different in kind, and is superior yet to anything produced in this province.

Sealkot is or was the famous place for paper,—but the jails now all produce paper, and that (in some of them) of excellent quality. In the jails also was originated the paper made of "madár" fibre, of daphae and desmodium bark, of plantain fibre, of flax tow, and of "dhák" bark and other materials. Old tát chopped into pieces is the ordinary paper material, not old rags.

The last division in this class comprises a series of mats, of baskets, and of chicks or light screens for doors, which keep flies and birds out without excluding the light and air. Punkahs and hand fans and mats manufactured from the tough fibrous pieces of the palm leaves, and also of the "patha," or Chamarops Ritchiana, are very common, and are imported largely from Pesháwar. There are also baskets and screens of the culm of the "sirki" or Saccharum mánja, ornamented with patterns, &c., of woollen thread.

CLASS IX.

In this class more perhaps than in any other is the special skill of the native artizans displayed. It includes embroidery of all kinds, the rich gold embroideries of saddles, 'masueds,' and 'chogahs,' the beautiful silk needlework in pashmina, cotton, and net,—and lastly the wonderful Kashmir "amlikur" or needle-worked goods, consisting of shawls, caps, coats, and chogas, whose substance is pashmina, but the pattern is worked by hand stitching to a degree of fineness that is perfectly marvellous.

In these works, the great patience and extreme delicacy of finger of the workman is exhibited to the utmost. Many of the embroidered specimens must have required the patient minute labour of consecutive months,—and the beautiful arrangement of colour, and great variety and elegance of design in pattern are very striking.

The perception of colour appears purely intuitive; they have an empiric knowledge of what the complementary colours are, and know that setting one beside its complementary throws out both to the greatest effect,—or gives them "zeb"—as the native phrase is. It is however needless to observe that they have no knowledge of the principles of colouring, and hence it not seldom happens that their colour degenerates into glare, and their contrasts into gaudiness. Much might be done by educated supervision, in leading and restraining this natural impulse, so valuable in itself as a foundation in design art.

The elegance in pattern of these embroideries as also in the. woven shawls, is scarcely less remarkable than the selection and arrangement of colour; and this is a very noteworthy circumstance, because it shows that the power of design in tracing patterns, whether it be on a shawl, or on an enamelled cup, or on a gold inlaid shield, is a different power from designing in solid. In the late exhibition for instance, on all sides we could see beautiful patterns;—there were enamelled wares from Multán, chased silver from Kashmír, glazed tiles from Multán again, embroideries from Delhi, Lahore, Amritsar, Kashmír and Lúdiána, elaborate borders and illuminated titles to manuscripts,-all covered with designs as beautiful in conception as they were faultless in execution, but for beauty of form we looked in vain. The few articles that had anything like elegant shape were almost entirely copied or made to order, and under supervision. But take any purely native article, say one of the carved marble chairs figured in Class XV. The back and sides are covered with tracery in pattern most beautiful, but the general form of the chair is hideous and clumsy to a degree. The same thing perpetually appears also in native drawings: 1 have before me as I write a native portrait of His Highness the Maharajah of Kashmír and Jamú; the figure is seated resting against a velvet cushion, which is placed in the centre of a carpet, with an attendant behind: in the first place the paper is bordered round with an edging of flower tracery, very beautifully complete; as to the picture itself, the velvet cushion on which the king reposes is wrought out with all its little pattern of gold embroidery, and the blue carpet on which the masnad is placed shows a miracle of tracery in gold and white,-but the figure itself, the 'form' part of the picture, is

contorted, and the graceful folds which the soft muslin in which he is clothed would naturally assume are represented by lines conventional, stiff and utterly impossible, drawn without a thought of the original. The explanation is easy: the artist had the oriental perception of tracery and flat designing,—of solid form he had none.

It is not a little remarkable that the countries where form has been most appreciated have been less prolific in patterns, or traced design. In ancient Greece and Rome, for instance, where grandeur of form and severe truth of outline, coupled however with the most perfect grace, are pre-eminent in every sculpture and building, we see comparatively little of fine pattern design. We have, no doubt, tesselated pavements, and Etruscan and Greek borders, but the patterns are few, and constantly repeated, rigidly simple, and always occupy a place entirely secondary and subservient.

It may be objected to this depreciation of the native perception of form, that considerable elegance is displayed in their vessels and vases, but this is not a fair test; for when the clay is placed on the wheel there is a tendency in the gyrations of the wheel to produce certain forms in themselves elegant. When the first potters pressed their hands on the clay and the vessel came forth of a shape that was elegant, it was a chance: the potter had no design to make it with the particular curve that gives grace and beauty. But when once the vessel was made, and beautiful or not answered the purpose for which it was intended, whether a long necked "surahi" or water bottle, or a "handi" or a "chaitti," it became an established form, and was copied ever after, and copied not only in pottery, but in metal: hence the elegance of a few of the surahis and cups in silver is easily explained, and in no way militates against the general principle that traced design is separate from form design.

I have extended this notice beyond the limits of a preliminary sketch; but the class of embroidery is one so remarkable, and the subject of pattern in general is forced on our notice by the whole collection so strongly, that it is impossible to avoid devoting some pages to it. Form and design in pictures and in architecture have been

excluded from this place, but I shall recur to this interesting subject when we come to the fine art collection in Section D.

CLASS X.

This class gives an opportunity for the display of the peculiarities of dress to be found within the varied districts of the province. The wild marauding tribes of the hills and Pesháwar and down to the Derajat, the inhabitants of the peaceful and settled plains, in their several occupations or eastes. Hindu and Mussulman, Jat, Arain, Banya, Khatri, Brahmin, Munshi, the hill people of the Kangra and Simla States, as far as to the borders of Thibet, of Ladak and Spiti, of Kashmir and Kábul,—all are represented in the province in one part or another; and their distinctive dresses, turbans, or shoes, &c. &c., form interesting articles for exhibition. Under the same class are also included the articles of clothing which are exhibited as specimens of work, and not for the sake of the form of the dress. Also all articles which illustrate ethnographic peculiarities, or have reference to particular customs, ceremonies and superstitions, are here included.

.

CLASS XI.

This class is for Leather Goods. The original native manufactures of leather are not extensive. Common shoes, saddlery, book-binding, water-bags and buckets, are almost the only leather articles in common use; but the intestinal skin of various animals is made by moulding when wet into bottles or jars for holding oil &c. and camel hide is occasionally employed for the dishes of weighing scales &c. The more promising kinds of leather manufacture in this class are the result of European demand on the one hand, and European instruction on the other, and now superior book-binding, saddlery, harness, and English boots and shoes, very well made, form a part of the collection.

CLASS XII.

This is a large and important class, embracing all manufactures in metal. The class is sub-divided according to the metal employed, and primarily into the two main divisions of work in the precious and non precious metals.

The sub-classes A and B contain samples of the work in copper, brass and bell metal, chiefly in the form of vessels for cooking, drinking and holding water. Such vessels are always used wherever the people are rich enough to have them, it is only the very poorest that are confined entirely to earthenware pots. Rough iron-work was included in the exhibition; bolts, screws, nails, iron pans, and implements, were shewn, but formed neither a large nor an important collection, but one in which there was very great room for improvement; it is possible however that many exhibitors were deterred from sending specimens by the great weight and consequent cost of carriage, and also by the unsightliness of the objects themselves. The exhibition prize for the best piece of rough filed iron-work could not be awarded. Sub-class C contains cutlery, the best samples of which are the manufacture of table knives from Shahpur, and of various articles from Gujrat and Sealkot, but all on the European model, some of the latter under European superintendence also. portion of the large collection of swords and daggers exhibited for the sake of their blades came under this class. It may be added that there is some difficulty in classifying these articles, and a number will be found in this class, some more among the works in the precious metals, a few under jewellery, and a number in section C, in the class XXVIII-devoted to arms. The principle of classification is derived from a consideration of the prominent characteristics of the specimen. If a weapon exhibits a peculiar form and name, -as the long juggling sword, the twisted bichwá or dagger, or the katár, it is included in the proper class as a weapon; but if the form presents nothing remarkable, but the blade is of beautiful metal, or finely tempered and watered, it is shown as a sample of steel under the present class; if it is inlaid with gold the specimen will consort with "koftgari" or inland gold work,if the handle and scabbard are richly jewelled or enamelled, it forms part of the jewellery collection. In one instance daggers, whose handles and sheaths were of finely carved ivory, and the blades quite ordinary both as to shape and metal, have been included as "ivory carvings."

The next great division of this class contains work in the precious metals. In the exhibition there was a collection of considerable beauty. The first sub-class is divided to illustrate the manufactures of gold

wire, such as gold thread, and spangles, gold military lace, gold edgings and ribbands, &c., called "kalabatán" "makesh," "lans," "anchal," &c.

In the next class the gold thread and fine flattened wires of the former are found woven into gold cloth by the aid of a silk warp and forming the rich patterns of a Benares kimkháb, or the golden sheen of a "mandil" or "dopatta."

Leaving these light fabries of gold, illustrating the wonderful malleability and ductility of the precious metals, we come to another class, where the same metals are exhibited in a more solid form, in cups and vessels both plain and ornamental, or chased over with the beautiful flower work in relief as in the Kashmír silver.

In this class are also included a multitude of trinkets whose endless shapes and names are as curious as they are puzzling; several of these are local, and worn only by certain tribes, and will receive full notice in their proper place.

Next come the beautiful koftgari work, arms and shields, penboxes and caskets, combs, buttons, paper-knives, letter weights and many other articles of iron, polished and wrought all over with curious devices in gold lines made by hammering in gold wire.

Last in this class, is a sub-division to receive a few samples of plating, both water and electro-plate. The former has been done for years in the cities of this province by overlaying with thin gold,—but the latter is quite new, and has been practised by a few workmen with fair success.

CLASS XIII.

Contains the samples of native jewellery and enamelling. The latter is noticable chiefly on the backs of set jewels, many rings and bracelets being finished with enamelling in this way; but the most showy pieces of enamelling are the silver vases from Kashmír and Múltán and the enamelled jewellery of Kangra:—a pattern is formed on the silver in high relief and the lower parts filled up with coloured enamel, so that the surface presented is that of a coloured ground, with silver leaves, and flowers, delineated upon it.

The jewellery, properly so called, consists of gens cut and set in gold for rings, necklaces, armlets, &c. The native names and varieties

of jewels are perfectly endless, and vary in different districts. Trinkets and ornaments in silver and gold, all included under the general term "zewarit" are worn by both sexes, but especially by women.

Almost the only gems esteemed by natives for their finest ornaments are rubies, emeralds, diamonds and pearls; all the others are despised, and sapphires are quite uncommon, and only worn in the "nou rath," or armlet with nine gems.* The lower order of jewels, such as agates and cornelians are condemned to the rank of "naginalis" or "nankas," stones for signet rings or beads for rosaries. The gems are all imported;—rubies from Ceylon and Burmah, diamonds from Central India, but many from Calcutta, from Brazil, &c.; emeralds are not found anywhere in India, but stones of immense size are to be met with, filled however with flaws; -they are all imported. An account of these gems will be found in section A, under the class devoted to minerals used for ornament, at page 49 of vol. 1.

There is another class of jewellery which deserves notice, viz., that of Delhi made in European fashion, with stones cut as in Europe, which latter are chiefly brought from Calcutta. Very good native work in imitation of European also done at Kangra—but principally in gold and enamel not with stones.

CLASS XIV.

Is a class designed to include rock crystal cups, and handles, agate bowls, jade vases, and other articles of vertu not strictly to be classed with gents.

CLASS XV.

We pass on to a different series of manufactures, viz., those in which wood and ivory are the chief materials.

First comes furniture. This is principally by European hands in the regimental workshops, or by natives under European superintendence.

Natives use so little furniture beyond chairs, beds and boxes, that there is no scope for a native collection of furniture.

The second division of the class contains all the wood carvings, some in the form of articles of funiture, such as legs of beds, boxes,

The process of this size are very rate and a heart tower a stones of this size are very rate and a matrix of the size are very rate.

walking sticks and other articles. A few articles are of wood inlaid with ivory with great neatness and skill.

The third division is expressly for the turned wood ware of Pak Pattan and other places; the turned vases, boxes, &c., being afterwards covered with variegated lacquer and polished.

CLASS XVL

Contains all the delicate ivory carving of Delhi and Amritsar.

CLASS XVII.

Almost specially constructed for the wares of Kashmír; for beyond a rude papier maché from Muzaffargarh, there is hardly any made in the province. The Kashmír boxes, pen-trays, card cases, &c., are some of them of wood, and some of papier maché—the pulp of old paper, moulded, pressed and dried into the desired form. The surface of these articles is most beautifully and delicately painted over in gold, or colours, or both, on a ground of some colour previously laid on. Nothing can exceed the delicacy of the flower patterns or the shawl patterns which are delineated on them; the gloss is given by a varnish of copal.

CLASS XVIII.

Includes all the ceramic art of the province.

Generally speaking, nothing is made but rude porous earthern vessels of the various forms of water bottles, cups, pans, and "degchis" or "chattis" (cooking pots); but several districts have produced beautiful thin paper pottery, unglazed, and the Rohtak district has a very pleasing variety formed of brownish clay, the surface of which is ribbed or marked and indented with patterns, and then has a pearly lustre given to it by the addition of finely powdered tale.

Some of the pottery is of a pale yellow, and a little of a black colour; the latter is exhibited with a pattern worked in on it with quicksilver and tin leaf, which is not permanent but to look at has a sufficiently pleasing effect. There are a few specimens of pottery painted over, and of pottery to which the lacquer of the turned wood has been applied, the latter is very fairly durable when well made.

Some of the jails exhibited glazed pottery, which shows great progress, both as to form, colour, and quality of glaze; but still the art is rude and imperfect, and the apparatus and substances employed need improvement.

From Ludhiána the exhibition had a large series of ceramic vases made on classical or quasi-classical models. The glazed tiles under this class are some of them very good and of brilliant colour, being both ancient and of modern manufacture.

CLASS XIX.

This represents the attempts of the province at glass making.

The crude glass is a thick greenish material from which bulbous bottles are blown, but no advance in this has hitherto been made; the tools, the furnace and the annealing are all on the smallest scale, and of the rudest and most unsatisfactory kind. The few white glass articles that are made, are made of broken European articles melted down. The best glass is made at Pánipat and Karnál, they there also silver glass with some success. Some tolerable white glass candle shadles were sent from Patyálá, and some fancy articles from Lahore. As yet glass is not used for drinking out of by natives, and that employed by Europeans is imported, as is also window glass; hence there is no stimulus given to the manufacture.

CLASS XX.

Which concludes the section, is designed for the few articles of ornament or of fancy work that could not be conveniently included in any of the regular classes. Native ingenuity is often and not altogether unsuccessfully exercised in producing fancy or ornamental goods.

In the foregoing sketch it is hoped the reader will have gained some idea of what he may expect to find detailed under the various classes. He will see there, the result of patient industry struggling with rude materials, imperfect tools, and ignorance of any principles by which to learn to improve them, and opposed, albeit unconsciously, by that apathy and dislike for change which produces an almost insurmountable obstacle to the introduction of new methods, even when their superiority, actually exhibited, cannot be denied.

In other branches of manufacture, where the material is more pliant and seems dependent on patient delicate handling, combined with a power of pattern making and colour arranging,—we see all the excellencies of the best manufacture displayed at once; the embroideries, the shawl, the inlaid work are without rival. It only remains to ask

could not this excellence be produced with less labour, less time and less expense!

Notwithstanding the general backwardness of maunfacturing skill, the commencement of European influence of the best kind on the manufactures is clearly perceptible. New materials are being turned to account, better tools are being tried, in spite of the apathy and dislike just alluded to; better form and better finish is already discernible in the articles of furniture, cutlery, jewellery and many others; while even in the exclusively native art of shawl making, the value of European design and colour teaching is to be traced in several of the productions of Amritsar looms.

4.7

The survey of the manufactures is on the whole an encouraging one; advance though very slow is being made in almost every department. Our jails introduce better styles of work, and should be encouraged to go still further, and with still greater care and attention to see that the skill acquired is not thrown away or lost; private manufacturers, regimental workshops, railway industrial workshops and mission industrial schools are all tending to give the onward impulse

The establishment of good industrial and design art schools is now a desideratum; in many places the people are ripe for them and would gladly learn. The establishment of such a school at Lahore has been determined on, and will no doubt become the centre of improvement on all hands. Not a little will be gained if we can succeed in teaching the manufacturers the principles on which the processes of dyeing, metal working, weaving and the like depend; guided by such knowledge, it is possible to effect those improvements which are urgently required both in material and implements; mere empiric knowledge of certain rude processes can be handed down as in this country from father to son, but never can lead to any advance or improvement. A very important point which should occupy the attention of the educational authorities is the necessity of teaching and spreading a knowledge of the elements of natural science, especially Chemistry, Botany, Electricity, Hydrostaties and Mechanics. Almost every process of art or manufacture is dependent on one or other of these sciences; and if a knowledge of them were to begin to prevail among the educated classes,

improvement would gradually spread as it has in Europe to the masses, and the result would be that every manufacture in the country would eventually be benefitted; we would then see improvement carried into paper making, cutlery, pottery, glass blowing, in which it is most required, and even the old cotton and silk weaving loom might give way before a simple, cheap and improved substitute.

SECTION C.

MACHINERY.

INTRODUCTION.

This Section is at present destined to occupy but a small space in the account of the Products of the Punjab. The distribution of Classes under it, given at page xxxiii of Volume I, is rather intended for an Exhibition where both native and imported machinery is displayed, than a scheme of classification adaptable to the actually existing in digenous machinery of the Punjab. Accordingly, these Classes in the scheme that are noted below as containing nothing, will be omitted in the descriptive catalogue which follows:—

CLASS XXI.- Prime movers, &c. This class is blank.

CLASS XXII.—Distributed under four divisions : we have a few samples thus :—

Division I.—Machines for raising water.—There is the Persian wheel, the "Lao-charas" the "Dhankli" and the "Chalar."

Division II.—Machines for raising weights ;--is blank.

Division III.—Carriages.—There is no great variety, but the indigenous carriages are admirably adapted for the purposes they are built to serve; and the "Ekka," being built on the very principle adopted some years back in the Hanson cab, will deserve notice.

Division IV.—Railway Plant.—Although under effective supervision native workmen are able to build railway carriages, and to do a great deal of useful metal and other work in repairing and fitting machinery, all the specimens in such a division being purely of European origin, will have no place in this book.

DIVISION V.—Models of Bouts.—This Section will contain an account of the boats that have been in use on the Punjab rivers from time immemorial. Like almost everything else the art of boat building is stationary; and I doubt not that traces of Alexander's boat building may still be found in the Jhelum boat of to-day.

CLASS XXIII.—Instruments for weighing and registering:—is separated into two divisions:—

Division I.—Horological instruments, which is a blank, except in the remarkable instance to be noted in its proper place.

Division II.—Weighing Instruments are represented only by the common turárn or scale, with the suspended trays at either end of the beam. It is generally made of wood and with leather and basket work for larger work, while for jewellers and others a small steel beam carrying little hemispherical brass cups hung on with three silk threads is used. The balance is indicated by the pointed tongue "kantha" of the beam, just as in European scales. They are always fitted into a little wooden case, in which one cup lies over the other, and the case is shaped thus

The steel-yard is unkown.

CLASS XXIV.—Contains Mathematical and Philosophical instruments, and is unrepresented, save by the instruments (still to be found) used by native astrologers, includin the astrolabe, and instruments for determining latitude and longitude, equation of time, and so forth.

CLASS XXV.—(Surgical instruments) will present a small, but somewhat curious collection, showing how far the surgical art has gone among a people who consider the noble art—one of the great powers whereby we contend against the host of suffering and misery in the world—as only fit for barbers and blacksmiths; and who found their surgery, like their medicine, on a purely empirical basis. The patience of the native character, however, is admirably exhibited by the known surgical processes, most of them being as slow and tedious for the operator, as they require

patience and determined submission in the subject. The delicacy of handling and skill in using rough weapons which possess, will further appear in their operations for cataract, and for restoring the cartilage of the nose.

CLASS XXVI.—(Musical instruments) will contain a series which is certainly curious and interesting, however unmelodious to European ears the twang of the "madham" or guitar may be.

CLASS XXVII.—Locks and small machines.—This Class is represented by a few small articles, which show however an embryo ingenuity which might receive great development in future, and under suitable guidance.

CLASS XXVIII.—Contains specimens of Arms and Ordnance.

CLASS XXIX.—Machinery and Trade Implements.

Division I.—Used in Manual trades.—A great many of the implements which are required for various manufactures have already been described in Section B. of this Volume. I use this Division to contain a variety of miscellaneous information as to Tools and Trades which I could not include elsewhere.

Division II.—Agricultural Instruments, are represented by the somewhat rude, but by no means inefficient implements used all over the country. They have at least the merit of extreme cheapness. The common cultivator would be almost ruined by the price of an English plough; at least by what it would cost out here.

Division III.—Shews a similar series of tools used in horticulture.

CLASS XXX. - (Photographic Apparatus) is blank.

CLASS XXXI.—Contrivances used in architecture. Under this Class will be given some notes on the houses built in various parts of the Punjab, and some remarks also on the construction of wells.

The Class Machinery, which occupies a large portion of the great European Exhibition Catalogues, is thus reduced in the Punjab to very narrow limits. All the progress that has been made in the introduction of machinery is of European origin. Nor is this to be wondered at, for the manufacture of machinery demands many aids which the Punjab at present has not. First, there must be the inventive mind long trained by close study of the successive processes which one by one have perfected the construction of machines in Europe. Next there must be large foundries, and abundant supply of fuel for large and powerful furnaces; metallurgy must be brought to a high degree of perfection; fine and malleable iron, pure and even tempered steel, well compounded metals, must be produced in abundance. Again, the making of one machine requires the aid of many others. All the machinery requisite for casting metal, all the contrivances for turning, planing, boring, and shaping metal, that are now seen in the great engine factories of Europe, must be brought into play. Still. the day is perhaps not far distant when we may have machinery of native manufacture. Already the workshops of Rurki, Madhopur, and of the great railway stations, employ hundreds of native artisans, who are thus becoming familiarized with the arts of forging and casting metal, and with the control of powerful engines and prime movers, whether worked by water power as at Madhopore and Rurki, or by steam as at the Lahore and other railway workshops. These abundantly that the native workman is not wanting either in sagacity or in power; and these works under European supervision are but the first step towards works where the learners have become teachers, and whence the arts imported from abroad have gradually become naturalized and familiar.







Class V.

CLASS V. COTTON MANUFACTURES.

To trace the process of manufacture upwards from the first gathering of the cotton peds to the final egress from the loom of the woven fabric, we must refer to the class of fibres where, under the head of raw cotton, the first part of the story has been told; suffice it here to say that the native cotton fibre is of much shorter stiple than the American varieties, and that even the latter when acclimatized show, except under very favorable circumstances, a tendency to shorten also.

When the cotton is gathered and separated from the husks of the pod, the first step is to separate the fibre from the seed to which it is attached. This is effected by the "b lna," a very simple little apparatus, consisting of a pair of rollers, supported between two uprights fixed on to a wooden stand: the rollers are just sufficiently far apart to allow the cotton but not the seed to pass between. The ends of the rollers are cut into wormed screws, which work one into the other and cause both rollers to revolve, when force is applied to a wooden lever handle attached to the upper one.

The cotton having passed through this process, is cleaned from broken bits of seed and dirt, and also frayed out and separated, by a very simple apparatus called a "pinjan." This is little more than a bow loosely strung and suspended from the ceiling of the room. The operator sits on the ground, and the bow lies nearly on the ground; the operator twists a little stick round the string in the centre, and placing the bow-string over a little heap of cott in, by the aid of the little stick, twangs the string against the cotton, which is frayed out and cleaned simply by the vibration of the string; the passer by can constantly hear the twanging of this bow as he approaches the shop.

When the cotton is thus cleaned, it is formed into spindle shaped lumps or balls, called "puni" from which thread is drawn out and twisted. This is done by the aid of a "chorka," a very simple instrument, consisting of a large lantern wheel* about a foot or eighteen inches in diameter, which turned by handcommunicates by a band with a very small redshike which revolves rapidly; from the side of the reel or small wheel an iron spike projects, over which a hollow grass straw is shipped and on which the cotton thread is wound as fast as it is spun.

The thread being thus obtained, it is wound off from the reels of the charkha and converted into the form of large skeins by win ling it over a wooden frame called "deran." In this state it is put into the weaver's hands. The weaver opens out the skein into a circle which he then places on a sort of skeleton cylinder, or rather pyramid shaped wheel, from which, while revolving, the thread is again wound off on bits of reed for use. Next, the web of the fabric has to be prepared, which is of course double. In order to do this, a smooth piece of clean ground is selected, and pairs of pegs are set up, at intervals of two yards or less, in two paralled rows. A person then takes in each hand a stick, at the bottom of which is a revolving reel charged with thread; he fixes to the first peg one end of the thread on the reel, and then walks along the pegs, first down one row and up the next, and so the thread unwinds as he goes, and he takes care to let the thread fall alternately outside and inside each peg:—thus

^{*} The whoeld misses of two dises of wood separated by pieces of wood to the distance of 2 or 3 inches, the edge of the which is formed by a net work of string stretched between the two dises, over this surface the pairs revolves.

a number of threads are deposited on the ground over the pegs, and the workman goes on unwinding till there are threads enough for his purpose. The requisite number of threads is calculated according to the breadth of the intended fabric; the threads are then carefully taken up off the ground. The double rows of pegs having served to keep the two sets of threads apart, sticks of "sarkand" grass are also inserted breadthwise to keep them from becoming reentangled. The workman next spread out the threads to the breadth of the intended web; one end of the web is then tied to a stick fixed in the ground and the other held by another man and stretched out to its full length, when it is well brushed with a broad brush (called "kāch") to cleanse the threads from the little particles of cotton seed and other impurities that invariably stick to the thread. It is now ready to be transferred to the loom.

All native cotton fabrics are made in one or other of four styles :-

1st. These are plain cloths, either wove with a single thread or with two or three or four threads, according to the required stoutness of the fabric, from the thinnest "malmal" or "eksüti" to the thickest "durree;" for all these the web is unicolorous.

2nd. Are cloths with a longitudinal stripe, of which the type is the susi; or with a check pattern as the "lungi;" the web here has coloured threads introduced at intervals for the stripe. "Jabbalpúri" durrees are also made on this principle. Both these kinds are wove plain and called "sádábáfi."

3rd. Are cloths with various diagonal patterns, such as the "khes," and are woven on a different principle and called "khesbáfi."

4th. Are those fabrics which are not woven merely by passing the shuttle across and across in a straight line, but which exhibit in their texture a damask or pattern, generally in diamond shapes, and fantastically called "Bulbul chashm" or "Nightinale's eye." This is commonly seen in the "gháti" and in the "chádar" worn as wrappers or cloths.

The weaving of towels, table linen and the like, is of purely European origin, and is only practised in jails, &c., under European supervision. Such cannot be counted as a class of native indigenous manufactures.

Notwithstanding the simplicity of the cotton manufacture, the varieties of the cloth are numerous, as the following list of names of cloths met with in the Punjab will testify. The names sometimes indicate the number of threads constituting the breadth of the web, and sometimes the number of threads, whether single, double, &c., with which the shuttle is charged. Sometimes the colour gives a name, sometimes the pattern. Besides these general names there are varieties of fabrics known locally by peculiar names. These are not given here, but will be found in the catalogue which follows. The Gágaira lists will furnish a good example of this. Foreign piece goods, whether European, or imported from Kábul and Túrkistán, or from India, have also distinctive titles: all such are indicated in the sequel.

With regard to the distribution of cotton manufacture in various districts of the Punjab,—it is, of course, scarcely possible to exclude any city or town from the list of cotton manufacturing localities. In every place will be found shops of weavers employed in producing at least the coarser cloths required in quantity by all classes.

In the large cities, as Lahore, Amritsar, Múltán, Lúdhiána and others, every kind of fabric almost is woven. Lúdhiána has a special notoriety for drills, check cloths, and other fabrics resembling European, as well as for "lúnghis" and other native fabrics.

Múltan is noted for cotton pile carpets, and for printed and painted calicos or chintzes, called "chit," and for "dhotis" with a red printed border.

But the most important seat of all the finer cotton weaving was and still is the Doábah, or districts of Húshyárpúr, Jálandhar and Kangra. It is true indeed, that the excellence and cheapness of European fabries has almost caused the manufacture of the finer cottons to cease, but still the "ghátis" of Rahún and the muslin turbans of Bajwára are celebrated even to Hindústán.

Coarse cloth, which is generically called 'kaelha," (which literally means "woven," just like the Persi in "báfta,") is also largely manufactured in the Doábah, and is exported to the hills beyond Kulú and Spití.

In other parts of the Punjab there is equally a demand for this kind of fabric for export to Kábul and Túrkistán, in those towns through which the Parácha merchants pass when they return to their own country after disposing of their goods in Hindústán and Bengal.

In this way it is that the districts of Jhung and Shahpar, the latter especially in the town of Khushab, have a considerable trade in coarse cloth. Chintzes or printed fabrics are also much in demand, and are largely exported; Multan, which is a great rendezvous of Povinda merchants, has a considerable trade in them, as indeed in all the articles that constitute the export trade to the Western frontier.

Gágaira, and especially the towns of Syadwálla and Pákpattan, are noted for the weaving of an improved variety of "Tánghi" and "khes."

Khusháb in Shahpár is also note l'for its lúnghis, both silk and cotton. The lúnghis of Pesháwar are also famous, and the dark blue scarf with its crimson edge, woven in the Kohat district, is quite characteristic. A similar kind of scarf is largely manufactured in Hazára, both plain and ornamented with a border of gold. The Deputy Commissioner informs me that of the plain kind universally worn by zemindars, from 5 to 6000 are made yearly, and valued from 2 to 15 rupces each. Of the gold bordered kinds worn by Kháns and the better classes, and valuing from 10 to 70 rupces, about fifteen hundred or two thousand are annually woven.

The Panjáb districts bordering on Hindústán are principally remarkable for muslin. Turbans of this fabric are largely manufactured at Delhi. In the Sirsa district, the principal manufactures are coarse cloths called "gari" and "parasi" and "dabba khes" or khes of two colours.

It must be remarked generally with reference to the *prices* attached to articles in the following list, that they are not constant. The price of durres and all cotton goods alters with the price of raw cotton:—

"LUNGHI."

The first class of cotton fabrics to be noticed is the "lunghi." This is a long scarf. They are made everywhere, but especially in the Pesháwar division, where they are woven of exquisite fineness, and with most beautiful borders, in which coloured silk and gold thread are often tastefully introduced. The lunghi is universally worn by the in-

habitant of the Peshawar and Derajat divisions. The long ends with the coloured borders hanging down, present a very elegant and pictures que appearance. When the lunghi is not worn as a turban it is used as a searf, being cut in half and the two pieces sown together. A lunghi is either plain cloth of any cofour, oftenest white or dark blue, or else a small check like the Peshawar lunghi. The exhibited samples were as follows:—

1.—[5736.] Yellow and black check Sirsa. Lúnghi with silk borders, by WAZIR.

2.—[3737]. Another, black and blue.

3.—[5763-4]. Check lúnghi (charkhána) Ambala. by Минаммар Вакsн.

4.—[5765-8]. Four lunghis by Habibullah, valuing Rs. 4, 17, 25 and 27, respectively.

5.—[5820]. Three lunghis by Nathu of Hushyarpur. Kanpur.

6.—[5823-43]. Lánghis, value Rs. 15 and Amritsar. 35. with borders.

7.—[5881]. "Lúnghi Fakíri," an excessively cheap kind of cloth, worn by Fakírs or beggars, its value is 9 annas.

8.—[5889]. Is an orange coloured lúnghi by Thakur Das of Lahore.

9.- [5899]. Is a lúnghi by the Superintendent of the Central Jail.

10.—[5935]. One from Gujranwálla.

11-[6002]. One from the Jihlam jail

12.—[6027-31]. Are various coloured lánghis made at Khusháb in Shahpúr (which is celebrated for them) by Ahmad Din and Pir Bakhsh.

13 - [6147]. Is a binghi from Jhung.

14.—[6165]. A lúnghi from Dera Ismail Khán.

Check lúnghi called 'Sirdár Khori." which means "check Gugaira. for the chieftam." said to be so called because when first invented the new fabric was presented to a certain Sirdár whose name, however, is not remembered, value Rs. 4-8.

16.—[6061]. "Lúnghi Chautání," so called because the warp (tání) is divided into four (chau) breadhs, each of which is of dif-

ferent coloured threads, red, yellow, green, and white.

17 - [6087]. "Lúnghi tirtání," similar to the preceding, except that the warp is divided into three parts instead of four, each being a different colour.

18.—[6065]. 'Lúnghi tirkandí.' called from three threads' (tirkandí) of red, green and yellow color being employed in weaving it.

19.—[6066]. "Lúnghi safid reshami manchawálí." Of this fabric 10 parts are cotton and one part (mancha) is silk (reshami).

20.—[6067]. "Aláchá úda." Purple coloured (úda) check. The check is so very small that the marks are like the seeds of cardamons (tláchi).

21.—[6068]. "Chak-lá." 'Chak' means a piece—and 'lá' a kind of cloth.

22.-[6069]. "Lúnghi chaugarri," a check of two colors, generally worn by women.

23.—[6070]. Lánghi chirwín." This is a plain unicolorous fabric except that at regular intervals a single–thread of another color is woven in.

24.—[6072]. "Lunghi safed." A plain white scarf.

25.—[6073]. "Lánghi Jallá khoriwallá." A check with three colors in it, first made by a weaver named "Jallá."

26.—[6074]. Lúnghi Sáví." Made of five parts green thread and one white.

27.—[6075]. "Alácha Siyah" by Bhanimal of Pák Pattan, black small check, (see No. 6067 above).

28.—[6184]. Is a green lunghi by Kamaliya.

29.—[6085]. "Lánghi Khesí." as its name implies, a lúnghi made like " a khes."

30.—[6088]. "Lunghi anárdáni." A check, but not a square check; the marks of the check are clongated like the grains of pomegranate fruit (anárdana).

Class I.

31. - [6173]. Lúnghi with silk borders, Peshawar. value Rs. S-8, by Miyan Nizam-up-din.

These lánghis are of extreme fineness of texture and great beauty. They are universally worn by Algháns, some further become of them will be found under the head of articles of clothing. There is one kind of langhi which is cheffy worn by the ignicultural population, it is of a uniform duck blue color with a border of crimson and yellow life, the best of these are made at Hangá in Kohat, and can be made of any value up to Rs. 100.

32.-[6174]. "Lánghi langotah," value Rs. 60. 'Langotah' means warsteloth or girdle indicating the use to which this kind of lánghi is put.

33.-[6175]. L'inghi Hindwani, value Rs. 25, for Hindús' wear.

34—[]. A small check lúnghi, fine wove, with deep border in stripes of black and turquoise blue silk alternating with broad stripes of twilled gold thread, value Rs. 190.

35.—[6176-8]. Three binghis, used either as head dresses or scarves, called "chaddar chamkám" and "purra."

KHES.

This fabric is generally woven in pieces, which are sown together to make a square "chaddar" or upper wrapper, worn by all classes that can afford it. The fabric is remarkable chiefly as exhibiting a different kind of weaving to the others. The natives acknowledge, three kinds of weaving : " Sidá báfi," commencing when the pattern is all in lines or checks and runs either straight down or straight across the webs. "Khes báfi," where the pattern may be either plain or cheek, but the thread of the weft entwined alternately with those of the warp that the make of the fabric appears to be diagonal or cornerwise across the fabric, instead of the threads crossing at right angles. The looms for this kind of weaving are more complicated than the other, having a greater number of treddles &c., and the shuttle being differently employed; the looms will be fully described

under section C. Machinery. The third kind or "Bulbul chashmbáñ" is where the fabric is damasked with a pattern of diamond shapes produced by interweaving the threads of warp and weft. The khes báfí includes two kinds of coverlets called "dotahi and chautahi," white sheets with a red or dark blue edging. Sometimes however the chautahis are made with a large check pattern. Occasionally cotton kheses are made with a silk edging.

The exhibited samples were as follows:-

36.- 5731. Black and yellow plaid, half silk and half cotton, made
 Sirsa. by Wazir of Ranca, Sirsa district.

Two coloured khoses are in this district called "dabba khos"

37.-[5732]. Red and yellow plaid by Fyrren.

38.—157337. Black and white plaid with silk border, by WAZIR.

39...[5734]. Red and white plaid with red edge, by Jiwan Ram.

40.- [5735]. Coarse klies made at Sahowala.

There were also kneses exhibited from the following districts: -

[5729], Rohtak [5733], Ladhawa, by Kannya Lat [5895], Lahore [4918], Chiman, in Lathore district, a plain white khes, worth Rs. 7, [5948-51], Rawil Pinch Jail, and also [5951-2], Checks value Rs. 2-10 and 10 respectively, [6158-61]. Lein (Dera Ismail Khan) [6033], Shahpur by Muhammad Barhsh of Bhera [6168], Dera Gházi Khan from Dajal, [6200], Patyála, [6214], Maier Kotla.

A special collection deserves notice from Gúgaria.

41.—[6077]. "Khes Bulbul chashm," a white damasked wrapper with red edge.

The are worn by the better classes who can afford them. A very good specimen of the fabric is sent by the Tehsildar of Chiman (Lahore district) valued at Rs. 10, (No. 59.9) under the name of

chantahi. (See explanation of term "chantahi" lower down) Another khes called chantahi of this pattern with a red edge is sent from Nábha (No. 6199); this is smooth and glazed exactly like the "ghiti;" a similar one comes from Jhind (No. 6196), and one also from Patyála (No. 6201).

42.—[6078]. "Khes chándana." Black and white khes, by Bhani Mal of Pák Pattan.

The pattern is of alternate diamond shapes of black and white.

43.—[6079]. "Khes Gadrá." A khes in which thread of two colors is woven together into a large check like a plaid shawl.

44.—[6080]. "Khes charkhána." Common check khes.

45.-[6082]. White khes.

46.—[6094], "Khes nila." Dark blue ditto.

The remaining specimens under this head are exhibited as "chautahi" and "dotahi." These are made on the same principle as the khes, but with this difference that they are used only for bedding and coverlets, except perhaps in the neighbourhood of the Jhung and Gúgaria districts, where they are occasionally worn as wrapper-4by the zemindars.

The terms chautahi and dotahi have reference to the size.

They are always made to fit an ordinary sized "charpoy" or bed; if by folding (tahi) in two, or once across, (do) they fit the bed, they are called dotahi." if the piece is so large as to require to be folded in four (char) to make it the size of the bed it is called "chautahi."

They are made of various qualities and thickness, from a value of a little more than a rupee, up to 10 or 12 rupees.

47. -[5887]. "Dotahi kanni siyah," or a "dotahi" with a black border of the common quality, and worth Rs. 1-5, by Thakur Das of Lahore.

48.-[6076]. Is a chautahi with silk border from Gugaria.

49.—[6213]. One from Maler Ketla.

GHATI.

This fabric is either plain or else damasked

or diapered with the "Bulbul chasm" or diamond pattern.

Both fabries are highly glazed; the manufacture is almost confined to the Jalandhar Doah, including Kangra.

There are however specimens of the work from Patyála and Nábha, and the Ambala district.

The exhibited samples are -

50.—[5804-7]. Ghátí from Rahún, Jalandhar district.

51.-[5807], "Do-lánghi," Jalandhar.

52.—[5815 and 16] Khes of two qualities, made like white gháti, by ABDULLA of Kangra.

SUSI.

This is a narrow cotton fabric, universally used for making pyjamas or trowsers, especially the large loose garments worn by females. The fabric is also occasionally worn round the waist. It is distinguished by having stripes lengthwise down the piece, of a different color from the ground work; — dark blue with white stripe, blu— and red stripe, green and white stripe, are the patterns most commonly seen, but other varieties are made. This fabric is plain woven or made by Sáda bájí.

53.—[5774]. 5 yards of "Dorya" by Ludhiana. Muhammad Baksh, worth Rs. 4-6 a yard.

54 —[5775]. Dorya of coarse quality by NATHA MALL.

55.—[5776]. Black susí, at 4 annas six pies a yard, by Desu Mall.

56.-[5777]. Pink susi, at the same price, by Gobind Lal.

57.—[5896]. Green susí, by THAKUR

Lahore. Das, value 12 annas for 6½
yards.

58.—[5897]. "Susí" chaukánni, value Rs. 1-8 for the piece of 9½ yards.

The terms "chaukanni" &c., refer to the breadth

of the coloured stripe on the piece, a chaukánni súsí | has the stripes four threads broad, a 'dokanni 'has it two threads broad, and so on.

59.→[5898]. "Súsí dokánni," value Rs.1-4 per piece of 6¾ yards.

60.—[5899]. "Súsí sandali," value Rs. 1-1 for 71 vards.

'Sandali' refers to the drab or brown color.

61.—[5886]. "Dosila," blue and orange stripe, 10 yards worth Rs 2-8.

The other "Súsis' exhibited were from the Jlung Jail (Nos. 6137 and 6149), Dora Ghazi Khán (Dosila No. 6167), Peshawar (6179). Agra Jail, one of English thread fine woven (6255) and one of Dacca thread (6256).

DOSUTI, GARHA, GAZZI,

and other plain cloths.

These are a series of coarse woven cloths differing in thickness, according as single, double, or treble thread is employed in weaving them; the coarsest and loosest textured is "gazzi," then comes "garha," and eksúti, and then dosúti, and the thicker sorts, tinsúti, chausúti, &c.

These cloths receive different names when dyed. There are a few such samples, which are given at the end of the list.

DOSUTI.

Is a thick cloth much used for dusters, it is also used for clothing by the poorer population, also for bedding and other general purposes. As its name implies, the thread is double (do-sút) with which it is woven.

The samples sent were from-

62.-[5717] The Jail of Delhi.

63.—[5723]. Karuál, value 8 yards for Rs. 1-4.

64.—[5741]. Sirsa Jail, 4 ans. per yard.

65.—[5780]. Ludhiana, by Meutab, at 3½ ans, per yard. Also an inferior quality at 2½ ans, per yard. Also from the Jail (5799) at 4 ans per yard.

66.—[5868]. Lahore, by HAKE, at 10 yards the rupee; there is also another piece (5881) value 11 annas for 8½ yards, and a sample from the Central Jail (5495).

67.-- [5934]. From Gujranwálla.

68,--[5953]. Ráwalpindí.

69.-[5138 and 39]. Jhung Jail, both white and dyed, "kháki" or grey.

70.-[6169 and 70]. "Kalabágh."

71. [6181]. Kohat.

72 -, 6218 and 19]. Maler Kotla.

When the threads of the cloth are doubled, trebled or quadrupled the cloth is called tinsúti, charsuti, &c.

73.—[6240]. Chausúti, Agra jail.

74. - [6241]. Tinsúti, ditto.

75. - (6242). Dosúti, ditto.

There remain to be mentioned a few varieties of this cloth under the names painsi, chainsi, &c. These refer to the breadth of the cloth, indicating that there are 500, or 400, &c. threads in the warp. The reader should remember the difference between chausáti and chausi; the former refers to the thickness of the weaving thread, the latter to the breadth of the warp.

The specimens are—

76.—[5738]. "Painsadi" cloth, value 3 annas 1 pie per yard, made at Rinea, Sirsa.

77.-[5739]. "Rethi" by Jewan Ram of Sahowala, Sirsa; the value of this 2½ annus per yard.

78.-[5885]. "Painsi" cloth, Lahore, value 51 yards for 9 annas.

79.—[6203]. "Chausi" cloth, Patyála.

EKSUTI.

Is a cloth similar to the last, but weven with only one thread, as its name implies. A sample is sent from Amritsar [5824], by Gulasar Husain.

Many of the following specimens are hardly distinguishable from eksuti.

Class V.

GARHA.

Is a cheap and thin fabric, woven with one thread; it is used for the common purposes to which cloth is applied—It can be very well made however, as is the sample [No. 6245].

Samples of this cloth were sent from-

- 80.—[5718]. Delhi jail.
- **81.** -[5800]. Ludhkina jail, value 21 ans. a yard.
 - 82. [5898]. Lahore Central Jail.
 - 83.—[6032] Shahpûr.
- **84** —[6141 2-3]. Jhung Jail, Three qualities.

The trade of this jail is wonderfully great; the merchants from the North West returning from Calcutta and Hindustán readily purchase at the jail quantities of coarse cotton cloth; hence the manufacture thrives

85.—[6245]. Agra jail, fine quality.

"GAZZI."

Is also a thin cloth, somewhat inferior to "gárha;" the specimens are from the following districts:—

- **86.**—[5744]. Sirsa jail, value 2 annas 10 pies per yard.
- 87.—[5782]. Ludhiána, value 1 anna 6 pies per yard, by Ментав.
 - 88.-[5954]. Rawalpindi.
- 89.—[6132-3 and 4]. Jhung jail, three qualities of coarse white cloth.
- 90.—[6583]. "Kadak," (equivalent to "báftah,") Kashmír. This is the Kashmíri name for a soft kind of cloth, like gazzí.

" DARL"

Is a useful cotton fabric, being a kind of drill, made exactly on the same principle as the cotton carpet, also called darri, but not to be confounded with it.

The specimens are from-

91.—[5778 and 5779]. Ludhiána, one sample value 7 ans, a yard by MUHAMMAD BAKHSH, and the other worth 51 ans, a yard.

- 92.-[5792-5]. Ludhiána Jail, 3 samples valuing 5 annas ten pies, 4 annas five pies, and 4 annas a yard respectively.
- 93.—[5817]. Hushyarpür, value Rs. 7 for 18 yards, made at Bassi by Alladaya.

The remaining samples of cloths of this kind are miscellaneous, as follows:

- **94**, —[5878]. "Kora Kapra," coarse cloth; Lahore.
- 95.—[5580]. Another quality, valuing 6 annas for 5½ yards.
- 93. -[5873]. Piece of "Nila," dark blue cloth worn as a turban, worth Rs. 1-10-0.
- 97.—[5867]. "Sálu," cloth dyed with madder, Lahore, (European turkey red cloth is also callel "Salu or alwáu").
- 98.—[]. "Khárwa," coarse cloth dyed with madder, is known by a black stamp always impressed on it; it is used chiefly to make bags and coarse covering for property, also for screens or purdahs.
- 99.— 5875-76]. "Kapra Majithi," Lahore. Madder dyed cloth as its name imports.

TURBANS AND "DHOTIS."

The next series of cloths are generally light in texture and soft: they are of very different qualities, and made for turbans, both the "sáfa" or under turban and the "dastár" or upper turban. In the Panjab, both are usually worn and of different colours, which has a pleasing appearance, but some eastes wear only the sáfa. The "pagri" is a peculiar kind of head dress worn by itself, and different from either of the foregoing. Of a similar fabric are also the "dhotis" or sheets worn round the waist by Hindus.

The exhibited samples are as follows:—

100.--[5719]. Dhoti from Delhi Jail.

Samples are also sent from Amritsar (No. 5825) by GULASAR HUSAIN, who also sends a variety of cloth called "Goripat" similarly worn. (5826) is from Lahore, (No. 5879) by THAKUR DAS, who also exhibited a Choti 10 yards in length.

The turbans exhibited are as follows:-

101.—[5724-26]. Three turbans (pagri) of cotton thread, Rohtak.

102.—[5759]. Black Dastár, (outer turban) worth Rs. 10, by Ghulam Kabir of Lúdhiána.

103.—[5760]. A white Dastar, by the same.

104.—[5761]. Check Dastar, worth Rs. 1-8-0, by Минаммар Викян of Lúdhiána.

105.—[5762]. Unbleached (korh) turban, worth I rupee, by Kirpa Ramof Lúdhiána.

THE PROPERTY OF THE PARTY OF THE

106.—[5883.] Coarse "pagri," worth 9 annas, Lahore.

107.—[5975-76]. Two "pagris" made with English thread, in the Gújrát Jail, (one of them has a gold border).

108 -[6121]. Pagri from Gügaira Jail.

109.—[6120]. Is a "chadder," made at the same place.

110.—[6215-26]. Two turbans from Maler Kotla.

MUSLINS.

The samples are very few, and the manufacture does not appear to flourish in the Punjab. The best muslins come from Delhi, there are also some of tolerable fineness from Hushyárpúr and the Doábah, and Lúdhiána exhibits one or two of good quality. None are however equal to the Dacca and Hindustan muslins.

111.—[5715]. Six specimens of muslins, Delhi.

These muslin turbars are manufactured in great quantities of Chinese cotton, about two lakhs of rupees worth are annually exported.

112.—[5819-20-21]. Three turbans of white muslin by Nатни of Khanpúr—-Húsh-yárpúr.

113.—[]. "Dhotar" coarse muslin of narrow width, by Thakur Das of Lahore.

114.-[]. "Silára," mushn with

coloured stripe used for women's dress and for a lining to other garments.

N. B.—Some specimens of muslims are included as "Pagris" in the foregoing list—such are those from Roktak, which gained one of the special prizes for muslin.

FANCY CLOTHS.

Principally in the European style.

This class of fabric has been kept separate since they are all either made at jails under European supervision or else have been made from European patterns.

115.—[5772]. "Gambroon," worth 0-5-4 per yard, by Минаммар Вакки, Lúdhiána.

116.—[5818]. Búrdán or "Ticken," at 1 rupec per yard.

A thick striped cloth like English bedsticken, made by Alliany a of Bassim the Hushy appir district.

117. -[5819]. "Lachak" or drill, at Rs. 2 per yard, by the same

118.—[5897] Drill, at S annas a yard, by the Lahore Central Jail

119.—[5916]. American drill, at 2 rupees a yard, by the Gújranwálla Jail.

120.-[5917]. Double drill cloth, at 10 annas a yard, by the Gújrát Jail.

121.—[6005]. Jean, at 64° annas a yard, by the Jhilam Jail.

122.—[6007]. "Gumti," by the Jihlam Jail.

The following are "checks":-

123.—[5766]. Blue check, I rupee per vard, by the Sirsa Jail.

124.—[5773]. Check cloth, at 12 annas a yard, by Минаммар Вакън of Lúdhiána.

125 -[5174]. Blue check, Lahore.

126.—[6046]. Lady's check dress, Múltán Jail, value Rs. 3.

127. - [6047]. Black and white ditto.

128 -- 6048]. Striped ditto.

129 — 6234-357. Check cloth made with English thread, Agra Jail,

130.—[6236]. Green cloth made with English thread, Agra Jail.

131 —[6250-51]. Check cloth and check horse clothing made with Dacca thread-Agra Jail.

TABLE AND HOUSE LINEN.

This series is exclusively the product of the various jails in the Punjab. Many of the articles are made with English fine thread, especially the table linen;—but the dusters, towels, &c. are usually made with the best class of native thread. It is scarcely necessary to remark that all these fabries are of English patterns.

132.—[5770]. One dozen Handkerchiefs, value Rs. 2-4, by MUHAMMAD BAKSH, of Lúdhiána

133.—[5841-52]. Handkerchiefs, by the Amritsar Jail.

134.—[5813] Table cloth, value Rs. 32, by the Jahindhar Jail.

135 - 59013 White damask table cloth, at Rs 4-4-0 per yard, by the Lahore Central

136.—[5902]. Fancy table cover, Rs. 2. Leb ve Central Juil

137.- [5896]. Table cloth, made with cotton grown in the Jail garden, Gújrat, with sample (5888-89) of thread used in miking them.

Table cloths are also sent from Ferozphir value Rs 9-12 0 from Rawaque a 5550 (G'jiat Jail, accompand), by a sucque of the English threadfrom which they are noted. Ness (5071-73, 93, & 5985) (from Dalam 5996), and from Agra (9237) where the denish for take cloth is allel white Mashaju

138.—[5987] One dozen table napkins, made from cotton grown in the Jail garden, Gigi et.

The oraq kins are also soft from Labore Central Jan. 1962. From Genral various quadros 5972. 4 (v. 94). From Julian (6002). From Muitan, v. 7. Rs. 4 (1) 11. (2016).

100 - 5771 Towels, by MUHAMMAD BAKSH of Lúdhaána,

Towels are also exhibited in great variety, as follows:—

140.—[4795-8]. Lúdhiána Jail, samples of towelling at 0-6-8, 0-5-4, 0-4-8, and 0-4-0 each piece.

141.—[5900]. Lahore Central Jail, seventeen samples of towels, plain pattern, 'honey comb,' 'Baden-baden,' 'Pile,' 'Turkish,' &c, &c

Besides there are towels made at all the jails of the Punjab.

142.—[5720]. Dusters, Delhi jail.

143.—[5741]. Do., black bordered, worth $3\frac{1}{2}$ annas each. Sirsa.

144.—[5756]. Do., worth Rs. 3 a dozen. Amballa jail.

145.—[5896]. Do., value 3 annas each. Labore Central Jail.

(All the Jails exhibited dusters.)

146. [5977]. Diaper cloth, Gújrát jail, value annas 5-4 per yard.

147 —[6057-8]. Napkins, (Diaper) Multan jail.

148.—[6231-2-3]. Colored table covers, woven with English thread, on the principle of a fine "durree." Agra jail.

149.—[6244]. Screen or curtain for a door, of English thread, Agra jail.

COTTON CARPETS.

These are in universal use in India They are variously called "dari" or "satrauji," according to the size: satranji being a large carpet and daria narrow piece just big enough for a bed to stand on, (which is what natives generally use them for.) but Europeans call all sizes indifferently by the name "durree." In pattern they are usually striped with bands of several colours, arranged according to taste; but a clever workman can produce various patterns in a durree, such as squares, ciamond shapes, &c., provided only that the figures of the pattern be not too complicated, and are made up wholly of straight lines.

The method of manufacture is very simple

All that is requisite is a flat smooth space of ground as large as the intended dance. At either end of this a long roller is set up, and to either roller the ends of the web are attached just as in an ordinary loom. When the web is properly stretched out, it only remains to provide a simple agency for crossing and recrossing the threads of the wip in the usual way, as the thread of the woot is passed across and across.

This is effected by placing a long pole supported at either end by two legs, trestle fashion, across the whole width of the warp.

上 大学者と ころのできる 大学など

This pole is called a "gorn" (which literally means "mare," and so called from its rude resemblance to a quadruped), from the "gori" are hung two bamboos, each of which carry a number of threads, which are attached to the under and upper threads of the web respectively. When it is desired to cross the threads of the warp, it is simply necessary to pull up one of the bamboos and lower the other as the bamboos are merely hung to the "gon" by ropes at each end, the raising and lowering is easily done by tightening or loosening the suspending string by means of a stick attached. No regular shuttle is used. A number of workmen sit in a row, on that part of the durree which has already been completed, and pass the thread along between the lines of the warp, from hand to hand. The thread is wound in a long egg shape on an iron skewer or needle.

If the pattern is elaborate there will be a considerable number of these thread shuttles at work; each workmen has charge of his own, and passes it along according to the pattern, taking the thread out and allowing the next workman to insert and withdraw his shuttle in the same manner, and so on, the threads as they are passed through the threads of the warp, are kept close together and the work is rendered compact and even by striking between the lines of the warp with a kind

of fork, having a wooden handle and nonteeth and called a "kine." The "corp" above described with its lemmor, and threads for raising and changing the less of the warp, can be shifted down the web as the work progresses.

I have seen a large durine worked with at both ends simultaneously, with 2 "goris," the working approaching each other till they mush in the middle. The simple apparatus for durine making can be taken up, and put down anywhere.

Samples of durrees were exhibited from most of the Jarls.

There is also a special kind of ribbed durree called Jabbalpán (because first made at the Jabbalpan School of Industry), it is made on the Kulderminister carpet principle, the coloured lines being longitudinal (made in the web), and not transverse in the welf as ordinary durrees are. They have also a peculiar wavy or corrugated texture.

Common duries are made not only in jails but in the cities and bazars. I never saw the Jabbalpúrí durrey made elsewhere but in jails.

It is only necessary to notice two samples which are specialties in this kind of manufacture; they are as fallows:—

150 — 5927'. A fancy "durree" from Baháwulpúr (Lahore Museum). This is made in white red and blue, and has a cleverly designed border.

151. - [5980] Durree from the Gúgrát jail.

This was the most clegant during exhibited the pattern consisted of plant-tripes of white green black at a tempurate blue, with an occasionally thin line of red against the black. It was very reat in style, and positivity regular and well finished in make

152.— 5981]. A sample of the thread used in the manufacture accompanied it

PILE CARPETS.

A few specimens of Kaon or soft pilo carpeting, made of cotton instead of wool,

were exhibited. Múltán jail is noted for the manufacture.

153.—[5730], Kálín from Rohtak jail.

154.—[5755]. Soft carpeting, Amballa jail.

155.—[5970]. "Kálín súti," value Rs. 59, Gújrát jail.

156.—[6034]. Cotton carpet, Múltán, value Rs. 29-8.

157.-[6281]. Cotton rug, Agra jail.

Tape, String and Miscellaneous Cotton Manufactures.

These articles are much manufactured at jails, they require no remark; the most useful of them is the broad coarse tape called "newar," this is always used to form the webbing of beds: the charpoy being a mere oblong frame supported on four feet, the centre is filled in with this broad tape, put on lengthwise and then interwoven crosswise, thus forming a firm and elastic web on which the bedding is placed.

The poorer people who cannot afford newar of cotton, use string for the same purpose.

158.—[5748]. Newár, broad coarse tape, Sirsa jail, value Rs. 2 a seer (25s).

It is also exhibited from various other jails. 159.—[6051-53]. White, red, and black tape, value 1] annas to 2 annas a yard, from Múltán jail.

160.-[6140]. Red tape from Jhung jail.

161.—[6055]. Lamp wicks, 6 annas a yard, from Múltán jail, also from Rawalpindi (5966), and from Jihlam jail (6004).

162.—[6135]. Wax cloth, Jhung jail.

163 —[6172]. "Izarband" or cotton sash, Peshawar.

164 —[6209-10-12]. Cotton rope, and fine twine called "dori patang," (or string for flying a kite) from Patyala.

165.—[5828]. Cotton rope, Amritsar.

166.—[5926]. Various colours and patterns of cotton rope, Lahore Central Jail.

167.—[5914], Cotton tassels, Lahore.

168.—[5905]. Pairs of cotton socks made by the prisoners in the Female Penitentiary Lahore.

169.-[6126]. Various coloured threads, prepared at Gúgaira jail.

170.-[5928]. Common native spun thread from Lahore.

HORSE CLOTHING.

171.-[6249]. Horse net, Agra jail.

172.—[6236]. Rollers and surcingle of English thread.

6252 is one of Dacca thread.

173.—[6254]. Double net for horse rollers.

174.—[6125]. Horse's head frings, Gúgaira jail.

175.—[5130]. "Bágdaur," horse-halters and girths, Amritsar.

176.—[]. Several patterns of horsegirths, Lahore Central Jail.

COTTON PRINTS.

The last remaining specimens in the class, of cotton fabrics are more specimens of dyeing and printing art than of cotton manufacture.

For the various names descriptive of the sorts of printing, see the report of the jury at the end of the class.

Almost any kind of light cloth is used for the purpose of printing. These fabrics are used for bed covers, for furniture covers, or for floor cloths.

Coarse stout cloth is often stamped and printed in this way and used to line tents with.

The process of calico printing has already been noticed in the Raw Produce section under the head of dyeing.

Generally speaking, the prints are not permanent and will not wash.

Sometimes they are effected by dipping the cloth in boiling solutions of dyes which take on certain portions of the cloth but do not affect others which have been previously prepared by stamping with a block charged with some resisting material. A good instance of this kind of printing, resulting in a pattern in shades of red and black, is exhibited from Muzaffargarh and has been described under the head of Dyes.

「日本」をあるいので、これ、正然で感じ、

The other kind of calico printing is done without immersing the cloth in any colouring solution at all. The colour is simply applied by wooden blocks, of hard dark wood, on which the pattern projects in strong relief; the blocks are charged with colour and then pressed down on the cloth previously damped and stretched out.

The exhibited samples of this work were as follows:--

177.—[5784-85] Bed covers, "palangposh," value Rs. 2 and 1-8 each, by Никиг and Dasi of Lúdhiána.

178.—[5861-62]. Printed cotton carpets, Kasúr (Lahore district) worth Rs. 15 each.

179.—[5863-67]. Coarse printed cloths used as coverings, Lahore, value 13 annas to Rs. 1-4 each.

180.-[5916]. Dosúti printed in yellow and black, for tents. Thuggee School of Industry Lahore.

181.—[6035]. Floor cloth, value Rs. 25, Multán. This is a very elaborate and elegant design and introduces a great variety of colour.

182.—[6036-37] Bed covers from Multán.

183.—[6035-39]. 'Chintz,'(print) Multán.

184.—[6182]. "Thán chet," piece of chintz or print from Sultáupur, Kapurthala 'Abrah' means coloured or marbled pattern.

186.—[6184] "Toshak-chet," printed coverlet, Kapurthala.

187 —[6185]. "Palang posh," bed cover. Kapurthala.

188. [6187-71]. 4 patterns of "chet" or print, Kapurthala.

189.—[6099]. "Angocha," small printed sheet, worth Rs. 1-4, made at Kamalia, Gügaira district.

190.—[6100]. "Gilaf takya," pillow-cases, from the same place.

191.—[6104]. Printed counterpane, from the same place.

192.—[6105]. Printed floor cloth, called jájam. From Kamalia, Gúgaira.

193. -[6118]. "Thán chet," piece of print.

194.-[6119].-" Nainú," from Gúgaira.

195.—[6111]. "Liháf," counterpanc. Gúgaira.

Before closing the list of cotton prints, it should be remarked that English and Russian glazed chintzes, chiefly of gaudy patterns, are much valued for sale across the frontier, in Kábul, Bukhárá, and Turkistán, generally; the varieties are known by different names, as "Nasrkhání," "Lälgeri," Shakarkuzí," Ac.

196.—[]. Dhoti from Multán.

This is a white soft cloth worn either as a dhoti or for a scarf or even for a pagri; its distinguishing characteristic is that it is white with a crimson printed border. This article is commonly worn.

TENTS.

Some tents being entirely of cotton are included in this class.

197.—[6040 to 6045]. Large tent of coloured cloth including a "shamyana" or canopy, with "kanats" or side screens of varigated cloth and richly embroidered, from Multan.

198.—[6221]. Small model of tent in white and red cotton cloth. Maler Kotla.

MIXED FABRICS.

Then follow also same fabrics which as being made of both cotton and wool come between class V and VI.

199.—[6191]. Striped sheet made of mixed cotton and wool, value Rs. 3. Kashmir.

200.—[6192]. Is another variety of the same material.

201.—[6194]. Flannel made of cotton and wool, value Rs. 3-8.

202.—[6194]. Is another specimen of the same, but of slightly better quality.

The Jury's report on this large and important class now follows .--

REPORT ON COTTON FABRICS.

The Jury for this class consisted of:-

Mr. D. F. Macleod, C. B.

Mr. F. E. Moore.

Major Farrington.

Mr. Coldstream, Reporter.

Diwán Rattan Chand.

It is unnecessary here to dwell upon the great importance of cotton fabrics to the world generally, or to the natives of India in particular. It would be difficult to name a manufacture on which the latter are more dependent. From the highest to the lowest, all classes employ it for the commonest articles of their clothing. Everywhere, from the hills of Kabul to the swamps of Burmah, the cotton plant is cultivated. In every age, from the earliest historic times down to the present, the Hindu has gone clad in cotton cloth.

These manufactures are effected without any exception by hand looms of the simplest and rudest construction, and there is no reason to believe that any, the slightest alteration or improvement has taken place in the form of the loom for centuries past. Notwithstanding this, many of the fabrics produced are conspicuous for their regularity of workmanship, for durability, and in some instances for extreme softness and fineness of texture.

The muslins of Dháka long outrivallel the fabries of European looms, and till very lately held the highest place in the markets of the West. In fact, in particular places in India, and with regard to particular fabries, cotton manufactures have probably attained as high an excellence as is possible without the aid of intricate machinery. Yet this superiority is confined to a few fabries, and to a few places: and very much remains to be done in most localities to encourge the cotton weaver to do the best with the means at his disposal.

The Government Jails doubtless contribute much to this end throughout the country: their produce (as will be seen in the sequel) being superior, to the unguided native manufacture.

What effect a great increase in the growth and exports of an improved staple will have on Indian manufactures on the one hand, and on the import of English piece goods on the other, it would be difficult to predict. Certain it is that the extended cultivation of improved cotton must eventually influence the quality of native manufactures.

Indications of this may be seen in the collection under report. There are several specimens of fabries woven in jails from cotton raised experimentally from the imported seed, and the samples of the thread used in the manufacture and spun from the foreign cotton shew to what a degree of excellence we may hope to attain.

Hence the importance of giving to cotton fabrics a prominent place in the Punjab Exhibition.

A separate court in the north-west corner of the building was allotted to the display of articles in this class. The specimens were numerous, and more than occupied the space assigned to them. Fifty shares of the Prize Fund, (one-twentieth of the whole,) were at the disposal of the Jury. Its distribution will be recorded at the close of this report.

In describing the various kinds of cotton manufactures which came under the notice of the Jury, the order of *texture* will as much as possible be followed—the finer varieties being described first.

Muslin. Native name Rohtak, and from Húshyárpúr very fine specimens were exhibited, by the Municipal Commissioners of Delhi; to one of these, as also to a Rohtak pagri, a prize was awarded. It would seem that as far as the Punjab is concerned the manufacture of the finer muslins is carried on only in Delhi and the adjacent districts, and in the Doábah or country about Húshyárpúr. The manufacture in the latter place is very old.* A very fine piece of Docia (or muslin with stripes of a thicker texture at regular intervals) was exhibited from the Government Toshakhanah: but it appeared that this was a Dháka fabric. A coarse kind of Doria is made in the Doábah.

Coarse muslin of narrow width, called *Dhotar*, was exhibited from Lahore: its manufacture is largely carried on throughout the Punjab. It is commonly used for coats, dopattahs, &c.: when shot with coloured lines it is called *Silira*, and is used for women's clothes.

A still coarser fabric of the same make is $g\sigma zi$. It is much used by the poor for clothing: and by the richer classes for lining coats &c.: also as the middle ply in tent cloth. The several kinds of $g\sigma zi$ are distinguished by various names; as hazári, áthsi, chísi, painsi, chausi, &c. These have reference to the number of threads in the than or warp, thus painsi has 500 threads, chausi 400, &c. It is commonly made all over the Punjab. Specimens were exhibited from Sirsa, Rawal-Pindi and other places.

Very coarse gazi is called garha. It is much used as tent-cloth; its manufacture is not confined to any particular district. Gazi or garha, dyed red, if narrow, is called sala: if broad, kharra: sala with embroidered edge, and used for a woman's shawl, is called chob.

The lángi, perhaps the commonest and most universal article of clothing with the natives,

was exhibited in great variety. It is usually made of fine stuff:
but stout warm ones are common. The 'lángi' is 'dopat' or
'tínpat,' according as it has to be cut and joined in two or three parts before it is worn. It is
usually less than two feet in breadth, and the ends are adorned with a border and fringe (háshya)
often wrought in gold or silver thread. The kinds of lungi are very numerous, often taking
their names from the place where they are manufactured. Thus, there is the Mánjha lungi, the
pattern of which is a check in light and dark blue; or a plain dark blue like the "Battála
lungi;" another kind is checked red: these are worn by Hindus only; blue being the distinctive colour of the Mussulman lúngi. Lúdhnána manufactures blue check lungis in immense quantities, and of late large consignments of them have leen annually sent to Peshawar.

Lúngis are also much manufactured in the Peshawár and Derajat divisions, always either a dark blue plain or blue check, being blue upon black or blue on white; in these districts the lungi is worn as a turban, as indeed it generally is by the Pathán and Wazírí tribes.

The Peshawar lungis are generally of fine texture, and have silk or gold thread borders at either end.

^{*} The old Doabah muslins were of two kinds. - Surveiff, and Advis,

The most handsome lungi that came under the notice of the Jury was a Peshawár fabric, exhibited by Kazi Nazirullah Ján (No. 7659). It was upwards of 2 feet broad, and nearly 6 yards long, the ends consisting of a border in which stripes of black silk alternated with torquoise blue, between which again was a very rich broad stripe of gold twilled thread (kalabatun), of about 2 feet in depth. The colour of the scarf itself was a very light blue checked with a darker shade. The texture was remarkably fine. The value of this one scarf was Rs. 190, shewing what value can be given to fabrics of this class; it was made expressly for the Exhibition, and was considered at Peshawar as a master-piece. To this handsome specimen the Jury awarded a prize of two shares.

The Jury also took particular notice of the lungi from Hazara (No. 7333) of stouter texture and a uniform dark blue colour, also adorned with a gold embroidered 'háshva.'

The word 'khes' includes a great variety of fabrics; and is the name given to a kind of shawl or upper garment worn by all classes in the Punjab; in equal favor with the Sikh Sirdar, and the Mussulman Jat. "Khes patpatti" is the name applied to the white and red checks of the Manjah. "Khes tukridar" to the white and blue checks of Pakpattan. For the finer white cloths (used as 'khes') the Doabah has long been famous, especially the towns of Rahún and Kangra.

Cloth used for 'khes' is usually woven so as to shew lines running diagonally, hence this particular mode of weaving is called *khesbúf*. Khes of all kinds were exhibited. To a khes from Kangra (5815), (white 'bulbul chashm' pattern) a prize was awarded: also to a specimen (No. 6077) from Pák Pattan in the Gúgaira district.

Among the most excellent of the native fabrics exhibited were the specimens of the gháti.

gháti of Rahún and the Doábah generally. This is a fine white cloth, of strong texture and highly glazed, not unlike English diaper. It is used for sheets, pyjama, angarkahs, &c., and is in great repute. They are several varieties of it. If very fine and plain, it is called báftah: wrought in rhomboidal check, it is bulbul chashm: with diagonal lines it is khesbáf: if very coarse it degenerates into khaddar. The Jury awarded two prizes for gháti: one to Jhínd and one to Patyála.

Dotahi, is a sheet usually used for a bed cover. It is generally of fine white cloth, resembling coarse gháti. If it has to be folded four times before being used, it is called chautahi. A beautiful chautahi with gold embroidered edging was exhibited by the Raja of Nabha (7396 D). To this the Jury awarded a prize.

Another excellent fabric of purely native manufacture is Sisi: a fine colored cloth, and striped in the direction of the warp with silk or cotton lines of a different colour. Battala and Sealkot are famous for its manufacture, and export it to other parts of the Punjab; to a specimen from the former place a prize was awarded.

It is now chiefly used as a material for women's pyjama: Mussulman women of the lower class usually wearing a black 'susi' shot with red lines. If the stripe has two lines in it, the fabric is called dokumi, if three tinkanni, and so on. Susi was formerly used by men also for the tight fitting trowsers of the Punjab, but since English goods have been largely imported, it has gone out of fashion, and except at Multan, no men but those too old to change with the made of the day wear 'susi.'

è,

There are several varieties of cotton cloth, which although unknown before the English rule was extended to the province, have since become widely manufactured, and as it were naturalized. Such are the L'idiana durris, a stout closely woven fabric like a 'twill,' much used by Europeans for clothing: dositi, tinsúti, chansúti, coarse cloths of great strength, used principally for tent cloths and dusters, and 'gambroons' or 'dabbis,' fancy clothes woven in checks, lines, & : in various colours and patterns. All these are chiefly manufactured in our juils: but excellent 'dosutis' and 'gambroons' were exhibited by private manufacturers in Lúchána.

A piece of drill, and blue striped ticking after European patterns were exhibited by Goods manufactured after Allah Dya of Bassya, Húshyárpúr, and were deemed worthy by the Jury of the award of a me lal and 3 shares of the Prize Fund;—such manufactures being in the opinion of the Jury deserving of encouragement.

It is needless here to enter into detail regarding the various Jail manufactures on English models. Their general appearances and uses are known to all. Suffice at to say, that the Jails of Gájrát, Lahore, Rawalpudi, Jihlam, Dera Ismail Khan, Fírozpúr, Lúdiána, Múltán, Sirsa, Gujráwalah.* Ambála, and the Lahore Thuggee School of Industry, are all represented in the Prize List: the excellence of the table cloths, napkuis, towelling, dusters, and a large durri contributed by the Gújrát Jail being very conspicuous.

Before the English occupation of the country, thick durri carpets were not largely manufactured in the province (of old, Ambála and Barcilly appear to have been particularly famous for them). Now they are produced in every Jail, and here and there by private manufacturers. Very beautiful specimens of plain durri and Kidderminster carpet were exhibited, the latter is called Jabbalpúri durri as having been made at the Jabbalpúr School; they are of narrow-breadth like a stair carpet, and their texture is waved or slightly quilled on the surface; the coloured longitudinal stripes are produced by introducing coloured threads into the warp, not like other durris in which the warp is white and the colour only is the woof.

The colours of a very large and fine durri from Gijrát Jail, noted above, were much admired, consisting of a well arranged alteration of white, grey, turquoise-blue and black-

A variety of durri, a large cotton carpet with a 'champar' board woven in the centre, and used for playing that game, is called Shahnashin: one specimen of this was exhibited.

The above noted varieties of cotton fabrics include almost all those represented in the Exhibition which come dire thy within the scope of the Jury — But a prize was also awarded for a handsome "sozni," or quilted bedseever, embroidered in a shawl pattern, the contribution of the Maharrja of Kishmir (ext. Pitted in the extensionar), and the Jury especially naticed some printed of this of fair design and colour.

Print d cloths, if the pattern be continuous are called *cloth*; if composed of separate designs, flowers, we they are called *cloth*. Dyed cloths with spots of a different colour are called *the tota*. They are pain spally used for women's clothing, for floor cloths and for bed covers; and some large print if or cloths of this kind were exhibited from K is and McCtán, and Kapárthala, and also a number of libal or "plant posh," believers. As the excellence of

^{*} Guránvaluk obtaine kyrires for dust is anolds ath. It is presumed they are from the Jadjakik, go It to marke kin the dest.

these consisted solely in the process of printing in the colours with blocks, the examination of them was made over to the Jury on the processes of dyeing &c.

Two collections to which by the rules of the Exhibition shares of the Prize Fund could not be awarded deserve especial notice, viz., that sent by the Government of Bombay, and that from the Central Prison, Agra. These did not come into competition with the Punjab contributions, but the Jury feel it their duty here to record their appreciation of the great excellence of the collections as wholes, and the high merits of many of the individual specimens, and beg to recommend to the General Committee, in the event of medals being available, that one be awarded to Dr. Birdwood, Curator of the Bombay Government Museum, through whose agency the Bombay articles were forwarded, and one to the Superintendent of the Central Prison, Agra.

The following is a list of the prizes awarded by the Jury.

Award of Special Prizes.

 Gújrát Jail for excellent quality of its table and house linen, Mr. Scarlett's special prize, Rs. 25. Municipal Committee Delhi, special prize Municipal Committee Delhi, special prize Rs. 25. Rs. 15 to Delhi and Rs. 10 to Rohtak.
N. B. For special prizes offered for fire-proof durree or tarpaulin, no competition.
Award of Shares of General Prize Fund.
II. To Gujrat Jail for the excellent quality of its towell- ings, table-cloths, table-napkins, dimity, and jean and drill, A silver medal and 5 shares of fund.
Nos. 5995, 5996, 5984, 5992, and 5993. These articles also gained the special prize, see No. 1.
III. To Alla Dya. Húshiárpiir, for the excellence of his A silver medal and 3 duck or drill and ticken (Nos. 5818, 5819), shares of general fund.
(2) For a piece of superior towelling from Dera \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
V. For Turkish towelling from Fírozpúr Jail, (5945), 2 shares.
Dusters. VI. For close textured thick dusters, Lahore (5596), 1 share.
Ditto ditto Gújránwalla (5933), 1 share.
Chantahi. VII For fine textured chant thi, (No. 7396) from Nabha, 2 shares.
Gháti. VIII. For very fine gháti. 1 Patyála, 2 Jhínd (7394), 2 shares, certificate.
Lingt. IX. (1) For broad, fine textured, ornamented lungi (No. 7659) Peshawar, Kazi Nazirullah Jan,
(2.) For lungi (No. 6178) by Local Committee of Peshawar,
(3.) For fine textured lúngi, Jálándhar, (No. 61 District List.) 1 share.
(4) For Amritsar lúngi (No. 5823), 1 share.
(5.) ., Hazára, embroidered (7933), 1 share.
(6) , brown , (supposed to be Sirsa), 1 share.

```
Súsi.
                 Batálah Local Committee, Gúrdaspúr (5858).
                                                                       1 share.
 Khes.
                       For khes red border (6077) Pák Pattan.
            XI. (1.)
                                                                       1 share.
                (2.)
                                 white (5815) Kangra,
                                                                       1 share.
            XII. Lúdiána (5792) Superintendent of Jail,
 Darri.
                                                                       2 shares.
 Dosúti.
            XIII. Gújránwalla (5934)
                                                                       1 share.
 Jean.
            XIV. (1.)
                        Gújrát (vide No. 1).
                                                                       2 shares.
                        Lahore Jail (5897),
                  (2.)
 Garha.
            XV. Lahore Jail (5898),
                                                                       I share.
 Malmal
           XVI. Thakur Dass, Lahore,
                                                                         Certificate.
 Dhotar.
 Tickin.
           XVII.
                    (Vide No. 2).
                     For excellence of dve and pattern.
 Printed \
           XVIII.
                        Hukmi of Rahún,
                                                                       1 share.
  Cloth.
                         Gúgaira (6104),
                                                                       1 share.
                                                                       1 share.
           XIX. Embroidered from Kashmir (6195),
 Sozni.
 Miscellaneous
 Cloths.
           XX.
                  For striped sheeting, mixture of cotton and wool, )
                  (6193-4), His Highness the Maharajah of Kashmir,
              To Mahammad Bakhsh of Lúdhiána for Gambroon (5772) 1 share.
              Superintendent Rawal Pindi Jail for
                                                       ditto (6453), 2 shares.
                                               check cloth for horse
                                    ditto
                   Ditto
                                                                      2 shares.
                    clothing, (5952),
                                                                      2 shares.
              Múltán Jail for Gambroons,
                                                                     1 share.
              Kallah of Lúdhiána for ditto,
                                                                     1 share.
              Sirsa district, check cloth,
                                                                      1 share.
              Pák Pattan in Gúgaira, do. for coverlets,
              Local Exhibition Committee Ambala, for embroidered ]
                                                                     1 share.
                   red cloth (No. 5747),
                                             ditto ditto (6083),
                                                                     1 share.
                Ditto ditto Gúgaira for
Carpets. XXI. Superintendent Jail, Sirsa, for thick white carpet-
                       ing (5746),
              Guirát Jail for elegant durri in white, grey, black and } 3 shares.
                blue, of good design and excellent work,
                                                                     2 shares.
                Ditto
                        ditto for another durree,
                                                                     2 shares.
              Jihlam Jail, for a durri,
                                                                     1 share.
                  Ditto for Kidderminster carpeting,
                                                                     1 share.
                                    ditto
                                              ditto,
              Ambála Jail,
                                                                     1 share.
             Lahore Central Jail,
                                    ditto
                                              ditto,
                                                                     2 shares.
             Múltán Jail, for rich cotton rug,
                                                                     Certificate of morit.
             Rawal Pindi Jail, for durree,
                  His Highness Maharajah of Patyela, for fine?
                                                                     Certificate of merit.
 Tapes, ) XXII.
                     cotton twine,
cope, &c. 5
```

His Highness Maharajah of Patyala for "Newar," Lahore Thuggee School of Industry for ditto, Lahore Central Jail, cotton ropes of sorts,

1 share. $\frac{1}{2}$ share. $\frac{1}{2}$ share.

Múltán for large tent and embroidered kanáts,

3 shares and a silver medal.

W. COLDSTREAM,

Reporter.

For convenience of reference I have added, at the end of each of the classes devoted to fabries in cotton, silk and wool, a list of the fabries commonly met with. I take the opportunity also of reminding the reader that special information about the looms and machinery for weaving will be found in the sequel under Section C.

LIST OF COTTON FABRICS MET WITH IN THE PUNJAB.

I. EUROPEAN IMPORTED GOODS.

```
(Lathá, long cloth.
 Khásá or Nainsúk, (a soft white cloth, 'nainsook,' used for all white garments worn
   by the more respectable classes of servants, Moonshees, Clerks, &c.
 Malmal, (muslin).
 Sítan, (corruption of 'sheeting.')
 Jin or Zin, ( jean, the word being corrupted. )
 Dabal Jin, (double jean, thick white jean.)
 Makkan Jin, ('Duck,' has a sort of nap on the surface.)
 Kamrak, (corruption of 'cambrie.')
 Pauní, ( a coarse long cloth or calico in one quarter the length of 'lathá')
 Sáltín, not now in use—a fabric resembling very fine long cloth.
 Khes-baft, called also túl (twill) is ribbed diagonally.
 Gumtí, diaper, either of linen or imitated in cotton.
 Mezposh, table linen.
 Rumál, handkerchiefs.
 Chikan, any white figured or embroidered muslin (also applied to edging,
   'insertion work' &c., &c.)
 Jálí, plain net.
 Nainú, a sprigged or figured net or muslin; all white.
 Senú, the same but having the worked sprig or pattern in colored thread on the
   white ground.
 Alwán, (Turkey red cloth in several qualities.)
 Khásá rangín, ( same as Khásá but colored and glazed; glazed calico. )
 Malmal rangín, ( colored muslin. )
 Drés, (I expect this is our worl 'dress piece'; it is applied to all figured muslius,
   used among Europeans only for female garments, but among natives largely used
   for chogalis and light outer coats for summer wear.)
 Chit, (chintz or calico print). The varieties are-
 Chit, Gulanar, red print; colored flowers on a red ground.
                 naklí (imitation of European red print.)
  Do.
       Safed, ( white ground and printed pattern on it. )
  Do.
        Bundri (spotted).
  Do.
       Marpech (striped) with a sort of corkserew pattern or 'serpent fold."
 Do.
  Do.
        Ráhdár, with a wavy line.
        Kalamkár, lined with fine stripes.
  Do.
  Do.
        Bútídár (sprigged with flowers).
        Nakl-írání, (lit. 'imitation Persian' has an arabesque or shawl pattern.)
  Do.
        Khám rang, (inferior print, the colors not being fast.)
  Do.
        Shikargah, ( has figures of animal, &c., on it ).
 Do.
```

II. FABRICS OF INDIAN MANUFACTURE.

```
HO (From Dhóká.
Malmal, (muslin.)
Dastár, (muslin turbans.)
Rumál, (kerchiefs.)
```

```
WHITE GOODS.—Continued
```

<Do. chaukanní.

```
(From Rádhá Nagar.
      Dopatta (scarf).
      Dhotí máre dár (waisteloth worn by Hindús).
      Doryá, (striped muslin all white.)
      Chárkhána, (check).
 From Bandras.
      White dopatta or scarf.
      Dhoti, waistcloth worn by Hindus.
 From Forkhábád.
      Abra liháf, (calico print for bed covers, &c.).
      Chit, (chintz or print).
      Jájam (floor cloth) a kind of coarse red cloth used for flooring, and is generally
        stamped with a pattern in black on the red ground.
      Saláthi.
 From Agra.
      Dari (" Durrees," cotton carpets. )
      Shatranjí, (carpets).
      Kálín sútí (pile carpets in cotton).
 (The following have been nearly all described in the text, hence no explanation is added.)
 From Delhi.
      Malmal pagrí, (muslin turban).
      Dosútí, tinsútí, chaustui, &c., &c , ( p. 7. )
      Gambroon, ( p. 9, ).
      Sirí sáf (a kind of muslin).
      Garhá, (thin cloth, p. 8)
 From various places, Lahore, &c.
        Adhotar (coarse muslin).
        Khadar (coarse thin cloth.)
       Chaunsi, painsí, áthsí, chísí, &c.
      e j. Hazarí (broad white cloth).
                                            All very much alike in quality.
       | Gazzī (thin eloth).
      Dhott, a cloth woven of a size for wear round the loins.
      dhátí, í stiff glazed white cloth, p. 6. )
        Dorvá, muslin striped with two lines together, all white.
        Silai Khata, plain striped muslin (stripes close together.)
        Chárkhána, check muslin.
        Táttá, a fabric of 'tafta' (twisted thread, made both in silk and cotton.
        Mahmueli, (a fabric which used to be made as long cloth, but is superseded
          by imported 'lathá;' it was made of cotton and also of silk.
        Dotáhí, ( pages 5, 6, )
        Chautahi.
        Palang posh.
        Khes
       ( Lungi, ( թ. 3 )
        Khes sádá, ( p. 5. )
        Khes dabba (check lage).
        Khes tukridar showing pieces of different colours joined together.
        Khes dorukha (different coloured plaid on either side).
      Khes Jat ka, (jat or villager's khes).
 Súsí sádí, ( page 6. )
 Do dokanni
```

- William

Special Age of the property of the second

Súsí panjkanní. Do. satkanní. Do. salái khattí, a súsí with five lines; the field and the stripes being equal thick-Do. súfiyaná, a súsí partly of silk and partly of cotton, so as to be lawful for Mohamadans to wear. Salárí, a thin cloth with double stripe used as a searf or as a "tahband" by boys. Lungí, (all the varieties are not here given, many have been named in the foregoing descriptive lists). Do. Fakirana, a scarf with white ground and a large check pattern on it in red, black or blue. Shamlá, (a searf for winding into a loose turban, three yards long.) Lúngí Charkhána (check). Do. Safed kináradár (white with coloured border). Tahband or Lúng, (waist cloth). Lúngí Peshawri sádá, (plain check lungí.) Do. Amírána. The Peshawar lungi with gold border, &c. Printed or Stamped. Sámbá Chít, (print made at Sámbá in Jummoo, generally flowered on a green ground.) Chit Multani (Multan prints.) Búgcha (a square piece of print used for packing up bundles, &c. Abra, (a printed piece) an upper hed cover. Toláí, (a printed piece for an under sheet.) Jájam, (printed floor cloth). Miscellaneous. Sálú, (red dved cloth.) Band, (a cloth with a pattern made by tying up tight, little knots in the cloth, so that when the whole is dyed, the parts remain uncolored. Chogulá, the same, only the uncolored spots are again dved a different color from the ground. Bánnú-a woman's veil,-coarse, dyed with madder with a pattern made the same way as 'Band.' Dotiva—the same; met with in Kabul, Peshawur, &c. Makhi-a red veil, stamped with a black pattern like 'flies' (Makhi.) Cháskú, stamped pattern on a red ground (Kussumbhá red.) Jálandharí chunniá, a sort of fabric stamped; is fine cloth and dved with 'Kussumbhá. Khárwá, coarse red cloth or printed in black. Phúlkárí, a coarse red cloth worn as a veil by peasant women, it is lightly embroidered in green and vellow silk, and costs from 8 to 12 annas. Bág, a similar veil, but heavily embroidered and costing 4 or 5 rupees. Chop, a similar veil embroidered at the edges only. Sirga, a kind of "chop." Bund, a spotted sheet worn by women. Dopatta, a scarf of cotton, (two breadths sown together.) FABRICS FROM THE ADJACENT PROVINCES. III. From Kashmír.

Kadak or báfta, cheap and very coarse cloth. Chúnní, (from Bombay) a kind of spotted cloth.

Sámsún, cotton cloth S yards long, and 10 girahs broad.

4 vards long, and 10 girahs broad.

From Turkistán, &c.

ditto

Dokh,



CLASS VI. WOOLEN FABRICS.

This class is subdivided into three "Divisions," on account of the exceedingly diverse nature of the trade and manufacture under each division.

The first division comprises such fabrics as are made of sheep's wool. They are few in number, though useful and traded in to a considerable extent. As in the plains, the season when warm garments are requisite is limited, it is natural that this class of manufacture should not have received anything like the attention it has in the more rigorous climates of northern Europe.

In the plains no great care is taken of wool, and all that is woven from it is blanketing, generally coarse and hard: a finer kind of woolen wrapper called "lohi," and occasionally a coarse cloth or "pattu." Nothing like the fine broad cloths and tweeds, the soft wool shawls, the lambs' wool clothing, and countless other woolen fabrics of England, are known here.

One class of woolen fabrics however deserves to be added to the list; but this is principally carried on in the jails and is the result of European supervision. I allude to the manufacture of pile or "Turkey" carpets. These carpets are produced, in a great degree of excellence, and some of them have been sent to Europe, where they have fetched high prices.

14.4

To the statement that woolen manufactures receive but little attention in the Punjab one general exception must be made in favor of the Hill districts. In these the climate is most rigorous, and the dress of the people consists almost wholly of wool, both sheep's and goat's, hence from the districts of Kangra and Simla, including as they do Spiti, Lahaul and Kanawar, the collection contains many specimens of stout and well fulled woolen cloths and blankets. The Kashmir territories also exemplify this class to a considerable extent.

The second division contains a very different class of articles, the factors in this division are wholly woven of the wool of the Tinio in shawl goat, known as "pashmina." In it will be found the celebrated shawls of Kashmir, all of which are woven with the facest varieties of this wool. In it also will be found the hawls woven by the Kashmiri colonic, who have settled at Núrpúr, Amritsur, Gugrát, Jelilpúr, and other places, who can only got the second best wool from the districts of Changthán and Rodok (since the Maharajah of Kashmir holds the strictest monopoly of all the finest class of wool that comes from the frontier districts of Turfan and Káchár) and who strive in vain to equal the bright times and delicate weaving of the genuine Kashmir Shawl.

In this division will be found all the series of plain pashmina piece goods, such as Puttu or cloth, Malida, and Alwan, which also furnishes the ground work of the Uautical silk embroidered articles of dress, which are produced so picutifully in Kashmir, Amritsar, and Ladhiana. In this division have further then included the well known Rampore Chadlur, which from the soft fine texture resemble the real pashmina, though in reality they are made of Rampore wood. Many fabrics made of this wood and of the Kirmani wood are called at Ladhiana and elsewhere "nakh-pashmina" imitation pashm.

The third and last division of the class contains all the fabrics made of goat's hair, and camel's hair,—the coarse ropes so much in use about the Deraját,—the huge bags right is merchandise is loaded on to camels,—the 'khoorjas' or sacks in which the farmers care, their grain to market,—the coarse cloths or mats which they spread out to winnow and clean their grain on,—and, lastly, the camel hair chegas, and the "bark" or cancel hair cloth, imported from Kábul and Túrkistán.

Taking these divisions in this order we have.

DIVISION I.

FABRICS MADE OF SHEEP'S WOOL.

SUB-CLASS V.-CARPETS.

Carpets are called "Kálín" and "Kálícha." The method of manufacturing the "Kálín" or pile carpet is characterized by that simplicity which is observable in all native loom work. The foundation for the carpet is a warp of the requisite number of strong cotton threads according to the breadth of the carpet. The warp is however not placed flat on the ground, but is worked erect, being attached at either end to two rollers, which are supported between the extremities of two upright posts, the lower roller is below the surface of the ground in a pit or trench dug out for the purpose, the threads of the warp are passed over this, and reach to the upper roller, which is about 5 feet above it, all the superfluous web is wound round the upper roller, and as the carpet gets done, the finished work is wound on to the lower roller. and more web is unwound from the upper one. The workmen sit in front of the warp on the ground with their feet in the tench or pit above alluded to. The process of weaving consists in dexterously twisting short lengths of coloured wool into each of the threads of the warp in a straight line, so that the two ends of the wool stick out in front. When a whole line is completed the (colours chosen being of course regulated by the pattern) the projecting ends of wool are clipped to a uniform length, and a single thread of wool is run across the breadth of the carpet, between the threads of the warp, just as in ordinary weaving, and the threads of the warp are crossed as usual: then another row of ends of wool is put in the same manner, another line of wool passed between the threads of the warp to keep the woollen tags in their places, and so on. The lines of work are compacted together by stricking them with a blunt fork or "kangi" in the manner described in the manufacture of "durrees." Line after line is thus completed, the workmen putting in the proper colours, either by their own knowledge if they are very skilful, or at the word of command of one who 'reads out' the pattern. When the whole is completed, the surface is clipped or sheared all over, to reduce the pile to a uniform length and smoothness, and the carpet is complete.

Cotton rugs are sometimes made in this way, especially at Múltán. A little bunch of cotton thread being substituted for the pieces of wool, in the process. Perhaps the best carpets of any are made at the Lahore Central Jail. The prisoners here recently succeeded in producing pictures of birds, dogs, &c. in the carpet work, almost like the beautiful pictures that are so often seen on Brussels and pile rugs in England.

The exhibited specimens of carpeting are as fellows:—

203.—[6259-60]. 2 carpets, Delhie Jail. 204.—[5262]. Woolen carpet from Hausi—Hissar.

205.—[6263]. Carpet from the Hissar Jail.

206.—[6350]. Rugs from Núrpúr, worth Rs. 7.

The following series are from LAHORE CENTRAL JAIL:

207.—[6409]. Large carpet in the pattern called "Kandahárí," which consists of large squares placed diagonally and woven in consecutive shades of colour,—it has a very rich and pleasing effect, value Rs. 313-5-4.

208.—[6410]. A carpet in the "new shawl" pattern. This was the pattern sent

to the International Exhibition of 1862, where it gained a prize.

209.—[6411]. Carpet bag, the pattern being pictures of dogs, hawks, &c.

210.—[6413]. A rug, "shawl" pattern.

211.-[6414]. Two small carriage rugs.

212.—[6415]. Seven samples of various patterns in Turkey carpeting: some of them are European, others native patterns: among the samples are also designs of birds, dogs, &c., in carpet work, also a new style of carpeting in black and white wool.

213.—[5809]. Large carpet, Brussels flower pattern, value Rs. 216, Jalandhar Jail.

214.—[5810-11]. Are rugs in Persian and English pattern by the same jail.

215.—[6432]. Woolen rugs made by the prisoners in the Female Penitentiary Lahore.

216.—[6416]. Turkey carpet, in soft wool from Yarkand. Exhibited by T. D. Forsyth, Esr., c. b.

217.—[6418]. A carpet from Khuttan imported vid Yarkand, exhibited by Pundit Munphool.

218.—[6432]. Woolen "durrees" from Baháwalpúr, (Lahore Central Museum).

These carpets are made precisely like the cotton 'durree,' but are of stout woolen thread. There is a very cleverly wrought border and fringe to each carpet.

219.—[6452]. A woolen "durree" by the Rawalpindí Jail.

220.—[6454, 5, 6, 7, 8]. Five carpets by the Rawalpindí Jail.

221.—[6463, 4]. Two hearth-rugs, of various patterns, by the Gújrát Jail.

222.—[6465-6]. Small rugs for carriage use, by the Gújrát Jail.

These are accompanied by a sample of the woolen thread used in the manufacture (No. 6471) and of the raw wool before it is spun into thread (6472). The District Jails of Jihlam and Múltán also sent carpets and rugs. The Múltán carpets are of great excellence and regularity of make.

The following District Jails also exhibit carpets and rugs:-

223.—[6506-7 and 6509]. Carpets from Barkhan, exhibited by Jamal Khan,—Dora Ghazi Khan.

No. 6506 is called 'Lunga,' value Rs. 24.

- " 6507 a rug, "Galicha," valuing Rs. 12.
- " 6509 is called Garíri, valuing Rs. 15.

224.—[6508]. Is a carpet from Bartí, sent by the Lúnd chief.

225.—[6509-10]. Woolen durrees, locally called "Phalási," value Rs. 4 each, from Barti and Rajhan, sent by the Lún the chief and Imám Bakhsh Khán.

226.—[6523]. Rug from Marwit and (6226) carpet from Waziri Hills.—Deputy Commissioner of Bannu.

227.—[6538]. Persian carpet, value Rs. 60, sent by Kazi Nasr-ullah Jan of Peshawar.

SUB-CLASS B.

WOOLEN FABRICS OTHER THAN CARPETS.

As before remarked, the districts of the plains have not attained any great excellence in the manufacture of woolen articles, nor are there any variety in the manufactures. The collection however represents very well what the present state of the manufacture is. The jails will often be found in this, as in the last class, to take the lead in excellence.

It is certainly a remarkable fact, that in the plains during the cold weather natives do not like woolen goods, it is only the poorer classes who resort to the kambal or blanket. Every one who can afford it, much prefers wearing several thicknesses of cotton cloth, and coats padded with cotton wool are universally worn. Of course, pashmina shawls and fine woolen "lohis" are much used for wrappers, but for all kinds of made up articles of clothing, cotton &c., and padded cloths are preferred. The same is observable in the bedding: natives seldom if ever use blankets, but prefer the "razai," or quilt padded with cotton wool. This preference for cotton is quite remarkable; perhaps it may be due to some extent to the extreme liability of woolen goods to destruction in the rainy season from the attacks of moths and insects: the most vigilant care will scarcely preserve cloth goods from being pierced with holes, while an article of cloth left to itself in a box, and not exposed to the sun, will be totally destroyed before the winter comes round. These facts should not be overlooked is estimating the causes of the low state of woolen manufactures in the plains, but these remarks apply to the districts of the plains only.

The places most noted for woolen manufacture are Sirsa and Rohtak, and also Leia for blankets. At these places thick and well felted blankets are made. In general native blankets are hard and coarse, the woolen thread is too tightly twisted; and also the manufacturers take no pains when the blanket is made to cause the wool to felt, that is to make the fibres combine together (which they do by virtue of microscopic serratures on the joints of the filters). In Scotland the blankets are felted and softened by a sufficiently disagreeable process, which consists in werking and rubbing them with putrid urine. In this country the metical adopted is to spread the blanket on a previously smoothed and prepared piece of great d, and then to moisten them with soap and water and "rita" (the soapnut): when the mixture is poured on, men tread on and work about the fabric with their feet. This has the desired effect, but unless very carefully done, is apt to make holes in the blanket.

Lúdhiána may also be mentioned as the seat of a considerable wool manufacture, apart from its well known trade in the plain shawls known to Europeaus as "Rámpur Chaddars." From information recently received from the district, I find that the annual import of sheep's wool from Rámpur (Bishair) is 250 maunds, worth Rs. 10,000: this fine quality of wool is worked into "doshálas" or chaddurs and passes as an imitation of pashmína. The annual import of common country wool amounts to 500 maunds, worth also about 10,000 rupees. Out of these imports goods to the value of 1,30,000 rupees are yearly manufactured, and also stockings, and "pattu" or cloth, to the yearly value of Rs. 20,000. There are about 500 shops of wool manufacturers in the city, in which no less than 2,000 persons are employed.

The large cities of Lahore and Amritsar also have considerable woolen manufactures lesides their trade in pashmina. Lahore has a special manufacture of Kábuli pashm or Kábul wool, which is woven into "Lahori Cháddars."

It will be seen however on a mere glance at the lists, that the hill districts of Kangra and Smala, and the Kashmír valley, produce the greatest variety of woolen fabrics. The rigorous climate of these more northern districts demands this class of fabric, and moreover the extreme searcity of cotton prevents recourse being had to those kinds of clothing which are more in favor on the plains.

From the districts of Kangra and Simla we have not only blankets of various degrees of fineness, but series of stout woollen cloths, or flannels termed "pattú," and these in several varieties. The trade in wool and woollen articles is one of the most important among the hill people.

The woollen fabrics of Kashmír are remarkable for their variety, as well as for the closeness of texture. From these territories there are striped and checked woollen pieces, imitations of European plaids and checks, flannels and other fabrics, as well as several varieties of "pattú."

It is now time to enumerate the samples exhibited under the class, giving the various kinds of articles, as they are most conveniently grouped together.

BLANKET, "KAMBHAL" OR "GALIM."

They are generally made either of the natural brownish black colour of the wool, or else in a check pattern, sometimes but rarely they are white.

None of them are anything like the Witney blankets of English make; but they make tolerable horse clothing, for which purpose the European community chiefly employ them, while the poorer classes of natives wear them as wrappers.

The specimens were:--

228.—[6261]. Blankets from Delhi Jail, value Rs. 1-8.

229.—[6264]. Black, white and check blankets from Rohtak.

Two check blankets of superior quality Rs. 7 each. Four others at Rs. 6 each.

White blanket at Rs. 5.

Check blanket at Rs. 4.

The checks are large, in black and white, black and red, and black and orange color.

230.—[6278]. Check blanketing at 4 annas per yard from Sirsa Jail.

231.—[6421]. Blanket, Labore city, by Thakur Das, (coarse, worth Rs 2].

232.—[6422]. Another, inferior, worth 1 rupee, by Jawinda Mal.

233.—[6244]. Striped blanket, by the same.

234.—[6425]. Blanket from Kasúr, black and white.

235.—[6426 & 27]. Check blankets with crimson border, worth Rs. 6, 7 and 9 each.

236.—[6442]. Lahore coarse blankets for use in the Female Penitentiary, made by the prisoners.

237.—[6450]. Ferozpúr Jail, horse blanket with rollers and surcingle.

288.—[6374]. Blanket by Radha of Haryánah, Hushyarpur, worth Rs. 1-14.

239.—[6460]. Do. from Rawulpindi Jail, worth Rs. 5, other specimens were sent from the Gujranwálla and Gujrát Jails.

240.—[6474-47]. Jihlam Jail: horse cloth and blanket also white blanket at 9 as. a yard, check blanket at 12 as. and black ditto at 9 as. a yard.

241.—[6482]. Blanket, worth Rs. 3, by HARBANS SINGH of Núrpúr (Shahpúr district).

242.—[6595 & 96]. Pattyala, black and white blankets.

LOI.

The finer woven woollen wrapper or covering, was exhibited in the following varieties:—

243.—[6274,75 & 76]. Lois by ZALIM CHUND and FATTIH CHUND of Sirsa.

244.—[6429]. Lois, worth Rs. 3-S each, by RAHIM BUKSH of Lahore.

245.—[6500]. Loi, worth Rs. 2-4, from Kamalik, Gugaira.

246.—[6531]. "Loi Kashgari," value Rs. 5, imported from Kashgar, Peshawar Committee.

247.—[6532]. "Loi Peshawari," value Rs. 7.

248.—[6540]. "Black loi," of Kághán, Hazara, worth Rs. 4.

249.—[6541]. "White do.," of Pakli, worth Rs. 3-8.

Miscellaneous Woollen Manufactures.

These present a variety of work, including some goods machine made (for the first time) at Sealkote, including also the woollen knitted work of various schools and orphanages, and other miscellaneous woollen manufactures of the plains.

The various fabrics of the hills and the Kashmir valley present so distinct a character, that it appeared proper to separate them and bring to an end first the list of goods made in the plains.

250.—[6272]. Sample of woollen thread, Sirsa, by Fattih Chund.

251.—[6320 & 21]. Gloves by Ahsan Shah of Ludhiana.

252.—[6310—]. Knitted work in Berlin wool and worsted, by the pupils of the Mission Orphan School, Ludhiana.

Neckties (various colors).

Baby's jackets.

Gaiters, brown, snuff-colored, blue and white.

Riding gloves.

Baby's socks, (various colors).

Baby's hoods, (various colors).

Lamp mat.

253.—[6389—6396]. Kuitted wool work by the Amritsar Female Orphanage.

254.—[6304]. Red pattú at Rs. 2 per yard, by Kala.

255.—[6305]. White check pattú, at Rs.1-12 per yard.

256.—[6306]. Pattú with long stripes, at Rs. 1-4 per yard.

257.—[6308]. Blue check, at Rs. 1-8.

258.—[6309]. Black check, at Rs. 1-8.

259.—[6428]. Sample of tweed or woollen cloth made at the LAHORE CENTRAL JAIL.

260.—[6430 & 31]. Knitted wool work by the prisoners of the Fenale Penitentiary Lahore, viz., 4 pairs colored wool socks, 2 pairs knitted wool cuffs.

261.—[6444]. Scarlet wool tassel, by AZIMULLAH, Lahore.

262.—[6453]. Gambroon, woollen, Rawalpindi jail.

263.—[6477]. Sample of woollen thread, Jihlam jail.

264.—[6481]. Is a sample of dyed thread (woollen).

265.—[6483 and 45]. Thick felt rugs, felt coat and felt saddle cloth, by Ahmad Din, of Bhera, Shahpar.

This is a thick white felt made in the district and a few other places—is a very useful article, and shows that the felting properties of wool are well understood.

The following woollen articles are from Gugaira:—

266.—[6492]. Pair of "Khosa," or mufflers for cattla, from Hujra.

This district being great in the cattle stealing line, (vast herds of both buffaloes and oxen being fed in the "Bar" tracts), the thieves employ woollen mufflers to put over the feet of the cattle, which prevents the impression of the hoofs in the ground, and thus foils the utmost skill of the tracker or "khoji."

267.—[6494] Namda, or felt for saddle cloth, from Syadwalla.

268.—[6495]. "Khojar," or saddle pad used with native saddle, and made of felt.

269.—[6496]. "Indawajat," a thick rug or coil of wool worn like a porter's pack to assist carrying a burden on the head.

270.-[6497]. "Tang," or saddle-girth.

271.—[6501 &c.]. Colored woollen threads from Hujra.

272.—[6505]. White woollen thread, made in the jail.

273.—[6601]. Red braid of English wool, Agra Jail.

274.—[6591]. Socks and gloves, exhibited by His Highness the Maharajah of Patyála.

275.—[6520]. Woollen bag, Dera Ghazi Khan.

276.—[6521]. Samples of woollen thread, Dera Ghazi Khan.

HILL MANUFACTURES IN WOOL.

The fabrics manufactured in the hill states or imported from Kabul and Turkistan, &c. are now enumerated:—

As the term "pattu" frequently occurs in the following list, it will be proper to explain that woollen cloth is usually woven in pieces about ½ a yard broad, and only a few yards long: such a piece is called "patti;" when 4 or more of these pattis are joined together, making a large piece, perhaps 2½ or 3 yards broad and from 10 to 12 yards long, such a piece is called "pattu". The "pattu" is folded as often as may be convenient and used as a wrapper.

The following collection is from Simla:—
277.—[6339]. "Kaddma," a kind of

blanket from Basahair, by the Rajah of Basahir.

278.—[6310]. "Dûra," a woollen cloth of a whitish color, Basáhir.

279.—[6617]. Blanket from Barmaur, by the RAJAH of CHAMBAH.

Pattú is largely imported from Changthán and Rodokh, from Ghar or Garo, through Leh, and thence by Rampúr, especially a kind of pattú called "Thirma" or Balmor.*

The next series is from KANGRA, KULU AND SPITI:—

280.—[6344]. Blanket from Kulu, value Rs 3.

281.—[6345]. "Pattú" woollen cloth, piece of natural color of the wool from Kulu.

282.—[6346]. Black pattí, from Kulu.

283.—[6348 & 49]. 2 samples of pattis, Kulu.

284.—[6347]. Pattú from Palách, [BY THE KANGRA LOCAL COMMITTEE.)

285.—[6350 & 51]. "Doran," woollen cloth, from Kulu.

The wollen cloths of Kulu are all home-made, by the zemindars, who rear vast flocks of sheep. These are taken over the snowy range during the hot season to pasture in the mild regions of Spiti, Ladákh and Changthán. They are shorn twice a year. The cloth when made is sold by weight

The pattu is worn round the shoulders, and is fastened there by two pins forming a kind of brooch, not unlike those worn by the Highlanders of Scotland.

286.-[6352].- White patti, Kulu.

287.—6353]. "Pattú Dháridár," (striped wrapper), from Palách.

288.—[6354]. White pattú, from Sukait. 289.—[6355]. "Safed châdar," white wrapper or loi, from Kulu.

The following are made in the DHARM-SALA JAIL: -

290.—[6360]. Patti, "khud-rang," i. e. natural color of the wool, 1st sort, value 1 rupee for 2 yards.

291.- [6361]. Do. second sort, value 12 annas for 2 yards.

292.—[6362.] White patti, 1st sort, value 14 annas for 2 yards; and

293.—[6363]. Do. 2nd sort, value 11 as. for 2 yards.

294.—[6364]. "Pattú Galiyán or Gadiná," value Rs. 6.

295.—[6365]. "Pattú Garú or Garúá. The following are from Spiti, exhibited by Philip Egerton Esqr.

296.—[6369]. Yellow cloth called "Nimbú Sarpú," value Rs. 2-12 for the piece of 7 yards.

^{*} See Mr Davies' report on the Trade of the North West Frontier, page CCXXXII, Appendix XXIV.

297.-[6370]. Red cloth, "Sarpú Marbú."

298.--[6371]. Black cloth, "Sarpú Nakpú."

299.—[6372]. Cloth of the natural color of the wool (khud-rang) "Thirine" (sic in original catalogue)

The following fabrics are imported and exhibited from the Peshawar District:—

300.—[6527]. " Pattú safed," from Kábul.

A large quantity of wool is imported from Kábul. In Lahore there is a regular manufacture of chadars made of "Kábul pashm," a very soft wool of a brownish color, which is however not sheep's wool, but of a goat, resembling the shawl wool. Kábul is also celebrated for its postíns, or coats lined with the skins of young lambs, which are reared in the province of Karákul to the south of Bukhárá.

301.—[6528]. "Pattú nabâtì," value Rs. 60, from Kábul, by Kazi Amir Jan.

302.—[7646]. "Choga pattú nakhúdi, or cloak made of pattú (color of nakhúd or gram), value Rs. 30.

303.—[7647]. "Choga pattú, khudrang," cloak of natural colored woollen cloth, Peshawar, by the MUNICIPAL COMMITTEE, value Rs. 25.

304.—[7619]. "Choga Káshgari," by KAZI NISR-ULLAH JAN, imported from Káshgar, as its name indicates.

305.—[7650]. "Kosa Kandáhári," cloak of white felt of Kandáhár.

306.—[6531]. Loi Káshgari wrapper, from Káshgar.

Of other Imported Woollen Fabrics.

307.—[6532]. Loi Peshawuri, Rs. 7, of local manufacture.

308.—[6539]. Pattú from Kághán, Hazára, value Rs. 6.

The wool of Kághán has always been of excellent quality, recently attempts have been made to further improve it by the introduction of the 'Merino' breed of sheep, (see chapter on Wool in Vol. I).

The following is the collection from Kashmir, contributed by His Highness the Maharajah of Kashmir.

309.—[6565]. "Salang" (blue or láj-wardi color).

A very coarse tough cloth made into coats worn by Pathans; it is also much used by the natives of the Thibet and provinces of Ladákh, Balkh, &c.

310.—[6566]. Another piece of a lilac

311.-[6570]. "Namda," felt.

Felt is largely produced in Elchi of Khutan, where they also make felt caps, which are used by Europeans. The import is by Leh. Of other imported fabrics several are mentioned as imported from Yarkund, though they do not reach the Punjab: these are called "Shirn" and "Garn," fabric of sheep and goat's wool mixed together, another is called "Khojá." These articles derive their names from the places of manufacture, (see Mr. Davies' Report, Appendix XXIV page CCXXIX.)

312.—[6573]. "Pattú, khud-rang," retaining the brownish color of the natural hair.

313.—[6574]. Pattú chárkhána, checked cloth, value Rs. 4-8.

314.—[6575]. White pattú, value Rs. 6-4. No. 6580 is another sample.

315.—[6576]. Khákí, or grey pattú striped with a very fine stripe called "Kalam kár" from "Kalam," a straight reed to which the stripe is likened. see (No. 6597), No. 6578 is another sample of this.

316.—[6577]. Woollen cloth printed like a chintz, called "pattú chhet."

This fabric consists of the ordinary woollen pattî but stamped or printed with a very small uniform pattern.

It is in general use for making the "firan" or long coat worn by Kashmiris, value Rs. 5-4.

317.-[6579]. "Pattú Abshár." Common striped woollen cloth or flannel.

The stripe is in the fabric, like that of the "súsí" in cotton, it is a straight plain line, while the "Kalam kár" stripe is much finer, and the stripe being differently inwoven into the material is not a continous line but appears like a fine waved line or succession of little marks, forming a stripe thus:—



Kalam kár. Abshár.

DIVISION II.

PASHMINA GOODS.

SUB-CLASS A.-SHAWLS.

(Loom woven.)

Both sub-classes of this division are distinguished from the first and the third by the fact that they are manufactured from the "Pashmina" or wool of the shawl goat of Thibet.

For a minute account of the production of and trade in this wool I must refer the reader to the division which treats of wools, under "Animal substances used in manufactures," in volume I.

It may however be advisable to recapitulate so far as to remind the reader, that the Thibetan shawl wool varies in quality according to the districts it is produced in. There is also a difference between the wool from the domesticated goat and the wool from the animal in its wild state: the latter is called "Asli tus." That, the best, which comes from Turfán, Kuchár, Ukturfán, Aksu, Khutan, Yarkand and Káshgar, is strictly monopolized by the Maharajah of Kashmír: it is imported from Yarkand via Leh. Indeed, the Maharajah has the monopoly of the wool of Changthán and Rodokh in Thibet. It is exported from Garo and goes via Leh to Balti, Kishtwar and Kashmír: a portion of it however is brought down by the traders of Rampúr Basáhir, and also by the merchants of British Iahaul through Ladákh. * and thus the Kashmíri shawl weaving colonies in the Punjab (of whom more hereafter) are supplied.

Pashmina in its natural state, i. e. before dyeing, when clean, is white, but there is also a sort which is comparatively rare, and is of a grey color called "Tús," or "Túsha." This is highly esteemed as of exquisite softness.

The Chaugthán pashmína is of two sorts, 'Khulchak' and 'Ralchak,' being first and second qualities, this is ordinarily white in color.

A good deal of confusion results from the miscellaneous use of the term "Pashm" as applied to shawl wool: it will be advisable on first starting to describe the different kinds of soft wool that are in use.

- 1. There is the genuine Thibet shawl wool of Kashmir, of its two kinds, white and tus.
- 2. The very rare Ibex wool, which is also of "this color." The costly Ibex shawls of Thibet and China are made of this; this wool is never seen in the Punjab, probably rarely seen even in Kashmir. A small sample sent to the Exhibition was obtained from Zangskar.
- 3. The Changtháni wool, of 2 or 3 qualities, being real shawl wool used by the shawl weavers of Amritsar and other places.
- 4. The Kirmáni wool, a very soft white wool, which is imported from Kirmán, a province of Persia: it is used to adulterate Pashmína at Amritsar and other places.
- 5. "Kábuli Pashu," a very soft hair of a goat, not unlike the Thibet shawl wool only not so fine; it is principally in Lahore, where it is used for making the "Lahori chadar" or soft wool wrapper

^{*} All the wool that comes from the Chinese provinces of Eastern Turkistan and the Pamer steppes is called in Kashmir, Turfani and Küchari.

I have obtained it of two or three qualities, some of them white, other a brownish grey, with the ends of the hairs a darker color than the rest, giving it a varigated appearance. They call this "Khud-rang" or "Túsha."

It appears that this wool is produced in the mountainous portions of Kandáhár and Herat. Khelat also produces a fine wool from the fat tailed variety of sheep.

Also a shawl wool called pat is obtained from Kokán through Bukhára.

The Kábuli pashm appears to be a goat's wool and not a sheep's.

6. "Un Rampuri." A very fine wool is obtained from Rampur probably from Changthán and Rodokh, which is worked at Ludhiana as the Kirmáni wool is at Amritsar, to produce an adulterated or "nakli pashmína," in imitation of real pashmína.

We are at present to consider the fabries woven of real shawl wool.

The fabries may be generally stated to be of two sorts:—

1st, regular shawls.—The material used for these fabrics is thread very finely spun of pashmina, and dyed of various shades; the weaving is effected in a rude kind of upright loom, more like the carpet loom than the ordinary loom for piece goods, but it is distinct from either: no shuttle is employed, but the different kinds of colored thread required in the pattern hang down on as many little reels or bobbins, and the pattern of the shawl is indicated on paper, by a regular pattern alphabet or "memoria technica" of written signs.


The other class of pashmina goods are plain and woven in the ordinary way. Fine pashmina cloth is called "Alwán;" this is used for shawls or chadars, plain and dyed of various colours, but the same all over. When pashmina cloth is carefully felted and softened by repeated working and treading with water and "rita" or soap-nut, it shrinks, felts, and softens, and is called "Malida" (literally "rubbed fabric"); this is used for a variety of articles and forms the ground-work of the silk embroidered chogahs, capes, jackets, neckties and other embroidered fabrics so common in Kashmir, Amritsar and Ludhiana. Thin pashmina "Alwán," generally unprepared, is also the ground-work for the beautiful "Amlikár" work of Kashmir, which consists in elaborate patterns and devices in colored silks executed on shawl borders, chogahs and other articles; this Amlikár is quite distinct from the embroidered fabrics previously described, on which the pattern of the silk is always of one color, generally the same color as the pashmina or else white or black on a colored pashmina ground. The art of this last, rich and beautiful as it is, is utterly inferior to the renowned Amlikár, which is unique, and which is practised in Kashmir itself in a style so much superior to any other place, that an experienced eye can detect in a moment the genuine work of Kashmir.

These articles however do not come into this class, but are reckoned as embroidery; it is only with shawls woven in a loom that Sub-class A has to do, and only with plain pashmina goods exhibited for the sake of the fabric that Sub-class B contains.


There are a few miscellaneous fabrics woven of pashmina in Kashmir, such as "paripurz" and some varieties of pashmina cloth introducing cheeks, and other patterns, but this will be noted in situ.

It only remains to add that the pashmina is the *inner* wool of the goat. At the commencement of summer the animal is shorn with a knife in the direction of the growth of the hair, i, e. from head to tail. When this is done the wool is combed down in a *reverse* direction, and this separates almost entirely the upper hair from the wool underneath, the hair is soft and is wrought up into coarser fabrics. The wool is cleaned in the first instance by washing with lime-water.





THE SHAWL-LOOM.





In the Punjab, when the pashmina is first imported, it is bought up by the wool. pickers, who separate the various qualities, the finest wool, the second, and the goat hair, and sell these sorted wools to the Kashmiri shawl weavers, who spin it into thread for the different kinds of manufactures.

In the following list the genuine loom-woven shawls of Kashmír are first enumerated. Shawls besides having a very considerable number of varieties in form, size, pattern, &c., &c., are mainly divided into two classes.

1st.—Shawls loom-woven, called Tiliwalla, "Tîli kár" or "Káni kár," whereof the pattern is produced in the loom. They are sometimes woven all in one piece, but oftener are woven in distinct portions, which are afterwards most skilfully joined together by hand; the suture is so delicate as to be quite imperceptible except on minute inspection, and then with difficulty.

2nd .- Shawls "Amlikar," wherein the ground work is a plain pashmina piece, and the pattern is entirely due to minute and most elaborate needlework in pashmina thread all over the whole surface. Borders which are always made on a warp of silk, are attached to loomwoven shawls; the stiff edging serves to spread out the shawl and make it set properly when Shawl borders are made quite separate from shawls and at different localities: no shawls, for instance, are made at Sealkote, but shawl borders are.

This second sort of shawl is not included in this class, which is solely concerned with loom-woven fabrics. There is a separate class for needlework done by hand and embroidery. It has been remarked that the shawls of Kashmir have never been equalled by the colonies of Kashmírís who have settled in the Punjab; not only is the Kashmír shawl wool finer and purer in thread, but the workmen pretend that there is something in the nature of the air and the water of Kashmír which allows of brighter and purer dyeing for the thread; and also the process of washing the shawls, which is quite an art of itself, is always better done in Kashmír.

The very high price of Kashmir shawls even at the places where they are made, has often excited wonder * since the actual cost of the raw wool necessary to make a shawl is only a few rupees. But it must be remembered, that the wool has to be sorted by hand with great labor, and the fineness of the shawl subsequently will much depend on the care bestowed on this operation; next, the fine thread has to be spun with great delicacy: this is done with the aid of a common 'Charkha,' as used for cotton, but requires great nicety of work. The thread is extremely fine. A pound weight of first class thread will sell as high as 25 rupees. The thread has now to be dyed, which is a difficult operation, and some of the colors are costly (they are all made permanent); and then the weaving process begins: this is slow and indefinitely elaborate and difficult in proportion to the intricacy of the pattern. The wages of the skilled labor for such work are extremely high.

Years of patient toil have to be passed by the apprentice before he is perfect in any one branch of the art; when therefore he does become a practised artizan, his wages must remunerate him for the expense and long delay of his education. It is no wonder therefore that shawls should be costly. On to the price that they command when exported, we must add

^{*} A first rate woven shawl, weighing 7lbs. will fetch in Kashmir as much as £300, which price is made up of, & 30, the cost of material.

^{150,} the wages of labor.

^{70,} Duty.

^{50,} Miscellaneous expenses.

to original cost, the customs duties, the cost of carriage, the risk of robbery—which by some routes is great, the risk of the bales damping and becoming mildewed inside, the cost of the commission charged by brokers who manage the export and sales, besides various other incidental charges that occur between the workshop of the shawl weaver and the market of final sale.

Before entering on the list of shawls exhibited, it will be necessary to present the reader with an account of the process of shawl weaving. This has been already so well done by Moorcroft that it would be hopeless to attempt a better description. As Moorcroft's work is now scarce and inaccessible to the general reader, I shall make no apology for extracting his account in extense:—

"The first task of the spinner is to separate the different materials of which the fleece consists, usually in about the following proportions:—

Coarse hair, 1½ seers. Seconds, or Phiri, 0⅓ ,, 1½ seers. Seconds, or Phiri, 2⅓ ,, 2⅓ , 2 ,, ... 6 seers. or 1 tark.

Much attention is required to free the wool from the hair, and the process is a tedious one. The next step is cleaning and separating the wool. A quantity of husked rice is steeped in clean cold water, for a day and a night, or longer, until it becomes soft, when it is ground or bruised upon a stone slab to fine flour. Thin layers of this and of the picked wool are laid alternately, and squeezed with the hand until they are completely intermixed. A little water may be occasionally sprinkled over the heap, if the weather is hot and dry, else it is not necessary. Soap is never used, as it makes the wool harsh; and its employment in Hindustan being communicated to the Kashmirians, induced them to boast that in this matter at least they were more knowing than Europeans. After being thus treated for about an hour, the flour is shaken out, the wool opened and torn to pieces, chiefly by the nails, and made into somewhat square, thin, elastic pads, called Tumbu In this process the Phiri, or second shool, is extricated. Though too coarse for fine shawls, it is used in the manufacture of those of inferior quality, and of a strong shawl cloth called pattú. The tumbu is then worked out into a thin flat roving, about half a yard lorg, which is called a mála. The mála is folded up to the size of the tumbu, and deposited in a deep pot of red earthenware, called a taskas, to be out of the way of dust or accident till required for the spinning wheel.

The wheel is constructed on the same principle as that used in Hindustan, but varying in neatness of form and finish, according to its price; the rudest, the Takhtidar, or Pachindar, costs a half rupee; the Katzker, which is the most serviceable, three or four rupees; and the Pakchedar, which is used by those who spin for amusement only, costs from six to sixteen rupees. The iron spindle is enclosed in a cylindrical tube of straw or reed grass, ar 1 instead of one line of radii or spokes, supporting a continued circular wooden rim, there are two circular and parallel walls of flat spokes in contact at their edges, leaving between them at their outer circumference an empty space. A hair cord fastened to the loose end of the one spoke, is carried across the space or

trough, to the end of the next spoke but one on the opposite side, and having been passed round, it returns to a spoke on the side from which it began. By a continuation of this process a rim is formed of a surface of hair cord, over which runs a small band, that is said seldom to be cut by the friction to which it is exposed. The principle kept in view by this arrangement of spindle and of rim, is to produce a continuance of soft elastic movements without jerk or stiffness, to prevent the yarn breaking on the occurrence of any slight interruption in drawing it out.

Women begin to work at daybreak, continue with little interruption the whole day, if not taken off by other domestic affairs, and extend their labor until very late in the night, spinning by moon-light when available, and when they cannot afford to purchase oil for a lamp. The fine wool is spun commonly into about seven hundred gaz, each gaz consisting of sixteen girahs, about equal to two nails. This yarn is doubled and formed into twist, which is cut into two hundred lengths, each length of three gaz and a half; this measure being suited to the length of the warp for a shawl. From the Phiri, or seconds wool, about one hundred gaz of yarn are also produced. The yarn of the fine wool is sold sometimes by measure and sometimes by weight. A hundred lengths of yarn of fine wool doubled, and each three gaz and a half, bring ordinarily seven tangas, or about seven-pence. But if the same kind of yarn be sold without being doubled and twisted, the price is regulated by weight, a "pal" bringing from twelve annas to one rupee four annas, according to the demands of the market. The yarn from Phiri, or seconds wool, is sold only by measure, but the gaz employed consists of no more than twelve girahs, or nails, that is, of four girahs less than the gaz in ordinary use. A hundred yards of Phiri twist, and each of two short gaz, or of twenty four girahs, sell for one and a half tanga, three pice, or about three half-pence. Although calculations upon this matter can be little more than approximations, yet three pence or three pence-half penny a day, or from three rupees to three rupees eight annas, or from six to seven shillings a month, may be taken as the general earnings of an industrious and expert spinner in Kashmir, out of which, however, must be subtracted the price of the wool.* leaving only one rupee eight annas for her labor.

If shawl-wool be furnished to a spinner to clean and to spin, eight annas are paid for spinning one pal, or three and one third rupees weight of yarn of

^{*} Thirty two Tanga or annas, equal two rupees.

the requisite quality for shawls. Sheep's wool, spun by contract, is paid for by the pan, or quarter of a seer, at the rate of from two tangas or four pice, to twelve annas per pao. according to the fineness of the varn; and the spinning of this quantity into yarn suited for shawls will occupy a woman for eight days. There are several varieties of thread, distinguished by different degrees of fineness. From one pao of clean fine shawl wool a spinner will draw from a hundred to a thousand threads of three and a half gaz each. There is not such a difference between the price of coarse and of fine yarn as might be expected, owing to the greater expenditure on the former of a material that is dear, and on the latter of labor that is cheap Shawl wool is sometimes spun by men, with a loose spindle like that used in Ladakh. These men are called Trakhans, and the yarn thus spun is finest, but very little of it is now made. Girls begin to spin at the age of ten, and a hundred thousand females are employed in this occupation in Kashmir About one-tenth of this number are supposed to spin for the purpose of obtaining shawls for themselves, or for other members of their families, and nine tenths to earn their livelihood.

The Puumangu keeps a shop for the purchase of yarn, but also sends people to collect it from the houses of the spinners, who give notice of their approach by ringing a bell. The yarn is sold to the weavers at a profit of from one piec to a tang in the rupee. As a large stamp duty is levied on shawl-goods when fluished, the exportation of the yarn is forbidden, and prohibition is enforced by heavy fine and imprisonment. Much of it is, nevertheless, exported to those places in the Punjab where the exportation was respected.

Having ascertained the kind of pattern most likely to suit the market, the weaver applies to persons whose business it is to apportion the yarn according to the colors required; and when this is settled, he takes it to another, whose function it is to divide the yarn into skeins accordingly, and each skein is delivered to the Rangrez, or dyer. When the body of the cloth is to be left plain, the Phiri or seconds yarn, is alone given to be dyed. This is generally about the thickness of common cotton sawing threal is loosely twisted, of a coarser quality than the yarn used for the cloth, and is preferred for employment in flowers, or other ornaments, from its standing higher, and being, as it were, embossed upon the ground.

The dver prepares the yarn by steeping in clean cold water. He professes to be able to give it sixtyfour tints, most of which are permanent. Each has a separate denomination, as for in-tance - the crimson is termed (inhanar (pomegrapate flower), the best kind is derived from cohineal imported from Hindustan; inferior tints are from Lac and Kirmis Whermes), distinguished as Kirmisi, Kirmdana, and Kirmisi lac, or cochineal and lac chermes log wood is used for other red dyes; blues and greens are dyed with indigo, or colouring matter extracted by beiling from European broad cloth. Logwood is imported from Multan and Indigo from India. Carthamus and Saffron, growing in the province, furnish means of various tints of orange, yellow. &c. The occupa-tion of a dyer is invariably hereditary. The whiter and finer the fibre of the wool, and the finer the . yarn into which it is made, the more capable it is said to be of receiving a brilliant dye; and this is one reason why the fine white wool of the geat is preferred to that of the sheep.

The Nakatu adjusts the yarn for the warp and for the weft. That intended for the former is double, and is cut into lengths of three gaz and a halt, any thing short of that measure being considered trandulent. The number of these lengths varies from two thousand to three thousand, according to the closeness or openness of texture proposed, and the fineness or coarseness of the yarn.

The wett is made of yarn which is single, but a little thicker than the double yarn or twist of the warp. The weight of the wett is estimated at a half more than that of the warp. The Nakatu receives the varn in hunks, but returns at in bulls, he can prepare in one day the warp and wett for two shawls.

The Pennakamguru, or warp dresser, takes from the weaver the yarn which has been cut and redel, and stretching the lengths by means of sticks into a band of which the threads are slightly separate, dresses the whole by dapping at into thick boiled rice water. After this the skein is slightly squeez, I and again stretched into a lead which ribriu hed and suffered to dry. by this process each length becomes stiffered and set apart from the rest.

Sifk is generally used for the warp on the border of the shawl and has the advertage of showing the darker colors of the dvel wool more prenancitly than a wirp of varn, as well as hardening and strengthering and given more body to the edge of the cloth. When the border is very narrow it is woven with the body of the shawl but when broader at is worked an a different cour and afterwards sewn on the edge of the showl by the trafugar. or fine drawer, with such neety that the union can sear oly be detected. The sik is twisted for the border warp by the tiligin. The warp differs in breadth, the mirrowest consisting of twenty, and the broad st of a hundred threads. From the tabgir the silk is har do I to the Alakaband, who reels it. and cuts it into the proper lengths.

The operation of drawn for of passing the varue of the warp through the heddles, is performed precisely in the same way as in Europe, and the warp is then taken by the shall buf or weaver, to the loon The weavers are all males, commencing to I am the art at the age of ten years. In all transactions there are two parties the Master, or Ustad and the choice. or Shagird, the former being the explaint, the latter the mechanic. Work is executed under four different conditions. First, for wages, when it also most always happens that a system of advances has occurred, by which the workman is so decidy : .. debted to his employer that he may, in some sort, be considered as his bond-slate. Secondly, upon contract, of which the common term is, that one pace is paid for every hundred needle: carrying colored yarn that shall have been each once passel round as many parn of the warp. Think a sort of partnership, in which the Ustail finds all the materials, and the workmen give their labour. When a shawl to sold the outlay of the Ustad is deducted from the price, and the remainder is divided into tive shares. of which one goes to the master and the other four to the workmen. The fourth and extra creat areson of the proceeds in which case the master not only finds the materials, but feeds the workmen. Three tree are employed upon an embroudered shawl of an ordinary pattern for three menths, but a very rich pair will occupy a shop for eighteen months.

The loom differs not in principle from that of Europe, but is of inferior workmanship. An Ustad has from three to three hundred in his establishment. and they are goverally crowded together in long low martments. When the warp is fixed in the loom, the nakish, or pattern drawer, and the faralogurn. and talun-guin, or persons who determine the proporten of the an of different colors to be employed. are again consulted. The first brings the drawing of the pattern, in black and white. The tarah-gain, having well considered it, points out the disposition of the colors, beginning at the foot of the pattern and calling out the color, the number of threads to which it is to extend, that by which it is to be followed. and so on in succession, until the whole pattern has been described. From his dictation, the tiliar-guru writes down the particulars in a kind of character or short hand, and delivers a copy of the document to the weavers

The workmen prepare the tons or needles, by arming each with colored yarn of the weight of about four grams, these needles, without eyes, are male of light, smooth wood, and have both their sharp ends slightly charred, to prevent their becommg rough or pagged through working. Under the superintendence of tarah-guru, the weavers ki of the yurn of the tighto the warp. The face or right side of the cloth is placed next to the ground, the work being carried on at the back or reverse, on which to gathe needles in row, and differing in name or from four bunds. I to fifteen hundred, according to the " shiness or hereness of the embrodery As soon as the Usted is satisfied that the work of one In a or woof is completed, the comb is brought down upon it with a vigour and repetition apparently very dispropordionate to the delicacy of the

The cloth of shrwl-, generally, is of two kinds. one plant or of two threads, one twilled, or of four The Corner was, in past times wrought to a great degree of fineness, but it has been of late tess in demand. The virious twifted cloths are usually from five to twelve girals, or note wide, shawls are twile I ard are commonly about twenty-tom nails broad and differ in their extent of field. Two persons are employed in wearing a cloth of timbreadth. One the we the Scittle from the edg. as far as he can a ross the warp, which is usually about half way. It is there served by the second weaver. who the me it onwards to the apposite edge and then returns it to his companion, who, in his turn, nare being his lingers into the warp forwards the shritle to the edge whence it state a and then recompanies the operation. The cloth thus made is frequently irregular, the threads of some parts of the wood being driven up tightly, and in other-left open, from which results a succession of banks, sufficiently distinguishable whilst without colour but still more obvious when lived. The open texture is m a degree remediable by the introduction of fresh threads, but there is no sufficient our for test which has been much compacted. One might be led

to suspect that there existed some radical defectiveness in the principle of this mode of weaving not readily mastered, were not pieces of cloth found occasionally of an almost perfect regularity of texture-But the great, st irregularity is discoverable in those shawls which have the depest and heaviest borders. and a further examination compels me to retract an observation somewhere made, of the artist being so much engrossed by attention to the work of the pottern as to ne leet the structure of the field. The edge of the warp in the loom is filled with the heavy threa lot the char, or seconds yarn, charged also with colour, so that in a few lines the front of the worked part advances beyond that of the plain part or field, and an endeavour to equalize this betrays the weaver into a work which proves fruit'ess; and, in general, the heavier the embroid ry on the border, and, of course the higher the price of the shawl, the less regular is the structure of the cloth.

Such, indeed, in some instances, is the degradation of the cloth in the field, as to induce some toreign merchants to cause it to be removed, and another piece to be engrafted within the edge of the border. But in this case there is no other reinedy than in a judicious selection of a sheet of the same breadth and fineness for, although two breadths of the narrow cloth might fit the varant space, yet these must be joined by the refugar in the middle; and although this can be so done that the band differs not in thicknoss from the rest of the cloth, yet the joint is discormide when held between the eye and the light. trial the threads in the joined breidth being not continuous in the same line, wherea any irregularity of this nature is drowned in the edge of the border. The bost practice to ensure a good field seems to consist rawcaving the border, in every case, separat dv and inserting the field by the refugar.

When firshed, the shawls are submitted to the purisher or dealer, whose business it is to free the shawl from discoloured hairs or yarn, and from ends or krots he either pulls them out severally with a pur of tweeders, or shaves the reverse face of the cloth with a sharp kinter any defects arising from either operation are immedately repaired by the religion. At this stage of the manufacture the religion. At this stage of the manufacture the shawls are sent to the Collector of the stomp duties, it whomen it volorem daty of twen tysix per cent is beyond and each proper is then stomped and registered.

The coods are now handed over to the wafarosh, or jots in who has a banced money on them to the nonintecturer, and to the mokkin, or broker, and these two fix the price and effect the sale to the merchant; the former charges interest on his advances, the letter a commission, varying from two to five per cent. The purchaser takes the goods unwashed, and often in one ces, and the fine drawer and washerman have still to do their part.

When partly washed the dhot; brings the shavisto the merchant, that they may be examined for any holes or imperfections; should such occur, they are remedied at the expense of the seller of there are none the washing is completed. This is done with clear cold water, using soap very cantiously, to white parts alone and never to embroidery; coloured shavis are dread in the shade; white ones are bleached as the epica are and their colour is improved by exposure to funite of sulphur. After being washed,

the shawls are stretched in a manner which answers in some degree to calendering; a wooden cylinder in two parts is employed for this purpose, round which the shawl, tolded so as not to be quite as broad as the cylinder is long, is carefully wrapped, being occasionally damped to make it fold tighter; the end is sewn down two wedges are then gradually driven between the two parts of the cylinder at the open extremities, so as to force them asunder and the surrounding tolds of the showl are thur stretched to as great an extent as is consistent with its texture. The piece remains in this state for two days, when it is removed to be packed. The packages are of various dimensions, but they are formed on one principle, the shawls are separated by sheets of smooth glazed, and coloured paper, and they are placed Letween two smooth planks of wood, we resterior transverse bars, which projecting be, and the planks. ofter a purchase for cords to the them together the whole is then placed in a press, or under heavy weights for some days, when the planks are withdiasn the bile is sewed up it street eleta, at I the whole is seved up as smoothly and tightly as possible in a raw hide, which, contracting in drawing gives to the contents of the package a remarkable degree of compactness and prote tion

*

An numerice variety of articles of shaul stuff are manufactured in Kashmir, besides the shawls themserves of them also there are two chief vary tres, those made in the manner described, and the worked showl plo-half amily, in which the whole or the end for service work of on the cloth with poolles having eves, and with a particular kind of wooden thread, instead of the silk carployed in the usual embroners, work Is the andi showl the pattern, which is in every use dear eated, but which at the loam is read off in contain to macal terms from a book, is covered with the sethe cut paper, upon which the outlines of the composition are slightly traced with a charcial twig and the tracea lines are permanently defined by reag proxed through with a small needle. The cloth intended to recover the pattern is rubbed street, you can a smooth pick, with a piece of highly possed agate of corners countries perfectly ever and legalar. The pricket patt on is then stretched upon the cast a made and fine constell possible charge an er chalk is passed slightly over the paper which penes trating through the holes, transfers the outine to the cloth and the ath. This is next more menerated delir atol with sense colonied pend i rendered temcious by mucilage of green arabic, which when the work is completed, is readily detached in dust by the haml.

The use of patterns by the chain statch embraciderer, and the carpet weaver of Kashmir, is more restricted to a confined minior of forms by long transferred from a wooden block to the cloth, in regard to the former, and to paper in respect to the latter.

The following are the chief articles of this manufacture, with their usual precis-

Shawls in pairs form the principal article of this manufacture, and have different names according to their nature and quality, as plain white coloured embroidered in the loom, or by the hand with the needle ALZ.

Pattú Pashmini, sometimes made of Asaltús, but

more frequently of the coarse kinds of shawl wood is in length four grz and in breadth over and built gaz. This is thick, and used as a branket, or for outer clothing. Price from 5 to 6 rupe especies.

Shala phire as its name denotes is made of phire, or of seconds wood. Its length is from three did thalf to four gaz, and breadth one and a half gaz. Price from 20 to 30 not more.

Alwan or plain white cloth, of time shawl-wood, without flower, horder, or other ornament of fees in longth but is twelve guids in breedth, and used for turoans and for dyong. Price from 3 to 6 rapecs for gaz

Jowner Shala Sadu, or shawl with a narrow edging of colored yarn as from three and a self to three and three-quarters gaz in leagth and one and a half to breast's pare from 50 to 60 rupes per press.

As all the following shawls are of the score dimensions via three and a half-gaz in leight, and obtain a half-gaz in broadth, it is maked surject affix the measures to their several panels.

Shale hisbirdar is edged by a single border, 60 to 70 rupees

Shata dohasharlar, has a double is a dev. 49 to 70 rungs.

Sha't chahai hashiadar, ha four b rd .-. 60 to

Hashida Khosar, of Khail Khan, has two horles and two tingal sometimes with at others without a flower in the carners, 10 to 50 tupees

Hashadar kongreedar. This has a border of the usual term with another within side or near a term mutue resembling the cross of the will of V-satie terms hed with narrow inches or collarsing the consequences of mat brooks where its name 100 to 159 ripos.

Da airdar has an ornament running all round the gravit been builtie border and the field 200 to 2,000 tupes specifical.

Matriable has flowers or decorate as in the half worther held. 300 to 1 800 rapids per pair.

(1) Add has a circular or agent of moon in the control of the field (50) to 1 > 0 rigous per pair.

Charlia, at his four half models 350 to 1509 rap spot bor

Kunjucsi Lir. has a group of flowers at each color 200 to 900 repossiper pair

Ald him has zeen a spenzy with our any other colour, on a white zee and or field 120 to 1,150 rupges per pair

Kaddar, has larger groups of flowers somewhat in the form of the cone of a pine, with the choiced points struckly, or curved a wilwards

Doladdar, has two heights of such groups. Sokalliar has three rows, and so on its five and upwards, in the litter case, however, the comes are somewhat simil 100 to 500 rupes per page.

The ornaments of shawls are distinguished by different nanos, as Pila, Hashia Zanur Dhour, we and these reducided into different parts. By the term Pala is meant, the whole of the emproidery at the two ends, or, as they are technically called the heads of the shawl.

The Hashia or border, is disposed commonly one at the festle in the whole length and if double or try or gives particular denominations to the shamb-

The Zaujer, or chain, runs above and also below the principal mass of the Pala, and as it were confines it.

The Dhour, or running ornament, is situated to the inside in regard to the Hashia and the Zanjir, enveloping immediately the whole of the field.

The Kunjbutha, is a corner ornament, or clustering of flowers.

The Mattan, is the decorated part of the field or ground.

Butha, is the generic term for flowers, but is specifically applied, when used alone, to the large cone like ornament which forms the most prominent feature of the Pala. Sometimes there is only one line of these ornaments, extending from the lower Zanjir to the upper one. When there is a double row one above the other, the Butha is called Dokad, Schkad, up to five, after which it takes the name of Tukadar.

Each Butha consists of three parts: viz. the pai or toot, or pediment of leaves generally; the shikam or belly, and the sir or head. The head is either erect, or straight, or inclined. If the butha slope generally, it is named butha kaj. The shal or ret, is the work which separates the different buthas, but sometimes the interstree is without ornament.

Jamawar, signifies literally a gown piece. The length of this cloth is three and three quarter gaz, and the breadth one and a half gaz.

This article branches into many varieties, as Khukhabutha, large compound flowers, consisting of groups of smaller ones. It is used by the Persians and Afghans.

Rs. per piece.

Rezelutha, small flowers thickly	set,	200 to 700
Shaldar, net work,		500 to 1,700
I-limi,		250 to 400
Mehramat,		150 to 300
Khatherest,		150 to 750
Marpech,		200 to 350
Kahnkar,	•••	300 to 1,000
Laklie Angur,		300 to 500
Chaporast,		300 to 7,000
Dogul, Schgul, Chahargul &c,		500 to 1,000
Barghebed,		250 to 400
Gulisaut,		200 to 900
Duazdhekhat,		700 to 1,500
Duazdehrang,		800 to 1,400
Guleparwane,		300 to 450
Kaddhar,		300 to 2,000
Kayhama, Subzkar Safed.		120 to 130
TT1		10 100

These are made by the shawl weaver alone, and largely into Hindustan, where they are dyed, the small green flowers being previously tied up in hard small knots, so as to be protected from the action of the dye, and are of course, when united, each surrounded by a small white field. Small eyes of spots of yellow, red, and of other colours, are supposed to harmonize with the green flowers and the new ground, and these are added by embroiderers or Chikandos.

Kasabeh, or rumál, women's veils, square shawls. These are from one and a half to two and a half gaz square and are called:—

Khathdar, ... Rs. 300 to 500 Mehramat, ... ,, 150 to 300

I-limi, with the thirteen other patterns of the Jamawars; and in ad-

 dition there are,
 ..., 300 to 350

 Chaharbigh,
 ..., 100 to 175

 Hashia,
 ..., 50 to 200

 Chaind,
 ..., 150 to 400

 Shash Mantahi,
 ..., 250 to 200

 Feringi,
 ..., 100 to 500

Exported chiefly to Russia,

Tara Armeni, 100 to 250 rupees; exported chiefly to Armenia, and Persia.

Tara Rumi, 120 to 300 rupees; exported chiefly to Turkey.

Sada. 12 to 15 rupees; for domestic use.

Shamlas, or girdles for the waist, worn by the Asiatics, are eight gaz in length, and one and a half gaz broad, and of various colours and patterns, and vary from 50 to 2,000 rupees a piece, according to the richness of the work.

Doshala, or shawls, which contain three palas instead go only to Tibet, and sell for 100 to 150 rapees,

ctoshpech, or patka or turbans, are in length from eight to ten gaz, breadth one gaz, and of all colours; one variety has two palas, two zanjirs, and two hashias, 150 to 800 rupees.

Mandila. another variety, sometimes has a zanjir, and sometimes is without this ornament. This latter is from eight to ten gaz in length, and about twelve giras broad, 45 to 70 rupees.

Khalin Pashmina, shawl carpet. This is sold at 20 to 40 rupees the square gaz of only three quarters, and is made of any size in a single piece.

Nakash, trowsers Some are with, others without, seams. The former are made of two pieces, which are sewn together by the refugar, the latter by the jaráb sáz, or stocking maker; 200 to 500 rupees a pair.

Chaharkhána, check cloth. Length indefinite; breadth one and a half gaz, used by women; 5 to 10 cupees per gaz.

Lungi girdles, length three and a half gaz, breadth one and a half gaz. These differ from Shandas by being in narrow check and bordered by lines of dufferent colours; 50 to 70 rupees.

Takhin, cap-, 8 annas to 4 rupees.

Jaidb, short stockings. Guldar and Mehramat, flowered and striped; 1 to 5 rupees.

Moze Pashmina, long stockings, 5 to 25 rupees.

Sakab Posh, canopies, 300 to 1,500 rupees. Dárparda, curtains for doors and windows. Same

Darparda, curtains for doors and windows. Same price as Jamawar by measure.


Kajjari Asp. saddle-cloths, by measure. Kajjari Fil. elephant's housing, ditto.

Bálaposh, Palang Posh, quilt or coverlet, 300 to 1,000 rupees.

Guluband, cravat, 12 to 300 rupees Pistanband, neckerchief, 5 to 15 rupees. Langota, waist-belts, 15 to 30 rupees.

Postin, cloths left long in the nap to line pelisses, 500 to 1,000 rupees.





.

.

•



Paipech, leggings. Length twe gaz, breadth one gira, of all colours, 2 to 10 rupees.

Š

Yezar, or Izarband, waist strings, 1 to 15 rupees. Takkia, pillow bier—Same price as Jamawar, Khalita, bags or purses, 8 annas to 2 rupees.

Kabbar Posh, shrouds or covers for tombstones. Same price as Jamawar.

Takposh, covers or hangings in front of recesses or cupboards.

Aukhwanposh, dish covers or napkins, of various qualities and patterns, from from 30 to 500 rupees a more.

The following were imported from Kashmir by Messrs. Devi Saha and Chamba Mal of Amritsar:—

318.—[7141 & 42]. Long shawls.

319.--[7143 & 74]. Square shawls.

320.—[6402-6405]. Shawls, long and square, Kashmir, by Government Tosha-Khana.

The series exhibited by His Highness the Maharajah of Kashmir, were as follows:—

321.—[7347]. Shawl of colour called Múshki, a kind of maroon, worth Rs. 1,250.

322.—[7348]. Shawl, "Shál khardár," value Rs 1.000.

323.—[7349]. Shawl, "Suráhí dár," value Rs. 1,000.

324.—[7350]. Shawl, rose color ground, value Rs. 725.

325.—. [7351]. Dark brown shawl, (Múshki), value Rs. 845.

326 - [7352]. Shawl in turquoise blue, (zangári), value Rs. 915.

327.—[7353]. Another worth Rs. 950.

328.—[7354]. Another, "Mûshki" color, value Rs. 800.

329.—[7355]. White Jámawár or long piece of shawl stuff, striped in the "Kalamkár" style, value Rs. 1,109.

330.—[7357]. "Jorah Sháh Pasand," Gulánár, pair of scarlet long shawls, value Rs. 900.

331.—[7358]. Pair of grey do., value Rs. 256.

332.—[7359]. Pair of scarlet do., háshiya-dár, i. e. with worked border, value Rs. 210.

333.—[7361]. Pair of scarlet shawls called "kad-dár," value Rs. 87-8.

334.—[7632]. Pair with scarlet borders on all four sides, "chárháshiya gulánár," value Rs. 134.

335.-[7633]. Rumal or square shawl, color "Mushki," value Rs. 825.

336.—[7634]. Another, worth Bs. 850.

337.—[7635] "Rúmál safed khardár," with white edging, value Rs. 700.

338.—[7638]. White Rúmál, worth Rs. 600.

339.—[7369]. Rumál, rose color, worked with gold. 'Zarkár,' worth Rs. 250.

340 - [7370 Rúmál, rose colored, of the sort called "Mûkhtár sháhi" worth Rs. 200.

341.—[7373]. White Rúmál, with edging "Kmára dár," value Rs. 100.

SHAWLS WOVEN IN THE PUNJAB.

In turning next to the samples of shawl weaving in the Punjab it will be interesting to offer a few remarks on the colonies of Kashmírís who have emigrated from their home and settled in the great cities of Amritsar, Ludianah, Jalálpur in the Gújrát district, Dínanagar -(Gurdaspúr district), Núrpúr and Tiloknáth (Kangra district), and a few other places where small bodies of Kashmírís are to be met with, as in Lahore.

These people are known by their fair complexion, their peculiar dialect, their way of closely shaving the head and wearing small skull caps.

In Núrpúr especially, they are quite the characteristic feature of the place.

These people have emigrated at various times from Kashmír, but especially in the time when General Mihán Singh was Governor of Kashmír under Maharaja Ranjít Singh, between thirty and forty years ago, at which time a fearful famine raged in Kashmír and numbers of the people emigrated to the Punjab.

The following extract from Mr. Barnes' report on Kangra, is promarily applicable to the colonies in that district at Tiloknáth and Núrpúr, but the author's remarks are equally true of Kashmír colonists generally. They maint in their distinctive habits where ever they go.

"The Kashmiris reside almost exclusively in Nurpur and Tiloknath. There are a few scattered famihes in other parts of the district, but, not exceeding a hundred tegether. The total number of Kashmires is 6 656. They are divided among themselves into several gradations, and like all Musulman races have no restrictions on marriage accept immediate relations, marriages with first consus are not only allowable, but trequently occur. They are almost excla wely employed on the shawl trade. There are two classes in the profession, the master weakmen. or "Ustids and the apprentices or "Shagnds," The former supply the capital and the apprentices earn their livenhood by task work. The more opulent Ki shiniris not only keep large manufactories for shawls, but trade in wool and other produce of La lak't and Chinese Lattary. The rooms decided to the workmen, are long apartments will boms placed in the centre, and benear - ranged purilled for the weavers, taey are we'r lighted and airy. The workmen, all males sit hard employed the whole day, and sometimes e liven the labor by spiging charmes They are a discontented and quarrelsome rice, very deficient in personal courage, but so higgons, that their disposition for law has been me a prove by It is a common saying that two only women wall wrangle all day till night sets in they will ther call a truce and put a stone down in taker of the irmistree, next mornage the store is reasoned and the dispote is rerowed with to it. a rimon. The mer fight with each other, and it is not uncommon for one to bite off t'er car or cose of his antagorast. The apprentices will often receive advances at toutsecond, and the righter no beautiful ats his labourers by withhold garbon just his They are connikable for their ditty and in nodest habits. The women wear a webled release, and a loose linen freek, quite open to the worl halfs and imbecoming The men wear both redothes and are remarkable too lagu too hears and powish toutures. They speak a change it the blocky to the selves, though they are also conversant with the vernacular snawls of Nurpir and Tiloknath are not much prized: the work is interior, but the great cause of inferiority is the hardress of the water, which communicates a toughness to the shawls, greatly detracting from their marks takes value * The Kashmiris themselves say that there is no water like the river Jhelum, and that the superiority of the shawls of the valley is manly ascribable to the virtue of the water. The were of Kashmir possess also greater attistic qualift ations, since none but the worst, who fail to get a livelihood in their native country, would consent to leave the charming valley for the heats of the Punjab and the discomforts of a strange country

present population consists almost entirely of the descendants of original emigrants, and are now acclimated. They still retain the dress and dialect of Kashmir, and are constantly reinforced by now arrivals from the valley. In the cold winter months, the women adopt a peculiar custom of carrying under their frocks little pans of heated charcoal over which they warm their hands, and maintain the circulation like English ladies with their muffs."

The shawls of Núrpúr are scarcely ever found in the foreign market while those of American and Gújrát are sold in London and in France in considerable numbers: recently however they have fallen somewhat into disrepute.

In the case of Amritsar this is said to be owing to the adulteration of the wool, of which I shall speak presently.

In Gájrát it is partly owing to this cause and partly to that inferiority which the shawls markedly display in contrast with those from Stringar.

The Deputy Commissioner of Gújrát, writing in August 1864, informed me that the weavers of Gújrát and Jalálpúr were in a very depressed state; at the last sale in London, the Gujrát shawls had sold at a loss of four ansin the rupee, and those of Amritsar at a loss of 8 ans. or 50 per cent., the Kashmírí genuine shawls realizing a proit of 25 per cent.

In Ludhiana there are as many as 500 shops of pashmina workers, giving occupation to more than a thousand persons; the regular pattern shawl is much less woven than plain pashmina alwán, gloves and stockings, &c. of pashmina thread. Of these fabrics about Rs. 70,000 worth are annually exported, but by far the largest manufacture is that of the shawls and chadars made of soft Rámpúri wool, and which is often passed off as pashmina or genuine shawl wool. Of these fabrics no less than 1,30,000 rupees worth are annually made and exported. The import of real pashmina wool from Rampur amounts to about 30 or 40,000 rupees a year, that of Rámpúri wool about 20,000 rupees. A number of "Rámpúr Chadars" are however made of real Kashmir pashm.

This at least is said to be the cause. B. P.

The Amritsar shawl weaving approaches in excellence to the Kashmir valley.

In this city also several European merchants and agents have done much in supervising the manufacture and in furnishing designs.

Some of the shawls exhibited in the collection were of great beauty, very far superior to many of the samples from other cities.

The number of Kashmiris in the Amritsar district is large. According to Mr. Cust,* the total number of houses of Kashmiris or Shal baf, is 6,493, of which 5.111 are in the city itself.

Amritsar besides being the seat of manufacture is also an emporium of the Kashmiri shawl trade. Of late years the shawl manufacture of Amritsar had deteriorated so from the use of mixed or adulterated pashin, that the trade was threatened with extinction in Europe: large meetings were accordingly held at Amritsar with a view to the adoption of measures to prevent adulteration. It is proposed to effect this by a provision of contract law, which should compel persons under contract to furnish only genuine wool. It was also proposed to establish a guild or trade company, who should have a stamp or mark to be affixed as a warrant in all genuine pashmina articles. The Indian Penal Code would then become usefully operative, inasmuch as it provides for the punishment of : persons who affix a false trade mark, or a mark indicative of an article being of a certain quality when in reality it was inferior or adulterated.

I here extract a portion of the proceedings of one of these great meetings held in 1861, which contains an extract from the remarks made by the London Brokers, Messrs. Brown, Buckley & Co. of Great Tower St. London, on the adulteration of Amritsar shawls:—

"Never has been so large a proportion of coarso and defective shawls, and in addition to the former inegularity in the work, manufacturers are now making use of a coarse sort of sheep's wood, which they work up with the pushing the effect of all this has at length paralysed the trade, buyers viewed these shawls as iltogether immerchantable, only to be purchased at an enormous reduction from their former rates.

"The fact of the deterioration of the trade, e-pecially as regards the Umrasur manufactures, being estabh-hed beyond the shadow of a cavil, the question of the alleged and actual cause of this deterioration was entered into at considerable length by the meetmg, and while it was admitted that some amount of over-trading and haste in making up goods to be in time for the recent auctions had probably affected the later sales in London, it must be conceded that there is too much reason for agreeing with the brokers that a considerable and fraudulent admixture of course sheep's wool such as Kirmanee (Persian) Thibet and even country lamb's wool had taken place. On the other hand it was maintained that there are two material obstacles in the way of cerrecting the evil. These the meeting deemed it light to place in a most prominent point of view. They are — First the difficulty of ascertaining even by the most experienced judges before shawl goods are washed and expised for a while to the action of the air, the amount of a limisture it any that may have taken place in the weaving of shawls . - and it may be here mentioned that the length of the staples of sheep s wool offering great facilities in spinning the thread is the chief inducement to its being used, the pashin being very short and consequently more distinuit to spin secondly, the total indifference and worse than indifference of the manufacturers (notwith-tanding the promises of amendment and positive contracts to the contrary) to the frequent and urgent remonstrances of the dealers against practices which they are assured would lead as they now have done to the discovery of frauds that must affect all interested in the trade and manufacture of shawl wool goods.

The beauty of the shawl, whether Unritsur or Kashmir, depends as much on the brilliancy and devaluity of its unrivalled "biours, and their being carefully harmonized, and the material of which it is made, as on the quality of the workmanship. The sheep - wool however fine, never will assume that permanent brilliancy of color which is the peculiar chara ter of the pashm and the meeting were fully alive to the reasonableness of the brokers' assurances, that unle - remedial and repressive measures be adopted to sneck the evil, the trale will dwindle to insignifrance and perhaps be lost altogether to the Punjab. There are the numerous weavers of the raw material in the hills far north, the carriers to the plains who purchase return produce, the dealers and brokers concerned in the buying and selling of this produce, the numerous hands engaged in picking, cleaning, spinning and dyeing the woo!, amounting in Amritsar alone to from 18 to 20 000 hands of all ages and both seves, all these are dependent on the trade for their subsistence. The weavers cannot be less than from 7 to 8,000 in number, after whom come the washers, the follows, tailors, darners and workers of needle-made wis. '

^{*} Statistical Report of Amritsar Division, 1861. Appendix VIII.

The principal kind of wool used in adulteration was a soft white wool imported from Kirman, a province of Persia. The following table prepared for the meeting alluded to shows the rates at which real pashm and Kirmani wool were sold at respectively for the years 1850 to 1861 in the city of Amritsar; the gradual increase in the price of genuine pashm and decrease on that of Kirmani is no less remarkable in itself than indicative of the state of the import trade of both articles and of the increasing facility for and temptation to the adulterative use of the wool of Kirmani.

RFAL	Рачим.	KIRMANI	Wool.
Year in which seld.	Rate per ratti, i.e., 2 Srs. 2 Ch	Year in which sold.	Rate per rattí, i. e., 2 Srs 2 Ch.
1850 51 {	3 3 8 3 4	1850 - 51	7 .
1851-52	3 8 5 8	1851-52 {	9 3
1852 53	$\begin{array}{ccc} 3 & 14 & . \\ 5 & 5 & . \end{array}$	1852-53	9 10 8
1853-51	$\begin{array}{ccc} 5 & 8 \\ 5 & 12 \end{array}$	1853 54 {	11 12
1854-55	5 14 6 4 7 1 5 5	1854-55 {	9 4
1855 56 {	5 8 5 12	1855-56	6
1856-57	4 8 5 7 1 15 3 8 .	1856 57	6 1 6 1 8
1857 58	5 8 3 10	1857-59	6 4 6 5 12 5 10
1858-59 {	3 5 3 8 3 4	1858 59 }	6 5 S 5 5
1859-60 {	3 2 8 . 2 12 5	1859-60	4 12 4 10
1860-61	3 4 4 10	1360 61 {	4 8 4 7
1861	4 5 6 4 3	1861 {	3 14 4 3 12

With regard to the export of shawls from Amritsar to Europe, the following information was obligingly furnished to me by Mr. RICHARD CHAPMAN of Amritsar, Agent to the firms of Messrs. Les Fils De. C. Oulman, of Paris. He writes:


"About the time of the arrival of the first French Agent in Iudia, in 1850, the total yearly value of shawls exported to Europe was £85,00 to £100,000, sterling; since that time the trade has steadily increased, and may do so still more. The amount realized by public sale in London is shown in the following table. Mr. Chapman observes that, justly to estimate the trade, we must take into consideration the shawls that are exported direct to Paris and other places by the agents of European firms in Iudia, the value of which exports is very considerable. In 1853, shawls were sold in London

		to the value	of £ 104,000
,, 1854,	"	11	£ $106,500$
,, 1855,	,,	17	£ 173,900
,, 1856,	1,	"	& 250,600
,, 1857,	,,	"	£ $147,900$
,, 1858,	7,9	"	£ $247,600$
,, 1859,	"	"	£217,500
,, 1860,	"	"	£264,586
,, 1861,	"	"	£ 222,360
,, 1862,	,,	"	£272,784
,, 1863,	17	,,	£ 226,279

Since the European agents settled in the country considerable improvement has taken place in the patterns. It is to this fact that the increase of the trade is in a great measure to be attributed. At first (and in fact until within a few years) much difficulty was experienced in persuading the native designers to alter or amend their patterns.

They were attached to their old style and would not accept an alteration; but now this difficulty has been overcome and the weavers are willing to adopt hints, in fact they now seldom begin to work till the pattern has been inspected or approved by the agent for whom they work.














Mr. Chapman remarks that the people do not understand the loss that occurs by adulterating the wool, although there is hope that they will amend when they find the shawls selling at an actual loss in Europe.

A shawl even of adulterated pashm, still sells for double what a shawl of sheep's wool would, though the work be otherwise the same.

The samples of Punjab woven shawls were sollows:—

From LUDIHIANA:-

342.—[6281]. Jámawár, worth Rs. 30, by Ahsan Shah.

343.—[7082]. 'Patká,' or scarf, by the same.

344 —[7083 & 84]. White shawls and rumals (pashmina), by Azız of Ludhiana.

345.—[7085]. Black shawl, called ? "tíkáh."

346—[7086]. Red shawls, do.

347—[7087]. Red shawl, (tíkáh,) by Kashi Ram.

The following series is from AMRITSAR :-

348.-[7119]. Long shawl (woven). value Rs. 400, by DAYA SHANKAR

349 - [7120 & 21]. Two others, same value, by ABDULLAH KHAN.

350.—[7122]. Another, of same value, by LASJU.

351—[7124]. Square shawl, rúmál, by Lasju, value Rs. 315.

352.—[7125]. Jámawár, shawl piece (pattern in stripe), worth Rs. 125, by GHULAM HUSAIN.

353.--[7126]. Another, value Rs. 100, by MUHAMMAD SHAH.

354 — [7127]. Square shawl, by MUHAM-MAD SHAH.

355.—[7128-32]. Square shawls, worth Rs. 85 each, by MUHAMMAD SHAH.

The following series were made expressly for dna on the original designs of R. W.

CHAPMAN Esqu of Amritsar, and under his superintendence they gained the first prize for the best Shawls in the Punjab.

356.—[7133 & 34]. Two long shawls, each value of Rs 400.

357.—[7135]. Another, value Rs. 380.

358:—[7136] Another, value Rs. 370.

359 - [7137] Another, value Rs. 350.

360 —[7138]. Another, value Rs. 375.

361.—, 71397 Another value Rs. 350.

362 [7140]. Square shawl, Rs. **375**

Two of the long shawls are made on a, plan now for the first time produced by Mr. Chapman, on his own design. The shawl is so woven as to have two distinct patterns in it,—when folded it can be worn to shew either pattern, and thus appears as if there were two different shawls *

The next series was exhibited by the firm of Devi Saha and Chamba Mal.

363 - [7115 & 16] Two long shawls, woven at Amritsar.

364.—'7147 & 48]. Two square shawls woven at Amritsar.

365 —[6434-5-6]. 3 "Jámawárs," worth Rs. 60 and 70, by GHULAM NABI, of Lahore.

366 - [7188] Striped shawl (Jámawár), value Rs 10. from Pathánkot, Gurdáspúr district.

367.—[7189] A júmawár, value Rs. 85, by Ghulam Murryza of Batálah.

368. - [7191-95]. Pashmina shawl edging or ki and (voven) social specimens by BUTAH, SUBHAN, MIR KAMALDAR, and PIRA of Scalled

369 - [7198 & 99]. Two pieces of shawl woven harára" or bordering, from the La-HORE CENTRAL JAIL.

^{*} Four of these ling show's were exhibited in the case occupying the centre of the Exhibition building: the case was constructed in the shape of a terry direct star, each ray having 2 faces and one showl being hung from the term of hit in each face, to great advantage.

370 — [7219]. "Chárbágh pashmina," exhibited by Harsahaimai. Lahore, a shawl divided into 4 parts, each of a different color, value Rs. 32.

371 — [7221]. "Doshála." by the same, called "Doshála tilawála."

372 - [7273]. Shawl borders from Gujtanwalla.

The following are from GUJRAT:-

373.—[7286, 87 & 88]. Three searf shawls, "Dopatta Shál," value Rs. 200, by Sadik, of Jalálpúr.

374 — [7289]. Patka, or searf of blue shawl work, value Rs. 13, by the same.

375 - [7290]. Another, grey.

376.—[7291]. Another, white.

377.-[7292 & 93]. Two others, scarlet.

In concluding the list of Shawls, I take occasion to notice the practice of skilful mer chants as to altering Shawls. It has before been remarked that many shawls are made up of pieces sewn together by a "rafúgar" with such delicacy that the suture is imperceptible. Merchants take advantage of this. When they buy a shawl which they think only partly good they cut out of it such parts as displease them. They then draw on paper a design for a new piece to fill up the gap, and give it to a shawl weaver to execute. As soon as the new piece is completed it is sewn into the shawl, which is entirely changed in appearance, and often unmensely increased in value by the process. Shawls are often purchased with indifferent borders and improved by putting new ones on. The border is always worked on a web of silk, as this gives it weight and solidity and causes the whole fabric to set well. In Paris are dother places, the merchants frequently exchange shawls for parties who are tired of or otherwise displeased with their own: the shawl so taken will be washed, and parts taken out and replaced by new pieces, so that eventually it comes out like a new article.

I should also add that, in Kashmir, when a shawl is about to be made, a small square pile each showing the design, by way of pattern, is made and carried to the Maharaja's Inspector. On approval a duty according to the quality of the future shawl (as indicated by the pattern) is taken, and a seal nearly impressed in token of such payment. The piece is afterwards worked into the shawl and the seal or stamp disappears when the fabric is washed.

SUB-CLASS B.

PASHMINA FABRICS OTHER THAN SHAWLS.

This division includes the various species of plain pashmina cloth, malída and alwán exhibited, it also includes many articles made of Rámpúrí wool called "Nahlí Pashmina," or wool resembling the real Thibetan pashm in softness and fine texture;—the principal of these being the Rámpúrí Châdar already alluded to.

For the rest, knitted fabries, such as stockings, are often made of pashmina thread; and there is the plain woven cloth called alwan. When this has been pulled, shrunk and softened by soaking in a mixture of water and soap-nut (rita), and then by treading by men with bare feet, it is called malida.

The specimens were as follows:-

FROM LUDHIANA:-

378.-[6282]. Rámpúrí shawl, value Rs. 30, by Ahsan Shah.

379 -[6301]. Another white chádar, by the same, and worth Rs. 35.

380.—[6283 to 6300]. 19 specimens of Rámpúrí Châdar, in green, orange, white, brown, red, blue, pink, crimson, and grey colors, at prices from Rs 24 to Rs. 26-8 each, by Bhir Bhan, merchant.

381.—[6330, 31 & 32]. Pairs of men's awl children's socks of Pashmina, made by Manowab.

382 - [5802]. Châdar, from Basáhir, contributed by the RAJA of BASAHIR.

The following are from AMRITSAR :-

383.—[6357-8]. Colored "Alwan," or plain woven pashmina pieces, by Messes. Devi Sahai and Chamba Mal.

384.—[6379-388]. Pieces of Malilia or shrunk and pulled pashmina cloth, Messus. Devi Sahai and Chamba Mal.

Some of these were imported from Kashmír and some made at Amritsar, without specification in the original lists.

385.—[6412]. Plain shawl made up in the style of a European travelling shawl of pashmina, made at the Lahore Central Jail, exhibited by Dr. Penny.

386.—[6443]. Pashmina pattú, by Niz-AMUDDIN, Lahore, worth Rs. 35.

A good deal of cloth and material for wrappers is made at Lahore from the Kábul goat's wool called "Kabulí pashm."

387.—[6111]. Another, "khud-rang," by the same, worth Rs. 25.

N. B—The term "pattú" is not properly applied to pashmina articles: "pattús" are made of sheep's and goats' hair.

388.—[5859]. Comforters or neck-ties, made of pashmina and wool, machine wove, by Mr. Spence, Sealkote.

389.—[6445-47]. Three pieces of Malidá, worth Rs. 13-2, 24-9 and 17-4 each respectively, by KARM CHAND, of Lahore.

390.—[6541]. Rúmál, woven (tílí doz) by His Highness the Rajah of Kapurthala.

The following collection was from KASHMIR:

391.—[6405]. 3 pieces of pashmina cloth, woven in imitation of European plaid patterns. (GOVERNMENT TOSHAKHANA).

392—[6548]. Pink 'úrmuk" of pashmina, worth Rs. 42, (by His Highness the Maharajh of Kashmir).

"Urmuk" is a cloth usually woven of camels' hair, the fabric here mentioned is woven in the same style, only of pashmina; it is stout and thick and used as a saddle-cloth.

393 - [6549]. Check lungí of pashmina, worth Rs. 24.

394.—[6550]. Pink colored 'Dorya,' or striped cloth, worth Rs. 49.

395.—[6551]. "Par-i-taús" safed (káníkár, or loom wove).

Far-i-taus or Peacock's feather, is applied to silk or pashmina goods which are "shot" with a different

for, and so have a changeful Justre like the peace k's firther. See but and green are the two colors a nally weven together, but in the sample the ground is white, shot red, value Rs. 450.

396 - 6552 . "Par-i-purz, zangári zan-(dár," i e. light blue par-i-purz with a inge or elging, value Rs 53-1-3

The fabric called "par i-purz" ("Purz" means a cold or tragment, has a pile or man like course vel to except that the pile consists of innumerable little as of the threat, this piece has a border fringe or or (top/ chain) sown on to it, hence its name.

397.— 65531. Gulbadan of pashmina.

This is a red striped piece made exactly like the albidan, which properly is always silk. Value 22.

1998 -[6551] 'Alwan,' shot with two lors (par-i-taus)

299 -- 6555", "Alwán, yak tára safed," * 1998 Rs. 28-7-6

Myán" is called either "yak tára" or "do tára" od ng as a single or double lling or thread (rar) od in weaving, just ake the "eksútí" and "dosútí" tron weavers.

(00) = [6536 & 57 as also 6561 & 62]. Are shar pieces of scarlet, green, white and lilae to 18.

401.—[6558]. "Alwán dotárah" rose colored.

402.—[6559, 60 & 63]. Are also double thread alwan, of lilac, blue and grey colors.

403.—[6564]. Malidá alwán "asl tús," value Rs. 43-10, that is, of the finest and rarest kind of pashm, which is of a grey colour (see Vol. I, page 180) but wool dyed to this color is called also "Tús."

404.—[6555]. A large carpet in the Pile or Turkey Carpet style, all of pashmina, with occasional introduction of silk for flowerings and patterns, value Rs. 3.000.

This was a very beautiful sample of the style of carpeting and of extraordinarily fine workman-hip and design

405.—[6571]. Pashmina 'ním tús.'

That is, cloth dyed grey of a color resembling the natural 'tús' above alluded to, hence called 'half' (mm) tús color.

408 - [6581]. Pashmina pattú, worth Rs. 26-13-6.

407—[6593]. A specimen of pashmina carpet. Pattyála, (by HIS HIGHNESS THE МАНАВАЈАН).

DIVISION III.

This last division of the class of woollen fabries comprises articles that are made of goats' hair and cannels' hair, &c., they are not many in number, but are useful and highly characteristic of different parts of the province.

Nose bags for horses.—huge bags for carrying grain on the backs of cattle (called jhul), stout pattu or matting, and occasionally rope, are the principal manufactures to which the people of the plains apply goat hair.

In the Deraját, in Sisa and Gugaira, where camels are much used, goat's hair is employed for the large bags or (khûrjas) in which merchandize is carried, and for the various fantastic ornaments with which in these places both camels and horses are decorated. Such ornaments are made of plaits and tassels. &c, of goat hair, wrought with crimson wool, and white cowry shells sown on: they are quite characteristic of these districts.

In the hills, waist ropes or girdles are made of goat hair, as also bags, and many other articles.

The collection exhibited the following specimens:—

- 408.—[6273]. "Tang." horse girth, by JIWAN RAM of ROTAKH.
- 409.-[6277'. Girth for camel-saddle, made at the Fazilka jail, Sirsa.
- 410 —[6279]. Goat hair waist-girdle, Basáhir.

This rope is a collection of strings untwisted and of a dark brown color; it is universally worn in the hills together with the thick woollen tunic.

- 411.—[6341]. Cloth made of black goat's hair at Kannaum, in Kanawar, exhibited by CAPT. HOUGHEN.
- 412.—[6342]. Round rope made of the hair of the 'Yak' (Bos grunniens) at Shyálkar, Kanáwar (CAPT. HOUCHEN).

This rope is made by placing the wool in position and working it with hand and foot till it 'felts' together as wool does; (See Vol. I,—" Wools.")

- 413.—[6343]. Flat rope of goat hair, red, white and black, made at Chiní.
- 414.-[6365]. Goat hair cloth bag, from Kulu.
- 415.—[6367]. Goat's hair rope, Lahaul, by TABA CHAND.
- 416.—[6368]. Rope of yak hair, Lahaul, by TARA CHAND.

- 417.-[6373]. Twine made of g at hair, at Spiti, exhibited by P. EGERTON Esqu.
- 418 —[6418, 19 & 20]. Set of 'Khúrjas' or camel bags, ornamented with tassels, fringe and cowry shells, made at Baháwalpúr, (LAHORE CENTRAL MUSEUM).
- 419—[6423] "Tat patti," of goat's wool, a sacking cloth used for bags and also for floor cloth, Lahore Central Jail.
- 420.—[6443]. Rope of goat's hair, by Chaudri Imam Baksh.
- 421 -[6462]. Bag made of goat's hair, GUJRAT JAIL.
- 422.—[6486]. Rope of goat's hair, made at Shahpúr, value 4 ans. a seer.
- 423.—[6187]. Rope of camel's hair made at Khúsháb in Shahpúr, value 4 ans. a seer.

The following are from GUGAIRA:-

- 424 —[6497]. Saddle girth, made at Syadwalla in Gugaira.
- 425.—[6498]. Ornament for camel's neck.
- 426.—[6499]. Ornament for horse's neck, called "Saili."
- 427.—[6504]. Bag for grain, called "Chatti" or "Gún."

The next series represents the DERAJAT:-

428—[6512-15]. Saddle bags or "khorjín," value from Rs. 5 to 9 each, made at various places, as Tihli, Lúndí, Barkhan (capital of the chief Jamal Кнах) Bartí and Rájhanpúr.

429.—[6616-20]. Horse's nose-bags, (Tobra) value Re. 1-2 each, made at various places, as above.

430 — 65247. Grain bag, 'chat,' from the Waziri hills, Bunnú, made of camel and goat's hair.

431—[6529]. Camel hair cloth, "Bark Shutri," value Rs. 30, imported from Kabul by Kazi Nash-ullah Jan, of Peshawur.

432.—[6530]. 'Bark Dahzangi' another kind of camel hair cloth from Kabul, sent by KAZI AMIR JAN.

433 —[6512]. Goat's hair cloth, and hair from which it is made, value Re. 1-0-6 per foot, by the Kohat Jail.

434 — [6582]. "Zangoz Khatái," from Yarkand, by His Highness the Mahara-Jan of Kashmir.

This is a coarse floor cloth imported from the Chinese provinces by Yarkand, hence its name of "Khatán."

435 —[6592]. A "Jhul Baili" or grain bag used for loading on eattle. Patyala, by His Highness the Maharajah.

436.—[6594]. "Pattú Khár," goat's hair sack cloth, Patvala.

437 -[6595]. A 'Charna,' Patyala.

The Charna is a long narrow open bag of goat's hair set out with pegs stuck into the ground, by way of a pocket or trough, out of which cattle are given their grain.

438 -[6597]. Travelling bag, for horse or camel, Patyala.

The following is a list of all the woollen and pashmina manufactures used in the Punjab:—

I. EUROPEAN GOODS.

Banát (broad cloth). Merino (Marína). Pashmíná Naklí. Alpaca (Alpáka). Chintz. Kashmírá. Carpets. Gloves and Stockings.

Shál Pashmíná. Do. Sádá.

Do. Kaní kár.

II. INDIAN MANUFACTURES.

Punjab and its Dependencies, together with hill territories:-

Kashmir.

Do. Amlí kár. Do. Dorí dár. (Twisted thread.) Do. Kitání kár. Fard shál. Doshalá, Rúmál. Jámawár. Shamlá. Lúngí. Gulbadan. Alwán, Do. Yak tárá. Do. Dó tárá. Par-i-purz. Par-i-taús. Caps. Stockings. Gloves. Loi Do. Yak arz. Do. Dó arz, Do. Tin arz. Do. Lahori. Do. Kinará dár. Do. Sádá. Pattí. Pattú. Pattú Túsh. Do. Khudrang. Do. Abshár. Do. Khat dár. Chái kháná. Chint Pattú. Gabba. Urmak.

Kángrá.

Pattú Garrú. Do. Gúdmá.

Kashmir.

Pattú Malidá—a soft or felted (lit "rubbed") woodlen tabric.

Pattú Fodak or Fruk: a pattú made in Ladákh.

Do. Rámnagari : made at Rámnagar, Jamú.

*Parm-narm '—a name given by Akbar to the soft fine and rare fabric of Ibex wool.

Lahore and Amritsar.

Bhúra ;-a coarse blanketing.

Táni :-- a long piece of 'bhúra'

Loi:-a fine blanket or woollen shawl.

Kálin: a pile or 'Turkey' carpet

Asan a small carpet used by Mussulmans to kneel on at prayer time.

Khah: tough cloth of asses' hair.

Javál : or Chhat : bags of do.

Namad . felt.

Toshá: double felt.

Multan.

Shatranji · a large pile carpet. Kalin and Asan as before.

HI. MANUFACTURES FROM OTHER PARTS OF ASIA.

Chánthán.

Pattú Chántháni. Do. Durma. Do. Zangoz Khatai. Takya, badshahi.

Kinds of woollen cloth.

Yarkand.

Saling--(pashmína) a cloth 22 yards in length, 6 girals broad, price 35 ruposs a piece.

Kálín and Kalímcha, Yarkand carpets.

Kålanamd, black felt.

Khosá: a thick felt.

Káshgar,

Loi Káshgari—a kind ot loi.

Persia.

Pashmina Irani.

Kálin Iráni, Persian carpets.

Kábul.

Khosá · thick felt cloth.

Dhúsá-coarse woollen cloth.

Namd: felt.

Back cloth of camel hair used for chogalis.

Kark: cloth of sheep's wool.

Patti Shutri, fine camel han cloth.

Urmak; a coarse cloth of sheeps' wool, roughly embroidered, used as a mat or as a saddle cloth.

Pattú Dahzangi a soft cloth made at Dahzang near Ghazni.

Bard Yamání – a green sheep's wool cloth made like those of Yaman.

Kmat: a cloth of goat's hair.

Kagmak: a cloth of camels' hair

To this notice may be added that in the Deraját, carpets of several kinds are made. The names appear to indicate carpets of different sizes. A caste of people called "Chinál" are the principal manufacturers, and the carpets are made either out of wool from the hills on the frontier or of the wool of the plains of the Deraját.

These carpets are of the descriptions called "farsh," "galim," "falásı," "langa," "gharári," "kamal," "chhul chamba dar," (flowered), "falási reta," and "falási pateli," the last four kinds are made by Bilúchis.

j

NOTE.

The juries for silk and woollen fabrics in the exhibition of 1864 met several times, and awarded the prizes noted below. The Reporter to the Jury, Mr. Henry Cope, whose great experience and knowledge would have made his report on these subjects peculiarly valuable, did not send in any report on either class.

VI WOOLLEN MANUFACTURES.

District or Loc	ahty	Prize taker.	Description of articles.	!	Medal.	Certiti- cate
Kashmir,	•••	H. H. the Maharájáh,	Carpet.	•••	1	1
Jalandhar.	•••	Darogah of the Jail,	Woollen Manufactures,	••••	•••	1
Rawaipindi,	•••	Do ,	Do., Carpets.	;		2
(enjiát,	•••	Do ,	Rugs, &c.,	٠	•••	1
Multán,		Local Exhibition Comt.	Woollen Carpet. (No. 6489).	···		1
Kangra.	•.	Do.,	Núrpúr worked Rug (No. 635)	8).		1
Lahere,		Supdt. Central Jail,	Carpet of Kandahárí pattern.		1	1
\mathbf{p}_{α} ,		Darogah,	Collection generally,		***	1
D+,		Nizám-ud-dín	Pattií, (pashmína fine qualit No 6133,	y) '	•••	1
Shahpur i Bha	aira).	Amír-ud-dín	Hearth rugs, (No. 6481),		•••	1
Kaslenir,	•	H. H. the Mahávájah,	Felt. (Nos. 6570 and 6571),	•••	•••	1

In concluding this class, it is necessary to remark, that the shawls, both loom-woven and needle-worked, were submitted for inspection to the same Jury which examined the Embrodery class. As most of their report relates to shawls, it is annexed to this class. I have already called attention to the impossibility of retaining the old classification in the original catalogue; not only were woven and worked shawls indiscriminately admitted with "embroidery," but plain Rampúri chaddars and alwans, because they were denominated 'shawls,' went thither also.

And the second second second

REPORT ON SHAWLS AND EMBROIDERY.

Major Farrington.
Captain Pollock.
G. R. Elsmie, Esquire.
Babu Mohan Lal.

Lallá Dúni Chand.

Thakurdas. (Toshakhánah.)

Kunya Lál, son of the Vakíl of the

Maharajah of Kashmir.

The class on which this Jury had to form their opinion is very important and extensive; the articles were chiefly contributed from Delhi. Ludhiana, Amritsar, Lahore, Kashmir, Jhínd, Nabha, Patiala. Other districts of the Punjab also contributed to this class, but it is one in which Kashmir, Amritsar and Delhi must necessarily take the lead.

The Jury had under their inspection shawls woven and worked with the needle, embroidery with silk-braid, gold and silver thread, tinsel embroidery, plain pashmina pieces &c.

Owing to the articles belonging to this class having been laid out in several different parts of the building, considerable delay occurred before they could be arranged so as to ensure a satisfactory inspection.

The Jury have decided in awarding prizes in shares as noted in the accompanying list; they wish it to be understood they have allotted the full number of shares, the money value of each must therefore be raised to correspond with the number of shares recorded.

The remarks are sufficiently full to obviate the necessity of entering at any length into the merits of the articles that have obtained prizes.

There were many articles for which probably the Jury might have been inclined to award shares, but the amount of money at their disposal was too limited.

The Amritsar shawls can never compete with those of Kashmir, but the Jury consider those for which prizes have been given are very good of their kind. It is well known that the Amritsar shawls do not go beyond a certain price, the wool is not so pure, and therefore they cannot bear comparison in texture with the fabrics of Kashmir.

The shawl trade has not decreased; on the contrary, there is every reason to believe it has increased, but its character has changed considerably; formerly, the trade was limited to a certain number of well known firms. There used to be a large demand for shawl fabrics at the Courts of Delhi, Lucknow Sindh, &c.; now, numbers have embarked in the trade, and amongst them many are mere speculators; this is shown by the result of the half yearly sales that take place in London. The appointment of gentlemen from England and France, as agents of large firms in those countries, has brought about a considerable change in the designs and patterns; these are of course a matter of taste, and there are many purchasers who still wish to see a considerable amount of the Oriental characteristics in the patterns. The careful supervision exercised by these European age its has caused an improvement in the work, those who export direct to Europe stal endeavour to throw inferior articles into the markets. It is believed the Maharajah has this year set on foot some arrangements for checking this.

The collection exhibited by the Maharajah of Kashmir deserves mention. The Jury belthey cannot, with reference to the funds at their disposal, award many prizes. The collection from the Maharajah is large and valuable. The would award a medal for the whole.

Next to this, the collection contributed by the firm of Devee Sahai and Chumba Mull of Amritsar, is the most worthy of notice; this firm has shown great interest and zeal in adding to the success of the Exhibition; the articles displayed are numerous and of superior quality. The Jury award a medal to this firm.

The Jury are led to understand that certain gold medals are at the disposal of the General Committee for distribution to contributors in the Punjab territories; the Jury would bring prominently to the notice of the General Committee, the claim of the firm of Devee Sahai Chumba Mull to so valuable a mark of the appreciation of their services.

It is now requisite to report regarding the special prizes. To Mr. R. Chapman of Amritsar, it will be observed, has been awarded Lady Montgomery's prize for the best long shawl made in the Punjab. This gentleman has exhibited 6 or 8 other shawls of superior quality. Owing to some musunderstanding, they were withdrawn before the Jury had arrived at a final decision, others were presented in their stead; the Jury consider them of superior quality, and award a silver medal for the collection.

The Jury have awarded Lady Rundheer Singh's shawl prize for No. 7085, of Class IX, B Section: they consider it meets the stipulations in preference to any other of the same sort.

The competition for Mr. Chapman's prize for the best Jamewar of certain dimensions manufactured in the Punjab was very limited. The Jury award the prize for No. 7106. The Catalogue shows this article was manufactured at Amritsar, but they are of opinion it was made at Núrpúr.

O. J. McL. FARRINGTON,

Reporter to the Jury.

AWARD OF THE JURY APPOINTED TO ALLOT PRIZES UNDER CLASS IX SECTION B.

No.	No of Catalogue.	Description of Articles.	No. of Shares allotted	REMARKS
1	7355	White Jamawar,	7	The texture of this is very fine, worked all over, the design new
2	7142	Black Shawl,	6	A long woven shawl, fine texture, pattern in good taste.
3	7164	A Chogah,	6	A red woven chogah, work of fine texture.
4	7163	Ditto,	5	A puce colored dressing gown, extensively embroidered with needle-work the peculiarity of which is, that the stitches are not carried through the other side.
5	7363	A Square Shawl,	2	Color black, pattern and work good
6	7313	A Long Shawl,	5	The price of this is Rs 1200 A beautiful specimen of needle-work.
7	7352	A Square Shawl,	4	Color black pattern and work good.
8	7370	A Square Shawl, ,	3	Rose color, work fine
9	7144	A Do Do.,	3	Black ground.
10	7366	A Do. Do.,	3	A turquoise blue, needle-work.
11	7149	A Do. Do,	2	Needle work.
12	7856	A Pair of Red Shawls,	3	Embroidered with gold and silk thread needle-work, borders embroidered with figures of men and animals
13	7369	A Square Shawl,	2	Richly embroidered with gold.
14	7377	A Square Shawl, white	1	Pattern and work good.
15	7171	A Red Cap,	1	Embroidered needle-work,
16	7120	A Long Shawl (woven),	6	Good pattern and work, Amritsar manufacture.
17.	7124	A Square Shawl,	3	Ditto ditto.
18	7051	A Red Lace Searf	1	Black lace searf for a native lady, embroidered with gold and silk, Delhi, Very pretty
19	7053	Ditto,	4	A Red ditto ditto
20	7155 !	A Velvet Masnad,	4	Handsome velvet ma-mad with a deep—embroidered,—border of gold, pattern bold.
21	7046	A Green Scarf	2	This is handsomely embroidered with gold
22	7156	An embroidered Chogah.	1	Handsomely embroidered with gold throughout.
23	7152	Red Scarf,	1	Fine material, needle-work border,
24	7058	A piece of Lace with Gold embroidery,	1	A piece for a native lady's bodice, fine work.
25	7199	Embroidered edging,	1	Shawl pattern, worked by prisoners in the Lahore Jail.
26	7170	A Rampur Chaddur,	1	Fine texture
27		A Masnad and pillow case.	4	A handsome amber colored velvet mashad and pillow case, from Nabha, handsomely embrodered with gold and silver and also beads.
28	7392	Green Velvet Saddle cloth (or Charjama),	2	Handsomely embroidered this deserves honorable mention

SPECIAL PRIZES.

Serial number.	Catalogue No.	Name of article.	The prize awarded.	REMARKS.
1	7136	A Long Shawl, contributed by R. Chapman, E-quire,	Lady Montgomery's prize,	Amrit-ar work, first rate work for that place con-idered the best coming within the terms on which this prize is given.
2	7126	Jámawar, Mahomed Shah of Amritsar,	Mr. Chapman's prize,	This article comes within the terms for the prize, in the catalogue. It is recorded as the manufacture of Amritsar, the native members pronounce it from Núrpúr, the prize however is open to the Punjab.
4	7085 Medals	A Square Shawl, To the Maharajah of I R Chapman Esqu ., Davee Sahai Chun	Singh's prize, Xashmír. tire.	This shawl is the best of the description for which the prize was offered. The articles under this class are many of them very fine, and equally deserving of notice.

Class VII.

CLASS VII MANUFACTURES IN SILK.

For the history of silk in its raw state, as well as for an account of the localities of its production, and the details of its trade, the reader is referred once more to the first It will be ever thus as we come to class after class of manufactured products. The substances described in volume I are applied to use in volume II.

I shall therefore at once commence the class with a sketch of the method in which the manufacture of silk is conducted, and then pass on to notice the various kinds of silken fabrics which the province and its adjacent countries produce, and the particular localities which are famous for the production of them.

The silk most commonly used by manufacturers and by them esteemed best, (although by Europeans it would be considered inferior to Chinese or Italian silk) is that from Bukhára and Khorásán. The silk is of two descriptions, called respectively "Khora Khundadar" and "Khora Singal." The first named, though to ordinary eyes the same as the second, is really superior and contains a less quantity of refuse.

Amritsar and Multan are the principal marts for raw silk.

It appears that silk now commands a much less price in the market than formerly, though the manufacture has not diminished, at any rate in total quantity.*

Although the large demand for fine silk has passed away with the Sikh Durbar, vet there is still a large quantity consumed by the people, and the progressive wealth of the community of late years has increased the general use of silk, while the facilities of trade under British rule have also opened the gates of external commerce.

Silk, the produce of the Punjab, is also beginning to enter the market, and the result of present experiments is to shew that silk can be produced which will sell quite as well as the Bukhara silk, though often from defective manipulation and other causes the indigenous silk sells somewhat cheaper.

Mr. Cope (writing in 1858) remarks that the price of silk is generally from Rs. 11 to 13; that is also approximately true now. He adds that 18 to 20 rupees was formerly the value. The weight by which silk is purchased is calculated at 105 rupees Nának Sháhn.†

The Hindú caste of 'Khatris' are the principal silk holders; they furnish the weavers with the raw material through the hands of brokers ("dalál"); the finished fabric again returns to their hands for sale to the public.

The raw silk as imported is found to be so badly wound as to require that operation to be done over again in order to separate the fine silk from the coarse and from the refuse.

The first workman therefore to whom the silk goes is the 'Pat-phéra' or winder. Some of them only wind on behalf of the merchant, receiving payment according to the weight wound off, and others (a less numerous kind) purchase silk on their own account. which they then wind and retail.

volume X, part 2, and at page 4 of the reprint circulated in the Purjab

+ The "Nának Sháhi" rupee of the Sikh time weighs half a másha, i. c. 72 grains less than the Government rupee, which is 180 grains.

^{*} See Mr. Cope's valuable paper on Silk in the Journal of the Agri-Horticultural Society of India,

The first thing the winder does is to open out the large skein or hank in which the silk comes to him, and to divide it into two or more parts according to its size. These are stretched tight over two reels called "úri" or "charkha," one at each end of the skein:—the upper reel is then fixed against the wall about 8 or 10 feet high, and the lower one is fixed close to the ground, so far away from the wall as to incline the whole skein at an angle of about 45°.

The winder sits on the ground in front of the lower reel, being furnished with 3 or even 4 little reels or "úras" on which to wind the silk as it comes off the skein. These reels revolve on a stick called "gaz," being made to spin round by the workman continuously giving light jerks to the end of the "gaz." Having found the end of the thread on the skein, he fixes it to the first little reel, and then begins rapidly winding. The silk thread passes through his left hand, the stick with the reels being held and kept revolving with the right hand and against the right side. The winder's hand being delicately experienced, he feels the quality of the thread as it passes through his left hand; as soon as he perceives a change in its fineness he stops the reel, bites off the silk with his teeth, and winds this new quality of silk on to the next reel, and so on.

When the winding reels are already charge I with a certain portion of silk, the end on the reel is joined to end on the skein with the utmost adroitness with the tongue, and the knot is so fine that the joint becomes imperceptible after the silk has been dyed.

Three qualities are usually obtained on three different reels in this way.*

The first is fine and regular, and is twisted to form the threads of the warp (táni) of the intended fabric, the second quality is used for the west or shoot, called "vána" and "peta." The third kind is a coarse refuse called "kachar."

Mr. Cope mentions that a seer of raw silk or "khora" yields from 2 to 3 tolahs of refuse silk; the smaller the quantity of refuse the higher the price of the silk. The "kachar" is however by no means useless; it is dyed, converted into thread, and used for embroidery and other purposes.

The wages of the winder are Re. 1-8 per seer of raw silk. He can wind a seer of silk in from 8 to 12 days, and the merchant gives him about 3 or 4 seers of silk at a time to wind.

The second and third qualities are made into skeins and given to the "rangrez" or dyer.

The first quality kept for the warp, passes on the reel as it is to the "todi," who twists the thread to make it strong for the warp; he answers to the "thrower" of the European loom, who makes the silk into "organzine." This consists of two threads, which are first separately twisted in one direction, and then the two are twisted together in the reverse direction; this is effected by considerable art,—it was long unknown in England, and organzine ready twisted was imported from Italy in the early days of England silk manufacture, until at last the art of "throwing" was spied out and brought over.

The native process of twisting does not appear to compass the double twist, which is the peculiarity of the organzine: the process simply causes two lines of the tani silk to twist together into one thread.

It will be easiest to describe the 'todi's 'apparatus first, and then say what he does with it.

He works under a long open shed with a smooth clean floor of the bare ground: on this a number of little frames (called 'khána') made of four pieces of 'sarkanda' (the culm of

^{*} A fourth called Pumbi shich is very soft, is rarely obtained.

Class VII.

the Munj grass) are erected. They are arranged in two parallel rows, consisting each of 16 frames, each placed one behind the other, and at two yards interval; each frame carries on it a small ring or "chúri" made of 'lac.'

The 'todi' now takes two reels just as they come from the 'patphera,' charged with first quality silk for the 'tani;' he sticks them into the ground, and then finding the end of each reel's thread, he puts them together and with his hand passes the united threads successively through the little rings on the frames, taking the threads down one row of the frames and up the other. When the two threads emerge from the last frame and ring they are attached to a simple arrangement called the "dúkh:" this is nothing more than a bit of thin bamboo 4 inches long, with a little ball of clay fastened to the lower end, which swings about 3 feet above the ground. When the two threads are attached to the bamboo piece, it is given a sharp turn between the hands of the operator (like spinning a "teetotum"): the result of this is, that the two threads as they lie along in the rings and frames are twisted together into one, through the whole length. As fast as they are twisted, the thread is wound off on a reel revolving on a "gaz," just like the original process of winding, but the action of the reel in this case is so much more violent, owing to the strength of the double twisted line, that the winder has to put a pad of cloth against his right side on the place where he rests the end of the "gaz" or reel stick as it revolves. The silk loses weight in twisting, owing to the friction of the rings, to the extent of one tolah per seer.

As soon as two reels are charged with twisted thread, they are given to the "táni wallah" to prepare the warp of the fabric to be. He does this just like the cotton weaver; he has two long light sticks of the sarkanda grass stalk, one for each hand; at the end of each stick is an iron wire upon which the reel is placed and can revolve easily: the reel is kept on to the wire by the aid of a little knob carrying a ring, the thread on the reel as it unwinds has to pass through this ring. The warp maker now sets upon the ground two parallel rows of sarkanda sticks; the rows are at a sufficient distance apart to allow the warp man to pass with a stick and reel in each hand between them. The upright sticks in each row are placed two and two, each pair being two yards distant from the next, and the pairs of sticks in one row are of course exactly opposite to those in the other.



The workman now fixes the ends of his thread on the two reels, one to each of the first pair of sticks on the 1st row, and then walking up the rew passes the threads as they run off the reels held downwards, inside one stick and outside the next, each hand having one reel; two threads are thrown down at once in this way over the pairs of sticks. As soon as the workman, throwing down silk as he goes, reaches the end of the first row of pairs of sticks he turns round and walks down the next, or parallel row, setting out the silk alternately inside and outside the sticks as before described; the whole length of the two threads, thus put down in and out of the pairs of sticks both on the up-row and down-row is 108 yards.

The next process is to fasten a tie wherever the threads of the warp cross each other, so as to prevent their again becoming caught, and the warp is taken off the sticks and dyed. The other qualities of silk, the "vána" and the refuse or "kachar," are dyed just as they come from the winder. The various kinds of dyes used have already been treated of in the first volume. I will only recapitulate the principal colors used, deriving from Mr. Cope's paper a list of the costs of dyeing each. Before dyeing, the skeins of silk are boiled in a solution of sajji (impure carbonate of soda) and then in soapsuds.

To make white silk, the skeins are merely taken out, washed in several waters, and then bleached over the fumes of sulphur. The other colors which are produced best are:—

Yellow, dyed with "akalbir," the root of (Datiscus Cannabinus); also with "asbarg," the flower of a species of Delphinium, which comes from Kabul.

Orange color, or golden "suneri" with "harsinghår," the flower of Nyctanthes arborteistis, and some red of cochineal.

Scarlet dyed with cochineal which produces crimson and given its vermilion tone with "harsinghár" and its mordant, "kishta" and "bozgand," the galls of Pistasia Tercbinthus.*

Crimson, with cochineal alone, and "bozgand" as the mordant. Mr. Cope remarks that the cochineal is not obtained at the "pansáris" or grocers and druggists, but the silk morehants themselves supply it to the dyers. A paler shade of cochineal dyeing produces pink, and the paler shades varied with yellow dye will give shades of orange, salmon color, &c.

Deep purple "úda," is dyed with crimson and indigo blue.

Lilar, "náfarmáni," is dyed with the same materials in lighter proportions.

Blue can be produced from several shades almost black, to deep blue, bright blue, and pale blue or ("ábi") all with indigo.

Black is dyed with indigo acid.

Green, of shades, very dark, bright green or "zamrúdi," pea green or "angúri" (a favorite color with natives when woven with a scarlet stripe), and pale green or "pista," &c. are all produced with shides of indigo and the various kinds of yellow dye, "ásbarg," ekalbír," harsinghár," &c.

Brown silk is comparatively uncommon, and is used principally in the form of thread by the persons who embroi ler on pashmina and want silk to match, or who weave brown and white silk check pieces in the European fashion—The colors are deep brown, ("túsha"), brown ("dar chim"), pale redish brown, ("sandah," sandal wood color) and "badámi" (almond color)

Grey or Kháki is also a color much used, it is produced with "kahi," (sulphate of iron) and galls (maiñ).

Madder is not used in dyeing silk. Indigo when employed is first dissolved in acide, forming what has been called "sulphindylic acid" or "murabba-rang" by the natives. I am

^{*} Mr Cope at page 11, calls them 'flower buds,' identifying "bozgand" with "gul-i-pista," and seems to consider Dr Royle wrong in calling them galls. The native name is no proof at all, seeing that the little bulbous galls look like unopened flower buds, but all the samples I have seen of "bozgand" are most certainly galls or some uniter veressence, certainly not flower buds. (The word is also printed Vozgand instead of what he is about to allow his valuable silk to be dyed with the worthless safflower, which fades in the air and but and leaves a dingy pale yellow red, which would of course sell for nothing, crimson is always produced with eachineal.

not aware that lac dye is used, except perhaps for purples or with blue.

Colour,	Loss in weight of the silk after the process of dyeing is complete.	Cost of dyeing.	How long the operation takes.	REMARKS.
White,	4 or 5 chittacks out of 16.	8 annas per seer, of raw silk delivered to dyer,	3 days.	
Yellow,	One quarter,	1 Rupee per seer,	3 days.	
Greens, T	No further loss after the first dyeing of yellow is completed,	‡ per seer,	Somewhat longer.	
Crimson, Scarlet. Purples.	One quarter,	For 1 and 1 to 1 Re. per seer, the dver gets 8 annas as his share.	for the colours that have two	The cochineal is given to the dyer; it costs from Rs. 5-8 to 6 or more a seer. For the various shades of pink, crimson, scarlet, from 1 to 4 chittacks will be used per seer of silk.

I have only to add, that the use of the Aniline dyes of Europe is now extensive. At first nly the red or "Magenta" was used, but now the fine mauves and purples are common. I confess I have not yet seen the beautiful blue, or the green; but these will follow no doubt.

The silk is, when dyed, ready for the weaver, who is called Darvaí-báf.

The loom is exactly like that for cotton weaving, it is arranged on the ground; the weaver sitting with his feet in a large hole previously dug out, which hole also contains the treddles and foot-boards, by means of which the threads are depressed and raised.

The treddles are the two frames which hang transversely across the threads of the warp, the threads of the one being attached to the lower threads of the warp, the other to the upper. By raising and depressing them alternately by aid of foot-boards underneath, and attached by strings, the threads of the warp are crossed and recrossed as the weft is put down. The treddles are supported over the warp by strings from the roof of the room. There is also a frame called the batten or lay, divided by a number of fine wires, or thin slips of bamboo, through which the warp threads pass; the object of this is to strike it against the weft as the work goes on, thus tightening and compacting the whole fabric. It is also suspended from the roof by strings;—the weaver moves it, when required to strike against the weft, with his hand. The only other parts of the simple loom, are two beams called the warp and cloth beams, the cloth beam supports the warp at the end where

the weaver sits, on it the cloth is wound as it is woven; the beam at the other end carries the end of the warp stretched out, and also all the superfluous lengths of the threads wound on it, which of course can be unwound, as the finished cloth is wound on to the beam at the other end.

To prepare the loom, the threads of the warp are passed by hand through the two treddles, and the batten or lay, the weaver seats himself with his feet in the hole, and with his shuttle in hand; he is ready for work, the silk being previously recled in small reels ready to be transferred to the shuttle. The solid parts of the loom and the shuttle are made of the khair wood (Acacia catechu).

The number of the threads in the warp varies from 350 to 1.700. A very broad silk would be worked with 2.000. Some silk of this extra breadth was prepared for the Exhibition of 1864, by Messes Chamba-Mal and Devi Sahai of Amritsar.

In the days of the Sikh Court, Mr. Cope mentions, Maharaja Sher Singh introduced a silk of 2,400 threads broad, but the day of these very fine and large silks has passed away.

Mr. Cope gives the following particulars of the weaving of a piece of 'Gulbadan' or striped silk:--

The length of the warp is reduced in weaving from 54 to 46 yards; the breadth being 1.700 threads, the weaver takes from 50 to 60 days to complete the piece, doing a yard in a day (very narrow silk can be weven at the rate of 3 yards per diem). In the completion of the piece, 3½ seers of dyed silk are required; 12 rupees are the wages for weaving one piece such as this, of 46 yards. When taken off from the loom, it is cut into 3 lengths, and is ready for sale. The ends of the silk that project from the piece in weaving are piecked off with pincers.

I will now describe briefly the kinds of silk made.

Most of the silks are very thick and close, according to this their value is fixed; they do not shine, nor have they a beautiful gloss and lustre like European silks and glacés. Such are extremely despised by natives as far as their value goes, although they cannot help admiring their beauty, and emples them for chogalis and gowns of state.

The most common perhaps of all the native silk fabrics, is the "Gulbadan" or striped silk. It is a plain fabric of any colour, striped down its length with lines of another colour;—the favourite colours are pale groon with searlet stripe; dark green, nearly black, with searlet stripe; yellow with searlet or crimson stripe; purple with yellow stripe; white with dark stripe; crimson with white stripe; besides these, other varieties are occasionally met with; This kind of silk is much used for the close fitting pyjamas worn by the wealthier classes of Hindoos and Sikhs.

Plain silk without a stripe is called Daryái. If it is shot with two colours, (usually red and green, but others are intermingled also) it is called 'Dhûp chân.' In the Kashmir Collection, fabrics shot with different colours are described as Par-f-táús—" peacocks' feathers," the application of which name is obvicus. The native shot silk is by no means so lustrous and beautiful to the eye as European.

Silks are now often woven in a small checks of black, brown, blue, or black and white: the searce principally used by European ladies, and are described as "Daryái chár-khána."

The 'lungi' or scarf described under Class V, is also manufactured in silk, sometimes of a plain color, sometimes of a fine cheek.

When made of silk, it is usually enriched by a beautiful border of gold or silver and variegated silk, and finished off with a silver or gold fringe. Silk lungis are not so much worn for head-dresses as the cotton lungs are, but are much admired for searces and waist-belts or sashes.

The 'khés' is also woven in Silk, either check pattern in squares, or pkin silk, with a gold border, and edged with some fancy pattern edging on either side of the gold; beautiful thick searlet kheses of the kind are made at Lahore, and are much sought after. The silk in these latter, is quite plain, but it is woven on the principle of a khes, and in that style of weaving called "Khés báfí" which is different from the ordinary "Daryaí báfí."

These are the principal varieties of plain silk. Next come those which have a silken gloss, and are soft like satinette. They are woven on the "Khés báñ" principle, and exhibit the "bulbul chashm," or damask pattern, in their fabric, either in one color or two; sometimes they are striped, with figures on the stripe, and gold threads are introduced. Such silks are principally produced at Bhawalpur, and are distinguished by the generic name "Shúja kháni," probably from the name of the person who was the first to introduced them.

All figured or damasked silks are thus called, but it must be remarked, that the varieties as yet woven are not very many,—all the damask patterns being some combination of right lines or diamond shapes in small patterns. The native weavers are not able to produce any thing like the groups of flowers and other patterns that beautify the silks and damasks of the European looms. Shuja khání silks all have a lustre of floss silks, are soft, and not stiff like the "daryái."

Silk enters into the manufacture of various other fabrics that are not included in this Class. In all brocades or kinkháb pieces, silk is the foundation on which the gold is woven.

Fine silk, and muslin and net, "malmal" and "dúlmiyán," is also much used, but principally for brocading with gold for mandils or turbans or kerchiefs, and dopattás or scarves, which are much worn at weddings and on ceremonial occasions.

Several fabrics are also imported from Europe, the art of making which is unknown.

Velvet or "Makhmal" is not made in India, but it used to be imported from Russia; that trade has almost died out on account of the facilities of the English and French trade, which supply a much superior article. The Russian velvet was thin, and also often mixed with cotton.

Satin also, called 'atlas,' is imported. The English and French are the most beautiful, but are thinner and much less valued than the Russian, which is thick.

The Russian satins are both plain and flowered as damask satins. I have seen among the articles presented by the Khokân Envoys who came to Lahore in 1864-65, several pieces of most brilliant and gauly flowered satins, which are apparently much admired by Oriental connoisseurs, but would, if worn in Europe, excite a suspicion of madness in the wearer!

Besides woven fabrics, silk is extensively employed in embroidery, and also in kinds of manufactures which are included in the present collection in this Class. These consist of netted fabrics, such as girdles or izarbands, which are long netted sashes, ending in ornamental tassels,

and are universally employed to fasten the pyjámas round the waist. Next come every variety of silk rope, cord, and-tassels,—used both in native horse trappings, and also for tying down the coverlets of beds in the native fashion; tassels, head ornaments of silk for plaiting into the hair; necklaces of silk threads to carry charms or gold coins worn round the neck; loops and buttons for chogahs and other articles of the same kind. They are all made by men called 'kin'ira bâfs," (that is 'edging or fringe-weavers') or "iláka band" or "patoli".

In specifying the contents of the Silk Class, I must not forget to mention a rather elever manufacture, worked only, as far as I am aware, by one or two men who reside in the Gupanwala District, and come into Lahore to sell their goods. This is the work in coloured cheaille.

The chenille or thin velvet piping, is, I believe, imported, and the art consists in arranging lengths of it as required, in circles, loops, lines and patterns (the colour and form being according to the taste and design of the workman) on some surface, either of cloth or wood, so as to form a pattern. In this way the workman will produce on a cushion beautiful groups of flowers and leaves, all made of pieces of chenille of shades sown on, the ground work being filled up uniformly with rows of black chenille.

If the work is on cloth, as for sofa cushions, the chenille is delicately sown on with silk; if on wood, as is often done with trinket boxes, glove boxes, and also on leather shoes, the chenille work is stuck on with gum or glue.

The manufacture of silk in the Punjab will be found to be very much more confined to certain localities than others.

The great place for daryai and gulbadan weaving as well as for plain khes, is Lahore. Amritsar also shares the manufacture to a considerable extent.

Multan is also celebrated for its Silks, especially for its khes and lungis of Silk with gold borders, which are of great richness and beauty. Some 'Shuja khani' silks are also produced at Multan.

Bahawulpur is especially noted for its Shuja khání silks, and also for a peculiar fabric woven like a gulbadan or striped piece, but made of silk and cotton thread together, which is afterwards highly glazed like European chintz.

At Peshawur silk is woven to a considerable extent, and there is an export trade to Kabul and Turkistan.

In Kashmir the silk manufacture flourishes in all its branches.

There are several other localities in the Punjab noted for peculiar fabrics. The weavers of Khusháb and Bhera in the Shahpúr District make silk lungís and kheses, a few of them are also made in the neighbouring district of Jhelam. There is a silk manufacture also at Bátala in the Gurdaspúr District, in which also the most successful of the attempts to produce raw silk in Punjab, have been made.

The manufacture of netted silk and miscellaneous articles is more widely spread. They are always to be found wherever the original silk weaving goes on, but are extensively made in Nurpur, Pattiala and Nabha.

The following is a list showing the principal varieties of indigenous and imported silk fabrics known in the Punjab.

EUROPEAN SILK FABRICS.

Silk (general name.)

"Governet"—lining silk.

Makhmal, (velvet).

Atlas, (Satin)

Mushajjar, flowered satin (from Arabic Shajr, a 'tree,' Mushajjar "having tree," or branching flower pattern).

Debáí Rumi. Thin crimson silk of Turkey.

INDIAN FABRICS.

Kinkháb: brocade, stiff silk with gold pattern.

Jandani, silk with sprigs or flowers wrought in the loom.

Lúngi Banársi: scarves of Benares, made either "yak rukhá" i, ϵ_i with one right side, or 'do rukhá' or both sides right sides.

Dopatta: a silk piece made for a veil or women's searf.

Pitambar: a soft silk worn by Hindus for 'dhotis': it is 10 yards long (see Glossary).

Mutka: a coarse silk, 10 yards long and 11 broad, generally of green color, worm by Hindus for dhoti or waisteloth.

Korá. -a softer kind of mutka: generally white.

Thalla-bund; the same as 'kora' only of white silk with colored spots.

Bund-soft spotted silk for kerchief. Staf spotted silk is called bund-mumi.

Tassan: a silk cloth worn like a 'mutka, 'now out of use.

Tafta. Silk tafeta made of twisted (tafta) thread.

Mahmú li: a silk tabric not now in use.

Jhirmil: -thin silk cloth (soft).

Rájmahalı (not now in use): thin flowered silk made in Rajmahal in Bengal.

Mushki: a cheap and coarse silk, stripe I green and white.

Chak'á: a fabric in broad stripes of green and black

Ambii: coarse silk, in green and white stripes; not now used,

Kar fr der or Kaper theria: -Salk gauze with or without a narrow satin stripe.

Bá bá: very thin gossamer like silk cloth.

Zarlaft, a similar fabric woven with gold.

Mandil Guziáti : a close woven thur silk and gold fabric for turbans of that sort which is formed of coils of cloth tightly twisted up almost like rope.

Bulbul chashm: Silk woven in a diamond pattern.

Mashrú i. " "permitted."—As noticed under Shuja khani silks, pure silk is not lawful for wear by Mussulmans. A fabric made with a cotton warp and woof (petá) of soft silk in a striped pattern, and having a satiny lustre, is "permitted," and hence called mashrí. "Súfi"—or Bahawalpúr silk and cotton "gulbadan," is also lawful, and differs from mashrú, that it has no satiny lustre, and indeed looks like our glazed calico.

Panjab.

Daryái (plain silk) Gulbadan (striped silk) and Dhúp hán (shot silk) lángi, khes, and súfi, are all described in the sequel (p. 66 &c.)

China, Thibet and Central Asia.

Chíní-large flowered china silk.

Táwár khatai: narrow, thin silk used for temple banners.

Mashrú, solchi , Lélshahi } kinds of satin on cotton warp as above described.

Nánka--namkin silk, green with black lines, often used for chogas by Kábulis.

Makhmal Iráni: Persian velvet: also Persian satin (atlas).

Dárái Iráni: plain silk of Persia.

Kanáwez:—Shot silk—with a lustre of two colors: the best comes from Bukhára or from Yazd in Persia.

Par-i-pasha—very soft striped silk of Bukhára. Ráwa; a plain soft silk kerchief or veil 5 yards long.

Alicha--silk cloth 5 yards long, and has a sort of wavy line pattern running in the direction of the length at either side.

Darúa: a fabric of silk and cotton (Yarkand and Kokán) in a pattern most hideous to European eyes: it consists of splashes of color as if one had run into the other.

Rum'il An lijání. Andiján silk is famous in Central Asia; this species is a very soft thin silk used for kerchiefs.

GULBADAN.

The samples of this striped silk are numerous, and in great variety as to colour. There are usually two qualities observable, differing principelly in their thickness.

The first set are from Amritsar.

439.-[6613]. Silk piece, value Rs. 9.

440.—[6620.4]. 4 pieces of gulbachan by Messes, Devi Sahai and Chamba Mal.

These were weven expressly for the Exhibition of 1864, being of the finest quality and the greatest bread 5 (2.000) threads a one of the pieces is dyed wall, the 5 Mag anta 5 or Rosanline dye imported from England. They value from Rs. 4 to 5 per yard.

The next from Lahore: -

441.—[6637]. Gulbadan, Lahore Central Jail, a narrow silk in Iraban I white lines of equal breadth, after European fashion. 442.—[6638 & 40]. Two Gulbadan pieces one blue and white stripe; the other dark brown and white, (Lahore Central Jail.)

443.—6654 to 6666]. Series of silk pieces by Pal Shah, Merchant, of the following colors:—

Green and white, ... value Rs. 29 1 0 Rose color, ... 0 0Scarlet. 40 10 0 Crimson, 330 0 Shot, green and red, .. 30 12 0 Grim-on (vellow stripes), 33 s 0Grape green, 33 $0 \ 0$,, Do. with scarlet stripe, 211.0 White with green stripe, 30 8 0 Yellow with black stripe, 3486

444.—[6670 to 6690], a series of Lahore made Silks by Messrs, Nathumal and Bhagwanta,

Red and green, shot silk, Value Rs. 41 40 Lilac, ... Rs. 30 14 6 • • • Rose color and black stripe, $36 \ 26$ Pale lilac and scarlet line, 46 80 Black with crimson line, 38 40 Green, 13 12 0 ,, Scarlet and black line, ... 15 56 The following are from MULTAN: -

445.—[6850]. Blue and white check gulbadan, 'gulbadan chár khání,' value Rs. 22.

446.-[6851]. White and crimson gulbadan, value Rs. 25.

447.—[6852]. Pink gulbadan, value Rs. 25.

And from DERA GHAZI KHAN.

448.—[6872-5]. Samples of gulbadan value from Rs. 1-8 to 1-12 a yard.

The collection from NABHA contains the following: --

449.—[6902 F to J]. Samples of gulbadan in red, white, scarlet, green and pink, exhibited by the RAJA OF NABBA and PATYALA.

450.—[6907]. 5 pieces of gulbadan of various colours exhibited by His Highness the Maharajah.

DARYAI AND PLAIN SILKS.

These include, check silks, shot silks, silks made on European patterns, handker-chiefs and all plain fabrics.

The Amritsan collection contains of:—451.—[6630—1]. Two pieces of silk of 25 yards each, green and rose colour, value Rs 37-8 each, by the Amritsan Jail.

452.-[6616]. Piece of silk called "Dargi" * value Rs. 30, by GUJAR MAL.

453.—[6617]. Piece of silk called "Garbi." which is half silk and half cotton, value Rs. 7, by the same.

The following is from the LAHORE collection:-

454.—[6336]. Broad ribbon in European style, pink and white plaid, by the LAHORE CENTRAL JAIL.

455.—[6642—6653]. Series of plain (Daryái) and (dhúp chán) shot silks by Pal Shah.

Shot, lilac and scarlet, value Rs. 32-8 the piece.

Shot, green and red, value Rs 32 the piece. Green shot silk, ... Value Rs. 27-11-6 Green and purple shot, 32-13-0 Purple shot, ... 38-10-0 Blue and crimson shot, 37- 8-0 ,, Black and white check, 31-11-6 Brown and white check, 31-14-0 Blue and white check, 82-13-0 " Plain scarlet silk, 34-11-0 ,, gurple, ... 28- 3-6 " bright green, 29-12-0 dark green, ,, 26-14-6 amber coloured (káfúri),, 27-12-0 rose colour, 33- 0-0 crimson. 21-11-0

456.—[6674 to 6685]. Series of plain and shot silks by NATHUMAL and BHAG-WANTA.

2 samples of shot silk, value Rs. 29-8-6 and 41-12-3 the piece.

Black and white check, Value Rs. 29. 6.6
Blue and white check, 28- 2-6
Dark green, plain silk, ,, 31- 6-6
Purple silk, ... ,, 39- 6-0
Yellow silk, ... ,, 31- 6-6
Scarlet silk, ... ,, 49- 0-0
Dove color (fákhtáí), ,, 32-13-0

457.—[6669]. A dozen crimson silk handkerchiefs, and [6669 A]. 7 white silk handkerchief by Messes. Nathumal and Bhagwata.

458.—[6671—3]. Three dhotis or soft silk waist cloths worn by Hindus, in yellow white, and crimson.

Value Bs. 27, 14 and 28 each, respectively, by MESSES. NATHUMAL and BHAGWATA.

Dhotis in silk of a yellow color, are imported in numbers from Benares, under the name of "Pitambar."

^{*} I believe this is only a corruption of "daryai" in the sender's list .- B. P.

These are woven plain like daryai, but are soft silk, like a European silk pocket-handkerchief.

The following are for the MULTAN JAIL.

- 459.—[6860]. Neck handkerchief, pink and white plaid, value Rs. 2-8.
- 460.—[6863 & 3]. Lady's dress, grey, striped with black.
- **461.**—[6864]. White and black check, value Rs. 9-15.
- **462.**—[6855]. Pink and white small check, value Rs. 18-6.
- **463**.—[6866]. ditto larger check, value Rs. 18-12.
- **464**.—[6867]. White and grey stripe, value Rs. 10-15.
- 465.—[6869]. Black and white stripe proad, value Rs. 18-12.
- 466.—[6868]. White and rose colored value Rs. 18-6.

And from DERA GHAZI KHAN.

- 467.—[6870—1]. Red and yellow handkerchiefs ("rumâl daryáí,") by ALLADITTA.
 - 468.—[6875 & 6]. 2 specimens of "daryái."
- 469.—[6877]. A silk cap, a skull cap worn by Pathans &c., under the turban.

PESHAWUR.

- 470.—[6890 & 1]. Silk handkerchiefs, worth Rs 4-1 each.
- **471**.—[6892]. "Aláícha" silk piece for pyjamas.
- 472.—[6902 A to E] 'Daryái' from Nabha, contributed by the RUL OF NABHA. viz:—green, purple, red, pink, yellow.
- 473 [6904]. 3 plain silks, Patyala, exhibited by HIS HIGHNESS THE MAHARAJAH.
 - 474.-[6996]. Red silk muslin, Patyala.

TURBANS, LUNGIS AND KHES.

These article will be found manufactured in the greatest perfection at Multan, Shahpur, Bhera and Khusháb in the Shahpur district, and at Jhelam. A few come from Batála of Gurdaspur, they are generally woven with a gold or ornamental border. The Lungi and Khes are woven exactly as in the cotton fabric.

The Khes are sometimes plain, sometimes checked but woven on the same principle. The distinction, as before observed, consists in the fact in the khes báfi, the weft is by a skilful design woven in and out of the warp by the aid of multiplied treddles, so as to display the colour of both warp and weft, one thread upon another thread forming a pattern or damask.

The collection in this department in 1864 was rare and very beautiful, the manufactures being quite peculiar and characteristic of the cities above named.

The Amritsan district contributed :-

- 475.—[6614]. A scarlet and green check lungi, gold border, value Rs. 38, by MEAN MAHOMED SHAH.
- 476.-[6615]. Kamarband or waist sash, value Rs. 7, by GUJAR MAL.
- **477**.—[6629]. Another sash, value Rs. 5.
- 478 -[6618]. Silk pagri, value Rs. 6, by the same.

GURDASPUR.

479.—[6334 & 5]. 2 plain Khes, of silk and cotton mixed, with gold edges, value 45 and 36, respectively, made at Batála.


JALANDHAR.

480.—[3814]. 6 turbans of silk, made at the Jalandhar Jail.

LAHORE.


481.—[6889]. White patka, or silk scarf with border in silk and gold (kalâbatûn.) value Rs. 175, by Messes. Nathumal and Bhagwanta.





BAHAWALPÜR SILKS.





482.—[6890]. Pair of Lahore searlet Khes, of thick twilled silk with gold border, and narrow edging in black and white, value Rs. 175, by Messes Nathumal and Bhagwata.

4

JHELAM.

483.—[6808]. Lungi or pattern of Khes, value Rs. 61, by Larinda Shah of Pind Dadan Khán.

484.—[6801]. A short silk Lungi by the same, value Rs. 31.

485.—[6810]. Purple Lungi, by the same, value Rs. 22.

The next collection is from Shahpur: -

486. -[6811-14]. Lungis in purple, white, searlet, and with crimson border, (Lungi kinári surkh) from Khûshâb, (valuing Rs. 55, 48, 75, and 25 each.

487.—[6814-127. Turbans in crimson, white, dove colour, white with black edges, made at the Shahpur Jail.

The following are from MULTAN:

* "Seven hundred maunds of raw silk are brought to Multan every year by the Lohanis, chiefly from Bokhara and Turkistan: these are manufactured in one hundred and fitty workshops. One man will finish an ordinary khes or silk scarf in six days, perhaps three yards long and a foot and a half wide, taking eight days previously for the arrangement of the weaving apparatus. "A very handsome khes is finished in sixteen

"days. That of the red colour is most valu-"able: it is dyed with cochined, which is "brought from either Bonbay or Bokhara;

" that from Bombay is rupee a seer, about

"a shilling a pound."

488.—[6986-3]. Turbans in red, blue, black (súrmí) and shot yellow, exhibited by NAZIR KHAIR-ULLAH KHAN.

489.—[6789]. Purple khes, gold bordered; by the same.

490.—[6833-93. Series of Kheses in silk contributed by the MULTAN LOCAL COMMITTEE;

In purple,			vals	ie .	Rs. 70
" scarlet,		• • •	•••	,,	7.5
" crimson,		•••		,,	32
" Yellow,			•••	,,	60
" crimson	'sâda	' or	plain khes,	"	3.5
Another,					50

491.—[6840-3 & 6856 & 7]. Specimens of Ikláhí or square searf, in kháki (grey) green, black and yellow, crimson and hlac, value Rs. 28 to 30.

492. - [6844-19 & 6855]. Turbans (dastár) in crimson, scarlet, white, sky blue, grey, blac and blue black, from Rs. 21 to 23.

493, -[6858-4]. Specimens from the MULTAN JAIL.

Skybluc turban, goldbordered, value Rs. 12. Check silk pagri, ... value Rs. 1-8 Grey turban, ... v. 5-0

SHUJA KHANI SILKS.

494.—Called also Súfi, or lawful for Mahamadans to wear, instead of pure silk, which is not lawful.

They are made at Bahawalpur; they are exactly like gulbadán (or sometimes susi) pieces, staiped on colored ground; but the fabric is of silk and cotton mixed, the warp being cotton; it is rather stiff and hard, and is glazed with a mucilaginous emulsion of quince seeds.

BAHAWALPUR LUNGIS.

These are soft silks made for scarves or wrappers, having a satin lustre and a pattern produced by the boom; and gold thread is often interwoven ("zar bátt").

495.—[6705]. Lungi in pink soft silk and gold.

496.—[6706]. Blue and gold lungi in striped pattern.

497.- [6707]. Check in crimson, black and gold.

498.—[6708]. Khes, showing a different color on either side, called 'dorukhá,' the 'two-faced.'

^{*} Extracted from a personal "Narrative of a visit to Ghuznee. Kabul and Afghanistan, by G. T. Vigne. Esquire," page 21. ("Khes is spelt in the original, kaish.")

499.—[6719]. Dove coloured satinette, is unicolorous, but a pattern is damasked in the fabric

500.—[6735]- Fancy satingtie; from the Government Toshakhana.

501.—[6736]. Pink and grey "sari" or wrapper, (Government Toshakhana.)

IMPORTED SILKS.

SUCH AS ARE NOT MADE IN THE PUNJAB.

The principal of these are European, French, English, and Russian.

A few, as the Dakhan silks, Mashru, are fetched from Hindustan, Ahmadabad, Guzrat, &c.

Dopattas, or fancy scarves, are brought from Benares, together with the yellow silk "pitamber," and white spotted black silk called "Bund."

There are also the silks imported from Kabul and Bukhara by the North-Western merchants.

The samples exhibited were from LAHORE: - [6692]. Blue plush velvet (has the pile flattened down suteways). English.

[6693 and 4]. Samples of rich green, and purple velvet. English.

[6695]. Figured striped and shot silk (Lyons).

[6696] Stripe I fancy satin, brilliantly shot in searlet and green (Lyons).

[6697]. Another of the same pattern, but shot with brilliant purple instead of searlet, (Lyons).

These were selected for exhibition from the Government Toshakhana, on account of the extreme beauty and lustre of the colouring, as well as for the elever grouping of the damask pattern introduced.

[6698]. Green satm, with yellow ornamentation (Iwons).

[6699]. Black rich silk, damisked with groups of flowers in satia. (Lyons).

[6782]. Black satm camasked with small bundles of flowers in colors.

The following were imported from China:-

502.—[6726]. Brown figured silk.

503.—[6725]. Yellow figured satin.

504,- 6724 . Figured satm.

505.—[6893]. China silk cloth, imported overland, contributed by His Highness the Maharaja of Kashmir.

A few from Central India, contribute I by Brij Nath, Darogah of the Lahore Central Jail.

506.—[6727]. Green silk, shot with gold. (Dakhan).

507.—[6728]. Red and gold "sári," flowered border.

508.—[6729]. Shot silk searf.

509.—6774]. Purple, Mashrú, (a satin, worked with gold in stripes) Dakhan; contributed by the GOVERNMENT TOSHAKHANA.

From Benares, contributed by the Government Toshakhana,—

510.—[6871]. Khes dorukha, Kalábatúm' gold bordered khes, exhibiting purple face on one side, and yellow on the other.

511.—[6782]. Crimson and gold khes.

512.—[6783]. Cromson and yellow (Dorukha).

From Kabul and Bukhara, contributed from the Peshawar District

513.—[6880]. "Kinawez banafsh," value R: 12 for 10 yards, from Bukhara by Muhamad Azim.

514.—[6979]. "Kánawez Par-i-táus chikini," shot silk kanawez embroidered, Bukhára—the same value.

515.—[6881]. "Gulbadan Kannidár," value Rs. 15 for 7; yards, from Bukhara; contributed by Kazi Amir Jan.

516.—[6882]. Kanáwez, (red), from Kábul, by Muhammad Azim.

517.—[6882]. 'Rawá Surkh,'—Bukhara.

518.—[6584]. "Chunni zard, galdár," "flowered yellow chunni"—Peshawar.

519.—[6905]. Two pieces of Kanáwez, a green and purple, contributed by His Highness the Maharaja of Patyala.

The Kashmir Collection exhibited some peculiar fabrics in silk.

520.—[6567]. Piece of "Bâdshahi."

521.—[6568]. "Tuwár" of grey (múshi) color, with gold stripes.

MISCELLANEOUS SILK MANUFAC-TURES NOT BEING WOVEN.

A few of these are mere curiosities, but others are a standing manufacture, such is the Izarband, which is a long netted silk sash, ending in two tassels more or less ornamented, it is used to fasten the pyjmas round the waist.

The following are from AMRITSAB.

522.—[6619]. Silk braid and string by ALLA DITTA.

523 —[6624]. Sets of artificial flowers, roses, &c. in boxes.

524.—[6628]. Skeins of twisted sewing silk, plain and speckled.

GURDASPUB.

525.—[6632 & 33]. Two Izarbands or waist girdles, from Batála; another maker sent 13 specimems of a superior make, which were not included in the original catalogue.

From GUJRANWALLA were sent :--

526.—[6807]. A silk pillow of patchwork of various silks, made at Ramnagar.

527.—[6804]. Silk nets from Ramnagar. The next collection is from LAHORE.

528.—[6641]. Broad grey braid, made on European pattern, contributed by B. Powell, Esquire.

529.—[6737—41]. Netted silk neckties, (European style), made by the prisoners in the FEMALE PENITENTIARY.

The next series are made by AZIMULLAH, kinára bâf of Lahore.

530.—[6743]. Silk tassels for a lady's cloak.

531.-[6747]. Silk cord and tassels.

532.—[6748]. Crimson "Sej band" ornamented. The Sej band is a long cord and tassel used to tie down the coverlet of a native bed to the posts of the bed; only used by people of rank and wealth.

[6749]. Is another sample, but plain.

533.—[6750 & 51]. Silk fly-fringe for horses' head. (Makherná).

The next series are by MUHAMMED BAKHSH of Lahore.

534.—[6753]. Crimson Military sash. ('Sirdawâl') value Rs. 10.

535.-[6754]. Do. in crimson and black.

536 —[6755 to 6759 &]. Izárbands in all [6765 to 6769]. varieties of colour, and with tassels variously ornamented. No. 6747 is one is in scarlet, white and green, of rather elegant appearance (from the LAHORE MUSEUM).

537.—[6762]. Three varieties of "paranda." The paranda consists of a long band or cluster of silk threads, finished off at either end with tassels, ornamented with gold thread, beads, &c. This is plaited into the long plaits or tails of hair worn by native women, and especially by girls.

[6745 and 6746]. Are two ornaments of the kind, one in black and silver, the other in crimson and gold.

538.—[6770]. Red "doria," or silken sash. They are worn round the neck to carry gold coins or charms.

539.—[6771]. "Rikâb dawâl" (in purple silk) bands holding the stirrup iron in an native gentleman's saddle, similar to the stirrup leathers of an English saddle.

540.—[6772—6]. "Bág daur," silken cord halter for leading horses.

These are in yellow, green, and pink silk.

When a native gentlemen goes in ceremony, or in a procession, one of these is attached to his horse, and his attendants on foot run beside him holding the leading rope.

541.—[6675]. Bag or reins of crimson silk.

The next are from MULTAN:-

542.—[6819 to 6825]. Izárbands in various colours.

543.—[6826]. Variegated sash, called "Izarband haft rang" (literally 7 colours).

544.—[6827]. Sejband "Pinjriwalla."*

545.—[6823 & 9]. Do. "Bâmchi walla."

546.—[6830]. Do. "Baôchi walla."

And from PESHAWUR:-

547 -[6885 to 89]. Series of Izarbands valuing Re 1-4 each.

From Kashmir:-

548.—[6894]. 4 Sej bands, (silken cords and tassels) from Jammu, value Rs. 75, contributed by His Highness the Mahabaa.

549.—[6895 to 6902] Specimens of dyed floss silk in skeins of white, turquoise blue, black, crimson, yellow, bright green (Zamrudi) light green (Angúri) and scarlet.

From NABBA.

550.—[6902H]. "Jál reshami" netted silk sash.

551.-[69021]. Izárband.

552 —[6902K]. "Takma," buttons and loops of silk—work for chogahs.

The long pipes, both fixed and flexible, attached to hukas, are often wound over outside with variegated silk which has pleasing effect. It is quite a trade in itself. The flexible tubes are coils of zinc wire covered with Birch bark (Bhojpatr) and then with cloth, and, lastly ornamanted with silk and gold threads. The stiff tubes are made of reeds round over first with cloth, and then with silk.

The forms of these pipe tubes or nechas, will be seen in an illustration to the chapter on Intoxicating Drugs, in vol. I.

Nechas with silk work were sent as follows:--

[6805] Six Pipe tubes from Ramnagar and Gujranwalla.

This Class is concluded with a mention of the chenille work (Kár-i-Makhmal) made by Káimdîn of Wazirabad in the Gujranwalla district.

553.—[6776 and 77 6790 and 6802.] Are cushions for a sofa, worked with groups of flowers and patterns, &c.

554.—[6778] Sets of tassels of colored chenille, and silver thread (such as are used by natives to ornament horses on state occasions).

555.—[6779 and 80]. Boxes ornamented with chenille work.

556.—[6791 to 803]. Specimens in chenille work as follows:—

A Ball.

A necktie.

A bracelet.

Pen-tray.

Tassels.

Boxes.

Mats.

Slippers.

^{* (} Vule 'Glossary and Index' for the meaning of these.)

NOTE.

No report on silk fabrics has been received from the Jury of the Exhibition of 1864, but their award of prizes is as follows:—

VII.—SILK MANUFACTURES.

District or Locality.		Prize taker.	Description of articles.	Medal.	Certifi- cate.	Special prize.
Amritsar,	<i>,</i>	Devi Sahai and Chamba Mal,	Seven finest and fast pieces of silk, Nos. 9620-9624,	1	1	1*
Lahore,	•••	Nathu and Bhagwanta,	Collection of silks,	•••	1	
Nabha,	•••	Raja of Nabha,	Collection of silks of local manufacture,	1	1	
Lahore,	•••	Muhammad Baksh,	Netted and twilled silk manufactures, Nos. 6751—6775,	•••	1	•••
Wazirabad,	•••	Kaim Dín,	Chenille work,		1	·
Shahpur,		Superintendent Jail,	Silks,	•••	1	***
Multan,	•••	Ditto Ditto,	Do.,	1	1	
Ditto,	•••	Manfacturers of the town of Multan	Do.,	•••	1	•••

^{*} Lady Montgomery's prize of Rs. 50.

CLASS VIII. FIBROUS MANUFACTURES.

This Class is of course intended to include only such miscellaneous fibres as are used in manufacture, and other than cotton, silk, or wool.

The Class has been sub-divided into three Divisions, according to the different kinds of articles made.

The first Division will include loom woven fabrics, which are however very few in number: Flaxen and Linen fabrics which would occupy so large a portion of this Class in an European Exhibition, are almost entirely wanting here. In a few jails, a stout canvas has been made from flax, but that is all. As to the native flax, it has never been utilized, except to produce a coarse sting. No other fibre is woven in the province except 'san' (Crotolaria juncea), and that only into a sack-cloth or matting called "tât."

The second Division contains the various kinds of paper. The original and ordinary kind of native paper would be the only one in the class, were it not for the more recent experiments in paper making in the various jails, and the varieties introduced by the attempt to utilize various fibres, as tow, madár, daphne, straw, and others. The third Division includes ropes, mats, baskets, and all miscellaneous fibrous manufactures generally. Ropes are manufactured principally of san, or of "bánmunj," (Saccharum munja—grass). There is not of course generally that demand for cables of all sizes and strength that there is in a maritime country, but still the demand is considerable for agricultural and general purposes. Various fibres are pressed into service as occasion requires, and many species of grass, as well as the bark of the mulberry tree, the fibrous sorts of the Dhâk (Butea frondosa), and many others—are included in the class of Raw Fibres, as useful for rope manufacture.

The reader is invited to examine this Class in conjunction with the former Class, (III sub-class E.) in Volume I, as all the botanical and statistical information that could be obtained relative to the fibres themselves, is there detailed.

In the hills, the inner bark of the Dhaman (Grewia oppositifolia), resembling gardener's 'bast,'—is much used for ropes, as is also the bhabar, and bagar grass (Eriophorum cannahimum). Straw and grass are used in the higher hills for making the rude sandals worn in crossing the precipitous and rocky passes of those regions; and the rope and twig bridges, which are often the only means of crossing many mountainous torrents and rivers, bring into use many strong fibrous barks, twigs of Fothergilla involucrata, and the nettle tree bark (Celtis) and others.

The use of these fibres is universal all over the tracts of country indicated, and beyond this it is impossible to say that there is any special locality celebrated for fibrous manufactures, except in the case of a few specialites, which will be below enumerated.

Baskets and chicks are made of the invaluable bamboo cut into slips, and but a few articles of this Class are made of the thin flower stalks of the munj grass. Large chicks are also made of the stout munj, then called "kilia," or of strips of bamboo. Course baskets are made of pilchi, the pliant branches of the smaller Tamarisk. Peshawur and other places are noted for mats and baskets of "patta", and where the date palm grows, date leaves are utilized for fans and mats. Reeds called Dub and dib are made into floor matting.

DIVISION I.

FIBROUS FABRICS.

The fibrous manufactures in the form of piece goods or fabrics, are few; 'San,' for matting, and flax recently introduced in a few of the jails, are the only fibres employed. To these may be added the madar fibre, or rather floss for the seed-pods. This has been at tried; but is present more of a curiosity than a useful fibre.

[6908]. "Tât patí " from the Jail Sirsa.

This is a coarse matting made in narrow pieces from string of 'san' fibre (Crotalaria juncea): the sample in question costs 0-2-3 per yard. It is much used for packing purposes, and for coarse flooring. It is made at every Jail, and is common all over the country. Particularly good samples were from Hushyarpur, [6927] by Mr. Christie, and from Lahore, also [6935 A] [6967 & 8] from Gujrat.

557.-[6933]. Canvas made from Flar grown at Syalkot.

558.—[]. Several scarves and hand-kerchiefs of fine linen made at Belfast from flax grown at Syalkot by the Indian Flax Company.

Canvas was also sent from Lahore Jail and from Multan, of two qualities, valuing 5½ anaand 0-4-8 per yard, respectively; also from Agra Jail (7041) and Gugaira (7008).

559.—[7019]. Table napkin made from madar floss, Dera Ismail Khan.

The Shahpur Jail gained a medal in the International Exhibition of 1862 for its manufacture of madar.

In the Punjab Exhibition, besides the above, some towels were shown made of madár and cotton mixed, also a rug made of madár (coloured).

This fibre which is short, smooth, glossy, and looks like short lengths of pale yellowish white floss silk, is produced from the ripe seed-pods of the madár or Ak (Calotropis Hamiltonii). Dr. Forbes Watson reported on it thus:—It is deficient in strength and difficult to spin on account of the smoothness of the individual fibres. Attempts in England to work it by means of machinery have hitherto practically failed.

Some of the fibre has been sent to Messrs. Thresher and Glenny, who have for a long time been devoting attention to the subject. These gentlemen are at length enabled to report their ability to turn it to account, if obtainable here in a good clean condition at $35 \, \pounds$ a ton $(3\frac{1}{1})$ d, a b). Dr. Walker (of the Agra Jail) reported that it might be collected at about Re. 1.8 per maund, or about $1\frac{3}{4}$ d, a b. From experiments made at Dera Ismail Khan, however, it appears that the collection of the floss has not been accomplished at the desired rates.

The fibre requires bleaching, and answers best when mixed with cotton.

It has been tried with the cloth made by the warp of cotton, and the west of pure madar or the warp half cotton and half madar, and west three parts madar to one cotton. Also it has been tried with cotton in various proportions, uniform for all the threads of the sabric.

The fibre only requires cleaning and separation from seeds and dirt by aid of the usual bow. No charka is required when made into threads. Before weaving, the thread requires steeping for four and five days in water, sometimes a little Methi seed (*Trigonella*) and gum is added *

^{*} Journal of the Agri-Horticultural-Society of Bengal, Volume VII, page 25.

It is important not to confuse the fibre of the seed-pod, which I have called floss, with the fine strong fibre which is obtained from the stem of the plant.

To produce the latter fibre, sticks of the madár are cut about 12 or 18 inches long; the outer bark is then carefully peeled off, and the fibre is drawn from the inner part next the stem. Several threads are then placed together and twisted up by hand. No water is used at all. Madár fibre is used on the Indus for fishing nets.

The fibre is very strong, and is also suitable for weaving, as it amalgamates with silk. It is valued by the Agri-Horticultural Society of Bengal at 30£ to 40£ a ton.*

Besides giving these two fibrous products, madár is useful medicinally. Its wood makes charcoal (especially the large species, (A. Gigantea) common in the lower provinces; and its juice yields a substitute for gutta-percha.

^{*} Journal VIII, page 74.

DIVISION II.

PAPER.

Leaving aside the subject of imported papers, and those manufactured at Serampore, the papers used in the Punjab may be divided into three classes.

- 1.—Native paper, which is made in many places, but especially at Sealkote.
- 2.—Native paper made in jails. These are often made of various fibres, and made experimentally. In this class I include Daphne paper, &c.
- 3.-Kashmir paper.

Ordinary native paper is made of various sized sheets, and of different qualities, which are known by different names; the material from which it is made is almost always the same, the old "tât patti"—which is bleached, washed, and reduced to pulp. The only other material commonly used is old paper; but European paper, as also that printed or written on with English ink is useless, the former from the difficulty of reduction to pulp, the latter from difficulty of bleaching and removing ink stains. * Native paper-making as practised without assistance from Europeans, is worse than it was; no improvement has been made in machinery, and the makers will not adopt new fibrous substances. The process of making paper is simple, but is such that even with the utmost care, fine and thin paper can never be produced by it. Even at Gujrat, where the best jail made paper is produced, the paper is only excellent as native paper.

At first the fibrous material, chiefly old gunny cloth, or tat, is cut up by hand into little pieces with a rude iron chopper; the dust is then shaken out of it; it is next moistened; mixed with a certain quantity of "sajji," and is submitted to the "jhandar" or pounder. The pounder consists of a heavy beam of wood, working on a pivot, so as to form the long arm of an unequal lever; the end of the arm is fitted with a cylindrical block of wood, on which is fixed a small iron tooth or central hammer, which strikes upon a stone placed below: this lower end of the lever strikes down into a pukka trough, which is partly filled with the fibre to be pounded. A workman stands with one foot on the shorter end of the beam or "jhandar," and by pressing it down, forces the loaded end up, which in its turn falls by its own weight, crushing the fibre that is beneath it. A man crouches down in one corner of the trough, and keeps throwing the fibrous material on to the stone under the beam each time as it descends with a heavy thump. Of course the quantity of fibre submitted to the blow each time is very small, but by gradually throwing one piece after piece, the whole gets pounded. The material is then taken out, washed in a stream of water, made into square cakes with more sajji, and left exposed to sun and air for some time, after this it is again pounded, and again washed. When the whole is in a rude pulp and tolerably clean, it is mixed with water in a masonry trough, stirred up continually by men with bamboo sticks, and when the whole pulp is of a proper consistency, the paper-maker sits down with his strainer frame, and dipping it in with a peculiar knack, catches a fine layer of pulp on the strainer, which, when the water has drained off, forms a sheet of paper; these sheets are placed one over the other as they are made. When a sufficient number has been collected, the mass is taken away to a dry wall previously prepared with a smooth coating of plaster. The workman then takes a thin broad

The difficulty has recently been overcome in the Lahore Central Jail. The paper produced is good, but by no means cheap.

and stiff brush, like an English house brush, only thinner, and detaching sheet by sheet, spreads each flat against the wall, to which it adheres by its own moisture; the workman gently smooths it over with the brush. When dry, the paper readily peels off, and is then ready to be polished. This is effected by smearing each sheet all over with a kind of starch prepared from wheat, and when this is dry a gloss is imparted to the paper by rubbing over and over each sheet with a round smooth flint stone over a concave surface of smooth wood.

The frame or strainer on which the pulp forming the sheet is collected, is a wooden frame covered with a strainer of fine grass stems. It is obvious that by this means a very thin or fine paper cannot be made; to make fine paper, requires a strainer of inconceivably fine metallic wires.

This process is followed with but slight variations wherever paper is made, the difference in quality of paper results from the fineness and good pounding of the fibre, the quantity and clearness of the water available for washing the fibre,* and the skill of the workman in straining it.

I now proceed to enumerate the known kinds of paper, beginning with the ordinary paper manufactured at Sealkot. The manufacture at other places of the common sorts need no special remark.

560.—[10105]. Sealkot paper made by Alfá, Sealkot.

[10113]. A sample of the paper imported into Lahore, and shewn by HAR BHAGWAN.

The following account of paper making has been received from Sealkot:-

" Nothing can be ascertained as to when the manufactories for paper started, and who was the originator. The origin of the manufacture is however supposed to have been about 600 years ago, in Imperial times, when Sealkot was a city of great importance. The common story runs, that a man whose name has not been handed down to the present time, used to have the pulp beaten by the people, but lifting the pulp from the water was done in secret, in a walled enclosure, and each sheet was valued by him at the then current Rupee. One day his son-inlaw was rather curious to know the art, and through a hole in the wall of the enclosure peeped and found out the way it was done; after this it became quite common. The chief places for paper manufacture in the Sealkot District are Rangpur, Hirapura and Nakapur, suburbs of the city of Sealkot. From excavations and ruins it seems that the site where these villages are were the old manufactories for paper. The mountain stream, the Aik, flows by these villages, and the manufacturers attribute the excellency of their paper to some quality in the water of the Aik. The paper of first quality manufactured in this district is called Jahangiri-is named after the great Mogul Emperor. It seems he came to Scalkot and ordered a superior kind of paper to be made, the quality made was what is now produced. It is the most expensive, and lighter in weight than other descriptions of native paper. It is chiefly used in manuscripts of the Kuran; the Pothis of the Hindus; and for Sanads. The rest are, for common use, of different qualities. One half of the total

^{*} This is a very important point. The excellence of the Kashmir paper is no doubt largely owing to the abundance and clearness of running water available for manufacturers. At Sealkot also the natural turers employ the water of the Aik, a hill torrent, which runs freely at certain seasons. Jail Officers wishing to improve in paper making, will do well to turn their attention to the means of increasing the tacilities of washing the fibre.

quantity of paper manufactured is sent to Amritsar, and the other half taken by the Kakezuis, who are Bopáris, as far as Peshawur: very little finds its way lower down than Amritsar.

The paper makers are a mixed community of Awáns, Tarkáns, and Lohárs. Each factory or Kárkhána is a separate firm. In the time of the Emperors the yearly proceeds used, it is said to amount to 8 lacs. The paper was in popular use at Delhi; during the Sikh rule the business declined to 20 factories, and a sale of Rs. 25,000. Under British rule, the manufactories have again increased: there are 82 factories in all, giving employment to nearly 1,000 men, and yielding an income of \$\frac{3}{4}\$ths of a lac yearly.

In 1855, the statistics* of the paper manufactories of Sealkot and neighbouring villages were as follows:—

		ndars ers.	MEN EMPLOYED.			QUANTITY AND VALUE OF PAPER MADE PER ANNUM.		
Village,		Factories.	No. of Jhandars or pounders.	Proprie- tors.	Laborers.	Total.	Number of Reams.	Value at Rs. 3-8 average.
Rangpúra,		44	105	200	225	425	8,925	Rg. 31,237
Rajpúra,	•••	30	100	185	205	390	8,500	22,650
Hírapúra,	•••	8	21	45	61	106	1,685	6.247
Total,		82	226	430	491	921	19,110	Rs. 60,134

561.—[10116]. Quality of paper called Jahangiii. (a quality supposed to have been ordered only by the Emperor). It is of extralarge size. HAR BHAGWAN OF LAHORE.

JAIL MADE PAPERS.

562.—[10,028]. Country paper from Delhi Jail, at 4 anas a quire.

563 -[10,036] From Sirsa, and

[10.037]. The same made from old paper.

564.-[10.041]. From Ambálla Jail.

[10,060]. From Kotla.

[10,448]. From Dharmsala.

[10071] From Kangra.

[10192-10204] From Jhang, of all colors.

[10210]. Muzaffargarh.

[10240]. Dera Ghazi Khan.

[10258]. Peshawur.

[10271]. Malerkotla, and Agra.

All these are manufactured in the manner above described, either of old tat or of old paper (raddi).

565 —[10,135]. Paper made from Madár fibre, Sirsa jail, value, Rs. 3-4-0 a Gadi or ream. In both white, red, green and yellow colors.

The process of making the paper is thus described by the Assistant Commissioner in charge of the Sirsa Jail:

This paper is made from the fibrous stalks of the Madar plant. The stalks are picked during the winter months after the plant has flowered. They are then dried; the fibre separated by hand, and thick ropes made. It is from old and worn out ropes that the paper is manufactured. The old rope, which is much used in this District and adjoining Bikanir territory, is cut into small pieces, well pounded, and

^{*}Extract for Phinsep's Settlement Report, page 25.

soaked for 3 days with sajii and chunam—lime (slaked). This material after being well washed, forms a pulp from which the paper is manufactured. Rope made from this fibre is undoubtedly stronger than flax rope, and at the same time possesses the fineness of silk. The finest cord and twine can also be manufactured.

The paper in the Exhibition was of the fibre of the stem, but it is equally possible to make it out of the silky floss of the pods. This requires bleaching, but is by nature so short and fine a fibre, that the labor of pulping it is inconsiderable. I have not yet seen a piece of this paper from the Punjab.

566 — [10.056]. Daphne paper by Mr. G. Jephson, Simla.
567.—[10.057]. Daphne paper for Sangaum, (Dharmsala) Jail.

Several species of Daphne and Desmodium, yield an inner bark, which furnishes a strong and supple paper. The species commonly used are Daphne papyracea and oleoides—'Jiku', Sutlej valley; 'Katılál', Kâghân; 'Laghunai' (Pashtú); 'Nigi' Kullu; 'Sanarkat' Kashmir; and Desmodium tiliofolium, 'Kâlimurt,' Sutlej valley; 'Chamkát' Hazara; 'Bre or Kathí,' Kullu and Kangra.

The latter is more easily prepared than the former. It is used in the jails of Dharmsala and Rawalpindi. The Daphne is more confined in its range of growth than Desmodium, and is also of a smaller size and more difficult to work.

The following account of the growth of Desmodium and Daphne, and the method of preparing the lower bark for paper making, is extracted for a paper communicated by Dr. Cleghorn, to the Agri-Horticultural Society.

Daphne olecodes — This appears to be one of the characteristic plants of the valleys of the outer Himalayas, occurring at an elevation of 4,000 to 8,000 feet, the basin of all the Punjab rivers from the Tonse to the Nainsukh.

Local names.—These vary in the different provinces: "Jeku" in Bussahir; "Nigi" in Kullu "Kutilai" in Hizara and Khugan; and "Namarkat" in Kashinir. The yellow berries are considered purgative by the natives, in this respect the plant coincides with its congeners, and finds a place in the Materia Medica (see Honigherger's Thirty years in the East" p. 268), but the use of the fibre is not known.

Process of preparing fibre — The inner layer of bark is separated from the pliant branches without any skilled process or other treatment, than the careful removal of the outer bark or epidermis, with any knots or asperities attached to it. The manipulation requires patience, but may be easily done by women or boys;—a tair price for the labour would probably be about 2 Rs. per maund.

The inner bark is the best part, and the properties which render it valuable are toughness and good color. The way in which I propured the fibre was this twelve small boys went to the hill side returning to my tent with freshly stripped bark; they sat down and cleared off the epidermis with their own blunt knives; the fibre was then placed in the sun and when thoroughly dry it was tied up in small bundles. The boys received one anna each in the evening and returned next morning in great numbers. In this way 12 boys in two days cleared 40 pounds of dry fibre under my supervision, but with practice a larger quantity might be expected.

The main points are, to see that the fibre is cleared of woody integument and epidermis, and that it is received and kept dry.

Experience grined—Several facts have been ascertained which may be mentioned. (1) The plant does not suffer from free cutting of the branches, throwing out vigorous shoots in a few months. (2) The bark of one year old shoot separates more easily than that of old branches. (3) The operation becomes more difficult as the weather becomes colder (4) Plunging the branches into hot water for \(\frac{1}{2}\) hour facilitates the stripping process. The bark should therebe steeped for several days in running water and bleached in the sun. I have not tried the boiling in a lye of asher but this operation would probably apply equally well to the bark of Daphne clecides, as to that of Bronssonelia papyrifera, which is thus treated in China and Japan.

The cleaning might be done more cheaply by machinery than by hand—the bark should be placed in hot water and then dried in the sun. It should afterwards be passed under rollers—(as in a common mangle) when the remaining portion of epidermics will fall off,

Trial at Dharmsalla.—Two bundles of the fibre were sent for experiment to the Jail at Dharmsalla, and specimens of paper manufactured from it are submitted to the meeting. Major Mercer states that 100 much time was employed in bleaching, but being satisfied as to the excellence of the material, he is in treaty for a supply of 200 maunds from Chumba.

Desmodium tiliæsolium.—I have to notice another plant which attains a larger size than the Daphne, occupies a wider range (in the same valley), and grows much lower, so that the fibre will be available at a less cost in the plains.

Native Names.—There are Shuk-ving, i. e., Paper tree on the Rotang Pass;—Kanti, at Dalhousie,—Kulanchi at Murree,—and Chankát in Khagan.

My attention, was drawn to this plant more recently. The bark has also been used as a paper material in the Dhurmsalla Jail, and also in that of Rawulpindee. The fibre is coarser, but more suited for the native process, and it certainly can be procured at a cheaper rate than that of the Daphne from the ease with which the layers of bark are separated.

When it is remembered that the quantity of paper manufactured in our Jails depends very much on the quantity of tat (i. e old ropes and gunny bags) procurable that the supply of this material is uncertain, and that usual cost is about the same, viz., 2 Rs per maund, I trust these remarks may not be considered as wholly useless. It remains to be seen, if the preparation of these fibres can be conducted on a large scale how far they would be remunerative if so conducted."

When made into paper, the Daphne or Desmodium fibre is usually treated in the same manner as the ordinary tât fibre; paper made of it usually turns out the same colour as ordinary native paper; but it as such tenacity, that the paper can be made very thin, and yet of surprising strength and durability.

In 1863 I experimented on the fibre at the Sealkot Jail. I found that it would not answer if it was merely submitted to the ordinary pounding process under the "jhandar." The paper turned out was indeed of great strength, but was full of flaws and bits of black looking fibre. Very fair paper was made by mixing tat-pati &c., or old paper with it. To make really good paper, the fibre requires boiling with alkaline lye; this I observe is always done in Nepal. The paper made at the Dharmsalla and Rawalpindi Jails is more remarkable for its strength, than for its excellence in their respects: the other varieties of the paper are especially suited for lining or packing tea boxes.

In Nepal, the manufacture of paper from Daphne is celebrated. It would be foreign to my purpose to give a detailed account of the process; but the reader can obtain information for himself by consulting Volume V of the Transactions of the Agri-Horticultural Society of India, at pp. 220—231.

The Nepalese process consists of first boiling the slips of inner bark (which they commonly take fresh from the tree) in a strong alkaline solution obtained by passing water through the ashes of oak wood. After the boiling has gone on about half an hour, the bark will be quite soft, and have nearly absorbed all the liquid. Next the mass is placed in a shallow stone mortar, and continually beaten with a mallet or pestle till reduced to a pulp.

The pulp is then mixed with a little pure water. To make paper, a wooden frame, the size of the sheets required to be made, is taken (the frame being covered with very porous cloth, or fine grass or wire meshes as usual,) upon the pulp the frame or sieve is placed, and both are floated in a cistern of water. A quantity of the pulp, is put in the sieve, which is then shaken about, the fine pulp passing through on to the paper frame, and the workman, by skilfully agitating the latter, causes the pulp to spread all it over, after which he withdraws it in the usual manner, and the sheet of paper is made: the sieve retains all the lumpy or coarse particles of the pulpy matter.

Some samples of Dapline fibre have been sent to Europe, and fine letter paper, admirably suited for "foreign post," has been made therefrom. I have seen a specimen of this light paper, which could only be torn with the greatest difficulty. The Dapline paper is said to resist the ravages of insects, and specially of the Lapisma, or fish insect, so destructive to paper. The Nepalese frequently prepare the paper by coating it with a surface of yellow arsenic (hartal) afterwards glazing it with rice starch; but it seems that the paper is almost as durable unprepared. In one of the papers in the transactions of the Agri Horticultural Society before quoted, Dr. Campbell, mentions that he had seen a work in fresh and perfect preservation, 150 years old, and adds that the natives say the paper lasts unchanged for 300 to 400 years. The arsenicated paper just now described is admired for manuscripts from its gloss and yellow colour. Dr. Campbell mentions that the paper has been successfully used for making ceilings of rooms: the paper can be made of any size up to thirty feet long by twelve broad.

569.—[10139]. Paper from old rags, RAWALPINDI JAIL.

Paper made from this material is the normal kind at home, but in the Punjab it is rare, and only made in juds: ordinary native manufacturers never use cotton rags. Although cotton forms the universal clothing of all classes, yet rags are not abundant as they are in Europe. This is partly owing to their not being in demand, partly that the very poor people continue to utilize, in some way or other, cloth which would in Europe be consigned to the papermaker. Practically, I believe there would be considerable difficulty in collecting a few tons of rags even in a large city.

570. -[10148] Paper made from date tree leaves (*Phænix sylvestris*) RAWALPINDI JAIL.

The paper is of a green colour, and is seldom made, it is very tough. The leaves of the palm are used for mats and baskets, but would no doubt yield a paper material if well boiled with alkali and pounded.

571. - [10149]. Paper made from Bhúsá, Rawylpindi Jail.

This paper is made of chopped straw or bhusá; it is not a good paper, though it might be used for packing purposes; it is also interesting as showing how even a brittle, stiff, siliceous substance can be made into paper. In Europe great advance has been made in the manufacture of straw paper by subjecting the material to the chemical action of substances which destroy and remove the siliceous coating of the straw leaving only the fibre; but the paper hitherto made in the jails has not had the benefit of such treatment. If the bhusá is mixed with a proportion of old tåt, or other soft paper material, the quality of the paper is much improved.

572.—[10152]. Paper made from flax fibre, refuse or tow. Gusrat Jail.

In a vernacular account of the manufacture of this paper, which I have before me, it is stated that the flax is in the form of taut before it is cut up and made into paper. I do not know the reason of this, nor was I previously aware that har was ever made into "taut"; the common country tat which is used

for common paper is made of sam. The Rawalpindi specimen, which is valued at 6 annas a quire, is apparently made from the fibre.

The refuse, or tow, of flax, is an excellent paper material. At Sealkot, the Indian Flax Company produced a large quantity, but the Commissariat Department bought it up at so high a price for packing and other purposes, that the jail manufactory could not afford to buy it! In the Gujrat Jail the process of making the papers is thus described—the frequent repetition of the pounding process under the "jhandar" at every stage is not usual.

The material after being cut up, is put under the "jbandar," after this it is washed, and after being mixed with a proportion of sajji (crude soda) and lime, it is continuously pounded for three days. The fibre being then moulded into great cakes or flat lumps called "thoba," is exposed to the air and sun for thirty days; after this it is again pounded during two days under the jhandar, after which the fibre is washed and again pounded for another day. This washing and pounding is next repeated for another day; the fibre is once come collected into cakes called "chaklis," and exposed to the sun for 10 days more. When thoroughly dry it is pounded during 8 days in a dry state, then moistened and pounded again, after which it is washed, and then undergoes a final pounding for 2 days; after which the pulp can be prepared in the masonry tank, and the paper made in the usual way. I should observe that the fine thick even quality of this paper, and its good colour, is the result of the frequent washing and pounding to which the fibre is subjected: none of the common qualities of paper get half so much labor expended on them.

In order to produce on the above principle, one "gadi" or ream, and 5 "dastas" or quires of paper, a period of two months is requisite, and the labor of 98 prisoners.*

Pounding paper for 22 days @ 3 men per day = 66

Washing &c , 6 days @ 3 men = 18

Sizing 1 4 men = 4

Polishing paper = 6

Making paper = 4

Total 98

The profits yield 1 anna per diem per man.

```
The materials used are—
A maund of old flax, taut, worth Rs. 3.
Sajji 1 maund ... = Rs. 1-9.
Chuna (lime) 5 seers ... = 1 anna.
Soap, Wood, Oil &c., ... 8 annas.
```

Total Rs. 5.2

The price of the paper per dasta is 12 annas, so the total value produced is Rs. 11-4, and the profit Rs. 6 2.

573.—[10160]. Paper made from Chichiá root (Butea frondosa)—Gujrat Jail.

This paper is made of the following materials:—
Root of chichra, 30 seers, ... = 6 annas
Old taut and paper 10 seers, ... = 12 annas.
Sajji one maund, ... = Re.1-9
Chuna (lime) 5 seers, ... = 0-1
Miscellaneous, ... = 0-8

Total Rs. 3-4

The root is first pounded and cut up, and then submitted to the jhandar for two days, after which it is washed, then sajji and lime is mixed in, and two days more pounding given; then it is dried in the sun for four days; afterwards, the earth and sand is washed out, and the pounding repeated but in a dry state; then it is soaked for 3 days and pounded again and then washed and again pounded for three days, The fibre is now made into flat cakes called (chakli.) and dried in the sun. It is again pounded first in a dry state, and then after being wetted once more it is washed and pounded. At this stage the rough pulp is mixed with old taut and old paper, (10 seers) and the whole pounded together for two days, and then washed. After this the pulp is ready for the tank.

The cost of paper of this kind, is as above stated, Is. 3-4 and ittakes 4 months to make two reams, worth Its 5, so there is a profit of Re. 1-12 for the prisoner's labor. 98 men are employed as before: 3 pie is the profit per man.

The paper does not sell well, nor is it strong, but breaks when folded.

574.—[10156]. Paper from plantain fibre, with a specimen of the plantain leaf fibre employed—GUJBAT JAIL.

This paper is made of-

3

Plantain stems, 4 20 seers, Rs. Old taut and paper, 20 8 0 Sajji, 29 -1 ... 80 " Lime, 0 1 0 ;; Miscellaneous, 6 3 6 Total,

The plantain is cut up and pounded much as before, with a slight difference as to the time required for pounding, as the fibre is more easily reduced to pulp.

The cost is Rs 3.6, and the result 2 reams, worth Rs. 5, and it takes only 14 month to make So the profits are Re 1-10, and only 68 men are employed;* the profit of labor of prisoners is 4 pre per man. The paper is not yet in use and was made for an experiment.

575 —[510150]. Blotting paper—RAWUL-PINDI JAIL.

This paper, as also that from Gujrat (10161), is very well made, and almost equal to European blotting paper. It is however rather thicker, and not so soft and bibulous. It consists of rather a fine class of native paper, left unsized, but smoothed and dyed pink with kussumba (safflower). The Gujrat price is 5 annas a quire.

576.—[10109]. Paper made from the fibre of maize and of the Sorghum saccharatum or Chinese sugar-cane. Mr. B. Powell.

The leaves and sheaths of the plant yield a fibre from which paper can be made, and is used very largely in Austria. The sample exhibited was made only experimentally. I do not know where it was made, probably at one of the Jails, See Fol I, page 516.

577.—[11010] Kashmiri paper. LAHORE.

This beautiful paper, the best of all native manufactures, can be purchased everywhere. It is in great demand for making manuscript copies of all the more valued authors; it is also used for complimentary letters and polite correspondence amongst natives generally. It is distinguished by its fine gloss and polish, its evenness and freedom for flaws, also by its white way-like color and appearance.

578.—[] Several qualities of paper from Kashmir, HisHighnessthe Mahabaja.

1. "Dah Mushti,"

2. "Reshami"

3. "Sadar jû."

Some of these such as Dah Mushti, refer to the size of the sheets—viz, so many hand broad, (dah) ten (musht) hand,—paper ten hands broad.

579 —[10111]. Series of gold ornamented papers. LAHORE.

These papers are for complimentary letters or "Kharitas." They usually have a gold and colored ornamental border, and are prepared by hand labour on Kashmiri paper.

The varieties are-

* Pounding at the	Jhan	dar 13 d	ays 🗿	3 mer	1
per diem,		•••		Ξ.	39
Washing at 5 day	5 € 3	men,	• • •	=-	15
Sizing		•••	• • •	==	4
Polishing,	• • •		• • •	ΞI	6
Paper making,	•••		• • •	==	4
		Total,			68

"Zar fishán," (sprinkled with gold all over).

"Tikli dar," having spots or flowered sprigs in gold paint arranged over the paper.

A letter written on this paper is placed in a large envelope of brocade with gold embroidery, or of cloth of gold, the strings of which are then closed and scaled with a high solid mass of scaling wax bearing the seal of the liaja or dignitary sending the letter. The letter is sometimes still further enclosed in a bag of white net, which is called "Dulmiyán" Several of these were exhibited from Lahore by Pandit Manfield.

580.—[1039]. Coloured papers. RAWAL PINDI JAIL.

These papers were also exhibited from several other Jails They consisted of the ordinary native paper colored pink with safflower; yellow with turmeric; blue with indigo, and various other mixed colors. All the summons of the District Criminal Courtsare printed on yellow paper, and warrants on lilac, so these papers are in some demand. Colored papers are much used by natives for making fancy lanterns used at festivals, and at this they are very expert. The lanterns are made up of bits of talc, colored paper, &c, the frame work being of slips of bamboo, or rarely wire.

DIVISION III.

FIBROUS MANUFACTURES, OTHER THAN FABRICS.

In this department not much novelty, and very little elegance is displayed; but there are many articles which are extensively useful and extensively traded in, which come under this Division. The materials which principally come into use for these manufactures are—

- 1. Straw.
- 2. "Dib." the Bulrush. (Typha elephantina).
- 3. The leaves of the Palm, (Phoenix sylvestris).
- 4. Leaves of the Dwarf Palm (Chamwrops Ritchiana).
- 5. Slips of Bamboo, (B arundinacea and A. utilis).
- 6. The sheaths of the flower-stalk, and also the flower-stalk itself, of Saccharum munja.

Besides these, the materials for making string rope &c. both in the hills and plains, are very varied; every tree or plant that has a fibre, or is known to the people of the places where it abounds, can be occasionally pressed into service

581. [] Matting of the Rush—Typha elephantina. "Chatai"— Lahore.

This is the best and most durable kind of matting made in the plains, and is seen in all houses. When dry, the flag or reed, is flat, tough, and pliable; the mat is made something on the principle of a "durree." A long pole, the breadth of the intended mat, is perforated with a series of holes about an inch apart, through these holes a number of parallel lines of string made of munj' are passed forming what would be the web of an ordinary fabric This web being stretched out to its full length, is attached to a pole or bamboo at one end; and the other end of the strings are gathered in two or threes and tastened off on a row of pegs. The workmen now sit down on the web, and commence at one end with the rushes, twining them in and out, and over and under the munj strings forming the web, as in cloth weaving. The beam with the holes can of course be moved further back as the work progresses, and the web is by this means kept firm and taut. The rushes are moistened and well beaten with a wooden mallet, which makes them flat as well as pliable for the weaving process. The sides of the mat are finished off as the process goes on by collecting the long ends into little bunches, and then turning one under the other, which forms a long sort of plait at the edges of the mat; the ends of the mat are secured by being sown up with long stitches of double munj string. If the mat is well made, it has a firm, clastic, and striated surface, of a light brown color I have seen them so well made as almost to supersede the use of a carpet. They are generally used under a durrer or carpet on account of the floors which are usually of pucka or lime plaster. The price of such matting is about Rs. 12 per 100 square yards.

582. Matting of the Palm leaf.

This species is almost as much used as the former for a floor cloth; but the fibrous flat leaves are also split and made up into hand-tans, fly-flaps, and baskets. The long palm leaf is cut down, and side leaflets are torn off the central mid-tib or stalk; each leaflet thus forms a piece of smooth, flat, and very tough fibre, of a pale drah-green color, and can be utilized as it is, or may be split up into fine pieces, according to the work required of it.

.

Fly-flaps are frequently made of bunches of the leaves split up into fine shreds, and secured on a wooden handle; for this purpose also some kinds of grasses are used.

The mats of date leaves are not made like the 'dib' mat, on a foundation of string, but are solely formed of an interlacement of long narrow leaves, and finished off at the end, with the aid of string, being stitched round the sides—munj string is not used for this purpose, but "san" (Crotolaria).

The fans and baskets are made on a similar principle, only the work and the slips used are finer, and greater care is taken in finishing off and cutting the projecting ends, which are carefully turned in.

These date palm leaf mats, &c. are only made in districts where the trees grow. In the southern parts of the province, as far as the Derajat, the tree abounds, and there we have these manufactures in the greatest excellence.

583. [] Matting of the Chamarops Ritchiana, from Peshawur, Kohat, &c., "Patta."

These mats are made from the Chamærops, which is indigenous in the Salt Range and beyond, in Hazara. Peshawur, Bunnoo and Waziristan. The leaf is more fan shaped than the date palm, and is familiar to all who has seen the Palmetto leaf; but it has no stem to speak of. The flower rises from a tall thick stalk covered by a number of overlapping, scaly spathes, on this the flower-headrises covered with branches. The flowers when they burst forth are like those of other palms, small colourless fleshy bells, growing in clusters on the ends of the little branches of the flower stalk. The fruit is a round, hard stone or berry, which hangs at the end of the branches of this stalk, and is used to make rosaries. The local name (in Pushtu) of the plant is "mazáré" and in Sindh. "Píís."

From Peshawur I have received the following account: -

'Smooth matting is made from the smaller and more slender strips of the "patta," and where a particularly fine kind is not obtainable, the object is gained by splitting up the larger patta into slips of the required breadth. Matting is made both at Peshawur and Kohat, but usually of a coarse kind. The finest and most expensive is that obtained from the Doába, and made by Mohmands and Otmánkhails in the hills; those of Pindyálí are locally famed for their expertness in this work. The prices vary according to quality, the smoother sorts being somewhat expensive.

Baskets are made of the finer matting, and they sell at from 4 to 20 per rupee. A piece of smooth matting, usually about 4 or 5 feet long by 2 or 2½ feet broad, sells for a rupee if of the very best; and the coarser kinds vary in prices, some even selling as cheaply as 8, 12, and even 20 pieces per rupee

The mats are very neatly made, are compact glossy, and of a pale yellowish or drab color; they are manufactured on the same principle as the date mats, but can be readily distinguished by their superior texture and smoothness. Fans and small mats, from Peshawur, are largely i.a., 1'-1 into Lahore, and other places where the Patta is not found.

584. Biskets and other vessels of Patta—Bunnoo.

They are made of the same material as the last, but exhibit a peculiarly neat and solid texture unlike the interlacing of the mats. They look as if constructed of a series of smooth rings closing compactly one over the other. They are made doubtless upon a foundation of

^{*} Royle's l'ibrous Plants, p. 925.


circular ribs, woven over with very fine slips of patta. Some of the articles were in the form of flat dishes; others of baskets; and some were made round mouthed like "lotas" and gharas.

585. [] Chicks-LAHORE and GUJRAT.

These are of two kinds: one a fine close meshed sort, suitable for windows, and the other of stouter material and more open, suitable for enclosing verandahs. The former are made of thin strips of bamboo, which are strung together upon longitudinal strings, each strip of bamboo bring left at a little distance from the other: the whole is painted green, and bound round the edge with cloth. Hung before doors they keep out flies, &c. and yet admit light and air.

In the Lahore museum are two Chinese chicks made of some kind of small grass stalks. These are of exquisite fineness, and far superior to the best chicks made here. The best and finest bamboo chicks I have seen were made in the Gujrat jail.

The large chicks for screening verandals are either of stout parallel slips of bamboo strung on longitudinal strings; or else made of the long glossy flower-stalks of the munj, Succharum munja, which are strung parallel to each other in the same way. If the stalks are not long enough for the whole breadth of the screen, the ends of two are spliced, and the necessary string passed through thus—



586. Múnj ropes, twine, &c., LAHORE, GUGAIRA, (and passim).

This grass, Saccharum munja. may be seen growing everywhere in tall masses or tufts of narrow green leaves, from the centre of which, at the end of the rainy season, the tall flower-stalks with their graceful feathery flowers rise. It springs up readily where it can get a little moisture, by road sides or river sides, and indeed anywhere. In some places it covers whole tracts, and the sale of it is very productive. The leaves themselves (contrary to the opinion of one author) are quite useless for all purposes except thatching, for they are rough, and cut the hand if rudely grasped.

The useful part is the flower stalk (called $k \sin i$): the long hanging sheaths and spathe covering this are carefully removed, and these when shredded up fine, form the material called "Báu-múnj," for string making. The glossy flower stalk, as high up as it remains of a uniform thickness, is cut to make chicks as before described, while the tapering top of the stalk is cut off for another purpose, viz: to form "sirki." These smooth thin stalk ends are placed side by side forming even sheets of stalks, and then are all (at the thicker ends) kept together by being bound along with grass edging, which keeps the whole piece firm together; the other ends taper off to their natural points. These mats or pieces of roofing can now be utilized: they are often set up pent house like, tied to a bamboo, to shelter a cart and keep the contents dry; or they are laid flat over the roof beams of a room, piece overlapping piece; on the top of

this lie the other materials of a flat roof, tiles, earth &c. This way of roofing is of course strange to English ideas, but is too familiar to an Indian to need description.

The thin part of the culm is in some places called "tili". Inside the culm is a pith called "khil" or "khil," which is eaten in the Muzaffargarh district. The tops of the grass as it comes into flower are given to cattle to increase the milk.

There are several grasses which, in general appearance, somewhat resemble the S. munja, and are sometimes mistaken for it; but S. munja is far the largest in size. The three species are—

Saccharum sara Saccharum spontaneum. Saccharum munja.

The first reed yields kana, but not of a good quality, for this purpose the culm requires to be smoked, and dued up, which turns it brown.

The S. spontaneum is the cásá of Sauskrit writers, and is known by its beautiful wavy feathery flowers of silky whiteness.

The Gugaira district had quite a large collection of articles ingeniously worked from the tili, or fine upper stalk of the munj.

These were often worked over in places with patterns of colored worsted, and adorned with shells (cowries) sewn on to the borders. There was as a fan, or "Panka;" a sieve call "Cloij." used for winnowing grain; several baskets called "Phachhi," or "Khawa;" the latter used for holding cotton. Of the munj fibre there was a large net called "Tangar," used to hold bhása or chopped straw when transported from one place to another. Another article is called "Chinka," and appears to be a kind of string or net in which to carry plates or crockery. The porter's knot replaced here by a thick ring of rope for the head, is exhibited under the name of "Indavi." Some mats of munj, used for sitting on, and also for spreading out grain to dry &c. are shown under the names "Khiri" and "Pirí."

The string of munj is easily made: the thin slips are first of all wetted, one end made firm to a sort of weight or bobbin, and the fibre is twisted with the fingers, the bobbin at the end spirning with it and keeping it straight: as the string is thus twisted, it is wound on to the stick or real which the operator holds in his hand. When the damp fibre dries it retains the twist, and evinces no desire to open out. Rope is made in the same way, only of several strands of string and then twisted together till it forms the required gauge. In the Rukhs* where the munj abounds, it is cut and purchased in a peculiar manner. Four persons join together on purpose to buy up all the munj cut in a certain place, the four men get a lot of coolies armed with short sickles or dattis, and go out to cut the munj stalks. Each joint-purchaser's share of the whole quantity cut is represented by so many "dâtris" or 'sickles.' Supposing forty men are employed, all the day's cutting will be put up into 40 bundles, and the owner who has 10 sickles, will take only ten, and the man who has 20, will take his 20 bundles, and so on, paying the cooles accordingly.

The common ropes used for agricultural purposes are made in the rudest way. A long bundle of the fibre is made fast to a tree, and the fibres rudely twisted on till a long

^{*} Tracts of waste land covered with trees, 'scrub' or firewood.

loose rope is attained. A man then fastens a stick to the other end, holds out the rope at full length, and twists the stick round and round till the whole fibre is duly twisted up; he then secures each end of the rope, and the operation is finished. Other ropes are exhibited made of san—(Crotolaria juncea), and prepared with the aid of a rude machine described under Class XXIX s. v. 'Implements of the rope-twister or Rassi-bat'

Sunkokra, Patsan, (Hibiscus cannubinus.)

This is made into a good rope, as its fibre is of great length, it is less strong than 'san'. The Lahore Central Jail sent a door mat made of tuits of this fibre; and some dyed to show that the fibre will take a color. Nearly all the Jails make a profit by monutacturing coarse netted bags of 'san' string; these are in common use at all treasuries to hold impecs, 1,000 in each.

- 587. Cotton ropes.—These are principally made for punkah ropes. &c., being an even and finished rope, which is twisted of two or more colors for the sake of appearance
- 588. Rope of the Palm spathe.—MUZAFFARGARH. This is almost peculiar to the southern districts. The central branch of the palm Phænix sylvestris, comes forth enveloped in a shroud consisting of an interlacement of fibre this, when separated, is converted into ropes The reticulum is called "Kabal."
- 589. Rope of the Palm leaf.—This is called Patta-ka-rassi.
- 590. Rope from the bark of the Behul. HUSHYARPUR. KANGRA, &c.—Grewia oppositifolia. This is common on the lower hills,

as san rope in the plains. The bark from which it is made, is the inmost bark of the tree. It is not unlike the Russian bass of gardeners, which is derived from the Lime or Lindentree (Tilia)

Several species of rope prepared as curiosities, or to exhibit the fibre, have been mentioned in Volume 1, Chapter IV, Sub-class E to which the reader is referred for particulars

590 —[6936-6950] Straw Hats made at the Central Jail, Lyhorn.

This is a new branch of manufacture introduced by Dr. Gray. Very creattable hats, in great variety, were sent to the Exhibition. We had white straw, and black, also mixed, and tancy chip, and snaw plaited up with velvet; also straw dish mats and other articles, the work of the prisoners. The black straw is obtained by dyeing.

The fibrous samples in the Exhibition were examined by the Jurois, one of whom undertook the class of paper, and the other the remaining fibrous fabrics: their reports are here printed. The former jury alone furnished a detailed report, the latter jury supplied the list of prizes awarded.

VIII.—FIBROUS MANUFACTURES.

District or Locality.		Prize taker.		Description of Article.		Medal.
Madhopore,	•••	•••		Tát or Canvas,	•••	•••
Kangra,	•••	L. E. Commit	tee,	Tát bags,	***	•••
Gujrat,	•••	***		Do.,	•••	•••
Multan,	•••	Multan Jail,	•••	Canvas,	•••	
Lahore,		Central Jail,	•••	Flax Canvas,	•••	•••
Gugaira,	•••	***		Ditto	•	1
Lahore,	•••	Jail,	***	Door mat,	•••	•••
Lahore,	•••	Jail,	•••	Door mat of mun	rope,	***
Dehra Dhún,	•••	Jail,	•••	Aloe fibre,	and	
Lahore,	•••	Jail,	•••	fabrics, Hemp and other :	ropes,	1
Kangra,	•••	L. E. Committee,		Fine twine,	•••	***
Bunnoo,	•••	Dy. Commissioner,		Mats and fans,	•••	***
Peshawur,	•••	L. E. Committee,		Fans,	•••	•••
Lahore,	•••	Híra Nand,	•••	Ditto	•••	•••
Gujranwalla,	•••	L. E. Committ	ee,	Ditto,	•••	•••
D. G. Khan,	•••	Mohandí,	•••	Ditto,	•••	•••
Peshawur,	•••	L. E. Committee,		Floor matting of Patta,		•••
Lahore,	•••	Central Jail,	***	Straw hats,	•••	•••

REPORT ON MISCELLANEOUS MANUFACTURES.

PAPER.

Jury:-

Mr. A. M. Dallas, Mr. B. Powell, Lalla Kunhya Lall, Major T. W. Mercer, Major J. E Cracroft. General VanCortlandt. Mr. T. H. Thornton. Mr. C. P. Elliot.

Mr. W. P. Woodward, Reporter.

The paper made in this country by the natives is of one kind only, * but of several qualities—all are however thicker, heavier, and coarser, than the commonest description of English paper.

It is impossible now to determine exactly when or by whom paper making was first introduced into India. Native historians are silent on the subject, as they are on most interesting and material questions; but it would not be far from the truth to fix the date some time between the 10th and 11th centuries A.D. or contemporaneous with the invasion of Hindustan by the Moslems. That it was not brought here before that, the following facts would appear to put beyond doubt.

It is well known that the art of making paper from cotton was flourishing in China so early as the 2nd century of the Christian era. A commercial intercourse existed then, and for some time previously, between China and India, and India and Europe, viá Egypt. But paper of cotton was not known in Europe till about the † 9th century, when it was introduced into the southern countries by the Arabs, who, it is recorded, found a large manufactory of this paper at Samarkand, when they conquered Bükhárá. It was by the same route that the silk worm, though at an earlier date, was introduced into Europe from China. If then, it be supposed that paper making was known in Hindu-tan before the rise of the Moslem power, it is unaccountable why it was not carried into Europe at a very much earlier period, seeing the intimate intercourse that existed between the countries.

The above idea is also favored by the fact that all the private manufacturers to be met with now are Mahommedans.—a Hindú paper-maker being unknown. Caste objections would also have been an invincible difficulty to the Hindús initiating an experiment of this kind.

It is believed that previous to the introduction of paper, the leaves and bark of trees, the palm and plantain—and especially the "bhojpatr" and "talpatr,"—were used for writing on Perhaps also Papyrus was brought from Egypt, for it used to be made into a kind of paper in small sheets, formed by the thin fibrous membranes of the plant being stripped off and pressed together. The use of vellum (calf-skin), or parchment, (sheep skin), as used in Europe, may be seen in the case of Mohammedan M.S.S. in the Delhi Mosque

Whether introduced from China, or by the Moslems on, or subsequent to, the invasion of Máhmúd of Ghazní in the 10th century, it appears certain that such as was the process of

^{*} Made only from inferior kinds of flax and hemp, called tat.

[†] See Hallam's Middle Ages, and Taylor's Modern Europe, and Roberston's Disquisition on India.

manufacture at the time it was introduced, so it continues to this day. There is of course every allowance to be made in respect of the non-improvement of the apparatus, on the score of an absence of the inventive talent in the matter of machinery, and the cheapness of labor not making this a necessity; but what is remarkable, is the non-improvement of the description of paper and the non-utilization of the variety of raw materials which abound in the country, as it has been thought that there is not a country on the surface of the globe which is more adapted, from the nature and variety of its indigenous, as well as cultivated plants, to supply an almost infinite quantity of raw material for the manufacture of textile fabrics, of great diversity and commercial value, and from the refuse of which alone we have the means of manufacturing paper. Besides, there are innumerable fibres which, from their conseness and shortness of staple, are unsuited for weaving purposes but still are eminently useful for the purpose of paper making.

The process of manufacture is as follow: -

The material having been produced, the manufacturer proceeds to reduce it to a state of pulp. The manufactor of the tat is cut no into small fragments by means of a common axe, after which it is the axin into a varimate of bricks, generally four feet deep seven in length and six in breadth. In the bottom of this variant one side of its lesser diameter, is imbedded a large block of stane, produced from the beds of rivers; these vary in size, but are for the most part two feet broad by four feet lang, and one and a half to two feet in depth. A portion of water, sufficient to wet the whole mass, is then added, and it is now subjected to the process of paneling.

This is effected by means of the following apparatus, viz :-

A beam made of baioil wood ten feet in length, and nine inches in breadth and thickness, into one end of which is fixed an up-right round piece of wood or jestle four feet in length and nine inches in drameter, and bound at the lower end with iron, on the under surface of this postle, two tooth, or rather beaters, are inserted, made of iron and placed parallel to each other; these measure five by three and a half inches. Four feet from the postle end of the beam is driven a round piece of wood right through; this is supported on two notched up-rights driven firmly into the ground, and forms the falcrum on which the lever moves

The power is applied five feet from the fulcrum, and the space through which the end of the lever traverses is eighteen inches

It is worked by six men three on each side. The lever is depressed by the men simultaneously applying one foot on the boun, and the force is delivered at the pestle, and by their suddenly taking their feet off and in this way the work proceeds. Two men sit in the bottom of the vit, and feed in the cut that Act, in small qualities, between the beaters and the block formerly mentioned. This pounding operation is carried on for three days successively.

The stuff is then washed and dried, and exposed to the sun for three or four days. It is now returned to the vat, and has added to it 100 pounds of "sajji," a very impure sub-carbonate of soda and 50 pounds of siaked lime, moistening with water at the same time, and mixing all well together

It is now h aten for eight days more, washed, and dried in the sun as at first; then sajji and line adde i in the same quantities, leaten for eight days, dried, and exposed as before; then



50 pounds of sajji is added and 25 pounds of lime; again beaten till fine enough, which is generally three or four days; then washed, and put into the paper making vats. Washing the pulp is performed as follow: - It is put into earthen vessels or nands, at a river side if possible, and trodden with the feet, adding from time to time fresh water; then thrown into a sheet tied at the ends round the waists of two men; they take this into the middle of the stream, and allow the running water to pass through the sheet (not over it), shaking at the same time the pulp to and fro; this constitutes the process of cleansing. The pulp is now considered ready to be made into paper; this is accomplished in the following manner, premising that four vats are considered the proper complement to one beating machine. The vats are four feet square, and also four feet in depth; they are filled with clean water, and a quantity of the pulp is placed on a space at the right hand of the spot on which the paper maker squats; he breaks this pulp up with his hands, and with an earthen cup adds water from the vat, with which he washes portion of the pulp into it, this operation goes on until all the pulp is got into the vat. He then with a long bamboo diligently stirs it about in the water, giving a striking motion every now and then to break up any larger portions; after this has been continued for about an hour, the pulp is allowed to settle down in the vat; the heavier particles of course reach the bottom first, and leave all the finest of the pulp uppermost. When this is effected, the paper maker then puts two bamboos in a longitudinal direction from the front of the vat across the top. He then takes a barred frame of wood, upon which he puts a screen or chick made of fine grass, fixing two pieces of wool at the sides to regulate the breadth of the paper, its length being determined by the length of the chick; the usual size is twenty two inches long by nineteen broad. He takes hold of this frame in both hands. and after passing it frequently across the water, to bring up some of the pulp, he dips it vertically into the vat, and then brings it into a horizontal position on a level with the water. He moves the frame gently to and fro so as to spread the pulp equally; raises it, and again dips it into the pulp, repeating the same process as at first; he then raises it, and puts a bamboo horizontally across the two longitudinal ones formerly mentioned, and rests one end of the frame on this, in an oblique direction, the other edge being placed on the side of the vat ; the superabundant water thus is allowed to escape, and after removing the two small pieces of wood from the screen, he turns down the top of it a little, so as to facilitate the separation of the sheet, and puts it down flat on the space at his side from where the pulp was washed into the vat. In this way he goes on laying one sheet on the top of the other without any intermediate cloth or substance of any kind, until he has got ten quires made. or a "Gadi," consisting of 240 sheets: this generally takes him the whole day to accomplish.

This heap is pressed by means of a board about two thirds the breadth of the paper and twice its length, two men adding their weight to this. The board is first placed at one side, and the moisture as far as possible expressed, and then it is removed to the other side of the upper surface. It is now allowed to remain all night, and in the morning the process is repeated.

This is all that is thought sufficient before the paper is dried. Drying is accomplished thus:—each sheet is separated, and spread by a brush upon a wall which has been made smooth for the purpose. In fine weather this is done in the open air, and then the process is a very easy matter, but in wet weather, or during the rainy season, it is difficult to get space enough to put the paper upon as soon as made in a large manufactory owing to the time it takes to dry.

The other through; this roughness is rubbed down where most conspicuous, by pieces of burnt bricks. The paper now is ready for sizing. This operation, like all the rest, is sufficiently primitive. The sheets are arranged smoothly in heaps; a size made of wheaten starch is applied with a ket of mop made of rolls of coarse flannel or blanket, dipped into the starch, and passed over the paper; it is afterwards hung up on lines to dry.

The paper has still to go through another operation before it is fit for use. This consists an olishing it, which is effected as follows.

A curved piece of wood, about three feet long and nine inches broad, is fixed firmly on the wood having its concaved surface uppermost (this is generally made of mango wood). It is workman leans down on his knees, and takes a cloth slightly moistened with oil. He lays a smoot of paper on the wood and passes the oily cloth very gently over its surface; he then with both hands commences polishing it with a piece of common agate of bloodstone made convex, and generally about two or three inches long. This stone is made of the first of most likely firmly in an elliptical piece of clay, about six inches long, so as to allow a firm hold of the first of most trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appears on the surface; having turned the sheet, he made its trable force until a polish appear on the surface; having turned the sheet, he made its trable force until a polish appear of the sheet of the sheet

What a contrast is the result of the present process in England, where successive improveces is love brought the art to such a state of perfection, that a continuous stream of fluid the sonow passed round the cylinders with unerring precision, and not only made into the transfer but actually dried, pressed smooth, and every separate sheet cut round the edges, in the transfer of five minutes!

In the Scrampore manufactury alone, it is believed, has machinery been employed. In 1825 Mr. Marshman of Scrampore imported one of the famed self-acting cylindrical machines it Missrs. Donkin & Co., the celebrated paper-machine makers. But how this has worked, coloring that have been the practical results, the outside public do not appear to have been at the intermed. The official public are however familiar with what is called Scrampore 1870, ande from cotton, which is served out to public offices, and is used in matters of an 1870 and nature. It answers very well for printing official reports and text books, and for any pose not requiring any rough or frequent handling, as it is far from durable.

Ver excellent paper is made at Kashmir. It is particularly smooth and white, and by the libest specimen of the collection exhibited. It is held in high estimation all over the start especially at native Courts, and is used only for first quality writings and correspondence at the Princes and Chiefs. Nothing is known of the process by which the paper is made in Kishmir, owing to the extreme jealousy with which any communication between the conducturers and natives of the plains is guarded. A Kashmiri paper maker is never met with the territory, as they can leave it only at their peril, or when bound to silence under eservicest penalties. But there is no reason to suppose that the process is anything and from what it is all over India, the superiority in the texture being unquestionably the natural abundance of water and to the use of mills moved by streams, such as

existed at Fabriano in the Picenum, and at Colle in Tuscany, the vat-made paper of who explaces was pronounced "superb" by the Jury of the English Exhibition of 1851

Paper making has long been one of the chief manufactures in Government Jails, as afforming one very appropriate description of "hard-labor," and ensuring a maximum of profit from a minimum of capital. The paper heretofore made has been of the coarsest kind the native process and materials being used. But of late years increased attention has been paid to the subject, and not only has the old description of paper been improved in quality, but new materials have been laid under contribution, as the marginal* list indicates, with more or less successful results.

*	Flax fibre Gujrat.
	Dhák root do.
	Plantain leaf do.
	Rags (old) Gujrat and Rawal Pindi.
	Gauní (old) Do and Jhelam
	Date leaves Rawal Pindi.
	Bhú-á do
	Daphne Kangra, Simla, Kanawar, Lahore.
	Dhâman bark Kangra
	Tát (old) Do and Jhelam.
	MådárSirsa.
	Hemp ropes do.
	Raddí or waste paper do.

The great draw-backs which exist, and will continue to exist until the subject is practically taken up by European enterer per is the want of machinery to cut and beat it pulp fine enough, and of a continuous at I regular flow of water to wash it clean enough.

The specimens from the Gujerat Jail attracted special notice, and there is no doubt that great attention has been paid to the subject in this district. In the Rawul Pindee

Jhilam and Sirsa Jails also, great improvement has been made.

A large and flourishing native manufactury exists in the district of Sealkote, where paper known by that name is made of an excellent quality. The jury are surprised to find none of it in the exhibited specimens, nor from Delhi and Ludhianah, where there are private manufactories of no mean pretensions.

The following is a list of the prizes:— ... \ 1st, Special prize. (I.—Kashmir paper, By Mr. C. Gordon, value Rs. 50. Editor Lahore Chronicle. II.—Gujrat Series of papers from Dhak root) By Lieutenant 2nd, Nisbet, Assistant or Ch'ichira. Ganni. Plantain leaf and value Rs. 32. Flax fibre, and Blotting paper, Commissioner. III.—Jhilam—For excellence of manufactures 1 3 shares, value Rs 1 By Exhibition Prize cleanness and freedom from blemishes, ... [Committee. 30. IV.—Gujrat—Paper from old rags, ... \ 2 shares value Rs. \ By do. V.—Sirsa—For application of Mådar fibre to Certificate. paper making, VI.—Bawal Pindi—For skill in dyeing paper, Certificate.

W. P. WOODWARD,

Reporter.

CLASS IX. ARTICLES OF EMBROIDERY.

Two branches of art are involved in the manufacture of goods of this class. For in the first place, the gold and silver has to be prepared in the form of tinsel, spangles, ribbon, thread, &c., before the embroiderers can use it, and next there is the art of embroidering itself.

The manufacture of the gold thread, &c., will be considered afterwards, under the head of Works in the Precious Metals

The bulk of gold embroidery is done with kalábátún, or the common gold thread—a body of silk over wound with a thin flattened wire of gold or silver, as the case may be. Gold is wound on orange colored or red silk; silver on white. The former is called kalábátún surkh; the other kalábátún safed.

There are two principal kinds of gold embroidery; one of a solid and rich kind called "kár-chob;' the other an ordinary and cheap kind of work, being merely a gold thread described as "tilá kár" or "kár-chikan."

Gold and silver embroidery of the kind called "kár-chob" is principally employed for large and handsome articles, such as cushions of State, elephant trappings, saddle cloths, masnads, or carpets spread out before the seats of princes.

The second kind of embroidery is principally employed in articles of dress, in ornamented caps, and in edgings to garments. Chogahs, or long coats, richly embroidered with gold, are worn on State occasions.

At Dolhi a variety of other articles of dress are made up, figured with gold and with embroidered borders,—ladies' scarves, "dopattas," shawls, and various other articles, especially of native female attire. Such glittering raiments figure greatly at marriages and other ceremonials.


A number of very elegant articles are prepared on a foundation of net or fine muslin, the material being merely worked over with sprigs of flowers here and there. Such fabrics are called "bútidár," and are finished off with a bordering, in which not only embroidery takes its place, but fringes, spangles, and pieces of tinsel polished and sewn on to produce the effect of jewels, are introduced. Such articles are very brilliant, but are rather outré, and gaudy to European taste.


The embroidery of a heavy and rich character is worked upon velvet or cloth, for the purposes of jhúls, or saddle cloths, masnads, &c. and which is termed "Kárchob," is so called because the velvet or other material to be worked on is, in the first instance, stretched smooth and tight on a wooden frame,—(chob). The frame consists of two stout side pieces, the ends of which are perforated; into the holes are inserted the pieces that form the remaining bars of the frame, these are moveable, and held in their places by wooden pegs, and by placing the pegs in one or other of a series of small holes in the bars the frame can be enlarged and contracted at pleasure. To the edges of the cloth on which the embroidery is to be done four flaps of stout cloth are next sewn, and the flaps are tightly lashed by string to the bars of the frame, and stretched till the whole is tight. The pattern is in the first place lightly printed or stamped on the material with a wooden carved block, as in calico printing, or else is drawn out with the hand by a brush charged with yellow paint made of hartal or orpiment* and the

I subsequently learned that this is done in the way described at the top of page 99 seq.









Class IX. 97

workmen commence by working over the pattern in long stitches of yellow silk or thread, to give it body and make it stand out in relief; over this the gold thread is laid down and fixed in its place by sewing it down with a fine needle charged with either orange or white silk, according as the work is in gold or silver.

Where a continuous surface of gold is required, the gold thread is laid on in consecutive rows, generally in a herring bone pattern; and the foundation or cloth being already worked, as above described, with a substratum of yellow thread or silk, it is soft and impressible, and thus the result is that the pattern appears quilted on. Variety is obtained by quilting some parts in higher relief than the rest; and also by changing the direction of the threads. The texture will be easily seen as well as the method of quilting, by closely inspecting the annexed illustration, which represents a charjama or saddle cover made at Lahore.

The bulk of the work being in the ordinary gold thread, the rest is varied by the occasional introduction of pieces worked over with flattened and waved wires or ribbons called "mukesh," of bright gold, overlaying one another like the scales on a fish: a suprisingly rich and gorgeous appearance is thus obtained. A most splendid elephant cover was exhibited of this work: the foundation being velvet the whole of the immense surface was richly quilted over with gold and silver, and finished off with a fringe of twisted gold wire two feet in length; but the beauty of these, works is familiar to every one who has seen a native durbar.

The value of the embroidery is entirely dependent on the quality of the gold thread employed. If the silk thread is richly and well covered with gold the weight is greater, and the work presents a richer appearance; if the silk thread is only lightly and sparsely covered with gold, and shewing silk between, the work looks poor. Consequently, when a man commences a work, he always asks what sort of kalábatún he is to use; how many rupees per tolah it is to cest?

The art of embroidery in this style does not now flourish. Formerly, in the days of native rule and brilliant courts, all sorts of embroideries were in constant demand. Now, in British territories, these things are less in demand, and the manufacture would die out all together, except for the courts of the native princes that remain, and the demands of a few of the wealthier inhabitants. A few men are found in the large cities who can work well: they never make anything except to order, and require an advance to enable them to buy materials.

In Lahore and Amritsar there are only a few shops where this work is carried on, and even in Delhi, I am informed, there are only about 10 or 12 establishments giving employing to about 150 individuals, who are not confined to any particular caste. They begin as children to learn. At first, when a shagird or apprentice goes to an employer, he presents his master with a dish of sweetmeats, and is then installed and set to work first in thread only; when he has advanced sufficiently, he pays the master a fee of 20 rupees, and then is allowed to work in silk or gold thread, till he is perfect in the art.

Such embroidery as comes into use for ornamental caps, chogahs, and other articles of male and female attire, still flourishes, indeed is rather spreading since a number of articles for European wear are now made for export at Dehli.

This kind of embroidery is much less troublesome then the work called karchob, for it is all done in one operation with the needle charged with gold thread, somtimes plain, sometimes in chain stitch. The karchob is occasionally employed in embroidering caps, and chogahs.

The art of making this wire which appears thus - I along described further on in the book.

In Kashmir, the embroideries are especially beautiful, both in design and execution.

The Kashmiri embroidery reaches its climax in the hand-worked or 'amlikar' shawls: these have already been to some extent described.

They also work floor cloths, and table covers and other articles, with great success, sometimes introducing figures of men and animals into their work.

At Ludhiana also, a considerable quantity of work in colored silk embroidery is done, but principally for sale to Europeans. Slippers, caps, that are worked on cotton or cloth, or merino, grounds, in colored silk, both in patterns of arabesque device, or in leaves and flowers.

One of the commonest kinds of embroidery is that done on pashmina cloth, usually in silk of the same color. This is principally used in making chogahs, and also articles of European dress.

It is best done in Kashmir, whence some very magnificent specimens are occasionally seen; but it is also done with considerable success both at Amritsar and Ludhiana.


This is in fact a kind of braiding done with silk thread, and in a peculiar stitch. It looks rich and handsome, as the work, owing to the thickness of the silk, stands in slight relief on the ground material.

As to pattern, though considerable variety is exhibited, and great intricacy in combination, yet the basis of the design is usually the same. One of the most commonly introduced form is that pear shaped figure, so often seen in shawls, which is called "saro," or cypress tree, from a fanciful idea of the form of a cypress,—the slender top bent over by the wind—and is a form something like this—





This form, more or less elongated, is a ground work of many designs, the spaces being filled up with sprigs of flowers and leaves; and long curved lines "dauri;" the borderings and edgings are quite conventional and have various names, according to the idea of form which has suggested the pattern—one of the names are described in Moorcroft's account of shawl weaving quoted previously.

I am informed, in Delhi, that the people have no settled rules as to pattern, but describe the various forms, as "saro," and a long pattern having a stem and flowerets branch off, "bel"—sprigs "buti," &c. &c. There is not much originality in design, and most works are now executed from copies already made; though a clever workman will vary them. Most patterns are merely different arrangements of the irrepressible "saro," "bel," and so forth.


















The pattern is usually drawn on paper, pricked out with a pin: this paper being stitched over the cloth to be embroidered, color-generally yellow orpiment—is put on over the lines of pin holes, and small specks of color penetrate the holes, and mark very slightly the cloth beneath. The embroiderer then works over the marks. In other cases the pattern is lightly stamped on the cloth by means of a wooden block charged with color, just as in colico printing.

DELHI EMBROIDERY.

592.--[7045]. Scarf embroidered with gold, value Rs. 70.

593 —[7046]. A chádar, or searf, with gold (chádar kalábatúní) value Rs. 60.

175**94**—[7047]. A square shawl (rúmál) **em**broidered, value Rs. 25.

595.—[70487. A mantilla (peshwar) emmodered, value Rs. 60.

596 —[7051]. A scarf, "dopatta," empidered, value Rs. 135.

597.—[7000] A small scarf, "patka," broidered on pashmina.

598.—[7055]. Dáman alkhálik.

599.-[7057]. Madákhil.

600 —[7059]. Angí and kúrtí, (boddices.) bbroidered.

601.—[7061]. Embroidered cap with fur, topí samúri."

802 —[7062]. Éap, "topa chabba dár"

603. –[7065]. 'Partla' or sword-belt emroidered in gold

604.—[7071]. Battúa "in gold thread. These are the peculiar loops and buttons for fastening the choga.

Scarf embroidered in floss silk on net.

Do. Do. in floss silk on merino.

Muslin piece embroidered with sprigs and flowers in gold:-" Jàmdáni."

LUDHIANA EMBROIDERY.

605 - [7088] Caps embroidered in colored silk by Ahsan Shah, upon cotton cloth &c.

606.—[7096]. Mat or flower vase stand, en.broidered by Aziz

607.—[7095] Embroidered fan.

608.—[7100]. Embroidered purses and tobacco pouches.

609 -- []. Slippers, embroidered on cloth and merino.

AMRITSAR.

610.-[7152]. Gold embroidered shawl, (shal zar-doz).

611.—[7153]. "Zinposh," saddle cover, embroidered.

612.—[7155]. Masnad, on velvet, with rich gold embroidery (kárchob.). A carpet or cover used for covering the throne or dais on which grandees sit on State occasions.

613.—[7156]. Chogas embroidered all over in gold. (Messrs. Devi Sahai and Chamba Mal.)

614.—[7170]. Rampúr scarves embroidered in silk, "kár-i-sozan."

615.—[7176]. Embroidered neckties, waistcoats &c., pashmina ground, embroidered with silk of the same color, LAHORE.

616.—[7202]. Embroidered velvet masnad (kar-chob) exhibited by RAJA HARBANS SINGH.

617.—[7203]. Zín-posh, saddle cover, (karchob).

618.—[7204]. "Jhúl." or horse housing, embroidered on scarlet cloth. by AZIM ULLAH.

(The embroidery is gold and silver relieved with silver spangles (sitara), and ornaments of the green beetle-wing).

619.—[7206]. Green velvet choga embroidered all over with gold thread, "zar-doz." GOVEENMENT TOSHAKHANA This was made in KASHMIR.

620.—[7207]. Masnad of pashmina, spotted with gold.

621.—[7218]. Purple silk "angarka," or frock embroidered in gold thread ("zar-doz")

Some of the coarser kind of embroidery in cotton and silk was also exhibited. Such work is used principally in ornamenting the chadar, dopatta, or scarves usually worn; the commonest and coarsest kind are made of dull-red cloth dyed with madder, embroidered with silk generally in rude flowers in sprigs of green and yellow.

Such are the following:-

622.-[7217]. Cotton "bâgh" embroidered, value Rs. 1-5-0, by THAKUR DAS, LAHORE.

623.—[7268]. "Phúlkárí" (*lit.* 'flower work') scarf, value Rs. 11 as. only.

624.—[7250]. Skirt or "Lenga" embroidered.

This kind of embroidery is especially noticeable among the articles of clothing from Bunnoo and the Derajat, and from these localities it is very well executed. The work is done with thick threads of floss silk, and is worked by women on the bodies of their dresses also on the "chola" or stomacher: some of the dovices are very quaint.

Kashmer.

625.—[7371] Square shawl embroidered with the needle, "amlıkár"

626.—[7374] A table cover worked in figures of men and animals, (chikan-kár taswir-dái).

627. + [7376] Square shawl embroidered with gold thread (rumál zerí-kár).

628. - [7379]. Khes or scarf of pashmina embroidered with gold thread (zaif kar).

629.—[7382] Embroidered cap.

L'ARIDKOT

630.—[7390] Two "lungis" or scarves embroidered with gold or silk.

JHIND

631.-[7391]. A sad-lle embroidered all over with silk

632. -[7392] A saddle embroidered with

NABHA.

633.—[7395]. "Anga chikni" or embroidered frock.

634.—[7396]. "Chautahi zaríñdar," or embroidered red coverlet.

PATTALA.

635.—[7413]. Specimen of embroidery in gold thread.

636.—[7415]. A "chop" or woman's scarf embroided in silk, (kar-i-chikan).

MALERKOTLA.

637.—[7423]. A piece of muslin worked with silk.

638.—[7224]. Muslin and spotted with gold and silver.

Sozni, bed cover-Kashmir

This is a favorite kind of work. It consists of a double surface of cotton cloth slightly padded and quilted down, not in squares, but in curved patterns of flowers &c. The quilting work is done with pale blue or pale pink silk, and the raised parts of the work sometimes appear to be tinted by having a colored cloth below the outer surface, the color of which partly shows through the white.

This work is best done in Kashmir, but also at Lahore, Amritsar, and elsewhere.

The following are specimens of embroidered leather:—

Most large cities have workmen who embroider shoes and sword-belts. At Kasúr, in the Lahore district, there is an embroiderer who has carried off more than one prize at Local Exhibitions for his embroidery in plain gold thread, or in gold thread and colored silk worked on leather, and for his embroidered saddlery.

[7064]. Sword belts by RAMI MAL of Delhi. Specimens also from Amritsar, Hushyarpúr. Ludhiana &c., &c.

[8712]. Saddle trappings, of gold and velvet by MUSTAKIM of KASUR (LAHORE DISTRICT)


[8073] Letter bag elegantly embroidered in gold and silver thread.

[8174]. A gold embroidered belt, and leather powder flask (belonged to the late Raja Teja Sing)

(For an account of Horse, Camel and Elephant Trappings, see Class XI - LLATHER).









CLASS X

ARTICLES OF CLOTHING—AS SUCH—INCLUDING ETHNOGRAPHICAL SPECIMENS GENERALLY.

This class is designed to embrace those specimens which are always to be met with in museums, having been brought by travellers, or sent in by collectors who have intuitively almost, taken them up as indicative of the religion, manners, dress, food, habits, and capabilities of the people they have visited.

To some extent the whole volume furnishes an ethnographical sketch, inasmuch as the various manufactures are all more or less special: the fabrics, the vessels, the pottery, the jewellery, the fine arts, all exhibit some peculiarities, but there are nevertheless a few articles which might be called ethnographic specimens, as specially illustrating the habits of the people. A large portion of these specimens exist in forms of clothing and costume more or less remarkable, and hence the prominence given in the heading to "Articles of Clothing." The Punjab territories are made up of tracts of country so wonderfully different in climate, physical appearance, and geographical position, that it is not surprising to find the utmost difference between the various races inhabiting the province and its environs.

In the hill country we have all the varieties of Indian and Thibetan races; the districts of Kangra, Simla, Ladák, Lahul, Spiti, Kanáwar, Kashmír, Kaghán, and Kabul, all furnish us with differences of dress, appearance, manners, customs, and implements of trade, art, or religion. In the plains we have all the distinctions of Kashmíris, Biluchis, Pathans, Hindus, and Mohamedans, Hindustanis and Central Indians. Among the Hindus again we have different castes, and all sorts of people who belong to no caste at all: Gipsies, Chúras, Chángars, and the like. All these exhibit, more or less, differences, and especially in their dress.

I have expressly avoided all mention of such physical peculiarities, as Ethnologists lay most stress on, viz: conformation of the skull, height, carriage, strength of form, and so forth; such matters could not form a portion of a work like this; indeed if they could be legitimately included. I have neither space to give to the delineation nor knowledge to complete it. For a similar reason, peculiarities of language are not here noticed, save incidentally in giving the local vernacular names of the articles described.

All that can be attempted under my present heading is to describe those articles of dress, and other objects of manufacture and art, which are ethnographically interesting.

With this preface 1 may now proceed to an enumeration of the collection. The first series are dresses of castes &c., inhabiting the plains.

We have first two classes of them: those who are agriculturists, and those who live in cities.

The former will be found principally to include the following classes, viz. Sikh Jats, Mussulmán Jats; Raiens, Dogars, Gujars, Brahmans, Rajputs; but in some places there are some considerable aggregations of castes called Lubánas, excellent agriculturists, who, in the Lahore district are much collected together along the banks of the Ravi, and they have a dialect so peculiar as to be with difficulty understood by ordinary people. Kambo is another rather prevalent Hindu caste in some places, so is the Arora. In the Frontier districts we have different races altogether: Wazíris, Bilúchis, Afridis, Pathans, &c. These will appropriately form a class by themselves.

And the desired to the second

ピュー・は、大学をなるながら、 いっちゃちゃ

In the districts just below the hills, and in the lower hills. Rajputs predominate.

Besides these regular classes, all over the country other classes are to be found, the enumeration of which is not within the scope of this work; but, as far as dress is concerned, the several classes of persons who have more or less distinctive dress and occupations, as Fakirs, Nais (Barbers—who also arrange betrothals), Mirásis, wandering bards; also the very low castes, Bhangis, Chúras, and others, are to be met with everywhere; but they generally are very poor; they wear very little clothing at all, and nothing at least that deserves the name of a distinctive costume.

In the cities, we have besides the native gentry, Hindu and Mohamedan, Khatris, and shop-keepers of all classes, banyas and various Hindustani traders, Sikhs, Mussulman Kashmiris, Munshis, to say nothing of all those individual traders and occasional visitors who represent castes and tribes having no local domicile. The dresses of such will be described.

Costumes of Lahore. Amritsar, and other similar districts.—In the cities, Mussulmans of the higher rank generally wear an angarka, or coat with a skirt, the body fitting tight: over this a choga; in cool weather this may be made of figured muslm or else of silk, very gay colors being often selected; in colder weather embroidered pashmina, or European merino, or other warm material is made use of. White stockings are worn, and shoes of fine leather, more or less embroidered with gold; white or colored turbans are worn according to custom. The ordinary class of respectable Munshis will wear a similar dress, but without the gay colors, generally a plan white dress; if any part is colored it is a scarf &c, of the printed muslin which in Europe is only used for female dress.

When trowsers are worn they are usually narrow and long (Gharáradár wa tang). But some classes of Musulmans wear loose trowsers, and Hindu merchants, shop-keepers and others wear a waist-cloth or dhoti of white cloth, sometimes with a red printed edge; this is worn so as to fall in folds on each leg, and fastened up in the middle and tied round the waist.

Females wear loose trowsers, a sort of shirt or kurta of fine cloth, and a large 'dopatta' or scarf, which is gracefully folded over the head and covers the whole body almost.

Kashmiris are abundant: those who trade, and are called Sádhu, wear dresses like other merchants; their females wear a long shirt or kurta, trowsers of súsí, blue striped with white, a small cap on the head, and a veil called 'burka.'* Their shoes are of red or green leather, of a somewhat peculiar shape, and called 'kaush;' other Kashmiris who work as shawl weavers &c generally shave their heads and wear a small quilted skull cap and loose trowsers, often wear no clothes on the body at all, except perhaps a dirty chaddar or wrapper; they are nearly always very dirty.

Julás and weavers and many other working people wear instead of trowsers, a 'tahband' or sheet worn round the waist like a skirt and tied up in a knot in front of the waist.

Of Hindu castes: among the Munshis, Kashmiri Pandits are common; they wear white angarkas and chogas and turbans like other Munshis, and black leather shoes. The wealthier classes wear a white angarka, and sometimes for a wrapper a silken scart with gold

The burka is not a vel but a baz, like a bottle cover on a larger scale. It consists of a cylindrical baz for the head, having holes cut out, and covered with net work to see and breathe through; while attached to the head bag a pleated skirt covers the whole figure downwards: the woman so encased looks lkies a mummy, and is of course invisible to eyes profane. The whole dress is made of course white cloth.

border, or a shawl, and these also wear ornaments round the neck, and gold karas or bracelets. The Hindu shrofts or money changers (saráf), the cloth seller (bazáz) &c, wear 'dhotis' or large sheets tied up into loose trowsers, close folded pagris of white, or often pink cloth. Nauriyas, a class of traders from Bikanír and thereabout, wear a very long turban of red cloth and a white dhoti, which is worn like other Hindu dhotis, but is confined by a silver chain girdle furnished with a clasp; the ends of the chain are visible and hang down for ornament; such a chain is called "tarágí." The Hindu castes of Káyaths called 'Bharpúnju' (literally grain roaster); also engage in mercantile and clerks' business, sometimes they wear a cap, and sometimes a turban.

The Sikh gentlemen wear trowsers tight fitting round the calf of the legs; they wear also a kurta or shirt with a scarf round the waist, and some adopt a choga, others wear a khes or scarf: they often wear a double turban, as presently described.

Sikh ladies wear a kurta, of silk or fine muslin; trowsers, which are tight and made of striped silk or gulbadan; sometimes a skirt or lengá is worn over this and the usual scarf or dopatta of fine muslin, which covers the head as well as the body.

Sikh villagers generally wear very little clothing. They will wear a coarse pagri. and a khes or chidden for a scari;—and often wear short drawers coming down to the knee, or else a sort of 'tahband' or waist-cloth. The women wear a skirt or lengá a chádar, generally of red coarse cloth embroidered with rudely executed sprigs of flowers in green and yellow silk,—some also wear a 'choli' or sort of stomacher, which generally leaves the arms bare and also exposes part of the body down to the waist.

Among the Sikhs, the class called Nihangs or Akálís should be noticed]: very few are now to be seen, but they dress entirely in dark blue; having a high peaked turban which carries three steel flat rings—the war quoit of ancient Hinduism—and also certain, short knife-like pieces of steel stuck into the body of the turban. They wear a large iron flattened ring round the neck and iron rings on the arms.

The villagers usually at work wear nothing but a coarse 'patka' or turban, and just such a waist-cloth or "safa," as serves for a covering. † If coming into town they put on a chadar, or wrapper. They wear shoes of stout coarse leather called "dhauri." The women wear a lenga, or skirt, sometimes coarsely embroidered, and pajamas or loose trowsers generally of susí (already described). Some classes of Mussulmans, Malis and Raeins, wear dark blue cloth instead of white, and a waist cloth tied in front like a tight skirt.

The better class of villagers and the headmen or lumberdars wear white turbans and a white shirt, also a khes, also probably a well woven lungi for a wai-teleth, or a white cloth of better texture than usual.

I will only add to this note a word or two concerning turbans.

The state of the s

Hindus, especially banyas and shop-keepers, wear a "pagri," which is a turban closely bound in regular folds on the head, and the proper binding of it is an art in itself.

Others who do not wear the pagri choose a loose full turban wound on without any particular care, and called "dastar."

[&]quot; I shall describe the jewellery of the country in its proper place. A kara is a thick ring which not a complete circle, but the two ends are brought together and bent of on to put on.

⁺ Called by Hin ius "langoti."

Sikhs sometimes wear the pagri, sometimes the "dastar," but Sikh gentlemen often wear a double turban. A small close fitting turban (colored) called "safa" comes down over the forchead, and a loose dastar, generally white, or of a different color to the safa, is so disposed as to shew a little bit of the latter underneath and just over the forchead; the effect, when the colors are well assorted is pleasing.

Mohamedans wear a dastar usually, or else a large and loosely folded turban of shawl or scarf material; this is called "amama" or "shamla;" the large turbans formed by endless coils of muslin tightly twisted into a rope are called by the same name.

I now proceed to give extracts which describe the dress and habits of the people in special districts.

The Ambala District.—The dress of the men consists of a turban, twisted round a skull cap; a dhoti, or cloth fastened round the waist, and drawn up between the legs; shoes; and in the cold weather, a sheet or counterpane stuffed with cotton. Only a few of the better dressed men wear the chapkan (jacket,) or miczai (coat.) so con mon in the provinces. The fact is that only a few of the zemindars have hitherto been sufficiently well off to afford these luxures. Those who can afford it wear a thin cotton jacket, in the hot weather and rains, and one of dyed cotton stuffed or padded, in the cold weather.

The Siran District.—The principal castes in the district wear dress as follows :-

Sikh Jats wear a turban (dastår), a kurta, a short coat or jacket, a short cloth worn round the loins called "kach," and over all a "khes" or "chádar" as a wrapper.

The women of this class wear on their heads the "orna," a sheet sometimes embroidered on the edges with silk; a "kurti" or chemise, and paijumas of which the lower part fits close round the leg, but being very long is gath red into folds or wrinkles; this article of clothing is called "suttan" or "paijama churidar;" a skirt is superadded called "lenga; " the richer classes have this of silk, or "mungashári" (mixed cotton and silk).

Another caste is called "Bijri" They wear a safa or short turban. (The dastar is a very long cloth, wound round the mad; some classes wear a dastar of one colour, and wind the shorter turban or safa of another colour miside, only leaving a little piece of the color exposed). In this distinct the "safa" is called "potaba". The body is covered by a "kamri," or short con reaching to the waist (ka m) which is the same as an "angarka" only half the length: it opens down the middle and fastens by strings below the breast; below this is a "dhott "womer round the loins, and hanging loose about the legs. A "chalar" is worn over all, or a shawl of wood (lohi) in cold weather. The women wear an "orna" as before, and an "angya," a small stomacher covering the upper part of the person only. A skirt or "lenga" completes the diss.

The next caste is the "Ryshnavi" The men wear clothes like the Bajra Jats,—the women wear a head veil or short always of wool,—either in the form of "orna" or "lohi,"—a woollen stomacher or "angya," and the soirt with its tying string (called dhaila) is also of wool.

Brahmans, Aruras, Bakáls, &c., wear a dastár on the head, on the body an "anga" before described, and around the loins a "dhoti"—and as a wrapper,—a "khes," "dohar" (double sheet), "dotahi," "chadar" or blanket "lohi" according to the season. The women wear the same dress as the rest; they call the "lenga," "gagra". In the Punjab proper there is a difference; the "gagra" is a cheaper or common kind of "lenga."

The Mussulmans Lohanas &c., wear on the head a pagri (dustar) and some a salarf—(a cloth, which is white striped with black lines.) Some of then wear on the body an anga, others nothing,—round the waist they wear a "taimat" or taiwand (answering to the "dhoti" of the Hindus.) and over all a "lunghi" or a chadar.

Women wear the usual head sheet or veil. "orna"—on the body the angya or kurta, and either the 'paijamas' or 'lenga," or in cold weather both.

lil The Shahpir District -The every-day dress of the male portion of the Mahomedan popu-·lation living north of the Jhelam river consists of four garments—a " mujla," a "kurta," a "chádir," and a "turban," or "pag" as it is here called. The first is a piece of cloth about three vards long and a yard and a half wide, which is fied tightly round the waist, and allowed to hang in loose tolds over the lower part of the body. The "kurta" is a full-cut tunic, with large open sleeves reaching a little below the waist. The "chadar" is made of three breadths of cloth, in length about as many yards, and is worn something in the manner of a plaid the turban nothing further need be said, than that its size depends much on the social position of the wearer, and increases with his importance. South of the Jhelam the "kurta" is discarded, in the Barit is never seen, indeed the man who would wear such a garment there must be possessed of more than ordinary moral comage to endure the jokes that would certainly be made at his expense. The material of which this simple clothing is made, is the ordinary coarse country cloth, except that along the rivers, especially the Chenab, colored lungs are often used as "mujlas." The "Kahars," the chief cainel owners of the Shahpur Teliseel, are also much given to wearing "lungis". The Hindus to a great extent follow the fashions of the Mahomedaus among whom they live, in regard to the use of the "kurta," but their mode of tying the turban is somewhat different, and the "dhoti" replaces the "mujla," the difference between garments being in the manner of putting them on.

The Mahomedan women also wear the "mujla," (tying it somewhat differently to the men), and this is usually a colored "lungi". Their other garments are two, the "choli," and the "chadar." The former has short sleeves, and fits closely round the breasts, leaving the remainder of the body bare, except where a small lappet hangs down and hides the stomach. The "chadar" is a piece of cloth about three yards long and one and a half wide, worn as a veil over the head and upper part of the body, from which it falls in graceful folds nearly to the feet behind. The "choli" is generally made of strips of many colored silk, the "chadar" of a coarse but thin description of country cloth called "dhotar," sometimes dyed, but more often plain. To this the "Thal" is an exception, where veils of many colors, the patterns formed by spots disposed in a variety of ways on a dark ground, are the rule. In the hills, colored garments are scarcely ever seen. The Hindu women of the Khatri class wear full trowsers called "suttan," made of a striped material called "susi," the ground of which is usually blue. Over the head is a thrown a "chadar" of coarse cloth, prettily

^{*} From Major Davies' Settlement Report.

embroidered in many colored silks, called "phulkári," and round the upper part of the body is worn a loose "kurta" of silk or muslin. The women of the "Arora" class are clothed like the Khatranis, except that in place of the trowsers, they wear a skirt called a "gagra," and sometimes the "mujla." It may be added, that it is the invariable rule, even among Mahomedans, that a girl shall wear a "kurta," and plait the two front tresses of her hair, until she is married.

For the costumes of hill districts, and those about the foot of the mountains the following series will serve as descriptions.

In Hushyarpir, the Jats, Raiñs, Musulman Rajputs, and Hindu Rajputs, Gujars. Brahmans, abound. The Gujars and the Hindu Rajputs and Brahmans are mostly in the hills, and the Gujars are here described as peacable and quiet, unlike other districts where they are the reverse,—being great thieves of cattle.

The costumes of the plain-dwellers do not differ from the foregoing descriptions. For the rest the following extract will supply information. It is taken from Barnes' Report.

Kangra District.—"291. The ordinary clothing of the poorer classes are, for the men, a 'topi' or skull cap, for a turban is seldom or never worn, a 'kurti' or frock reaching to the waist, or a 'cholu' which is a similar garment only extending somewhat lower, and 'kach' or breeches, for long trowsers are not "in vogue. In addition to these three articles, the peasant usually carries with him his "pattn' or blanker, which in hot weather he twists as a turban to defend his head from the "rays of the sun, or in winter wraps round his body, as a highlander flings his plaid.

"The frock and breeches are usually made of cotton woven by the village weaver or "julaha, and cut and sewn into shape by the village 'sni' or tailor. The pattu is of home texture, generally in alternate squares of white and black wool, the only variety being in the size of the squares. In the rams people travel about bare-foot, as the wet weather spoils the "shoes, but in all other seasons they usually possess a pair of slippers or 'júta.'

"The higher classes of course wear whatever they please. Their clothes are usually made of English fabrics, and formed into shapes to suit the fashion or pleasure of the wearer. The only peculiarity is that the 'kurti' is commonly retained by all, and in the head-"dress they all shew great coxcombry and taste.

"Two or more turbans of different colours are artistically mixed together, and bound "round the head so as to display the colours to advantage, and to fall in heavy yet graceful folds over the right ear. The usual mixture is a red ground with a white exterior turban, and the effect is always becoming. Like all other fashions, it is sometimes ludicrously exaggerated, and I have seen as many as seven turbans of different hues, not very judiciously chosen, wrapped round the head of a hill dandy. The hill people are also very fond of wearing colored vests and scarfs. They also adopt the effeminate habit of wearing ear-rings of gold, graced sometimes with pearls, and those who can afford it will display gold or silver bracelets, and necklaces of beads alternately with gold.

Control of the second of the s

"The female dress is also very picturesque. On ordinary occasions they wear the 'gagra' or petticoat, the 'choli' which covers the breasts, Women-their dress. "and the 'suthan' or long trowsers, with a 'dopatta' or mantle " to form the head dress. In the winter they adopt a gown, called 'doru' which covers the " whole body, fitting close under the neck - For ordinary wear, these garments are all made of " simple colors and are both modest and becoming But on gala days, though the habili-" ments are the same, the texture and colors are strikingly altered. The petticoat is adorned " with printed silver or gold patterns, which set off the extremities, or the whole garment is " made of streaked colors tastefully associated. The 'dopatta' or mantle instead of being a "simple white is transformed into a pink or yellow scarf. The 'choli' is made of equally · gay material, and the person is ornamented with various articles of jewellery. The nose ring " or 'balu' is the most common ornament. Every woman who is not unmarried, nor a " widow, displays this piece of finery. It is a sign of married life, and shows that the wearer " still rejoices in the society of her husband. The lower classes are restricted to silver, other-" wise the 'balu' is always made of gold, in circumference limited only by the taste of the " possessor.

"There is a great variety of female jewellery, which it is not necessary to detail. The Girth women are very fond of a profusion of necklaces; some are constructed of coloured glass or pieces of poreclain (kach) and beads, the vegetable produce of the forest. This dress is the costume adopted by Hindus. The Mahomedan women do not evince such taste or coquetry. They never wear the gagra or petticoat, and very seldom the dorn or gown. They restrict themselves to loose trowsers and a mantle. The gown of the lower classes is made usually of coarse chintz. There is another dress, confined, however, to the higher ranks, the paswaj, which is a cotton gown of very light texture almost approaching to muslin, and made of various gay colors".

Lahul.—The Lahul people wear a dress of which the principal material is woollen cloth, and which resembles the dress above described.

The men wear a coat (chola), trowsers called "sutni," a waist-cloth "gáchi," and shoes made of a thick leather sole oblong in shape save that it is extended at one corner to make room for the great toe, the upper part of the shoe is a net work of string: such a shoe is called "púla." In the very wild parts shoes or rather sandais made of "bagar" grass (Eriophorum sp:) and also of plaited straw are used, especially for crossing over rocky paths and snowy places. The upper covering of all is a thick "châdar" or wrapper of woollen cloth, fastened over the shoulder by the aid of a kind of brass brooch called búmni.

The scarf that the Lahul women wear is called "pecha."

Kulu.—The Kulu men wear a dress not unlike the Lahulis, the topa, or cap, the gachi or girdle a frock called chola, and also "khunti," and other articles the same.

The Kulu women's head cap is called "dháthú," and they also wear a long tail of black woollen thread plaited into their own hair like the 'paranda" of the plains and called "jathi."

The shawl or wrapper is called "dhúmkar," and the women wear long leggings, which being made far too long for the leg are worn gathered in folds round the leg, and this is for the sake of warmth in the winter; such leggings are called "paunche."

As ornaments women also wear enormous anklets, like huge fetters, of zinc and lead, rudely carved with patterns &c.: these are called "gunkare" and another variety 'kangnu.' The weight is considerable.

Ladakh Custome.—The following account is extracted nearly verbatim from Cunningham's Ladakh, p 303. "The men of Ladakh wear a cloak of woollen, thick and warm. "The cloak is called la-pa-sha, it is made like an ordinary choga or dressing gown, either white or khudrang,' the natural dirty grey of the wool. It is never washed and never taken off till it falls off.

- "Round their legs from knee to ankle they have coarse woollen leggings (called rKang"Phying) of felt, fitting tightly or else wrapped close round the leg and secured by a garter

 (called rKang-gDub) which is wound spirally round the leg from the ankle upwards. The
 garter is generally black (a woollen tape) but sometimes red. On their heads they wear

 either quilted skull caps, as filthy as their cloaks, or caps of sheepskin with the wool inside

 and with a large flap behind which covers the back of the neck as well as the ears.
- "Those in better circumstances have fur caps of the same shape. Their boots are of felt with soles of sheep or goat skin, which are turned up all round and sewn to the felt.
- "The upper part of the felt boot is open to the front, and is allowed to fall over something in the manner of the boots worn in England in Charles II's time. The "Lamas" wear red boots, and the others mostly have theirs ornamented with small bits of colored cloth in the front.
- "The Ladakhi women wear a black woollen jacket with a large striped petticoat of many colors (and stamped with a pattern on the stripes) generally green, blue red and yellow, reaching below the mid-leg. Over all they wear a sheepskin with the wool inside, secured or rather skewered in front by a large iron or brass needle.
- "The poorer classes have the outside of the skin plain, but those in better circumstances cover it with coarse woollen baize, either red, blue, green or yellow, and with a broad border always of a different color. The upper classes cover this sheepskin cloak either with brocade or with silk. Their heads are always bare, the hair being arranged in a border of narrow plaits which hang round the head like a long fringe.
- "From the forehead over the crown of the head they all wear a long narrow band of (red) cloth studded with coarse many-flawed turquoises, which hangs down behind as low as "the waist, and is usually finished off with a tassel of wool or a bunch of cowries." The ears "are covered by semi-circular woollen lappets, fastened to the hair and edged with brown or "black fur, generally of the otter skin, called knndaz * * * They are made coarse "or fine according to circumstances; for the Ladakhi women seem to pride themselves upon "the style and material of their lappets, just as much as European ladies do upon the fashion of their bonnets.

^{*} This . the " perak, " to be described presently.

COSTUMES OF SPITI.

It is now time to describe the dress of the remote province of Spiti. Excellent illustrations of this will be found in photographs (which are better than pages of letter-press) in Mr. Egerton's volume on his tour in Spiti.

The dress of the men consists first of a pair of boots, of which the foot is of leather and the legs of woollen cloth of different colors, first a bit of yellow or red, and then a bit of black, secured under the knee by a garter. These are called "hlam." The upper garment is a loose coat of thick home-made blanket, with long skirts, belted round the waist with a coarse scarf.

They all wear ear-rings and necklaces of turquoises, coral and amber beads; every one has an iron pipe stuck in his belt; a tobacco pouch with its flut and steel hanging to it; and a little wooden bowl in the breast of his coat used as a drinking vessel. On their head; they generally wear a little round cap, but some wear a kind of Scotch cap, the loose top of which hangs down over the neck. Youths, except those in high position, ordinarily go barcheaded. The women also go barcheaded. The unmarried ones have one or two turquoise beads in their hair, but the married ones a most stupendous ornament called a "perák." The dress of the women is a long gown like that of the men, and a pair of long loose trowsers tucked into the boots, which are worn like men's. They have no pipe or flint, for to their honor be it said the Spiti women do not smoke. When working in the fields (for all the faum work except ploughing is performed by women) they remove the perak (which is heavy) from their heads and let it hang down from the two ends, one of which is fastened to the shoulder, the other to the belt.

Captain Hay mentions that the large cloth boots being much larger than are requisite for the size of the leg, the vacuum is filled up with bhúsa, i. e., chopped straw, or else with wool.

The women wear their hair in a number of plaits. The men also have their's done up into one long plait. Women are not seeluded. The Lama has a variety of head-dresses, but in the Chinese fashion. The food of the people consists of wheat, barley and pease; they cat yak's flesh and make soup of it also. Animals are killed by strangulation to avoid shedding their blood. Tea is much drunk but prepared with butter and salt. †

The collection illustrating the Kangra, Kulu, Lahul, and Spiti dress, consisted of the following:-

639.-A perák or women's head ornament from Spiti.

This consists of a long leather strap or cleth strap ending in a double tassel, which hangs down from the back of the head; in front there is a gold, silver or brass, fan-shaped ornament, which comes down to the forehead; on each side of the face, two long ornamented tassels, hang down, and behind hangs the tail of the perak, the strap before alluded to, which is covered with large turquoises pierced, and sewn on; they are not fine stones,

^{*} Egerton's Spiti, page 25.

⁺ Captam Hay's Report.

but large coarse pale blue pebbles full of flaws, and not worth above 5 rupees an oz.: they are brought from China. Mr. P. Egerton mentions he had great difficulty in obtaining the specimen (an inferior one) which went to the Exhibition of 1864, and even for that he had to pay Rs 80 or £8. Only married women wear these peraks, but every married woman must have one; consequently, as the turquoises are obtained with difficulty, fathers have sometimes long to wait before their daughters can be married.

640.—Hill woman's dress flowered with silver and gold (Kangra and Kulu.)

This is a scarlet skirt made of imported cloth and covered gaudily over with sprigs and flowers in gold and silver. It is made by first stamping the desired pattern on the cloth by means of wooden blocks charged with a gummy mixture, over this common gold and silver leaf is put, which adheres where the gum is, thus forming a pattern in gold or silver on the cloth ground. Such gaudy dresses are worn on festival occasions.

641 .- Woollen girdle, Kulu.


This is nothing more than a long rope or rather piece of felt piping which is wound round and round the waist for a girdle: it is not twisted up like a rope, but is a smooth piece of "piping," the wool holding together owing to its felting property.

- 642 .- Woollen jacket, Kulu.
- 643 .- Woollen gaiters or leggings, Kulu.
- 644.—Cap, Kulu. This is a thick ring of felt, which encircles the head, the middle of the ring being covered with cloth. Otherwise describing it, it may be said to be a small cap of coarse black cloth, the edge of which is developed into a thick roll or ring.
- 645.—Coat and Trowsers, (Kangra.) The coat of the whitish blanket seen commonly in all the hills from Hazara to Simla. The trowsers are of a thin soft toad-colored leather of great pliancy and softness, and are, I believe, peculiar to Kangra: I have not seen them worn elsewhere.


646,-Shoes of Bagar grass.

These are a rude kind of sandals made up of Eriophorum cannabinum: they are bound on to the feet for walking or rather clambering over jagged rocky paths, and narrow ridges where the bare foot would be cut, and where the ordinary shoe could not be worn.

- 647.—Shoes of hemp called "Sheli." The best are made at Plach, and are ofter seen on the road between Kulu and Simla. The sole is either of felt or of hemp made up in to a thick mut and shaped; the foot is sustained by a rim of closely woven net-work of woollen thread.
 - 648 .- Shoes made of when t straw, Kulu (vide infra).
- 849.—Dress from I ahul—Revd. H. A. J.ESCHE, and TARA CHAND—consisting of a man's coat and trowsers (all of wool) a woman's dress, and socks, and shawl, and cap, and



to -use page 11 16 650







a girdle,—also some straw shoes. In Thibetan the woollen cloth is called "rNambu"—pro-nounced Nambu.

The warp is of Changthán wool, used on account of the length of hair, the short Lahul wool is used for the shuttle thread. A coat costs Rs. 3-0-0, the trowsers Rs. 1-4-0, the girdle 6 annas, and cap 8 annas. The trowsers are of immense length, but this is remedied by wrapping or rather gathering them in folds round the leg up to the knee, for the sake of warmth.

The straw shoes are made by soaking the straw in water, after which it is beaten with a mallet and twisted into the requisite form. Everybody makes his own shoes. Coolies on a long journey usually carry as many pairs with them as they expect to spend days on the march.

650.—Lama's dress, girdle and shoes.—Lahul, Revd. H. A. Jæsche.

This appears to be a mere woollen gown and girdle of the common Orders: the superior Lamas and Abbots wear yellow robes on state occasions, and other satin robes on which are Chinese figures: their head-dresses are gigantic pieces of carved wood work. They are illustrated in Mr. Egerton's Journal.

I have since seen a very curious dress of a Lama of the Dengpa sect: it consists of a jacket of dull red woollen cloth (dyed with madder) called stod-tse (pronounced tötse); trowsers, a cloak called blagos (pronounced lago) a "meditation band," which is a broad strip of red cloth, which is strained tightly across the shoulders and helps to sustain the devotee in the peculiar stooping posture he adopts when engaged in meditation. This belt is called 'sgom-thag.'"

This dress was accompanied by three instruments: one, the prayer wheel, called "mannaphanna"; it consists of a copper cylinder which turns on an axis of iron wire fixed into a wooden handle. Sometimes the cylinder is made of silver, or ornamented with silver letters embossed on it; the cylinder contains a central core of cloth, &c., round which is wound the strap or tape on which prayers are inscribed; the cylinder is made to rotate by jetking it with the hand, and as to the upper part a short piece of chain with a weight at the end is attached, when once set going it is easily kept in motion: the prayer is supposed to be said when the cylinder turns. Prayer wheels of this kind are often set up near villages on the side of a hill stream and so turned by water-power. Another sacred emblem is a dorp or sceptre, a small implement made of a bell metal called "khro" (pronounced tho). Its shape will be seen in the annexed plate.

A third implement is a blunt dagger, the blade of iron, the handle shaped something like the dorji and of the same metal; it is used not for fighting purposes, but for incantations and charms, &c.

651.—Woollen cap—Revd. H. A. JESCHE. This is a felt hat something like our English wide-a-wake: it is made either white or black of thick coarse felt, very easily turned into any shape, the rim can be worn up or down &c.: these are made by Chinese workman at

Yarkand. Those sent to the Exhibition had first received a binding round the edge with velvet. A cap costs Rs. 2, but if made of pashm or shawl wool Rs. 4.

It was interesting to find in the Exhibition among the curious products of the wild regions of Lahul, a set of worsted stockings made by Lahuli girls under the superintendence of the ladies of the Kyelang Mission.

CHAMBA COSTUMES.

The people of the Chauráh district wear the usual greyish white woollen cloth, a girdle of dark brown woollen or felt rope; their head-dress is a tall woollen peaked cap of the same color and material as their dress;—the cap has a deep rim which is turned upwards, and the rim being cut through in front ends in two projecting points into the top of the cap. The people frequently have a string or garland of dried yellow and purple flowers strung on alternately with pieces of white tale: this has some religious import.

The men here, as all over the hills, have rude silver ornaments and great beads of amber, sometimes also coral and turquoises of a coarse kind. Samples were sent of a cloak or choga, a tall cap and waistband and girdle; these came from Barmaor.

The women of the "Chauráh" district of the Chamba Hills, wear a small cap of cotton cloth, with a triangular peak or tail hanging down behind, a woollen coat, and narrow trowsers gathered into folds on the leg.

In the Pangi district the men wear a short thick grey woollen coat reaching to the knoes, a seared by a heavy girdle, either of woollen rope or of a blanket, wrapped round the waist. The legs are usually bare, except in the case of the richer agriculturists who wear woollen trowsers. Straw shoes called "púla," are universally worn. On the head is woollen skull cap: small necklaces of amber, coral, &c., are worn. The women wear a large blanker as a skirt, a broad girdle of woollen cloth, and the body is covered by a blanket worn round the breast and with the ends thrown over the shoulders like a plaid and secured with brass pans. On their head they wear a high woollen cap, the crown of which is broader than the base and hangs over. Their oriennents are large ear-rings, neklaces of coral, &c. Every woman also wears a large round brass plate suspended by an iron chain, and hanging over the breast, a brass bell, and generally a bunch of brass pomegranates, which are hollow and jingle together; zinc bracelets or 'karas' are also worn.

The Buddhist villagers of Panzi are rather better dressed—at least the wealthier classes. The men wear woollen caps, small car-rings, and a woollen coat. The women wear a cotton jacket with tight sleeves, woollen trowsers, a blanket for a searf. They also wear the bell and the plate, together with an immense profusion of long and short necklaces of cowries, bonds, amber and corn I chains. On the head a small cap lying in folds on the top of the head. A silver fan-shaped ornament hanging over the forehead, and chain and fringes descending on either side of the face. Anklets of bunches of brass pomegranates are also worn, the 'pala,' or straw shees complete the costume.

The furthest province of Chamba consists of Chota Lahul: the Lahuli costume has already been described.

COSTUME OF THE HILL TRIBES OF SIMLA.

Men wear a long woollen coat, and rather baggy trowsers, tight at the ankles; a long rope or piece of cotton cloth serves as a girdle; the cap is usually of black woollen felt, having the thick edge or ring, such as before described, and which is also worn in Kulu and figured in a photograph at page 8 of Mr. P. Egerton's Spiti Journal before quoted. Their shoes are of woollen felt with leather soles.

Women wear a dress consisting of a body and petticoat stitched together, or made in one. They do not wear trowsers as a rule—unlike the other hill people. The hair is plaited and make into long tails with black wool, the ends being finished off with red wool, and a gaudy colored kerchief is thrown over the head.

The people in the lower Hill States appear excessively fond of dresses covered with silver flowers, &c.: all cotton cloth is imported from the plains.

The Simla collection contained several pairs of shoes, and also snow shoes; men and women's caps, and several excellent blankets. The people here dye their wool with madder, &c., and occasionally vary their fabrics with lines or edgings of red. I have not proticed, however, the check or plaid so common in Kulu.

COSTUMES OF THE FRONTIER.

Leaving the Himalaya we now proceed to the costumes of the frontier. Any one who wishes to gain a good idea of the people themselves and their customs, I would refer to Pollock's account of Dera Ghazi Khan; to the Dera Ismail Khan Settlement Report; to the late Major James' charmingly graphic Report of Peshawur; and to Dr. Bellew's Yusufzai Report; besides the works of Burnes and Elphinstone on Kabul, and to Vigne and to Jacquemont's Travels.

652.—DERA GHAZI KHAN. Of the clothing worn in the Derajat I have obtained the following particulars:—

There are two principal classes, Hindus and Bilúchis. Hindu men wear loose paijamas called "sharai," and sometimes dhotis—generally white, but occasionally colored. "Angarka" is a long coat reaching down to the knees. "Pairáhan" is an under-shirt worn under the angarka; a wrapper or chádar is worn above the angarka, when requisite.

Dastars or turbans are not manufactured in the Derajat. A 'thán' or piece of muslin is divided into three pieces down its whole length and forms three turbans; sometimes red or pink turbans are worn. A cotton cap is worn under the pagri.

Mussulmans wear paijamas reaching to the ankle; instead of these a sheet called locally "dedha," or "tawad" or "taiband," it is worn either dark blue or white. A pairahan or kurti is worn as an under-shirt, and also a chadar for a wrapper, or else the chadar is replaced by a "patka" or scarf, sometimes embroidered on both sides.

The Bilúchis wear loose paijamas with many folds, and the kurta as before, and the chádar or patka.

Hindu women wear a pleated skirt called "gagra," a bodice or stomacher called "chhola," embroidered, and a scarf called "pochan."

Mussulman women wear either a "gagra" or trowsers, and a chola or stomacher "sinaband," sometimes both, and a "pochan."

The Bilúch women wear a "kakka" or long bodice in lieu of the chola and scarf.

653.-HAZARA COSTUME.

The dress of the residents of the plain country differs little from that of the inhabitants of the Punjab generally. A loose white kurta and flowing paijamas, the latter sometimes loose and open at the ankle, and sometimes drawn like a Turkish trowser, constitutes the dress of the majority, to which the higher class add a lungi as a girdle and another as a turban. The Khans wear the latter embroidered with gold. In the hill country, near the border, the garments, both tunic and trowsers, are often dyed of a deep blue, with a small skull cap for a head covering.

The prevalence of the dark blue dress and the blue turban, often with a bright crimson border, will strike the traveller in Hazara. On passing through the district from Abbottabad, the people struck me as looking much better dressed than is usual in the plains; there were none of those dirty looking, half naked men, whose costume is made up of nondescript pieces of cotton very dirty and ragged.

654.—Waziri Costume, Banu District, and Banuchi Costume.

The following particulars were kindly obtained for me by Mahomad Hayát Khán, Extra Assistant Commissioner at Banu.

The Waziris are the hill people in the territories adjoining the Banu and Marwat plains; the Banuchis are the inhabitants of the Banu plains.

The people cat wheat, maize, barley, and bread made of them, and mutton—meat is much used, also porridge of roughly pounded maize.

1:

Ţ

The clothing of the men is as follows:—A turban, dastár, is locally called "dastúr." It varies in length from one yard to six, and is of coarse cloth; it is usually of a dark blue color, and in the branch clan of Tewár Khel, red, and in some other claus white: some of the Maliks wear turbans of still larger size.

The next article of dress to be described is the chadar, which in Waziri dialect is called "parki." it is usually white and of coarse texture: some few Maliks wear a blue "lungi." The body clothing or shirt—kamiz—is of three descriptions: the first is made of coarse sheep's wool, either of its natural color or white: it is a large loose article called "angarka," and on the breast of this shirt the Waziri women work embroidered

patterns in silk or cotton. Such a shirt is called locally "shari," and its price varies from one rupee to three, this is very commonly used.

Maliks and rich people wear "angarkas," made of white cotton cloth, without seams, and which are locally called "halka."

Other clothes are made to fit the body (i. e. are made with seams "chin," and not left loose like the rest)—these are called "etkoi."

Paijamas or trowsers, called in Pashtú "pardek" or "partok," are worn loose and large, and of white cloth; and in the Masúd clan, the poor people and laborers wear them made of white wool.

The women's clothing is thus described :-

They generally wear on the head a "sipatta" of dark blue color, and made of coarse cotton cloth—they locally call this "takrai." Old women do not wear blue cloth, but one dyed grey with earth; and young women (as they call them in Pashtú Niyázmana Shanzai) do not wear a "sipatta," but another scarf called "jamai," which is white and embroidered with sprigs of colored flowers; for this a scarf called "langáí" is sometimes substituted. It is a striped cloth, in black and white, and with a silk border.

The "kurta zenana," or body garment, called in Waziri dialect "khat," is of two kinds: one "jalana khat" and the other "giradana khat." The first sort is worn by unmarried women, and is loose and seamless, and of red colored "chet" or print; the second kind is worn by married women. It is made of dark red or dark blue coarse cloth, and is often embroidered with silk down the front: the Waziri women work this themselves. Just below the breast the skirt commences in a great many pleats, and reaches down to the feet. When these women go out on a journey or to work in the fields, &c., they tie the end of this skirt up on to their backs.

The women's trowsers are called "partek" or "pardek": those for unmarried women are white, and for married women are made of "susi." There are several kinds of "susi," called "vegamai," "zadr khesh," "sísar khesh," which are used for making paijamas; their fashion is this, that they fit tight to the leg as far as the knee, and above are loose. Children's dress does not differ from the former and is called by the same name; difference only being made of course in size. Young children do not wear the paijamas, they only wear a kurta (jacket) and kamíz or shirt. They wear on their feet sandals, called "jablimizri" and "kalbal chirmi," and exceptionally shoes.

The food of the Banuchis consists chiefly of barley and Indian corn. They rarely use wheaten flour, and the females are never allowed this luxury. A singular feature in the Banuchi costume is that the men never wear woollen clothes out of doors. In the coldest weather they generally appear in linen (cotton) garments, and this not from poverty, nor from any prejudice of caste or religion. The only cause they can assign is custom, and its origin is not to be traced, (Correspondence on Settlement of Dera Ismail Khan, Sec. 25.)

The Banu people wear dark blue clothes and lungis with a red border. I notice the following account of them from Masson's travels (1826—1838)* which may be interesting to the modern visitor of Bannu.

"On the same plain as Marwat, the Bannu people have besides a difference in their costume, a smaller stature than the inhabitants of the former place. The Marwati is generally clad in coarse white linen (cotton), in much the same manner as the Pathans on the banks of the Indus. The people of Bannu wear dark clothing, and are fond of lungis with ornamental borders. Both in dress and appearance they assimilate with the mountain tribes. They are very brave, and remarkable for entertaining an esprit du pays. They are eloquent in culogiums upon their country, and the exclamation 'My own dear Bannu!' is frequently uttered by them.'"

655.—PESHAWUR COSTUMES.

The dress of an Afghan—male or female—has been correctly described by the Honorable Mountstuart Elphinstone, at page 313, Vol. I., of his "Caubul." it may be mentioned here in addition, that the lungi or searf, of various degrees of cost and excellence, is common to all, from the Chief or Khan who struts about consequentially, displaying the gold embroidered border of his finer searf, to the humble ploughman, who must be contented with one made of the coarsest material, with a border and edging of a different colored thread merely. These searfs are of various colors; but the most common are blue, whether of the finer or coarser textures.

Amongst the agricultural population, a scarf of the darkest blue, with a deep border of crimson and yellow silk guiddy, but not inelegantly, intermixed, is much in fashion and sure to be were at fairs and festivals. The best of these are made at Hangú in Kohát. The prices of scarves vary from Rs. 4 to 100, or more even, according to the costliness of the embroidered border. The lungi is often twisted into a head-dress, the border, whether colored or embroidered, being conspicuously displayed. It is also sometimes used as a waist-band, and occasionally to cover the whole body like the plaid of the Scotch highlander. The usual mode of wearing the turban amongst Afghans is graceful and becoming. Amongst the young men much stress is laid upon the proper twisting up and adjustment of this adormment to the head. The most approved are generally worn around a small Persian skull cap, the tip of which peers from amidst the compressed folds of the patka. The trowsers or "paijamas" are invariably loose; amongst agriculturists, of a blueish grey color streaked with crimson. The better classes wear white, or silken trowsers of various colors.

The dress of the hill tribes is an inferior imitation of that of the peasants in the valley. Some tribes have a distinguishing peculiarity, as for instance the Swatis and Bonairis, who recognize each other at once by certain stripes peculiar to the trowsers worn in each country, somewhat analogous to the distinguishing stripes of tartan amongst the Scotch highlanders. Amongstothe Afridis who trade most with Peshawur and Kohat, as

į 3

the Adamkhail and others, drab or "khāki" seems to have become a favorite color, mainly, it is presumed, on account of the concealment it affords to the masses of fifth which these wild men cherish around their persons.

The Peshawar collection contains a number of interesting specimens.

656.—[7645]. Kazlbáshí hat, called "pupákh." A tall black eurly lamb-skin hat made of "post barrá sya" (skin of black lamb of Karákal.)

657.—[7647]. Choga or long over-coat of gram-colored pattu, (choga pattu nakhúdí).

658.—[7648]. Choga of camels' hair? Choga kurk.

659.—[7649]. Choga from Kashgár.

660.—[7650]. Khosa Kandahári. A stout cloak with sleeves of solid white felt.

661.—[7651]. A woman's head dress, chauni or paranda. A long silk band ending in gold tassels, used for plaiting in with the hair.

662.—[6532]. Small cap of Kauckhar, also one from Peshawur. These are small skull caps quilted, of cotton or silk, and embroidered—similar caps were sent from Kabul. The caps are in various styles, called "Jamrodi," "Lálpára," "Peshawari"; the cap itself is called "kullah."

663.—[7667]. Shoes for men and women from Peshawur, Kabul &c. These are often of green leather or "kimukht," and embroidered with gold or object silk.

Postin, a wool lined cloak—" dálah khafak."—Badákshan.

Khaftán of samúr or Russian fur.

Postín kirsák, from Bukhara.

Khaftán of sanjáb or sable-Russian.

664.—[7678]. Belts containing powder horn, stick and flints, &c. These are very curiously embroidered on leather with silk, and contain a retart shaped leather horn, with a mouth-piece like an European powder flisk, for powder a number of tubes fixed side by side and cut off slantwise at the mouth to 1 dd shot or builts; a pouch or an apparatus for flint and steel and tinder, and places for kniv s, we.

665.—[6769]. Clothes were by denote a dis. Principally a robe with a tight body and sleeves, and a skirt rather short and hower are immense number of pleats or gathers; and over all a large common rolly body call searf, which the dancer moves about and folds gracefully in different postures as sho moves; an immense nose-ring, rings, thumberings, ankle-rings, complete the emanufaction.

666.—Paijamas worn by Afrili women.

667.—Coat and trowsers wern by Yuzufa if men.

668.—Shoes made of "putta" or polarlaws, called "chapli." The collection also centained some leather shoes called "jestin," and another kind called "kufshi."

669.—[7686]. Caps made of straw.

おおからい 明明 とうし

*

ŧ

į

ŧ

The ordinary dress of the Yuzufzaís consists of a loose kurti or "kamiz," and wide trowsers called "partog," with a "patka" or turban to wind round the head. All are of coarse cotton cloth of home manufacture, and are frequently worn without a change till in tatters. The dress of their Chiefs and well-to-do men is of the same kind, but of better material, and of English manufacture. The of dress the women only differs from that of the men in the substitution of the "orna" or chequered sheet for the turban. The sheet is of the same material and pattern for the whole tribe. *

NOTE ON THE DRESS OF FAKIRS IN THE PUNJAB.

Some of these of course wear no clothing at all but a thin bit of cloth for the waist, and wander squalid and filthy with matted and rank hair for place to place, staff in hand, and with the beggar's bowl often made of a large kind of eccoanut shell.

A class of Musulman fakirs, called Dinawa, wear a sort of white high cap, worked over with blue thread, and on the body an "alfa" or white shirt, having no sleeves, and embroidered over with blue thread; this is generally very ragged.

Baba Nának's fakírs often wear a similar dress; some of them wear an ordinary turban, except that several lengths of hair rope are bound round it.

Rasál Shuhi fakúrs cover their focas with the white ashes of wood; wear a tall cloth cap on their heads, their bodies noked, a waist cloth (tahband) and plain shoes. These fakúrs use spirits and cat meat with broth and rice.

Sampisis and Udisis are wandering beggars, who are partly naked, and wear what clothes they do wear stained with other, and have a bowl in their hands, either of a cocoanut shell or of turned wood.

Buirágis are stationery fakirs, and wear large marks and streaks (tika) on their forcheads.

"Jangam" fakirs wear on either side of the pagris, and in front also, three brazen concave plates in lental at the edges to represent the sun.

Straws or Paj fakárs are the Garus of the Bhábra caste; they always wear a bit of cloth over the mouth to avoil killing any little insects in the air with their breath, also they carry a stock headed with a sort of brush to clean away insects from being trolden upon: they wear no shoos.

^{*} Bellew's Yusufzai, page 215.

APPENDIX TO CLASS X.

NOTE ON A FEW OF THE MOST REMARKABLE DRESSES IN THE LAHORE CENTRAL MUSEUM.

Central Asia.—(A Láma of the higher order)—A flowing tunic of dark blue satin, with very long sleeves like a modern barrister's gown, the sleeves having broad stripes of green and scarlet silk. An apron of blue satin hangs in front, on which is worked the head of a huge dragon, his gaping mouth and fierce eyes being very prominent; over the shoulders hangs a sort of cape hanging down in a point before and behind. It is in fact a square bit of brown satin edged with yellow, with a hole in the middle for the head.

A Lama of an inferior order has a dress of common red woollen cloth dyed with madder or kuami root; it is a long gown reaching to the feet, secured by a girdle of woollen cloth: a searf of woollen cloth is worn: his head-dress of red cloth, being an immense head-dress like a very large Scotch bonnet, projecting in front. On galadays a Lama wears a peaked red cloth cap edged with fur (foxes skin), and has the boots of cloth already described. The implements of a Lama are also held in the hand—the dorp or thunderbolt, and sacred knife. The most curious article of the Lama's dress is his pocket handkerchief, a piece of thick woollen cloth about 11 feet long and 8 inches broad, dark colored, but striped across with white, blue, red and green. In his girdle he carries an iron pen case containing a pen, viz., a slip of bamboo.

A Báltí man is plainly dressed in a grey or dirty white woollen suit, a tunic with belt, and pyjamas all of the same material; shoes like list slippers, all made of wool: he has a black skull cap.

A Báltí woman's dress is not represented, except by a cap of red woollen cloth langing down in a long peak or tail behind.

There are two Ladákhi men's dresses; one sent from the Kangra district has pyjamas and tunic of whitish woollen cloth with a woollen shawl; a leather bag to hold food, a rude tobucco pipe, a peach for flut and steel, and a kinfe or dagger in a wooden sheath completed the Ladákhi's requirements. His cap is of brown wool somewhat rolled up by way of a brint; the top of the cap is red. A plume or bit of artificial flower is stuck in the cap, made of bits of tale and dried flowers tied on to a slip of bamboo. His feet are bare, or he wears grass slows. The other dress, a Ladákhi shepherd's, sent by Dr. Cayley, has a long coat with red facings, no pyjamas, but bits of felt bound round the leg by goat hair laces; boors of grey cloth with leather soles, ornamented by a triangular bit of purple cloth over each instep. The gird'e is a black woollen fringed one; his durger, pape, we, he carries like the other. Two caps were sent, both like long bags, which, plued on the bood, hang down on one side like a night cap; one is of soft black cloth, the other of brown cloth with a pattern rudely embroidered on the front.

The Ladákhi woman's dress sent from Kangro district has a coarse and thick coat of dirk brown wood, and pyjumas of the same; her fact are protected only by grass shoes; a girdle of woodlen cloth completes her attire, and she wears on her head the perák.

THE TAX AND THE PARTY AND THE

The Ludákhi woman's dress sent by Dr. Cayley appears to be a winter dress: the gown, a body and skirt, is made up of strips of cloth alternately dark red, dark blue, black and dingy yellow, and printed with a pattern. She wears a woollen girdle, from which depends a rehatelyine" of saips of leather with tissels of cowie shells, also a very long string with an innuense bunch of garts' har track reaching down to the ground—sometimes this last is suspended from the hard; for a cloak she has a square shawl of thick sheep skin, the fur worn inway is. The outside is covered with red and green cloth. The head dress consists of two bidge lappets of black for over each car, and kept in its place by the hair being bound round end round in plants; sho we is the perák, and, in front, jingling ornaments over the forehead. Woollen books, the tops the same in iterial as the dress, completed the costume.

The Spiti dress has already been described, but I will describe the dresses in the Musuum. The worden has loose red trovsers of woollen cloth; clumsily made boots of leather, the tops being of weal. Her tunic is black and short, confind by a red girdle, all the red being a dull model or tint; over her shoulders a small woollen kerchief ornamented at either end with a fringe and a border of large white spots; on her arms are bracelets made of circles of white couch shell. An immense necklace of white beads also cut out of shell is round her neek, and a sheller necklace of large lumps of crude amber and turquois with coral leads between; on her had she has a perák.

The Spectman has boots like the woman's, no pyjamas, but a long woollen coat reaching to his makes: his cap is a little skull cap of red, with a black border.

A women of Yarkan I's dress was sent by Dr. Cayley. It consists of white cuton pyphasis fistening at the side, while the man's fasten in front; a tunic or vest of the stiff Yarkand silk of our one pattern—crimson with white blotches—edged round the neck and at the opening with a lead of green silk ribbon, two or three bars of which go en are also sown on to the holy of the tunic over the left breast only; as a girdle she wears a white kerchief each sidered with silk, and over all a choga of Russian print; her boots are like small. Wellingthat the tops of pale leather with a black border, the lower leather of darker color, or named of day a strip of green leather over each instep, and a crest of green these silk deam or helicate under the boots large felt socks are worn; a small shall cap of black corton, proving cabroidered with silk, covers the head in summer, and a thicker cap, I not with far, in water.

The Charles State and Series articles of dress from Barmaur. The dress consists of a state of your walless of a state of your walless of a state of your walless of a state of good dress the fact generally felted together into a solid rope or plategraphy of the transfer of your walls of good dress of your walls of the property of grow wood, peaked with a flap to cover the back and state of the first of the growth of the growth and the peak; the flaps to the first of the growth and the first of the flaps to the first of the firs

CLASS XI. LEATHER MANUFACTURES.

Three classes of leather are to be met with in the Punjab: one the country leather, bulls,' calves,' buffalos' hide, goat skins, and occasionally camels' hide, with some few others of local manufacture. The other includes leathers from Kabul and Peshawur. The third consists of European imported leathers.

In the 1st class there is little to notice in a manufacturing point of view. The greater part of the leather produced is thick and hard, but of strength inferior to European. The process of tanning is uniformly rude and troublesome, though the results are cocasionally satisfactory as regards softness of the hide. The slow process by which the skins are allowed to soak for days together, only to receive another soaking when the fast is done, is the best calculated to produce a pliant and supple leather, and is quite suited to the slow, patient, and sedentary habits of Oriental workmen.

Bullocks' hides yield the strong leather used for shoes and general use; buffalo hide, the thickest of all, where great strength is required; goat skins furnish thin leather, and camel hide is rarely and locally used—Delhi being the only district which sent a specimen to the Exhibition of 1864.

The process of tanning consists in soaking the skins in line water for some days to loosen the hair and surface of the skin, the hide is then scraped, and, after washing, is sewn up in the form of a sack, the interior being filled with the bark of the kikar (Acaeia arabica); water is frequently proved over it, the skin bag is then reversed in position, and the watering repeated. The length or duration of each stage in the process varies according to the nature and thickness of the skin to be tanned.

The finishing process consists in taking the skin when still just—damp and spreading it on the ground, it is then rubbed over with a wooden—block or mallet furnished with a handle, and called "hathelf;" it is rubbed on both sides.

The finer skins are polished by a bit of horn or of agate, let into a lump of clay or wood for a handle. Among the best varieties of leather made in the plains are the soft wash-leather and hides of the Kangra and Hushyarpúr Districts, and the red skins of Núrpúr. The former are of very soft texture, generally a greenish buff color, so soft that the thinner skins are made into gloves and constantly worn as breeches by the Kangra hill-men. The same art applied to skins produces a pleasing result to the funder, inasmuch as all about Kangra leopard skins and other ornamental furs can be obtained, the leather being beautifully and completely preserved, but with all the fur uninjured.

I have obtained from the Kangra district the following account of the manufacture:-

First the skin is wetted and then steaped in a 'matk®' or earthen pan full of lime and water, the mixture to be sufficient in quantity to cover the skin completely. Every day the earthen pan, which is kept carefully closed over, is opened and the skin turned and

*

The state of the s

shaken in the lime-water; if the skin is thin, 20 days of this treatment suffice; if thick, one month. After this the skin is washed in clean water, and then the skin is well rubbed with the dried and powdered leaves of the Dhao tree (Conacarpus latifolia) for two hours After the rubbing is over, the leaves and skin are put together in a successively. vessel and water added. Next day the skin is tied on to a stick and wrung out (as a dhobi does dothes). Again it is steeped in a fresh solution of leaves, and this process of steeping and wringing out is repeated for four days consecutively: fresh leaves are to be used each time. The skin is then sewn up with mung string into a hollow-sack and filled with "dhao" haves, and hung up like a "massak"; on being taken down it is reversed and hung up again by the other end, this ensures both ends very well imprognated—the hanging process occupies two days. After this the skin is opened out and dried, and then rubbed with oil, and eventually washed. When dry it is scraped with a sort of iron scraper called 'rambi,' * after this it is again rubbed with oil. After 3 or 4 days it is washed in cold water and dried. After that it is rubbed with a mixture of curds and water, and again washed. The leather thus prepared is then soft. The skin principally used is that of the Sibur or Sambar deer; but other skins can be used-goat's, buffalo's, deer's, &c. : the color is a sort of toad color. The leather is made into gloves, gaiters, and also trowsers, worn by the hill men about Kangra, &c. Besides the art of making this soft leather, the people are very skilful in dressing animals' skins with the hair on. The same process appears to be followed as that above described, but the hair is carefully preserved, and the scraping rubbing, &c., done on the inner side. Skins of tigers, bears, leopards, cheetas, &c., are thus prepared.

Two men in a year can prepare 18 scores of skins. The process cannot be carried on during three months of the rainy season.

Much of this preparation of skins is done in the village of Bulwan, ilaka Jijun of the Hushyarpur District.

The Núrpúr leather manufacture has been thus described in a letter from the Nurpúr Tahsildar:—

"The leather prepared is of two kinds, thick and thin; the thickest of all is the buffalo hide, and next in thickness the hide of cows and bulls. The thin kinds are made of the hides of goats, sheep (dumba), rams (menda). Kakrel (deer skin); and besides these horses' asses' and and camels' skins are utilized. The thick kinds are made of two colors, black and red, and the thin kinds in black, red, yellow, and green; the red or crimson is the commonest. The method of preparing the small skins is as follows:—The skins are taken off and rubbed with two chittaks of salt, and put in the sun; in one day they dry, after that they are washed, and afterwards rubbed with wood ashes, and the hair, which is thus bosoned, scraped off with a piece of wood. Again the skins are put into water and rubb d with pieces of rough potshord, which completely removes the hair, &c.: again the Kins are washed. When 40 skins have got thus for, they are together put into a great cortion cauldron or "nand," togother with barley meal 6 seers, and salt 21 seers, and water

^{*} Ramba is the short spade or trowel used by gardeners: rambi is a small one.

is poured on. For four days the skins are left to soak, after that 2 seers of 'bankath' (coarse catechu extracted from the Acacia catechu) are added. The soaking is continued for four or five days longer, after which the skins are taken out and scraped with an iron 'khurpa' or scraper: this completes the final cleansing from hairs, &c. After this the skins are again soaked in a nand with 7 seers of barley meal and 3 seers of salt in fresh water, for 3 or 4 days. By this time the skins are clean and almost color-less.

In order to make red skins, 4 seers of 'lac' are boiled in water with two chittaks of 'sajji' (coarse soda), and two chittacks of the bark of the Lodar tree (Symplocos paniculata), the skins are then dyed in the mixture, and after that 20 seers of the bark of the Amaltás (Cathartocarpus fistula) are ground fine, and then being infused with water, the skins are thrown in and allowed to lie for 3 or 4 days. On being removed, the color is fixed by rubbing the skins with 4 seers of salt ground to powder.

The cost of preparing 40 red skins is as follows:-

大きない かんこう

ij,

- ~ -				Rs.	4.	P.
Skins,	•••	•••	•••	10	0	0
12 seers salt,	•••	•••	•••	1	4	0
13 seers barley meat,	•••	•••	• • •	0	5	0
2 chittaks sajji,		•••	• • •	0	0	3
Lodar Bark and Catechu,			•••	0	0	3
20 seers Amaltás,	•••	• • •	•••	1	0	0
	TOTAL Rs.,			12	9	6 "

Before concluding the account of the best leather prepared in the plains, I should not forget to mention that, at Gujrat, one or two men have the art of prepuring goat and sheep skins into fine soft leather, which, in texture and general appearance, is hardly, if at all, inferior to European. The men will not divulge the method of preparation for fear of spoiling their The leather is principally used for covering the very comfortable easy chairs known as the Gujrat or "Capperina" chair, which was the design given them by a former Deputy Commissioner named Capper. It is highly probable that the process is a more or less satisfactory imitation of the European process of softening, dyeing, and polishing leather; the skins in all probability owe their softness to that patient and long continued process of washing and soaking above described: the dyeing, finishing, and polishing being the special art. The colors are generally dark green, and claret color or maroon. The former is produced either with the aid of indigo and some yellow, or with an extracted dye stuff obtained by infusing pieces of brightly dyed English cloth—a practice much resorted to in obtaining a dye from cloth—the red is pro-After the dye has been applied, the dry skin is carefully polished with a bit of horn or cornelian fixed into a handle of clay. I can, however, obtain no further particulars of the work. Any native factor with the curiosity to look into an The state of the particular and the state of the state of

-

English manual of manufactures, and copy the process described, would, after a few experiments, and possible failures, eventually equal or surpass the Gujrat work.

Of the second class; the leather that comes from Peshawur, and is also imported from Kabul, is the best in quality, and most pretentious in variety and color.

Thus we have besides the usual plain brown, red, and black country leathers, a black leather with mottled surface like imitation morocco; a mottled green, and also turquoise blue leather, much used in making shoes worn by certain sects of Mussulmans, and largely exported to Kashmir, where it is used for shoes. It is also made use of in embroidering or ornamenting saddlery, belts, and the hunting and warlike accountrements common to all the border tribes.

This leather is made in Kabul; not I believe in British territory. There is also a sort of bronzed leather imported from Kabul, called "kimsan." A note on the Kabul and Peshawur leathers was sent me by Lalla Piyari Lal, Extra Assistant Commissioner at Peshawur.

Bulghar leather (the fragrant hide noted in No. 646, page 157, Volume I,) comes from Russia, and is not made in India. The manufacturing process is not known.

I have been informed, however, that the skins which sell from Rs. 15-0-0 to Rs. 25-0-0 each, are said to be horses' hides, are of a brown color, and marked with the small diamond check often seen on "Russia leather." It is said that the delightful seent is due to long and careful tanning with birch bark: the tanning is certainly unequalled.

My native correspondent had however different views as to the cause of the fragrance.

"The people believe that there are great pits in Russian territory in which the tanners collect bullocks' and other hides after first cleansing them. About the date of the appearance of the star 'sahail' (Canopus) by the disposition of Providence such a breeze sets in as by its contact causes the leather to become altogether fragrant." On the completion of the process the owners remove the leather from the pits sending it in all directions for sale.

As the seent is derived from seaking in the pits (ghár) the leather is called "bal gleir."


Both European gentlemen, and the rich classes in Afghanistan, spread these skins to sleep on in the hot weather. No insect will touch them.

About 100 skins are annually imported into Peshawur.


Another kind of leather is called "Chamra Irák" It is considered a valuable kind, and is made in Persia (or those provinces included in the somewhat indefinite term Irán, which, I believe, is hardly confined to Persia proper). The hide is bullock's hide: a second quality is made in Kabul. As it is much used in the manufacture and ornamentation of horse







LEATHER WARE.



trappings it has got the name of "irák."* Leather of this kind is sold of red and roan (badámi, color of the almond) color; about 50 skins are imported into Peshawar and are sold by weight at Rs. 2-8 a seer. "Kimukht" is another kind of leather. It is made of asses' skin, and of two colors, black and pale green or turquois color; in texture it is rough with speckles (dánadár): as many as 300 skins are annually made in Peshawar, of which about 100 skins are reserved for export down country. I have seen numerous specimens of Kashmiri shoes made of this leather, and also horse trappings ornamented with it in Deraját, I therefore suppose that it is made in Kábul also, and is among the north-western imports. The green shoes are worn by Mussulmans of the Shía sect, but Súnnis would object to wear them (See note to No. 719, post.)

The last class of leather now commonly met with, is imported from Europe. In every large town shoemakers and saddlers are to be found who work with European leather; and book-binders also buy calf, imitation morocco, and other leathers. A good deal of harness and shoemaker's work, which really is of Cawnpore work or made of better sorts of native leather, but in European fashion, is palmed off as European work.

Delni.

Specimens illustrating this class are as follows :-

670.—[5523]. Bullocks' hide.—Skin of kid.—Camels' hide.—Buffalo hide.

Sheep skins and goat skins are called "nari" as a general term.

The leather of the first kind is used in shoemaking (see note on Shoes).

The raw hide is soaked one day in brine, and for one month in lime-water, after which the hair easily comes off with scraping. The hide is then steeped six days in an infusion of kíkar bark (Acacia arabica) or amla (Phyllanthus emblica). It is then rubbed with alum.

SIRSA.

671.—Leather húka.—This is a leather vase for holding the water of a húka, it is ornamented with stripes of green kimukht leather and studded with little nails of silver.

[8222]. Is one with brass mountings.

[8223]. Of plain leather.

Very pretty húkas are made in Chúnián of the Lahore district, the leather being stiffened with bands and studs of bright engraved brass. The Hissar district also sens similar specimens; also the Mukatsar pergunna of Ferozpore district [8275].

^{*} Irák is the name applied to a tract of country between Persia and Arabia, including the ancient Chaldea and Media. The adjective "iráki" is applied to the breed of horses produced in these countries.

672.—[8225]. Chágul—a leather water vessel. This very gracefully shaped vessel is figured in the annexed plate; it is carried on journeys, and as for miles in this part of this country you may go without seeing a village or a well, such provision is necessary.

673.—[8215]. Bridles—ROHTAK.

SIMLA.

674.—[8255-6-7 &c.] Ornamental leather work exhibited by the Rajas of Kyunthal, Biláspur &c.

These articles consist of glove boxes and other fancy boxes, eigar cases, &c., made out of stout black leather lined with red leather; the surface is sometimes variegated with patterns of red, green, and gilt leather, but the distinguishing feature is that the whole is embroidered over in a white pattern with narrow slips of the quill of the peacock. The work is done, not at Simla, but in villages in the Kangra district and elsewhere, the work being mostly taken for sale to Simla. The men can work to order, initials and even crests on the leather. The work is remarkably cheap—a cigar case costs from 14 annas to 1 rupee.

KANGRA.

675 .- Specimens of the soft greenish yellow Sabar leather before described.

[8242-5 &c.] Pantaloons, value Rs. 5, or Rs. 10 per pair.

[8244]. Socks, value Re. 1.

[8245]. Gloves.

[8246]. Purse.

[8247]. Gaiters.

676.-[8249] Red dyed skins from Núrpúr.

These skins are called Lákhí or lac-dyed skins. Specimens of book-binding in black and red leather of this kind were sent. The process of manufacture has already been described.

HUSHYARPUR.

677.—[8263 &c.] Kakrel skins of various qualities, from Re. 1-2 to Rs. 2-4-0 each. These are prepared at Gurshankar and Húshyarpúr.

678.—[8254]. Waist-belt worked with gold thread (peti) by Jiwan of Anandpúr.

679.-[8255]. Black embroidered sword belt (gátra).

Formerly there was an extensive manufacture of this article in the Hushyárpúr district: now it has fallen into disuse.

680.—[3203]. Leather breeches made at Garshankar—of similar fabric to that described in the Kangra District.

LAHORE.

681.—[8276]. Shield of "genda" or rhinoceros hide, said to have belonged to Guru Gobind Singh. These glossy black shields were once in general use; many of the Multani and Frontier Chiefs still carry them.

GUJRANWALA.

682.-[5635 &c.] Series of hides-buffalo, bullock, goat, and sheep.

683.-[8300]. Shoes used by thieves (khosa) to muffle the feet of cattle so as to prevent their being tracked.

SHAHPUR.

684.-[8313]. A leather huka vase.

685.-[8314]. Horse trappings, value Rs. 2.

GUJRAT.

688.—[8302]. Skins of polished leather by Umra of Gujrat. I have already alluded to this special manufacture.

MONTGOMERY-(GUGAIRA).

687.-[8338-9]. Leathers from Sayadwalla.

688.-[8334]. Red leather from Harrapa. This is made like the red leather of Núrpúr.

689 .- Leather rope.

THE PERSON NAMED IN

690.—Ornamental huka vases.

691—[8334]. An inflated hide used as a float for crossing rivers on, called "sandhrf" or sarnáí; in the Peshawur list it is called "shináz." The word sarnáí is applied to an inflated bag, also to a bag-pipe; "shinaz" is derived from the Persian "Shina" or shaná swimming. Properly speaking the sarnáí is a small float made of a goat skin; while the large skins used in the hills are called "dreñ," or "daráin." They are in use on most of the rivers in the hills, and below, for crossing: the large skin is thrown into the river, the swimmer throws himself on it on his face and paddles along with surprising rapidity. Europeans and others often cross rivers seated on a four-legged bed or charpoy which is placed crosswise over two skins places together, other men on single skins with paddles accompany the machine and conduct it on its journey. In the proper season, when violent floods are over, a most pleasant journey can be made in a few hours on one of these charpoy floats: the Ravi and Satlej are constantly navigated in this way.

The following particulars concerning the preparation of the skins was obligingly furnishd me by Mr. G. C. Paul, in the employ of Messrs. Brassey, Wythes, Henfrey, and Co.

"The skin is only taken off a bullock that dies a natural death, because, if the throat were cut to kill it, the cut would interfere with getting the skin off whole; for the skin of the head, too, is taken off,

The skinning commences by slitting open the skin from the inside of the right hind leg, a little below the knee joint, to the root of the tail. The ankle and hoof of each of the three remaining legs is cut off and thrown away, and then the whole skin taken off from the slit in the right hind leg. Turning the skin inside out, the openings of the ears, eyes, nose, mouth, and horns, and any other openings about the body, are then sewn up in such a manner as to make them perfectly airtight.

After arranging the above mentioned openings, turn the skin right side out and gently scrape off the hair from the skin, and then firmly tie the ends of the two forelegs and left hindleg. Through the large opening in the right hind leg fill the skin with either pounded bark of the "kikar" tree, or with dried leaves of the 'als' (a tree which bears a long fruit, about 2 feet in length and 21 inches or 3 inches in circumference, the inside of which is black and sweet) and hanging the skin head down on a tree, pour as much water into it as the bark or leaves will absorb, and for three days water must be continually added as fast as it oozes through the pores of the skin. On the fourth day the skin is emptied and allowed to dry. The slit of the right hind leg is then closed by gathering the skin in folds into a neat knot, brought as near as possible into the part where the tail was; through this knot make an opening sufficient to let in a piece of wood about 1 inch thick, and 1 inch broad, then, placing a stick of this size in this opening, tie the knot firmly and make it airtight. The length of the above mentioned piece of wood must be 7 inches over what is necessary for fitting into the entire thickness of the knot, and these 7 inches project out in the same line as the three legs. This done, the end of the left hind leg is no longer permanently closed, but a cord is attached to close the end when through it the skin has been inflated. "dren" is now ready for use. Sometimes the word "masak" is substituted for "dren," but it is a mistake, the word "masak" can only be applied to the skin bags used by "bhistis" or water-carriers, to whom the word "mashki" is also applied. Throughout the Punjab " dren" is the expression, except when "khalra" is used; but this may be applied to any kind or form of skin or leather-"khal" means skin.

The man using a "dren," uses a paddle, of which the handle is about 18 inches long, and the blade about $8" \times 5" \times 1"$; the thickness of the handle corresponds with that of the blade. The paddles are made of "deodar" wood, that they may float: if the man drops his by chance he can pick it up.

Before using a "drea" about two quarts of the oil, extracted from the very oily parts of a piece of "deodar" are poured into it, and by thoroughly inflating the skin every two or three hours during one day, the oil is forced through every pore of the skin, thereby rendering it, to a great extent, proof against damage from wet. Great care and every precaution should be taken to guard the skin from the sun. When using it on the river it must be kept wet by splashing water ever it occasionally; when carrying it by land it is carried inflated (for which purpose a cord about \$\frac{1}{2}\$th of an inch in diameter is tied loose roun, about the breast of the skin) with a wet cloth thrown loose over it, and when not in use the air is expelled, and the skin folded up into three folds, but must never be allowed to become

very dry from want of the oil, or the creases formed by folding will split when the skin is again inflated. Also, always before inflating the skin or opening the folds, immerse the folded skin in water till it softens, in order to avoid all chance of the skin splitting; and, when not in use, the skin must be kept safe from the attacks of rats.

When by accident an opening is formed in the "dren," the knot to which the stick is attached is opened, the skin turned inside out through that leg, and a piece of leather sewn on so as to again make it air tight.

As regards the management of the "dren," when using it on the water it is placed legs upwards, and the head of the skin to the right of the man. He throws himself on so as to allow as much of his breast to go beyond as will be balanced by his legs, and to keep the skin from being carried away from under him, he presses it with the left arm from the elbow upwards, and the right leg from the knee upwards. The skin is then propelled by working the legs from right to left against the water, and a wooden paddle used in the right arm. The "dren" can only be forced in the direction of the right arm of the man, but to avoid a breaking wave an experienced man can back his "dren" a little.

The use of the stick which projects in place of the right hind leg is to allow of one man on a "dreñ" placing himself face to face with another, when each man holds with his left hand the stick of the other hide, and by this means they help one another to a great extent, especially when crossing a rough river with loads. In this way the two men will cross 5 pucks maunds safely."

With a few exceptions the "sarnai" or goat skin is prepared in the same manner as the "dren." These exceptions are:—

- 1. The head is cut off leaving as much of the neck as possible, and when the skin has been taken off (in exactly the same manner as that of the "dren,") the end of the neck is tied firm.
- 2. Instead of the "deodar" oil, the oil of the "til" seed is put into the "sarnai," and only one quart, or less, if it be a small skin.
- 3. The stick is not attached to the knot of the right hind leg, nor is it used at all in the "sarnai."

Besides these, the only difference is in the management of the "sarnai," it is placed legs upwards, and the man rests himself on it so as to get the neck between his thighs and the two fore legs also pressed between the thighs. His head and shoulders thus project beyond the hind legs of the skin; then he passes his left arm round the outside of the left hind leg and holds the knot of the right hind leg in that hand, by which means he can keep the skin stationary and pressed to his chest. He works his legs and right arm exactly the same way as in swimming.

On a large "sarnai" a man can take a load of about 30 pucka seers, and two men on "sarnais" can cross a third man by each holding the end of a stick, and the third man holding it in the middle, his body hanging in the water.

692.—Kuppa and Kuppi.

[8335]. Specimens also sent from Sirsa, Rohtak &c., &c.

The kuppa is a huge vessel made of a leathering material, which is, in some cases, I believe, made of hide—camel hide and others—but more often, especially in the smaller sizes, of a glutinous skin, made by boiling the intestinal integrument of horses, cows, &c., into a gluey mass. A large clay block of the size and shape of the intended vessel is taken, and the softened material plastered all over it, well beaten together, and left to dry. After this is finished the interior clay is broken up and picked out.

The Rohtak collection exhibited some small vessels of this material, in the most fantastic shapes, some like jugs, others flattened and perforated apparently with large holes, which of course can open only longitudinally in the thin flat body of the vase. The jars are sometimes ornamented with patterns cut out in white parchment and struck on. The smaller vessels (kuppí) are used for holding oil, &c., and the large ones (kuppa) for holding oil, molasses, &c., in store: some of them are so large as easily to realize the familiar oil jars in the story of Ali Baba and the forty thieves.

They are mended easily when worn into holes by plastering on fresh integument.

Kuppas are sold according to size—a kuppa to contain one maund so much, or six maunds so much.

693.-A water bag called kúní.

694.—Scale dishes (tarázú) made of camel hide.

This sort of scale is very common in many districts for weighing grain, &c.

695.—[8341]. Native horse trappings. I describe these in a separate note on Native Saddlery, &c.

693.—[8142]. "Khopa"—Hollow leather caps put over the eyes of cattle when employed in turning wells, oil mills, &c.

697.—[8343]. "Khosa"—Mufflers for feet of cattle (before described).

BANNU.

698.-[8359]. Camel's head gear-Marwat.

An apparatus of leather adorned with strips of green and red leather, tassels, and white cowrie shells strung together. Camel trappings in the Deraját and Bannu are often exceedingly ornamental; woollen rope and tassels, and bridles of cowrie shells being the prevailing fashion. A large necklace is added covered with cowries or little bells, and a large tassel dangling in front.

PESHAWUR.

699.-[8162]. "Khal sabz," green leather.

Some account of this has been given already, but the secret of making the color is not disclosed. I believe it is produced with acetate of copper.

700.-[8766]. Black leather, value Re. 1 a skin.

701.—[8363.] Fine leather (chamra irák, above described) called "Mesha Badámi," value Rs. 2.

702.—[8365.] A "Shughla," or leather bag for carrying flour, rice &c., on a journey.

703.—Shákh, or horn or leather powder flask shaped like a horn.

These were used all over the Punjab, and by the Sikhs, sometimes made of leather highly embroidered with silk and colored leather, as in the Derajat specimens, sometimes made of metal; the powder is extracted by a small hole with stopper in the flat covering of the broad end of the horn.

704.—"Kamr Khísa," soldier's or hunter's belt, having attached to it a small leather flask with long neck for shot, a knife or series of knives, flint and steel, and slow match for the matchlock, and a series of short bamboo tubes sewn together side by side and covered with leather to hold bullets. These are everywhere worn in the Deraját, and by the frontier tribes; the Deraját ones are of soft rough leather, but prettily embroidered with colored silk. The various implements including the powder flask hang from the belt by straps after the fashion of a lady's "chatelaine."

705 .- Water vessel of leather for a journey, value Rs. 2 called Mathara or Chagul.

HAZARA.

706.-[5681]. Hide from Palki. DEPUTY COMMISSIONER HAZARA.

Skins are soaked first for 15 days in water and lime, then cleaned and the hair removed, the skin is then sown up, leaving one aparture, and filled with particles of oak or cheer bark or "ban," (Rhus cotinus) or leaves, and on these water is constantly poured until the skin is thoroughly saturated. The price is about 1 rupee per hide.

NOTE ON NATIVE SADDLERY AND TRAPPINGS.

Native saddlery is generally much more ornamented than European.

The saddle (zín or káthí) is made of wood covered with leather or cloth, or velvet, and padded: it is very high both behind and in front, so that it is almost impossible to fall off. Under the saddle a namda or felt is placed to protect the horse's back from rubbing. Poorer people use a fold of blankets &c.; middle class people the felt; and nobles and rich people a chárjáma or saddle-cloth of velvet richly embroidered and padded with felt. Sometimes the saddle is ornamented by a number of huge silk tassels which hang down on either side of the horse, both in front of the saddle and behind, being attached thereto by leather straps: these are only worn on gala days. A saddle so ornamented is called "laryanwáli kathí," or in the Deraját and Multán, where the ornament is oftener used, "dhákáwali." The girths are made of "newár."

The stirrups are made of leather covered with red cotton cloth, or silk, or brocade; a crupper is commonly used, and called "dhumchi." The horse has on the head a "sirdawál," or púzí (head stall); the "zerband mah nukta," nose band and martingale, and round the neck a "hamkal" or necklace of great glass beads, or shells, or gold coins, or coral. A hainkal taken in 'lute' at Lucknow, was found to be made of beautiful amethysts, set in gold.

The bit is called "lagám" of whatever pattern it may be. Native bits are nearly always very severe ones, furnished with rings, spiked or barbed bars, &c. The rems are called "bág."

A riding or sowari camel is furnished with a double saddle for two riders, called "kathi," and is ornamented with a neckband called hainkal, which usually has a large colored worsted tassel hanging down in front. On grand occasions silver ornaments are worn.

A camel of burden has a pack called "pálán," made of rough " tát " or matting stuffed with straw, &c., in lieu of the saddle.

An elephant is fitted with a gadela or felt pad, over which a "jhúl" or richly embroidered housing is thrown. It is the jhúl that looks so brilliant on State occasions on the elephants of the nobility. Immense sums are spent on embroidering in gold on velvet, these huge saddle cloths.

The haudá is either an open one flat, like a shallow box or tray, or is made like a chair, or has a dome or canopy—the latter is called 'haudá amári.' Haudás are often covered with plates of silver chased and brought into patterns.



	•	
		,



SADDLERY.

ુ નાર

d

NOTE ON SHOES WORN IN THE PUNJAB.

I reserved this subject for a separate note, with an illustrative plate, as it is a sufficiently curious one. Nothing so well indicates the strange diversity of tribes in the Punjab territories, as the curious variety of shoes worn. Thus we have shoes suited for the snows and mountain paths of the Himalaya; broad strong shoes for the frontier warfike tribes strangely sewn with leather thongs and bright with silk cubrode; we have the great slippers with high iron shod heels worn by Mussulmans at Peshawur; diffeate hittle gold worked shoes for the ladies of the Jach Doab; gorgeous brocade shoes from the Delin beau; classical Greek buskins from Bamu; descending at last to the imported patent leather boot, now esteemed by the smarter class of cilice babbes.

HILL SHOES.

707.—[7456]. Hill shoes from Jubal.

708.—[7458]. Do. from Basáhir.

709.- [7570]. Do. made of Bagar grass (Exiophorum Sp.) Kulu.

710.- [7511]. Do. wheat straw-Kulu.

711.- [7532]. Pair of snow shores (Spiti) called in the local list "feetign mora on".

712.-[7532]. Wooden shoes for walking on snow-Spiti, called "kair" or "ker."

The design of nearly all these shoes is alike. The straw ones are represented in the annexed plate. The grass shoes are made up of waps of the dry grass plaited together, the principle in all cases being to make a thick hard a dec with or without a covering over the toe, and with straps to seeme them like smalls. Every traveller takes two or three pairs with hum, and as soon as one is wern out he takes a new pair, it is almost impossible to slip on either rolk or show with them. Grass shoes are called a phulharra' in Kashmir, and aparawa' towards are places. "Pila" is also a common term in Kulu and Chamba.

A more pretentions kind of shoe is that to be met with all about Mandi. Plach, and Rampur: near Plach the people told me they were called "shell." The sole consists of a bit of mat woven up of strong hemp string and rudely shaped to the foot, it is kept in its plue not by straps or string, but by a close edging of woodlen net work sown up over the toe. Some shoes of this kind have felt, and some leather soles. They are very comfortable for an European to walk in if he has soft leather socks to wear under them. Shoes of this kind have already been described.

DERAJAT.

713.—[8350 &c.] Shoes from Rájanpár, Dera Gházi Khan. & s.

These are made of stout rough leather, seem with leather though or thick could threat, such oriented with cloth and with silk embror lery.

Figure 2 represents a pair of men's shoes with thick soles called "chuni rámi from Bakmála. A pair a little less thick are called "Bakhmála zenáni kábuli" in the Museum. A curious pair of shoes of a very squat form, were sent from the Mazári hills by Imam Bakhsh Khan. The shoe is of coarse reddish colored leather, sewn with leather thongs, but claborately embroidered all over with silk. The structure of the shoe is curious—see figure 3. The too piece is sown on last, the sides and heel being formed of one curved leather.

714. Sandals.—Specimens are included in the lists of Dera Ghazi Khan, and Dera I-mail Khan, and Hazara, under the name of "chapli." They are much worn in the hills skirting the Deraját and Biluchistan: the specimens came from Bozdár hills, Harand, &c., &c.

Some of the specimens are of grass or patta (palm leaf), but the prevailing chapli is a leather sandal, made of folds of leather, and secured to the foot by the aid of straps. One pair from the Derajat hills, now in the Museum, I have drawn (fig. 4.) and it is worth describing. The sole is made of two or three folds of hide, sewn all over fantastically with thick white string, showing the strehes on both sides; towards the heel the sole is slit up on either side, and thougs of leather thus detached, forms the support of the main brace which holds the sandal over the instep; this brace or strap is covered with little bits of lead sewn on like beads; two other broad straps, rudely embroidered with silk and gold thread, go over the foot, being held t gother by a longitudinal strap also covered with lead beads.

SHAHPUR.

715.- "Kheri"-Leather sandals much worn in the Salt Range.

BANNU.

716.-" Chapli"-Leather sandals.

717.—Leather boots, like on leat Gricklauskins, were by the Khans and better class; they are up the front virtuals of rathough saving through little menalings sown to either edges of the opening in the total context take next extends a lateralove the ankle and is of flexible brown because the same and is of all more on the transfer of two bars of silk work on the instep. The pair in the Mascain were given by Major Urinston from the Marwat alaka, Banna.


SHOTS OF THE PLANS.

Common strong to the College of the contraction of













Straw shoes Amaingan Derajat grass, & leather sanda's














Fio 3



All about Pindi and Jhelam shoes may be had quite different from common country shoes: the ladies' slippers are uniformly finely made, neatly lined with leather or red velvet worked with gold, and finished with a rosette of purple or red floss silk on the tie.

The men's shocs are much neater and smaller than common country shocs, of smooth brown leather, uncolored, and edged with a neat stitching of gold thread. A sketch of these shoes accompanies.

In the Hushyarpur district, country shoes of bullock's hide for general wear are largely made; they are always stitched with thick cotton thread unwaxed, the consequence is they are easily cut, but the leather is much softer and loosely sewn than in a European boot, consequently there is not so much strain on the sewrog.

Shoes are always made with the pointed toe, a little tag of leather bending over, plain sides and heels slightly rising.

Delhi is the great place for shoes, principally for ornamental shoes; gold and tinsel being the material worked on leather or on cloth over leather. Five pairs of shoes were sent to the Echibidon in 1864, under the names of, "júta sulma wa sitárá"—"júta kalábatuní—júta ghetta or nagphani, of sulma and sitará,"—" kafshí of sulma work."

A. Salan,

おからない シューナー ちののおををない

The pair of Delhi slippers called "ghotta" (figure 5) in the plate, are strange in appearance, very goody with gold thread and red leather, the lining being red, with an open work emanientation of silvered leather; the toes curled up, and the whole shoe so broad that it is difficult to understand how it can be worn. The broad curled the resymbles the head of the colors snake when creeted, hence the shoe is fancifully called nagphan—the snake's head shoe.


Delhi shoes are exported chiefly down country to the value it is said of 4 lacs of rupees yearly: there are some 100 shop manufacturers in Delhi. The Hinh word ghetta is simply used to signify a shoe with no back leather to support the heel—it is practically the same as the Persian 'kafshi.


PESHAWUR.

718.-[7687]. Shoes called instil, made of leather covered with embroidered cloth, lined throughout with stamped leather.

719.—Slippers called kafshi—"Kafshi" are shippers without sides or back, the sole town is the heal being narrow, and excessively raised by a small high heal shod with iron. The specimen sent is figured in the annexed place. The shoe is of green leather, the sole of double brown hide: the inside is prettily variegated with a spray of green leather flowers stitched down on a ground of gilt leather. The price is Rs. 2-80 a pair.*


^{*} It's abrief there are missing at a these green shows are may wend a the Shows green is the color of the Imam Hossia, when the Shows notice a like the correct of Imag Hossian estimated by the Sinnis. I heard an old Mossian in more that can be the Almeder sout to the Prophet two garments, one green, the other relationship to the Hossian will Hosma who choose the relating green resonant by "you A surface" seek to be a first a property of the form of the form






3 Same

1 . . . 1** 1





GROUP OF BRASS WARE.





CLASS XII.

METALLIC MANUFACTURES.

DIVISION I.

WORKS IN NON-PRECIOUS METALS.

SUB-CLASS A .- BRASS, COPPER AND COMPOUND METALS.

The collection is not very interesting, consisting of ordinary works in brass, copper, mixed metal—zinc and pewter.

KARNAL.

721.-[7734]. Betel nut cutters, 'Sarota.'

These are of brass with iron blades, they are like a pair of sugar nippers, two brass handles and short blades; the upper blade has a brass edging from which projects small ornaments, one in the shape of a peacock; the brass handles are rudely ornamented by being set with bits of tinsel and glass to look like stones.

The sarota is used to slice up the betel nut preparatory to mixing it with the lime and spice and wrapping it in the pan leaf.

722.-[7735]. A Surmadán.

A small vase for holding powdered antimony. To the stopper is attached a brass bodkin or blunt spike, with the aid of which the powder is drawn out and applied under the eyelid and lashes. These little toilet articles are made of brass, silver, wood, and ivory in various shapes.

723.-A brass box.

This manufacture appears peculiar to Karnál. It offers the neatest and best specimen of native work in metal that I have seen. The box is of metal covered with red velvet, and over the velvet again is an open work case of brass with solid edges and corners. A very pretty one was sent to me fitted with blue velvet, and the brass open-work silvered. The boxes are oblong, true and straight, and well made. A box sells for about Rs. 13.

AMBITSAR.

724.—[7802]. A brass huka vase, ornamented.

725.—[7803]. A large brazen vessel to hold water.

726.—[7806]. An open work brass bird cage.

(The illustration shows the design.)

At Amritsar a good deal of work is done in the way of manufacturing vessels from copper, sheet brass, and the mixed metal or bell-metal called "phúl" and "kánsí". Specimens of cups and platters of the latter metals beautifully chased and engraved in various patterns, may be had. Two good specimens are in the Lahore Museum collection.

LAHORE.

727.—Series of brass vessels of household use.

Under this head I note, once for all, that large class of goods which really forms the staple of the work in metals of the Punjab. The number of fancy articles is few; but in every large town great quantities of metal vessels, drinking cups, cooking pots, lamps, &c.,—in short, all articles of household use, are made for local consumption and export. Amritsar, Ambala, Ludhiana, Jálandhar, all export brass vessels; they go up into the hills and across the frontier into Kábul and Kashmír and to every part of the Panjab.

Metal vessels in a native household supply the joint place of porcelain, glass, and silver plate in a European family. Hindus use brass vessels and Musalmans generally copper vessels, except in the case of small drinking cups, &c. There is hardly any one so poor but he has not some brass pots, if no more than the "lotá" in which he boils his porridge, drinks his water, and holds water to wash in. The wealthier a man is the better off is his house as regards his vessels. In the 'rasoi khána,' or kitchen of a big house, the array of brass vessels, cooking pots and water holders, all scoured bright with earth every day or oftener, is quite formidable. The native gentry use silver drinking cups and some other articles of silver, but the staple article is brass or copper. I believe, however, that glass and crockery are coming more and more into use, even among those who do not ape foreign manners at all. The lamps employed in a great house where European candles and lamps have not found their way, are huge brass candelabra with a broad dish below and a number of branches for little lamps filled with oil and having a wick in the spout of the oil holder. The dull light, quantity of smoke, and dreadful smell these "char-divas" (lamps with four wicks) emit, would be intolerable to the European idea. Such a lamp is figured in the plate annexed. Brass vessels are sold by weight, so much being allowed extra for workmanship. They are nearly always made of imported sheet brass and copper. Some mixed metal including brass are made by natives, but in small pieces, and useful only in making smaller articles. The process of making these vessels is described further on.

The common vessels are as follows:-

Lotá.—A small brass pot, round, contracted towards the mouth, and having just above the neck a short lip all round.

Kaul or Katora.—A rather flat drinking cup, supposed to resemble in shape a lotus flower (Kaul, Kanval.)

Abkhora.—A drinking pot more or less like a lota or shaped like a vase, sometimes made with a handle cover and spout. Those with spouts are called 'Abkhora tútídár.'

Gilás.—A straight drinking cup shaped like a tumbler; with or without a cover. The name is a corruption of our word "glass" in the colloquial sense of a drinking glass.

Baltoa.—A large vessel for holding water—a brass bucket, with or without rings at the side. Hindus use a baltoa to boil a large supply of food for distribution at a feast.

Dol, or Dolchi.—A round vessel to hold or draw water with, sometimes made of iron; Hindus use it.

Ganga Ságar.—A large brass ewer with spout for holding water.

Degchá.—A large cooking pot, broad mouthed and round, with a lip; used by all classes.

Degchi.- A smaller size of the same shape.

 $Garw\acute{a}$ —A vessel for drawing water and holding it for drinking purposes; used by Hindus. $Garw\acute{a}$ is a smaller size.

Tháli.-A flat plate.

Parát.—A flat brass tray with a rim.

Tabalbáz.—A brass bowl used to hold curds &c. at feasts; the name is derived from the kettle-drum used for hunting to frighten the game, it being of the same shape.

Silfchí or Chilamchí.-A basin for washing the hands in.

Aftába.-A brass ewer from which water is poured.

Patili.-A small cooking pot with a cover used by Musulmáns.

Tumbiya.—A drinking cup shaped



Chakla.--A stone slab (or wooden—when used by Hindus) to grind spices and prepare pastry on

Belna.—The rolling pin used with chakla.

Pauní -A cullender or straining ladle; skimmer.

Chalní.-A sieve.

Kharchá, Kharchí.—Ladles.

Sikh.—A spit for roasting meat on.

Hawang-dasta (vulgarly hamám-dasta). A brass pestle and mortar. A wooden one of the same shape is called "Chattú"

Phahauri -A sort of shovel to rake out ashes from the oven.

Sahánsi or Sandásí.—A pair of tongs with broad curved hooks at the end to grasp a cooking pot round the neck and remove it from the fire.

Karáh and Karáhí.--A flat iron baking plate.

Kafgir. A ladle for taking the scum off cooking pots.

Tawah or Loh .- A thick iron plate.

Rafida.—An iron plate on a long handle by which a baker reaches a cake when formed into the oven.

728.—Suráhi, of zinc—Lahore Bazaar. Water goglets of zinc can be had for camp and travelling use; not liable to break.

729.—Water goglets and cups of pewter ornamented with brass—Delhi.

A few miscellaneous articles from Lahul, Kulú, &c., are more interesting.

730.—Inkstand. "Nakdu" from Spiti. This is a mere steel or polished iron tube, with a cap or sliding lid, having a small receptacle for ink. The Thibetan writing is performed with a small flattened and pointed bit of bambú.

In several of the Hill States very pretty inkstands are in use. I saw one at Kumharsen, near Simla: the ink pot was of brass with a prettily closed lid, and the receptacle for pensattached to one side at right angles; two small chains were fastened to it; the whole was beautifully though roughly carved. Such pen cases are always worn, stuck in the girdle.

731.—Tobacco pipes, 'Kangu padam,' SPITI AND LAHUL.

Every Láhúli is seen with one in his girdle: it is a long iron or brass tube slightly fluted for ornament, curved slightly at one end, the curve being terminated by a small bowl, all in one piece with the stem.

732.—"Dungsmo—" a tea pot, Spiri.

A most remarkable article: it is a broad wooden cylinder about 18 inches high and 5 inches diameter, bound at intervals with rings of brass and edged with the same; some of the rings are set with bad turquoises; the cylinder is fitted with a central stick or piston, the lower end charged with a disc of wood fitting to the cylinder. The tea in use is hard brick tea, or tea cemented with gum of some kind and a little blood. The portion of tea to be used is put into the cylinder with a portion of a salt called "phulli," (See Vol. I, page 97) and ghi or rather butter (for ghi is not used in Láhúl), and the whole pounded and churned with hot water; the result is a thick soup, which is much relished. It has this advantage that there is no waste of tea leaves!

When prepared duly, the tea may be transferred into a rather elegant shaped copper jug with a handle and spout; the sides of the jug are prettily ornamented, and tinned in a pattern.

The skill of the people of Thibet in metal ornamentation is not to be despised, it is rude indeed, but often shows a great idea of ornamental design. I have seen flat copper boxes to contain amulets and charms (furnished with little rings to tie them round the waist or hang them about the neck) very prettily worked over in a sort of filigree brasswork. In Dr Leitner's collection there was a bell with the handle and sides beautifully ornamented in relief. I believe that this art has come from China; the best specimens of bells (used in worship) "dorjés" or seeptres, coming from the Chinese territory, where the work is beautiful, and have been imitated, and so a certain facility of ornamenting metal has become common.

733.-A Kashmíri tea vase.

This is in the Lahore Museum: it is an elegantly shaped jug with handle and spout covered all over with a pattern of little sprigs and leaflets raised above the surface,—a pattern familiar to all who have seen or purchased the pretty silver 'surahis.' or goglets of Kashmír. The material is copper tinned. Whether the tea is infused in this or is first worked up in some other vessel I do not know, but I believe it is simply boiled with water in a cooking pot or degchi. Green tea is always used, and that imported overland from China is sold as high as 7 and 8 rupees a seer. All Kashmíris and Kábulis are great tea drinkers. (See Chap. "Tea" in Vol. I.)

734.—Iron vessels from Mandi territory, consisting of 'Launda'—an iron pot for cooking. "Dharmchi," an iron ladle for carrying fire or for use as a ladle. "Karáhi," an iron shallow cauldron used by confectioners for boiling milk, syrup, &c., &c., (used everywhere). "Sijri" a small iron stove for carrying fire.

I will now describe the two kinds of factories in which vessels are made: that of the "bhartya," and that of the "tatyár."

The workman who makes small solid, and large hollow, vessels by casting, whether in brass, copper, zinc, or other metal. is called Bhartya.

For all small kinds of articles he has a pair of iron shallow boxes called "halka." They are made horse-shoe shaped, and one fits exactly over the other; at the centre of the curved side each box has a hollow lip, being in fact half a tube; when the two are put together there is a hollow receptacle with a tube in the upper part though which metal can be poured. The two boxes are held together with small clamps at the side halkas: they are separated and each filled to the edge with a composition of oil, wax, resin and clay, well kneaded together; on this bed the mould is formed: it is generally done by taking an article already finished and which it is desired to reproduce, and pressing it into the clay so that one half is in the clay and one half out: the other 'halka' is then put over, and this takes the impress of the other half. The article is taken out and there is of course a complete hollow mould; the halkas being now clamped together a spike is passed down the tube at the top to put it in communication with the mould and metal is poured in. This form of mould is used for small and solid articles. The halka varies in size from 6 inches × 4 and 1 inch deep, to four times that size For large vessels, viz. cauldrons, deghchas &c., the following process is adopted. A solid block mould is made on the ground of the shape of the inside of the hollow vessel required. It is made of clay. Over this is spread a layer of lal mitti or clay found with a red tinge, mixed with muni fibre chopped fine (to make it bind); over this again a layer of red clay and cow-dung, and over this a layer of red clay mixed with munj; again, and lastly, a coating of red clay mixed with finely chopped blanket. This being complete, wax is taken and beaten into thin plates. as thick however as the brass vessel to be made is intended to be, and the mould is covered all over with wax plates. Over the wax four layers of clay and material as before are smeared. The rationale of the process is now evident: a wooden fire is lighted about the mould, the clay layers harden, and the wax layer melts in the midst, part of it running out by a little hole left at the botton, part being absorbed by the clay; a hollow space is thus left, which is a hollow mould fit to receive the melted metal. A close earthen crucible is now prepared with melted brass, usually three parts copper to one of zinc; a hole is made in the top of the mould and the small hole below carefully closed, and the molten metal run in. When cold the mould is broken up, and the vessel taken off, it is finished by being mounted on a turner's wheel and turned with steel tools till it is even and fit for use.

The other workman called "Tatyár" makes the lighter sort of vessels of copper and sheet brass, while the Bhartya casts the heavier and more solid vessels. The Tatyár's implements are—

Ahran.—Large square anvil without points.

Sandán.—An anvil with two points, smaller than áhran.

Chauras mekh.—A "sandán" with both points cut off, leaving only the square centre.

Kubbi Mekh .-- An anvil which has the head hooked thus :--

Tundi Mekh.—The one-armed anvil, an anvil with one point only. The word 'tunda' is applied to a man with one arm.

Sanni .- Pincers.

Hathaura.--Hammer.

Parkár.-Compasses.

Chaurasa.—A hammer, shaped like an adze.

Udála and událi—The same, only the blade of the hammer is narrower and broader, the section giving an oblong instead of a square.

chaurasi. - A small chaurasa, for fine work.

Domuhi.-A hammer, with a striking surface at either end of the head.

Kharwa.—An iron form on which small vessels are fixed while being hammered into shape. Kharwant is a wooden frame which holds the kharwa in position (sometimes called "dosángí.")

Nil -A round iron rod to clean tubes, spouts &c, with files.

They use either sheet brass and copper imported, or else they make an ingot of mixed metal in a crucible and then hammer it—these vessels are cold-wrought.

ADDENDUM ON METALLIC LEAF AND FOIL.

In Patiala, Nabha, Lahore, Amritsar and most large places, gold and silver leaf is made, the metal being beaten out under sheets of jilli or gold-beater's skin: of this hereafter. Tin foil is made, and sheets of bright brass foil or orsdew, in pieces about 8 inches broad and 2 feet long—and called "bindli" This is used for decoration purposes on gala days.

SUB CLASS B.

HARDWARE.

If the Sub-Class A was uninteresting, this is still more so. Hardly anything is to be noted. The iron employed is either Native or European, and an account of imported iron will be found at page 7 of Vol. I.

Nails of soft flexible iron are made, and screws—the latter more rarely. Baking plates for cooking the universal bread or chapáti are made of hammered iron, and large shallow bowls or open cauldrons, made of sheet iron bolted in pieces, called "karáhi" are used both by saltpetre makers, dyers, sweetmeat makers, and in all sorts of manufactures where any substance has to be boiled in large quantity in an open vessel. Iron stoves and chafing dishes are in use but require no special notice.

Looking over the catalogue of the Exhibition of 1861, I do not find a single specimen under this class worthy of record.

こう 日本の日本

SUB CLASS C.

CUTLERY.

There is more variety under this class, and in some cases a fair superiority of work-manship.

The common articles of daily use, knives, scissors, tweezers, horse bits, stirrup irons, and such like, when of native manufacture and pattern are generally rough; but the practice of making articles with something approaching to European finish and in European style, has taken root in the Scalkot district and at Wazírábád and other places in the Gujranwalla district, as also in Gujrat.

Still more recently Mr. Spence, a gentleman employed in the Medical Store at Sealkot, has taught certain workmen at Sealkot with the aid of European steel not only to make scissors, penknives and table cutlery equal to European, but to prepare and finish in the highest style delicate surgical instruments. I had the satisfaction of sending to Paris in 1867 sets of instruments for operation in cataract and other eye diseases, sets of dental forceps, amputating knives, scalpels and lancets, that must have been respectable even in the city, par excellence, of such manufactures.

In Delhi the cutlers are very clever in imitating surgical instruments, knives fish-hooks, and other European instruments: but they have not been taught like the Sealkot men, and it is said that their instruments when once blunted will not readily take an edge and polish again, but remain harsh and rough. The workmen use principally old sword blades, European and Persian, for steel instruments; but for small instruments, requiring toughness and strength, they seek for an old steel ramrod and work it up. The Delhi cutlers are all congregated in one part of the city.

The facility for learning such work is traceable to a cause. In former days, there was a demand for weapons of all kinds; swords, daggers, battle-axes and spear heads were made, and the corresponding defensive weapons-shields, chain armour and plate armour. Very early in the history of India the blades of Irán or Persia were famous, steel was imported from the south-west, and also from Central India, and workmen soon acquired skill in making it up. The best workmen also learned to use other kinds of iron, to weld and temper. to produce water-mark in steel, to color it blue, and in short to do all that the best sword makers of Europe can do. Nor has the art died out: where the demand survives, in Kashmir and in Peshawar, and just beyond our frontier, men of considerable skill work at these handicrafts. I have seen a Kashmíri blade of welded bars of several varieties of iron, a small quantity of silver being hammered in to produce a beautiful wavy "water mark." But in other parts of the country, and especially in the settled provinces of the Punjab, no sooner had the stormy days of the later Sikh rule passed away, than the demand for such wares ceased or was greatly diminished. The men who wrought the arms turned their attention to works of peace, and settling in the districts of Gujranwalla. Sealkot and Gujrat, took to making guns, hunting knives, table knives, clasp knives and other articles, having imitated European articles given them for the purpose.

The class of workmen whose special branch was the ornamentation of arms and armour in inlaid gold and steel chasing, have mostly settled down into the class of 'Koftgars' whom I shall describe presently. But inlaid arms, chain armour and

swords are still to be had,—mostly being specimens preserved from past years. It is needless to add that the operation of the Arms Act has done much to diminish the number of weapons; but a few of the best makers who still remember the Sikh days or have learned from the armourers of those times, hold licences and are able to ply their trade. I should here mention the steel employed is either imported steel or steel made by heating iron bars in contact with charcoal till it has imbibed the necessary quantity of carbon, steel being a carburet of iron. Steel I am told used to be imported in flat plates or discs, probably made in this shape for facility of carbonizing, from Central India. I am not aware whether any of the iron ores of India are spathose or producing in fusion a crystalline carbonized iron like the German Spiegeleisen.

The specimens illustrating this class, are as follows:--

AMBALA.

735.-[7743]. Office penknifes (handles made of betel nut.)

This is a favorite fancy work. Pen-holders, rulers and knife handles are made of betel nut cut to shape, and the various pieces cemented together and held by an iron shaft down the centre. The appearance of the mottled brass and white nut, which hardens and takes a slight polish, is sufficiently pleasing. Price of the knives 1 rupee each.

LUDHIANA.

736 -[7748]. A sword.

This is of rather soft native iron polished by Gúrmúk. Gúrmúk appears to be the best cutler at Ludhiana.

737.—[7762]. "Mochana," tweezers. Every native barber has a pair.

738.-[7764]. Native penknife.

The usual penknife is a small pointed blade fixed in a rather long handle. The common clasp knife (when a European pattern has not been imitated) is a very rude affair, and is more like a razor. Of all native cutlery it is observed, that in the cheaper and smaller articles, the surface of the iron rarely has a smooth or lustrous appearance but exhibits the scratchy surface left by rough filing or grindstone work.

739.-[7765]. Penknife. English pattern.

740.—[7766]. Seissors.

It is difficult for an European to hold native scissors: they are often made so that one blade serves as a knife, and the finger holes are made one smaller than the other, so that when closed one falls under the other: such scissors are held with the little and middle fingers, not with the thumb and first or middle finger. 'Darzis' (tailors) nearly always use scissors made in European fashion.

SIMLA.

741.-[7778]. Razors, "Ushtara."

Very rude, though sharp. The process of shaving with them would be eminently unpleasant. They fold between two side-pieces very like an European razor, only they are smaller and shorter.

742.—[7780]. Knife. Niligarh (Simla Hills). Rude knives with wooden handles, used indiscriminately for all purposes, are carried in the belt in a leather sheath by every man in the hill districts.

SEALKOT.

743.-[7826]. Office Eraser.

741.-[7827]. Penknife, 3 blades; another with 4 blades.

745. - 7829]. Scissors, large; and a pair of small scissors.

746.-[7831]. Hunting knife.

747. - 7833 Bread knife.

748. [7834]. bacco cutter.

These and many other articles, some of best native iron and others of imported English steel, are made by Scalkot workmen under tuition of Mr. W. Spence of the Medical Store Scalkot, (see "Surgical Instruments.")

749. - 7855. A sword, worth Rs. 120, by Karmdín of Kotli Loháran. This is a blade well made of plates of different kinds of iron welded together and tempered.

The collection included a Persian knife, daggers, a battle-axe, and a hatchet made at the time place, all well finished and polished. The following account of the Sealkot cuttery in anniacture has been received.

Forging.—They forge cast steel at red heat (my correspondent uses throughout, the phrase, "cherry red heat"), and shear* steel at a low white heat. The work is then cold hammered

Filtre for coll article is put into shape and has the scales and blurred surface removed with files, leaving the edge rather thick (the process described is of making knows, swords, &c.)

Hard-ning.—This is effected by heating the article to a "cherry" red in a fire of charcoal and old leather, and then plunging it into cold water with a layer of oil floating in the surface, sometimes it is plunged into pure oil: this depends on the nature and quality of the surface, and the purpose for which it is intended. Percussive tools are mostly hardened in sweet oil.

Transcring.-I quote the account sent me, verbatim.

"This is done either in the common way, or by placing the articles to be tempered in a vessel containing oil, along with some alloy, the melting point of which answers to the temper required. Springs, if small, or if equal in thickness, are blazed off in the usual way; but if otherwise, they are roasted in flaming oil, in order to render unequal thicknesses alike in temper. The alloy consists of lead, tin and bismuth, melted together in various proportions to suit the different tempers required in cutlery."

^{*}Steel is of three kinds—"corimon." "shear." and "cast" Shear steel is tough and elastic. "Tools, says Dr. Ure. "which require great tenacity without great hardness are made of it. such as table knives, planear hs. we "Cast" steel is made by me'ting steel is evered crucibles with bottle glass, and casting in iton moulds, the ingots are hammered into rods; the steel takes a good polish; and scissors, penknives and razors, are made of it."

The finishing processes are—(1) grinding, (2) glazing, (3) polishing. For an account of the European method see "Ure's Dictionary of Arts, under Cutlery."

At Sealkot these processes are done with the aid of wooden wheels, some of which are faced with thick buff leather, others with lead. The grinding is done on stone wheels; glazing on the wooden wheels with emery of various degree of fineness, according to which also, the size of the wheel varies. These wheels are known as "buff wheels," "wood glaze wheels," and "lap wheels." They are turned by an endless band and a fly wheel.*

The emery used is known according to fineness, as "consenses," "washed-flour emery," and "double washed flour emery." The corundum, or "karund pathar" ground to powder is sometimes substituted. These are used with the wood and hard wheels.

Polishing is done on the leather wheel, the surface being covered with per-oxide of iron, a yellow oxide called "crocus of iron."

All this the reader will observe is a simplified copy of the European process.

Common and cheap native cutlery is, after forging and a high film 2, ground on a grindstone, which is turned either by a boy, who keeps pulling a twisted leather band round the projecting end of one axle, or by a bow and leather such as the native carpenters substitute for a centre bit. Polishing is not done at all: but for the better class of work a little corundum powder or European emery is used on a wheel with a leather edge. The "Sikli-gars," men whose trade is to clean and brighten arms and iron work, remove rust and stains with a set of smooth hand-iron scrapers or small chisels, which they laboriously rub and scrape up and down, and they finish with rubbing, with iron rust mixed with a little acid, and with powdered corundum and on, with the aid of leather or rags. Brass they polish with soft earth and rotten-stone and oil. (See also under the head of "Trade Implements," v. Sikligar).

GUJRANWALLA.

This district has settlements of cutlers at Wazirábád and Nizámábád, who imitate European cutlery: these men make self-acting tobacco cutters, neatly finished with blue steel catches, engraved brass plates, &c., all at a cost of Rs. 5 (!)

The commonest manufacture is a large sort of pocket knife with implements, as button hooks, corkserews attached, or campainger's sets, consists of folding knife fork and spoon; but the cutlery as a rule is not nearly so well done as that at Scalkot, and the use of iron of the class called 'aspát' is commoner than of steel, also the final processes of glazing and polishing are badly done or not done at all. These men seem to excel in making guns, and mechanical works like the self-propelling tobacco-cutter.

The following specimens will give an idea of the work turned out:--

750.—Razors By Umr Baksh of Rámnagar.

751.—[8020] Crochet needles, by Mubárak of Nízímabad.

752.-[8026]. Knife and Fork, value Rs. 3.

Note.—The native names of the wheels will be found further on, and in the glossary. I had not ascertained them when I wrote the above.

- 753 -[8035]. Letter Clip in blue steel, (by the same makers.)
- 754.—[7988]. Pocket knife, Wazirabád.
- 755.—Tobacco cutter.—The action of the knife or cutter propels the cake to be cut.
- 756.-[7991]. A pair of Pistols-value Rs. 16, by Husain.
- 757.-[7993]. A double-barrelled gun,-value Rs. 45, by Fazldín.
- 758.—[7794]. A Carbine—value Rs. 80—by the same.
- 759.—[7795]. A single-barrelled gun,—value Rs. 25.
- 760.-[8000]. Horse's bit, -snaffle, &c
- 761.-[8001]. Spurs and Military Chain Straps &c., Nízámabád.

JHELAM.

762.—[8059]. Iron horse bits.—Jhelam seems to produce the best cutlery of this description.

There are two specimens: one is called "nari," which is I suppose a sort of snaffle, an European snaffle is called "kajai" The other is the "dhána," which means 'curb.' The cost is only 6 annas each Made at Rhotás.

763.—Stirrup irons. They are made occasionally on the European model. These are almost circular, narrowing up to the point of suspension.

The commonest stirrup iron has a flat broad plate at the bottom for the foot to rest on.

SHAHPUR.

764.—[8806 &c.]. Carving knife, bread knife, table knives and forks, large [Rs. 18 a dozen, small 15 a dozen]; also penknives.

These articles constitute almost a specialty of Shahpur, and are made with handles of bone, or of a pretty translucent green stone, which is plusma, or with the mottled and variegated marble or limestone found in the Salt Range and elsewhere.

The green stone handles deserve a more special notice. The plasma is a green silica brought from beyond Kabul. The native name is "Sang Yesham," which is the term applied to jacle or nephrite. Jade differs however from plasma. The constituents are as follows:—

JADE.				Plasma.					
Silica,	•••	•••		50.5	Silica,				96.75
Magnesia,	•••	,,,		31.0	Alumina,		•••	•••	0.25
Alumina,		•••		10.0	Iron,	•••	•••	•••	0 5
Iron,	•••			5.5					
Chrome,	•••	•••	•••	0.05					
Water,	•••	•••		2.75					

Plasma has been found among the ruins at Rome It is infusible, while jade melts before the blowpipe into a white enamel. The best jade comes from Persia and Chinese Tartary: it occurs in granite and gneiss. Plasma occurs in beds associated with chalcedony. Plasma, it will be observed, contains no magnesia and a much larger proportion of silica than jade.

The following account of cutlery, kindly communicated by Major Davies, then Deputy Commissioner of the district, I transcribe verbatim:—" Information received from Shurufdin, Lohár of Bhera. The iron is obtained from Bombay. The process of manufacture of cutlery is as follows:—A seer of iron say, is heated and hammered continuously for about a day. Borax (sohága) about a chittack in quantity, is put on this iron when hot, and it is then fit for manufacturing into the required shapes.

"These shapes are roughly obtained by means of hammers and moulds, then filed and again heated; they are cooled in water with an eighth part of oil floating over the top, which hardens the surface of the iron.

"The polishing process is now begun, and is performed by means of the "sán" and the 'matsán,' of which descriptions must be given.

"The 'san' is formed by heating a kind of fine sand obtained from the Salt Range in a vessel and then mixing 'lakh' with it, until the whole is formed into a sort of dough, after which it is well kneaded and then forced into a mould, which, when it is cold, turns it out in a round shape with the appearance of a very thin grinding stone.

"The 'matsan' is made in the same way: a stone containing much silica called 'kurand' being, when pounded, substituted for the sand. The kurand is said to come from Hindustan."

The article—a knife say—to be polished, is first moved backwards and forwards on the san, turned rapidly, with a very little fine common sand applied.

The article is then applied to the matsán in the same manner; the matsán however is first prepared by the application of oil and a piece of 'kurand,' after which charcoal is rubbed on it and it is well dried with a cloth. This preparation takes place three times during the polishing, which from first to last takes about two hours. Large articles, such as talwars &c., are not polished in this elaborate manner, but oil and pounded 'kurand' are merely rubbed on with a piece of wood.

The pale green plasma called 'sang-i-yesham is cut by means of an iron saw, and water mixed with red sand and pounded 'kurand.' It is polished by application to the sán wetted with water only, then by being kept wet with water and rubbed with a piece of 'wati' (a smooth fragment of stoneware, crockery, or potsherd) and lastly by rubbing very finely pounded burnt sang-i-yesham on it. This last process must be done very thoroughly.

The other stones used for handles come from the Salt Range and the hills near Attok. Each is polished by being rubbed with 'wati' and its own burnt powder as above; when the stone is very hard, oil is used in the process instead of water.

MONTGOMERY (GUGAIRA.)

Some of the coarsest class of native cutler's work was sent from this district, including the usual knife, scissors, tweezers, razors, and a pair of "camel shears" from Shirgarh in this district,—and costing 4 anas.

PESHAWAR.

The cutlery works of this district, as might be expected, are principally of a warlike nature. The workmen have the advantage of the iron from Bajaur, which is excellent in texture and easily convertible into steel. (see Vol. I, pp 8 and 9).

The Settlement Report has the following brief notice of the sword factories.

"Sword blades of a coarser quality are manufactured at Peshawar, but those in greatest request, other than Persian and Damascus blades, are those [called] "Tirai," made in the Makzai hills of Tirah at what is known as the Mirzakhani factory. The temper of these swords is highly appreciated, and some, purchased perhaps at a small price, are valued nearly as much as Irani (Persian) blades."

The specimens exhibited as cutlery can hardly be separated from those coming under the class of "Arms." I beg to refer the reader to that class for the strange variety of swords, knives and daggers this district produces.

LAHORE.

The works of cutlery here are principally arms; ordinary rough knives, scissors, tweezers &c. &c., are made in this district as well as in every other. I may here mention that a few cutlers, like those of Nizamabid, seem to have settled at Kasúr, and that a few articles, superior as compared with ordinary native cutlery, were sent to the Exhibition of 1864 from that sub-division of the Lahore district.

The specimens are as follows:-

765.—[7855] — A sword, 'Talwar,' with waved edge.

766.—[7856].—Steel sword made by Amán Ali of the Mochi Gate Lahore, value Rs 12 (an inferior quality).

767.—[7857].—A sword of steel finished with water-mark, by the same, value Rs. 30.

768.-[7858] -A sword with a device engraved on the blade, Rs. 20.

769.-Small curved daggers, made at Lahore.

770.—A dagger made of embossed steel by Amán Ali.

KASHMIR

771—[8175] — A steel mirror. Before the importation of European glasses, and before the process of silvering Aleppo and European glass for mirrors was known at Delhi, small round mirrors of polished steel were in use, and still are to be had. This is one: its value is Rs 7-8.

In bringing this class to a close, I most enumerate the tools used by the blacksmith in metal works.

The details of the blacksmith's work are familiar, and there is nothing special in the native method. Charcoal is used in the forges.

The tools emplyed are:-

- (1).—" Ahran."—(anvil). (2) Wadhan (Sledge hammer) for hammering large works, used with both hands.
- (3).—Hathaura (hammer.)
- (6).—Hathauri, small hammer.
- (7) .- "Sannya," pincers of five kinds and sizes.
- (8).-" Chaini," cold chisel for cutting iron.
- (9.)—" Sumbhá," to make holes in hot iron.
- (10).—"Dedhí," an iron piece with a hole in it placed under the iron to be drilled with the Sumbha.
- 11.—" Chaurasi reti," square file, for filing with either side or face.
- 12 .- " Nimgird reti," half circular file.
- 13.--" Tirsál reti," triangular do.
- 14.-" Reti," common file.
- 15 .- "Katíra," pair of shears or pincers with sharp edges for cutting metal.
- 16 .- " Golrá reti," round file.
- 17.-" Parkár," compasses
- 18.—" Hathkali," hand-vice—" bank" is a big vice for bench use.
- 19 .- 'Mús," screw mould in which screws are made-the female screw.
- 20 .- "Jandri," plate bored for wire-drawing.
- 21.—"Tappa," a shaping block.
- 22.—"Kundi," hook for stirring iron in the forge.
- 23.—"Khalwa," bellows, or two skins to form bellows.
- 24.—" Bilol," mouth-piece of the bellows.
- 25.—"Khal," single skin used for a pair of hand bellows.
- 26.—" Kauncha," forge tongs.
- 27.—" Sandán," small anvil with points at either end.
- 28.—"Bánk," a vice (copied from the European implement).
- 29.—" Nimgira."
- 30 "Tappa goli," a round block for shaping round plates in.
- 31.- "Bhatti," forge
- 32.—"Muddhi," wooden block let into the ground on which the anvils are fixed.

The Jury Report on the Collection of 1864, may be printed as a suitable conclusion to this class:—

CUTLERY AND HARD-WARE.

JURY:--

Colonel Sim.

G. Burnell, Esquire,

H. Gunn, Esquire.

Dr. Elton.

Nawab Allee Reza Khan.

B. Powell, Esquire.

Nawab Abdool Mujid Khan.

T. D. Forsyth, Esquire, Reporter.

()

The articles exhibited in this class comprise a wide range of utility, and being such as are intended for the daily wants of life, rather than for ornament, it is necessary to look carefully to the workmanship, design and ultimate use of the articles displayed.

In this department novelty of design is not likely to be met with, for, as a general rule, the implements of trade, and the articles coming generally under the head of hardware, are produced in greater perfection by Western nations than by Orientals.

Thus it is found that, whilst most of the articles manufactured after native models are comparatively rude and uncouth, those made according to English patterns have some pretensions to neatness of finish and utility.

The exception to this is to be found in the swords and large knives, exhibited from Peshawar and the frontier. The manner in which match-locks are made, and native gun-barrels are twisted, is curious; but this is not a trade which is likely to be fostered under the British Government.

The articles exhibited may be divided into two heads:-

1st.—Culinary or household.

2nd.—Sporting or warlike.

Under the first heading there are knives and forks, penknives, scissors, erasers, from Umballa. Loodiana, Sealkote, Lahore, Goojranwalla, Goojrat, Shahpore, and Jheend.

Scales and weights from Umballa and Loodiana.

Padlocks from Rohtuck, Simla, Umritsur, Lahore, Goojranwalla, Rawul Pindee, Googaira, Dera Ghazee Khan, Bunnoo; a door-lock of excellent construction after an English pattern made at Umritsur.

A large collection of brass and copper cooking pots, cups, goglets, hookah bottoms, and other native utensils.

Under the head of sporting and warlike—there are swords, daggers and long knives, from Umritsur, Sealkote, Lahore, and the frontier districts, and some presented by the Chiefs of the Cis-Sutlej States; a sword from Loodiana, a 'kúkrí' from Simla, sporting knives from Sealkote, Goojranwalla, and Dera Ismael Khan.

Guns after English natterns were sent from Goojranwalla and Cashmere, and a specimen of a twisted gun-barrel has been supplied from Kohat by Mr. R. E. Egerton, whose interesting account of the manner in which these barrels are twisted is appended.*

Native matchlocks and pistols are sent from Peshawur.

Horse bits and stirrups from Hissar, Rohtuck, Lahore, Goojranwalla, Jhelum; horse shoes from Her Majesty's 89th Regimental Workshops

Knives and Forks, &c.—Most of the penknives and seissors are of exceedingly poor and rude construction.

The way in which some of the purely native made cutlery is got up is clever, as far as appearance goes, but it will not bear close inspection.

The external imitation of English cutlery is excellent, but does not stand the test of use, there being scarcely a blade which would bear ordinary trial. The natives in some instances have evidently procured English steel, but not understanding how to work it, have destroyed the temper in making up the blades.

The exceptions are-

[7826 to 7833.]—Knives, eraser, 2 penknives, 2 pairs scissors, sporting knife, and bread knife. These are by far the best articles of cutlery exhibited, and are really good specimens. The blades are made of English steel apparently, but it is understood that they have been worked up by native artificers under English superintendence. They are neatly finished with ivory and horn handles.

Good specimens of penknives are exhibited by Goojranwalla workmen.

```
[7997-98-99].— by Amir.
[8002] A knife; by Amerooddeen.
[8005.] Very good specimen.
[8006.] Knives by Shahabooddeen.
[8012.] Knife by Gholam.
[8024.] Knives, forks, by Nubbee Bux.
[8030.] Penknife.
[8031.] to [8035.]
```

The scissors exhibited by these manufacturers are very poor indeed.

[8063.] Shurufdeen, of Shahpoor, exhibits good looking carving and dinner to knives and forks, with imitation jade handles. But they are worthless for use, not being made of good steel.

[7749.]—Scales and Weights.

[7750.] Scales and set of weights, letter scales, by Goormookh of Loodiana. These [7751.] are after the English pattern, and are remarkably well made.

The ordinary native padlocks are supplied in abundance, and are not worth notice.

[7739] A lock on Chubb's principle is sent from the Robtuck Jail, but it is quite a misnomer to use Chubb's name in connection with the lock exhibited, for it is of the most ordinary and rule nature, the principle of the lock being that which would be turned by a large watch key. Externally the lock has an imposing appearance.

A curious puzzle lock from Bokhara is exhibited by Hisr Mey Raj, Lahore, No. 7874.

[7872.] Is a very bad specimen of a common English padlock.

[8009] Letter padlock (brass) by Golam.

[8041. Do. Do. brass.] Local Exhibition Committee,

are very good specimens of padlocks, for which the workers deserve honorable mention.

[8005.] A cleverly contrived native padlock, on an English pattern.

Door Lock.—Sirdar Bhugwan Sing exhibits an excellent specimen of a door lock, No 7808, made after an Euglish pattern. It would be very desirable to encourage the manufacture of such articles, as they would be much sought after if produced at a moderate price, as doubtless they could be.

Sporting and Warlike.—There is a very small show of guns, and none have been sent from Kangra, where formerly very fair specimens used to be seen; the best Mundee iron being procurable in the neighbourhood, and clever workmen being found in a colony at or near Teera Sujanpoor.

[7994.] Gun, double-barrel, price Rs. 45.

[7995.] Carbine, breech-loading, price Rs. 80.

[7996.] Gun, single-barrel, price Rs 25.

[8001.] Gun, double-barrel, price Rs. 60.

are exhibited by Shahabooddeen, who deserves special notice for the workmanship and finish of his weapons. The manner in which the breech-loading carbine has been bored is highly creditable. The locks of No. 8004 are very superior.

The guns from Cashmere are well wrought, and the finish is excellent.

A conting knife, no number, sent from Nizamabad, is well made, and appears to be of good steel.

[8000.] An English bit made by Shahabooddeen, Nizamahad, deserves notice.

[8203.] Quoits [8204.] Horse shoes [8207.] Wad cutter Special notice.

PRIZES, &c.

The Jury do not consider any articles in this class of sufficient excellence to deserve a medal, but they would, as much as possible, encourage this branch of manufacture by the grant of money prizes and recommendatory certificates.

They would award to Shahabooddeen of Goojranwalla for his guns, three shares of prize money.

To Mr. Spence, Sealkote, Sir Robert Montgomery's special prize might be given for general superiority of finish and excellence of material.

To Goojranwalla 5 shares of prize money might be sent for distribution to the different workmen employed by the Local Committee; and to the following exhibitors, who ought also to have certificates:—

Shahabooddeen. Gholam.

Amerooddeen. Mobarik.

Shurufdeen. Nubbee Buksh.

Two shares to Sirdar Bhugwan Singh for the superior sample of a door lock.

Three shares to Goormookh, Loodiana, for his brass scales and weights.

Two shares to Sergeant Ord, Her Majesty's 89th Foot.

One share to Sergeant Bates, Her Majesty's 93rd Highlanders, for superior specimens of hard-ware.

Honorable mention should be made of the guns from Cashmere, and of the air gun from Puttiala; a certificate should be given to Local Exhibition Committee Kaugra for delivery to the maker of an ivory and steel letter clip of superior make and finish.

For Mr. Burnell's prize for sudder bázár block, or rough-filed iron-work, there was no competition.

T. D. FORSYTH

Reporter.

29th March 1864.

DIVISION IL

WORKS IN THE PRECIOUS METALS.

SUB-CLASS A .- WORKS IN GOLD OR SILVER WIRE; AND B-FABRICS WOVEN WITH GOLD AND SILVER WIRE AND THREAD.

The demand for fabrics of this class is immense. Every wealthy man has his shoes embroidered with gold, for which spangles (sitára), and thin tinsel (sulma) are required, Gold ribbon (ghota, kinára &c.) is largely used in trimming dresses, both male and female: gold thread (kalábátun) is used in embroidery; and for the heavy rich embroidery, already described as kar-chob, tinsel wire of sizes (called mukesh) is required. Silk cloth with patterns woven in gold wire, is called kinkháb, is used for dresses of the wealthy, for cushions and state coverlets and cushions (mashad), and for the envelopes in which royal and princely correspondence is enclosed (called kharíta). Native ladies demand muslins figured with tinsel, and public dancers wear the gaudier and more showy kinds of tinsel ornaments. Small skull caps covered with gold work and tinsel are much worn on gala days, especially by children. Delhi is the great place in the Puajab for shoes embroidered with gold or with spangles and tinsel wire worked on to them. Such shoes are said to be made with "sulma wa sitára," and the neater and quieter article is worked with gold thread, which is less sparking and showy, is said to be "kalábatúní."

Dehli also is the manufactory for caps showily embroidered with tinsel and spangles: sheet tinsel being often sewn on to imitate jewels. All kinds of embroidered muslins, gold edged turbans, and fancy articles of tinsel ware, are to be obtained at Dehli.

At most of the large cities, embroidered shoes are made, and at Lahore and Amritsar the kar-chób is done, the manufacturers being the relies of the once flourishing class who supplied the Sikh Court and nobles with embroidered velvet coverlets, cushions, floor cloths, saddle cloths, &: The demand has now fallen off, and the embroiderers obliged to take to other classes of embroidery more in demand by the general public. Kimkháb (corruptly kincob) is not made in the Punjab: it is possible that in some places a stray workman from other parts may be found, but that is all; all our kimkháb is brought from Benares or from Ahmadabad in the Bombay Presidency. The qualities of kimkháb are very various in inferior sorts: the last yard or so is fairly well woven, the gold flower standing out bright and glistening from the silken-surface, the "thán" or piece is so folded for sale that the good parts form the few outer folds; on going towards the inner lengths the gold flowering gradually becomes thinner and poorer. The unwary purchaser who only looks at the outer folds is thus often sadly cheated.

I do not think there is any great demand for kimichile now; the fishion of wearing European silks and satins for chogas and robes is so prevalent that kimichile seems to be driven out.

The Maharaja of Kashmir has however imported kunkhilomakers into his territory, and in 1868 presented to the Lahore Museum a piece of very elegant material, gold flowers

^{*} I must adopt throughout this class some reversity of the rule of the narrow fined ribbon which is formed by fluttening a gilt wire of various the formed accordingly. A gold thread means (kalábátun or spolitimas) upon silk.

on a white ground, and so neatly worked as to bear inspection on both sides; the work is equal to Benares, but hardly to the best "Dakhani" work.

To illustrate this class I must describe the process of making:

Silver and gold tinsel wire, plain and fancy-sulma, tila, mukesh, gokru, &c.

Gold and silver thread-kalábátún.

Tinsel spangles-sitára.

The foundation of all work in this class is the "kandla" or silver ingot.

At Lahore the kandla is particularly pure: it is never allowed to be alloyed with more than a fixed quantity of copper. The whole ingot weighs 63 rupees or tolas standard, and 68 rupees Nānakshahi (Sikh rupees). This size has descended from long custom. The Municipality tax the "kandla-kash" or kandla making community, at so much per cent on the value: a contractor farms the tax, it being put up to auction, and he collects the per-centage due on each kandla. If the number of kandlas made that year is very large, the total of his per-centage will exceed the price paid for the farm and he gains otherwise not. The present contractor tells me that about 1500 kandlas are made in the year, but that the number varies

The kandla consists of a round bar of silver, slightly tapering at each end and covered with gold all over. To make it, the first thing is to get a long narrow silver ingot about 8 or 9 inches long and I inch thick, called "raini," this is made by melting silver in a small kutháli or open crucible with spháza (borax) as a flux, which leaves the silver perfectly pure: it is then mixed with the proper quantity of copper alloy and poured into an iron mould having a handle and called "reza." The reza is simply a thick narrow bar of iron with a trough in the middle, long enough to admit the required quantity of metal.

So soon as the "raini" or ingot is cold it is taken to the Municipality office to be tested. This is done to prevent the deterioration of the Labore manufacture and consequent depression of the trade; if it were not, the kandla could be easily adulterated, and also those bankers who give over silver to be worked up would be defrauded. For this reason also all the kandla-kashes work together in the old mint buildings. Tankshal" of Labore; this facilitates supervision. All the kandla-kashes are in one partnership, about 15 or 20 of them, and their earnings are thrown into a common stock and divided out: if a member is sick and unable to work he gets his share all the same; it is only when a person renders himself obnoxious or becomes lazy that they refuse to give him a share, and then the matter often ends in a law-suit. This arrangement is a matter of ancient custom. Recently a workman from Hindustun made his appearance, but has been obliged to go and sit in the Tankshal being looked on with much disfavor by the others as an interloper.

The testing operation is performed as follows: -

Each kandla has in it 64 rupees Nánakshahi (Sikh coinage) weight of pure silver; five kandlas are taken and a small portion cut off each. Of the fragments, one rupee weight (according to a standard rupee kept for the purpose) is taken, and mixed with a proportion of lead and melted in a crucible. The pure silver when taken out (the lead and copper being separated from it in the melting), ought, if of proper quality, to weigh exactly against another standard rupee made 32 rice grains weight less than the first, i. e, every true kandla contains 32 rice grains = four rattis * of alloy to the tola: if more

^{* 8} rice grains equal one ratti, the red seed of Abrus precatorius.

than 32 rice grains weight is lost, the kandla is immediately destroyed as spurious; if it is correct, the kandla is stamped with a die bearing the letter "L 32" L for Lahore," 32" to signify that in the testing 32 rice grains weight of alloy exists in the tola.

The oblong ingot when stamped is called "raini." It is then made into a kandla by hammering and filing (when the shape is that of a candle, round and somewhat tapering at the ends.) and by covering it with gold. The gilt bar thus ready is also called kandla. The raini by being filed into the kandla ("kandla kilaí huí") loses 1 tolah in weight. For making a kandla the rate is Rs. 2-8 to Rs. 3, including 1 tolah of silver which comes off the raini or ingot in the process of making it into the kandla.


The gilding process is done by means of gold in thin narrow plates, and quite pure ("son't patra"), which, by the aid of fire and hammering, are plated on to the surface; the doing this part of the work well is the kandla-kash's art; he makes no secret of it now, and will teach any one who wishes to learn.


The quantity of gold put on is more or less according to the color and quality of the tinsel ultimately required: if but little gold is put on, the tinsel will be of a pale yellowish color, if plenty, it will be of rich gold-red. The tensile capacity of the gold is wonderful, for however fine the bar may be drawn out, the gold surface always remains; the fine wire used for making thread must be produced by drawing out the kandla to thousands of times its original length, and yet the gold surface, and also the color of the gold never changes: if the kandla is thinly gilt and pale in color, so is the wire, and if the kandla is dark red, so is the tinsel.


The kandla has now to be drawn out by the "tarkash" His apparatus is simple, but powerful—A small oblong trough about 3 feet long or 4, and 2 feet broad, is dug in the ground and brocked round. Across this a stout roller of wood is laid, supported at its two axle ends in woo len sockets at either side of the trough. Through the roller pass stout wooden arms, or spokes, one sloping one way, the other the other, like the letter X.

The roller is called "jandar." A stout chain, called "sangal," terminating at one end in a ring, and at the other with a pair of pincers or a crab, is now fixed to it by simply passing the ring over one spoke and turning the roller half round; the chain is thus secured with a good purchase, is now extended towards the opposite end of the trough; here, just to where the chain reaches, are fixed two very stout posts deeply driven into the ground, and having the upper end projecting about a foot above the ground and cut with a slit of say four inches broad down the centre, these are called "kila."

A stout steel plate is now produced having a series of holes in it, just so large that the kandla cannot pass through any one in its present state, though the tapering end (made tapering for this reason) can. The kandla is well rubbed with wax and the end force I though the "jandri" hole; this is then placed point inmost against the two posts of the "kila," and held there by a man's foot. The projecting point of the kandla is firmly caught and held by the pincers, and then by turning the roller, exactly on the principle of a rack, the kandla is stretched out and gradually dragged through the hole; in length it is now about trebled or quadrupled. This process is repeated with finer holes until the wire is drawn as fine as ordinary small wire, and then it is made up into coils of so many tolahs weight. In this state it is called "veri." The tarkash's work is now over. The annexed plate shews the three machines described.







The veri passes to the "kataya" or fine wire drawer, who has to draw it out still finer, but his apparatus does not require to produce such a powerful tension as the tar-kash's. He has merely a low board supported on four short legs: this is called 'patra.' On it is fixed an upright iron spike ("kil") on which a small wooden wheel—broad edged and rimmed (to prevent the wire wound on it slipping off)—revolves. This is called "charkhi." The wire has to be softened before it is drawn, this is done by putting it on a copper drum or charkhi and then after heating, transferring it to the wooden one.

The coarse wire to be fined is wound on this; one end of the wire is passed through a pierced steel plate—the hole being gauged to the fineness of the wire required. The steel plate called "jandri," is held in its place between two little iron uprights suitably placed, called "mareli," by help of a little wooden wedge made of "pilchi" or other soft wood and called "tor "-the point of the wire passing through the jandri hole is pulled by the hand gently till a sufficient length comes out to fasten the end to a larger and much heavier wooden wheel (charkh) revolving horizontally at the other end of the patra. The workman sitting before the patra then turns the heavy wheel by a dexterous application of his hand to the flat top of the wheel or drum, which has a little dent in it to catch his finger: sometimes the drum has a little hole in it, and is propelled by a small tool like an awl whose point goes into the hole: this is called "bailoni." The drum is heavy enough to exert a force sufficient to draw the flexible wire though the hole and keep winding it off till all is finished In order to commence work, the end of the coarse wire has to be ground down, so as to make it pass through the hole, after which the man catches the end in his fingers and exerts force enough to compel the wire through the hole, thus drawing it out till he gets a bit long enough to attach to the wheel, after which the weight of the revolving wheel continues the drawing. The patra is furnished with two little round bits of rough glazed china or pottery, (bits of an old cup or saucer rounded and beveled) called "pewáñ," the end of the wire is sharpened by rubbing it between them.

I must say now something of the jandri. It is a small tongue or plate of hard steel pierced with a series of holes, called "bara." Each bara or hole is made with difficulty as it requires the successive use of 32 small steel punebes called "katár". One is first applied and given one blow with the hammer, then another, and then another: the result is a beautifully smooth even hole. Each hole, as originally made, is of the same size: but as the wire requires to be drawn finer for some work and coarser for others, the workman has accordingly to adjust the hole in the jandri, which he does by hammering it up close with a little steel hammer, having one end pointed, (and called "chándá") and then re-opening it of the required size by passing a steel spike or needle called "sılái," through it-gauged to the size of wire required. Another sort of spike is also used, called "chaurasa" (the silai is round, the chaurasi has four facets terminating in a sharp point.) The finest gauge draws the wire so thin as to be almost invisible: the art of sharpening the end of the wire so as to get it through the fine hole and have a handle to commence pulling from, requires no little delicacy and skill. It is needless to say that the hole is always smaller than the wire, otherwise the wire would only pass through without becoming longer and thinner.

All these operations being done, the owner of the veri or coarse wire, requires an equal weight of fine wire to be delivered. The tarkashes and katayas are more numerous than the kandla-kashes.

The fine wire is generically called "tand," i. e. 'pulled material.'

Four gauges of wire (tand) are made:-

- 1. The coarsest, tárí ka tand, for making spangles (tári or sitára).
- 2 Mukesh ki tand (for mukesh, used in embroidery.)
- 3. Kmárí ki tand, for making kinárí and gota or gold edging.
- 4 Wattan ki tand, or tila ki tand the finest of all, for making 'tila," the thin kind of tinsel use I for making gold thread, and for sulma, and for weaving chunibádla, and the thinnest and lightest gold wire fabrics

The fine wire now goes to the "dabk'i "who flattens it out into 'tila,' mukesh,' gokru-mukesh,' mukesh bati-hui,' for ribbon and lace making, according to order and according to the fineness of the wire.


The dabkai's apparatus is simple: a stout block of hard wood is driven into the ground, leaving only the rounded head projecting; this forms a solid anvil into the centre of which a pace of steel is let curved slightly on the surface, as being a segment of the dome shape; this is finely polished and always kept perfectly free of all dust and scratches; the operator sits before this hammer in hand, and hammers the wire flat on the steel, with the aid of a rather heavy but small steel hammer one end being beautifully polished and slightly concave to fit the surface of the anvil—The end of the handle is thickened by a good covering of wax, which gives a firm grasp. The wooden anvil is called "kunda," and the steel plate let in to it " nihai" the hammer " hathaura".

But the means of applying the wire has to be described :-

A long reel is taken, being 15 compartments (called "girdbának"), it revolves on an iron pin between two uprights, and at one end of the axle pin, which projects, a wooden reel is fixed. The wave owner who hands over the "tand" to be flattened, gives it over by weight, would on to the compartments of the reel, leaving one blank. The object is to have an exactly equal quantity of wire on each compartment, and this is adjusted by removing any surplus and winding it on to the reel at the end of the axle pin. The compartment reel and its stand and uprights is now placed on a little three-footed stool called "tirwai" (corruption of tirpai) opposite the workman and some little distance in front of his anvil, and it is kept from revolving on its axis until wanted by laying a flap of leather against it, and on the leather a heavy square iron weight called "dár". The wheel is let go a little and 14 strands of wire drawn out to a sufficient length.


Just at the end of the steel inhai on the anvil, between the anvil and the girdhának frame, two tiny little bits of leather, the edges sheed like the teeth of the comb, stand up: they are kept there by strings: the strands are taken and passed over the combs of leather seven strands between the slits of each; they are thus gathered into an even skein, which is slowly pulled over the steel with one hand and simultaneously hammered flat with the other. In order to keep the wires a periate between the girdhának and the leather combs, small weights, called "diedlar," consisting of a string with a course shell at either end, are bung over the strands; this keeps them taut and prevents the fine spider lines from becoming entangled.





GLOUPS OF KASHMIR SILVER VASES.





The wire when flattened is thrown into an earthen pan as it comes off in pieces, this being the best way of keeping it clean. It is then gathered and tied up in skeins, called "lucha," and weighed: it is sold by weight also.

According as the gold has been applied, thick or thin to the kandla, so is the color of the wire rich or pale. For silver wire, the kandla is of course left ungilt.

The fancy kinds of tinsel are made in the following ways: twisted mukesh, (bati-hui) is made by taking the fine wire 'tand' and winding it by means of an ordinary 'charkh or spinning wheel, on to a long narrow steel spike, so as to form a narrow ringlet: this is opened out till the wire is waved only, and then flattened; the mukesh when thus waved, is much used by karehobs for a gold ground work, being sewn on edge over edge.

Sulma is made of very fine wire wound on to a steel needle (silái) so as to form a thin close curl like the tendrils of a creeping plant, only very much finer and closer, and comes off in pieces a few inches long. This is the prettiest form of gold tinsel. The pieces of sulma look like pieces of fine chain, or, if I may be allowed the comparison, like gold vermicelli. Two kinds were sent me from Delhi: 'sulma kora,' which is rather looser in texture and made of plain drawn wire; and 'sulma dabka hua,' made of fine wire slighly flattened and having a closer wound appearance: the difference is hardly appreciable to an uneducated eye.

The winding is done by fixing the needle on to the common charkha, and attaching a reel of gold wire: one end of the wire is made fast to a bit of string fixed at the end of the silái, and it is then wound off close and fine, row against row, on the silái, and when finished the little curl, now called "silma" or "sulma," is slipped off: it is used in embroidery of caps and shoes, principally.

Spangles (tára or sitára) are made of the thickest wire, (though still very fine) which is first wound off on to a wire shaft just as the sulma, only coarser. The long curl of wire is called "phogli" The silái is turned up at one end to prevent it slipping off.

The "dabkaya" now sits down opposite his steel anvil, and spreads all round him a clean cloth, and sets up a sort of wall or low tent of cloth round him to prevent losing his spangles, which fly about; he takes the phogli in one hand and with the other cuts the coil of wire up the side with a pair of seissors having fine points, but one blade much shorter than the other; the point of the short blade goes in under the wire coil and the other presses on it, the result is that when the silai is shaken and turned up, little coils of wire, shaped thus (C) fall off; as each drops on the steel anvil a single blow with the hammer flattens it out into a spangle thus Ξ and the work is done; the spangles lie all about the cloth, and are afterwards carefully collected.

The materials are now ready for use: the tila or plain thin flattened wire goes to the kalábatún sáz—(in Panjabí tilá-bat) or gold thread maker, and to the kináre báf or weaver of gold lace, edging, &c. The mukesh, and the sulma and sitára, go to the embroiderer and shoe ornamenter 'Gokru mukesh' (which is mukesh puckered up, or crimped with a pair of iron tongs), also sulma and spangles, go to the embroiderer of caps.

False tila and mukesh are made of brass gilt, and come mostly from Delhi.

Kalábatún is made by twisting the fine gold tila or flattened wire on to fine red silk, if it is gold (surkh), on white silk if it is silver (safed); it is simply done by fixing two threads of material to a small iron spindle, just the same shape

as an ordinary spindle; this is kept perpendicular by the thread passing under a little hook at the end. The spindle is set spinning by a twist of the finger and thumb: the finished thread is wound off on to reels.

The kinára-báf makes gold lace (military) and ribbons of all kinds. Lace is made on a warp of firm and thick yellow silk, with 'tand,' or wire not yet made into thread: the end of the web is tied round a small stick and secured by a string to a nail in the wall, the other end of the web is fixed to a roller, it is crossed by 2 or 4 small treddles (gulla) to lift the upper and lower threads of the warp: these are suspended from the ceiling by strings, and a "kingi," to close up the woof, is hung on the warp just like a miniature loom. The woof thread in lace making is gold: it is applied, not with a shuttle, but on a plain spindle shaped stick called "kainthá."

Gold ribbon is made with a tiny loom like the above: in making it the web is of gold wire flattened (tila) and a single strand of silk at each side for the edge, to give strength to the whole; the woof is very fine red silk or white, according to color of the metal: silk is always used, even to make ribbon of imitation tinsel.

The narrowest ribbon is called "dhanak" (No. 786 &c.): it is made of 5 to 7 strands of gold in the web; it is used in making "dori." "Gotá" is a broader plain ribbon with 20 strands. "Pattah" is a ribbon still broader—as wide as the finger. "Kinárí" is wider still. "Anchal" is the widest of all.

Gold fringe is also made by the kinara-baf: the fringe is twisted by hand and the tags kept together by the band along the edge woven in a loom.

The variety of articles, in the nature of materials for gold embroidery, may be illustrated by the following lists:—

PATTIALA.

772.— Laus sunchri guldar — Military gold lace epaulettes. These are after the European fashion. The origin of the word laus for epaulettes I do not know: perhaps it is a corruption of "lace," but the word "lais," which is evidently our word "lace," is used for gold lace also.

773.-[7395]. Gold and Silver lace.

Native gold lace is only used by European tailors for the bands of Military caps; it is too heavy or expensive, being of gold wire (tarsurkh), much more heavyly gilt than the European, and therefore more expensive. "Lais" is admired by natives for waist-belts, sword-belts &c., (peti, partla, gatra &c.,) and worn in native cavalry regiments &c., &c.

774 -[7399]. Do. of silver gilt.

775.-[7400]. Sulma of gold and silver.

776.—[7402]. Gokru-i-mukesh. This has been described above, it is merely tinsel crimped or pickered up. The term 'gokrú is applied to the prickly seed vessel of the burr (Tribulus), thence the word has passed into other meanings. A round spinous ornament for the ear is called gokrú; the spiked three-pronged irons, which, being thrown down, are so curved that one prong must project and so harass the advance of cavalry, are

called gokru. Just in the same way the Delhi jewellery in gold, pointed all over with little points, is called babul work, from its resemblance to the round balls of yellow stamina which form the flower of the babul or acacia.

777.—Sitára safed and surkh are the round spangles before described.

778.-Gota, surkh and safed. Gota is a bordering of gold made in a loom as above described. Júta, (or false) gota, is very cheap—the tiusel being merely brass and water-gilt.

779 - [7402]. Dhanak (safed and surkh).

780.-[7408]. Zanjírah (gold).

781-[]. Silver wire gilt.

782.-[7412]. Mukesh (described above).

DELHI.

783.-[3437.]-Gota, gold ribbon called 'Hor' in local list.

. The same from Ludhiana, Ambala &c. &c.

LAHORE.

- 784.—[8684].— Mukesh,—and gold thread made from it (kalabatun), recled gold wire, and recled red floss silk used for making kalabatun. The little wooden reel is called "pechak." The same with silver wire and w^t ite silk for silver threads (hence the use of the names 'safed' and 'surkh' for silver and gold thread).
 - 785 .- "Kaitún mothradár," a kind of edging of green and scarlet silk and gold.
- 786.—[8689].—Kaitin mothredir, gold lace edging: this is woven with gold thread in the web and woof; not like gota which is made of tinsel.
- 787.-[8694].-Kaitún "safed," silver braid by Минамар Вакян. This is a narrow braid, such as ladies use in embroidery or braiding work.
- 788.—" Dori sahz wa siya," green, black and gold edging or braid: a narrow braid made by plaiting gold or silver dhanak (q, v.) with silk.
 - 789.—[8700].—Anchal safeda.
- 790.—[7801].—Kinári, edging. Anchal and Kinári are ribbons of silver and gold, either plain or woven in a pattern. The man macture has been described above. The plain ribbon of the broader sorts has often a pattern pressed on the material so as to stand out in relief, by printing with a hard iron block or die after gentle heating.
 - 791 -[8703]. Gold "Sarpech."

This is a strip of thin gold woven ribbon, a foot broad, worn round the turban by the bridegroom on the day of his marriage; when so attired he is called "Nau-Shah," the new king. The sarpech was formerly only worn by Kings and Emperors and such nobles as they chose to allow the distinction of wearing it. The bridegroom who wears it is king for the occasion.

792.—[8705]. Chúni bádlí, a scarf of fine muslin woven with gold, worn at weddings: it is very light, hence called "bádlí," and glitters prettily enough.

- 793.—[8706]. "Son-sehra," an ornament consisting of a piece of very deep fringe (a foot deep) made of thin strips of gold tinsel; it is tied round the forehead of the bridegroom at his wedding and allowed to hang over the face.
- 794.—[8707].—Kalghi, a cockade or aigrette of gold tinsel and feathers, worn in a child's pagri on gala days &c.
- 795 Tinsel ornaments for the ears. These are rosettes not unlike a guelder rose, stalks and flowerets being imitated in tinsel, and worn stuck into the ear by dancing girls. They are called "Karnphúl."

PESHAWAR.

796 -[9095].-Gold thread (Russian) worth Rs. 1-1-0 a tola.

797.-[9096].-Gold thread made at Peshawar, Rs. 1-4 a tola.

Russia gold thread is sold in Peshawar, both real and imitation, ("jùta kalábatún.")

NABHA.

798 - [9163.] "Sanjáf," a border of brocade (silk is often substituted) and sewn inside the lining of a garment at the edge.

799.-- '9166] Patha or fita, a narrow edging.

800 - [9176]. "Zari," gold and silver, the same as "chuni bádla."

801.—[9183]. Gokru, gold and silver.

The collection also included sitára, sulma, mukesh, dhanak and gota.

FABRICS WOVEN WITH GOLD.

The following are the specimens.

- 802. [7396]. Kimkháb, woven at Nавна. This was, I suppose, woven by a workman employed by the Chief of this State.
- 803.—[7422 &c.]. Specimens of muslin woven with spots of gold and silver, Maler Kotla.

DELHI.

- 804 [8441 &c] Series of fancy gold woven fabrics by Lála Rami Mal. The names, toi, chín &c. mean thin fabrics of net or gauze embroidered.
 - " Toi ganda," Rs 2-8 a yard.
 - "Toi bijdar," (spotted or speckled with small spots or seed-bij) @ Rs. 2-4.

" Tei Saburja "-@ Rs. 1-2.

- "Toi phúldar" (flowered) @ Rs 1-7.
- " Chán phúldar."
- "Chuneria," @ Rs. 1-1 a yard.

LAHORE.

805. -[8711]. Muslin, printed in gold, (chúni malmal cháp tilaí) by Anand Ram.

This is simply gold leaf applied to muslin, by printing the pattern first in some glutinous size, and then applying the gold leaf.

SUB-CLASS C.

VESSELS AND ARTICLES OF GOLD OR SILVER FOR USE AND ORNAMENT.

I do not here include personal ornaments; putting them by preference under the head of "Jewellery." The class does not exhibit any very interesting articles.

For design and variety in the form of articles we look in vain; but in this class of work, as in many others, great delicacy and ingenuity is discovered in chasing, ornamenting, and engraving patterns on the various articles.

Most of the silver and goldsmith's work is rude, and always exhibits a want of finish, and a carelessness of accuracy which is distressing: circles are always out, the lines of a casket never true or straight, a vessel is often slightly lop-sided, or the work shows marks of the file and the burnisher.

The silver vessels in use in rich men's houses are the ugliest things imaginable; all that is wanted is to have pure silver, dull, white and heavy. Polishing silver, and the contrast of bright and frosted silver is unknown and hardly appreciated.

But under this sub-class, some of the inlaid work of Sealkot and Gujrat, and the flower-chased vases of Kashmir, redeem the series from being utterly uninteresting, and, fortunately, form and design are here both excellent. In the case of 'Koftgari,' or inlaid work, besides arms and armour, caskets vases and ornaments are made, but on European and other good designs, wherein the indigenous taste for delicate tracery comes out in full force in the inlaying work. The Kashmir work again is almost confined to the production of the water goglet or "surahi," copied from the clay original, whose elegant shape I have before remaked to be probably fortuitous. A few other articles are made, such as little cups with covers, and trays of a very pretty pattern—four cornered—the corners being like a Muhamadan arch.

The following articles in silver will illustrate the class. I have not repeated the names of the household vessels, drinking cups and so forth; almost any of the vessels mentioned under No. 727, ante, except the very large ones may be found in wealthy houses, made of silver instead of brass.

LUDHIANA.

806 -[84611]. Salt-cellars (silver) by Gurmukh of Malondh.

807.—Silver water-goglet and cups.

808 .- A pair of silver slippers (fancy article, for ornament).

809.—Silver "dibba" or round box for keeping trinkets, &c.

810.—Silver snuff-box.

!

The snuff-boxes in use are either made of silver, or else of a bell fruit dried and mounted with metal, or even of glass; but all are on the principle of a hollow egg with a very small opening, and stopped with a little stopper: 'to take a pinch' out of such a box would be difficult.

Snuff is principally taken by Kábulis, Peshawris and by Biluchí people, rarely if ever by the Panjábis, and never by Sikhs.

whole is then heated and again hammered, and the surface is polished with a white, porous stone; where the soft gold is required to be spread, the rubbing and hammering are repeated with greater force. The gold used is pure and very soft.

Recently Mr. Spence has introduced inlaying on bronze, and some pretty specimens were sent to Paris in 1867. The gold for this must be of the richest and darkest color, or it does not show out.

For a particular account of the implements used in koft work, see note to No. 833 (Multan) post.

SIMIA.

826.-[8490]. Axe inlaid with gold-Kyunthal.

HUSHYARPUR.

827. Specimens of inlaid work, in silver on iron—a pen stand, a buckle, and a knife. This work is rather rude, and has little to recommend it—made at Una and Hushyarpur

AMRITSAR.

828.—Koft-gari arms, contributed by Sirdar Bhagwán Singh of Amritsar, consisting of the long native gun, daggers, swords, helmet and armour. There are still some workmen, relies of the Sikh days, both at Lahore and Amritsar, who can, to order, work up swords &c., in gold inlaying, and do it beautifully, if allowed expenses for a liberal supply of gold wire. Imam Baksh, Mehtáb Singh, Amanulla, and a few others, are the Lahore workmen.

LAHORE.

- 829.—[8749]. Hunting sword, the blade inlaid with devices of tigers, dogs &c. &c., value Rs. 35.
 - 830 .- Inlaid shield, value Rs. 125.
 - 831.—Inlaid pistol, on blue steel.
 - 832.—Huka vase and pipe, inlaid.

These samples are sufficient to show the style of work done.

SEALKOT.

Koftgari was exhibited from Gujrat and Sealkot, and some from Nizámábád and Wazirábád, and Múltan.

The Sealkot work is now the best, owing to late improvements.

There is no interest in a long list of articles. I may say that the men will work from full size drawings and copy any vase, or eard tray, &c. Ladies' trinkets, caskets, pencases, inkstands, letter-weights, are all to be had. A very complete model of an Armstrong gun, with the screw and smaller parts in electro-gilt, was sent to Paris in 1867 and priced £45.

I subjoin the following list to give an idea of the price: this is taken from the Paris list of 1867, and the rates are decidedly high.

Caskets of all patterns, from Rs. 20 to 180 Card trays and dishes, 20 to 35

Model of Armstrong gun, f	inished	to scale,	, and			
complete in every resp	ect,			$\mathbf{Rs.}$	450	
Paper weights, various,	•••	•••		"	8 to	20
Letter clips,		***	•••	,,	5 to	10
Penknife. 2 bladed,				,,	6	
Octagonal eigar stand, wh		turning	g a			
knob on the centre, re	•		•			
the case, displaying ci				,,	200	
Bracelets,				,,	6 to	10 each.
Can be had with Persian inscription	ns wro	ught in	gold:	these	are much	admired.
Brooches, various,			·		5 to	
Solitaires, buckles, &c			•••	17	10 to	
Scent vases,				"	70	
If inlaid on brass with fine	e gold t	hev cost	more			
Shield inlaid with gold.	·•.	·		,,	140 ar	id upwards,
according to richness o	f work.					1,
Inlaid gun,				1)	150 to .	500
Paper knife,			• • •	11	5, 8	. 12
Table bell,		•••		,,	20	,
Set of scales and weights		•••		,,	75	
Centre piece,				,,	250	
Programme and the second secon				,,		

Writing sets, consisting of pen tray, inkstand, candlestick and portfolio can be had. 833.—Koft work from Multán. My correspondent writes:—

"The invention of this art dates from the time of the great physician Luqmán,* who first introduced it into India. It was not known in Multan some two hundred years back, when it was first introduced and practised by one Muhamad Murád, a resident of Multan. The art is not carried on to any great extent here, nor are the articles of this description of manufacture generally exported to any foreign country: in the time of the former rulers the manufacture of such articles was confined to the requirements of the city. I believe it was not the intention of the artizans solely to derive their means of livelihood from this profession. They had occasionally, but not often, to go to Sind or Bháwalpur to execute this sort of workmanship."

The following are the names of implements used in the manufacture.

Hammer or Hathaura made of steel

Mohárí or rubber of agate or cornelian (ghori).

Sohán or file made of iron.

Chimta or pincers made of iron.

Kalam-faulad, or carving pen made of steel.

Pathraini made of 'rukh.' a sort of iron.

Kath or goldsmith's scissors.

Parkár or compass made of rukh, a sort of iron,

Charna or splitter,

do. do.

Ráwatí or file made of common. do.

do.

Silaí or pencil made of 'Tava' iron.

Jandri or an instrument for drawing wire, made of rukh iron.

Zambur or pincers made of rukh iron.

The gold wire used, if of superior description, is that which is drawn to a length of 12 yards from a single misha of gold: but as the task is delicate and difficult, it requires a person of good sight and strength.

The interior description of wire is only drawn to a length of one yard from a masha of gold, but as the work is not superfine, it can be done by a person possessing ordinary strength and eye sight. The process of wire drawing by passing it through the jandri has already been described.

The rate of wages for workmanship is entirely dependent on the quality and description of work done. If an artist was to manufacture a gold worked hand axe, like the one sent to the Exhibition of 1864, which was the best that could be made here, the wages would be 12 rupees for every tola weight of gold thus wrought. But if the work done were of an interior quality, it could be executed for five rupees per tolah.

The following are the terms and phrases used by artisans of the above profession.

Khingri. A kind of clinker or porous scoric from potters' kilns—it is used in cleaning and smoothing the surface of the article on which the inlaid work is to be done

Pechak or Reel - Made of wood or paper, is used for coiling the gold wire.

Tinchi.-Is the pricess of carving the pattern on the surface with a steel pen or style.

The method of working is as follows:—Suppose a hand are is to be inlaid. The blude of the are is first made smooth with a riwate or file, after which it is polished with the klungri or pumites time, on this being done a relight wooden handle is inserted in the follow part of the latenet; the outer end of the handle is pressed inside the arm, and the hatchet is placed on a steel one and hald foot high, and then the process of carting is done with the steel pen, according to the design which the workman is furnished with.

The hatchet is then heated for a few numbers in a fire of charcoal, quite free from smoke, until the steel changes its natural color into azore blue. The gold wire is then also heated so as to make it soit, and is seed on a red

A run the hatchet is placed on the steel in the manner above described; the artist takes the wire and presses it into the lines with the iron pencil, pathrami, collowing the outline design engrated with the style. When one flower or the whole work is completed, it becomes necessary to cut the wire, with its done with "kath" or gold smith's seissers. Should the wire, after being first fixed be one loose in any part of the hatchet, it is again lead in the code, and the wire is been with a small hammer which refixes it. The hat let is then run sed with in dark or stone rubber, so as to draw out its brillianty and lister.

After the above process is completel, the let let is well rubbed with sour limejunce, but as this changes the color treatment of the way to at leading necessary again to put it on a clear are, so that it is yresame its former color of azure, together with its brightness and lustre. Gilt.—If an article is to be plain gilt all over, it is first smoothened with the ráwati or file, and afterwards cleaned with khingri or pumice stone; it is then drawn over with chequers with the carving style, and sprinkled with himejuice, after which it is heated; gold or silver leaves (as the case may be) are then applied with pincers, and lightly hammered, and are rubbed with the mohári or stone rubbers, which causes the gold to adhere to the surface roughened by the chequered lines—and then the soft gold spreads out under the rubber, and covers the whole surface.

The rate of wages is as follows :-

Gilding, per tola of weight, 3 Rupees. Silvering, do., do., 12 Annas.

SUB-CLASS D.

SPECIMENS OF PLATING IN GOLD AND SILVER.

This class is a very small one. The art of electro-plating in the European method has become known to a few persons; and, in Lahore, it is easy to get silver dishes, spoons and forks, replated, with very fair success.

The sp cimens in 1864 were but few, and only from Amritsar.

[7810].- Iron hinges gilt (one by Sirdar Bhagwan Singh himself).

[7810-1.]—Coffee pot and milk jug, plated.

A large silver bird intended for a centre piece, very rude and ugly; plated.

What is called water gilding is also done, in imitation of the European process. The original native process of gilding, applied by them to large works, as gilding temple domes, elephant howdahs, &c. is now described.

In plating such articles, they use the process called "thanda mulamma." In small articles they use water-gilt. If the article be of copper, it is to be well scraped. cleaned and polished, and then heated in the fire to remove all oil or dirt that may have been left on the surface by polishing. After this it is dipped in an acid solution of the 'kishta,' or dried unripe apricots. After this it is rubbed with the powder of half burned bricks, or some other earth. The surface is then rubbed with mercury, which adheres by combining with the metal. The article is next placed in clean water for some hours, and again washed in the kishta solution, and dried with a clean cloth. Gold leaf is now applied to the surface, to which it adheres, being adjusted by the workman blowing it with his mouth or touching it with a cloth. The gold then, by reason of the offert of the mercury coating, appears all white. The article being subjected to heat, the mercury sublimes, and the dull vellow metallic tint returns; more gold leaf is now applied. and is all rubbed and ground into the surface by means of agate rubbers called "mohári." These are merely convenient shaped points of jade and agate fixed into iron or wooden handles. The quantity of mercury used is always double in weight that of the gold: the plating is of course done more lightly or more heavily as the work requires. This is the process employed in plating the domes of temples, &c., they are of copper gilt, plated in separate pieces, which are afterwards joined.

If it is desired to plate with silver, the surface of the copper is scratched with chequered lines and heated, when the metal turns black they put on silver leaf and rub it in with the mohari while still hot, and after that the remainder of the silver intended to be consumed is put on: the final polishing is done with agate or jade.

Where gold and silver leaf is required to be applied to an iron surface, as in the case of armour, knives, or ornamental work, the surface is scratched over with chequered lines, this process is called ('khizán'), and washed with hot solution of kishta; and then dried it is heated to what the workmen called "shitáb" (corruption of siya táb, 'black heat') i. ... the greatest heat it will reach without becoming red hot. In this state leaves of gold or silver, as required, are layed on, and rubbed in with a "mohári."

In plating on brass, if gold is to be used, the process is as with copper; if silver, the process is that for iron.

I do not describe the water-gilt process—it is done by means of a solution of gold in nitro-muriatic acid: it is only known in the Punjab since the days of the British rule. The process is therefore only a copy of the European art.

NOTE ON THE PROCESS OF GOLD-BEATING—"DAFTRI KUT."

These people consider themselves possessed of a great art, inasmuch as the possession of gold-beater's skin (jilli) is necessary, and the art of making it is supposed to be difficult. I was informed that an elaborate composition of 23 'masálas' was necessary.

These are given for mere curiosity. It is obvious that two-thirds of the substances are quite useless, and added only for show and to involve the process in seeming mystery.

Gold-beater's skin is prepared from the scarf skin of the sheep-that thin skin which lies immediately below the wool, and can be removed separately.

Persons of the "Katik" caste take 100 skins with the wool on, and soak them for eight days in a mixture consisting of 3 seers of wheat flour, 12 seer of rock salt. and one seer of the milky juice of the madár plant (Calotropis), the whole being diluted with water to suffice for soaking 100 skins.

When the soaking is completed, the hair is scraped off with an iron scraping rod-'rambhi.' The skins are then spread on stones and the scarf skins removed entire: this seems to require practice and delicate manipulation. The upper skins so removed are thoroughly washed with 1 seer of dahi or curds and water, and after that twice with clean water. They are now dried in the sun.

Next a mixture is made of the following drugs, in proportions of 32 to 31 mashas each.

Cloves. Jalauntri (mace). Kangumandí (a round root, probably of | Crocus Sativus). Nakhún. They look like broad dirty brown wrinkled nails, as if from the foot of some animal. Dates.

Cocoa-nut kernel (garí). Akarkarha (Spilanthes oleracea). Jaiphal (nutmeg). Dálchíní (cinnamon). Zafrán (saffron). Sandal sarkh, } Sandal wood. Do. safed, Iláchí—cardamoms, both small and great.

These spices are boiled over a slow fire in 4 seers of water till the liquor is reduced to 2 seers in bulk.


Then another set of 23 drugs &c., is taken, in quantities varying from 4 to 8 tolahs. Ratanjot (Onosma, used as alkanet root). Chalchalíra (a tree lichen Parmelia). Buddhi-budha, (a common tree lichen, black underneath and white above.) Málkangni (Celastrus). Birmi (yew wood). Indarjau (seed of H. antidysenterica). Kahi kahela (Myrica sapida). Taj-aromatic bark. Bahman, safed and surkh—(Centaurea). Phul dháwí (flower of Conocarpus). Belgiri-(Ægle marmelos fruit).


Bálchir—(Nard root). Kapúr kachri (aromatic root of Hedychium). Pán roots. Tej bal—aromatic leaves. Red "ratti," (Abrus precatorius seeds). Isabghol, (Plantago seeds). Tamál patr (aromatic leaves). Pipla múl (fruit of Plantago amplexicaulis). Mothran (root of Cyperus longus). Camphor, which is to be ground up with saffron.

Ghee, 8 tolahs.

The above substances, which are mostly astringent and aromatic, are to be well mixed in one maund of water, and the camphor and ghee added last; the whole is to be boiled down to 20 seers. This done, the clear liquor is strained off through a basket lined with "dhák" leaves, into an earthen "kunál" or naund, and the "phog" or dregs on the strainer, thrown away. The first prepared liquor is now mixed with the second, thus making 22 seers an all, which is again gently and slowly evaporated down to 15 seers. It is strained through cloth, and then the camphor and ghee of the last list, are added, after which it is again warmed and the 100 skins will soaked in it.

The object of the liquid appears to be to affect the fine skins by a sort of tanning with the astringents, to preserve it from decay by the aromatics, and to soften it by the oil and other demulcent substances employed. The skins are now spread on separate clean stones to dry, after which each skin is cut up into leaves of a convenient size; 100 hides thus yield 1200 'jilli' leaves. They do not all turn out of equal thickness. so the "daftri kut" selects the thicker ones for silver beating, and the finer for gold. The skins are separately rubbed with plaster of Paris made by burning and grinding 'ropar' stone, also called 'makel'. 300 of these skins after being separately dusted with a clean cloth are collected into a book and tied up in a leather case, which is subjected to hard beating on a stone with the gold beater's pestle: this goes on for 2 days, after which each skin is again rubbed with a clean cloth. Gold intended to be beaten is made in thin strips of plate called "diwali." The slips are enclosed between layers of skin, till a sort of book or pile is formed-120 plates go between the 300 skins-they are tied up in the leather case, and beaten with an iron hammer on an anvil of stone; the blows are delivered first round one edge of the parcel, then it is turned half round and the other edge gets beaten, and so on. Four times the packet has to be opened and the position of the gold bits shifted to prevent the skins being cut. After that the gold is too thin to be moved again. A "daftar" of gold leaves is ready in 3 or 4 days, and requires a lakh and a half of blows with the hammer.





1		



CLASS XIII.

JEWELLERY.

This class is almost impossible of separation from Class X. A large number of the articles in it are curious from an ethnographic point of view, and are neither beautiful in design, nor costly in material.

It is hardly necessary to say that jewellery is as much worn by men as women, but the kinds of jewellery worn by each are distinct in form and name.

It is very curious to remark what an immense number of names for different kinds of ornaments the people recognize. In European languages we call every kind of ornament for the arm a bracelet; we hardly adopt any distinctive terms for varieties of necklaces: but a Punjabi has at least half a dozen names for different patterns of these articles.

The country people, and indeed the poor and middle classes, wear mostly silver ornaments; those better off have the same in gold. It is only the very wealthy who wear richly jewelled ornaments.

Silver ornaments are almost the sole form of wealth among the villagers. If a man has a few rupees to save he makes a great 'hass' or necklace, and gives it to his wife to keep; or he makes a lot of karas (armlets) and so the money is converted.

The gold and silver ornament makers are by fir the most numerous; they are called technically "sádákár"—a "plain metal" worker. The people who can cut, polish, and set gems, are few and far between.

As we leave the plains and go further into the hills, the number of silver ornaments decreases and the men also wear much less jewellery, having mostly perhaps but one necklace and a few charms or amulets. The women have large necklaces of beads, and of rough bits of amber, red coral, and turquois pebbles. Besides these, strings of imported glass beads and sometimes of large beads cut out of the white corch shell are worn: the latter are imported from beyond Yarkand and Kashmir. Solver engraved charms and armlets are much worn; in Ledákh and Láhul they often wear small copper boxes, the surface ornamented perhaps with brass and turquoises, and containing scraps of writing, prayers, incantations, and the like: these boxes are generally wo n and hung or tried round the waist. The women in the Simla States wear immens: 'pázebs' or anklets of zine, which close round the ankle, being bent together till they meet; they are often six inches broad, and are rudely engraved with devices: thick zin: bracelets are also worn on the wrist.

In the hills all the women seem partial to ear-rings, which resemble bunches of flowers; in Kulú they are generally of silver. An immense number of little balls hanging by short chains to a ring, is a common pattern. One in the Museum is in the form of a pyramid suspended by the point, and the base fringed all round like a tassel.

I here seen more ornaments in silver worn by the Kulu women than in other Hill districts. They also have many species of silver enamelled work, brought from Kangra: particularly graceful is the Kulu silver head gear.

The subject of jewellery will be best treated in the following order:-

- Description of hill ornaments Western Himalaya, Chamba, Pangí, Lahul, Spití, Ladákh, and Kulu.
- Ornaments used in the plains generally, and in Shahpur, Gugáira (Montgomery), Rohtak.
- 3. Imitation of European jewellery and Delhi work.

The people in Hazára and Kághán, in the Western Himalaya, wear ornaments in silver and zinc, and some few of gold

The names given are those current in Hazára, and the names in brackets are the ordinary vernacular equivalents *

"Pairkará" (chúra). Silver rings worn on the ankles by women—they are flat worked metal; the elaborate anklets with fringes, little bells, &c. are here, as elsewhere, called "pazeb."

Flat rings called gúthyán are worn on the toes. Finger rings, commonly known as "múndri" are here called "cháp;" and the big thumb ring (ársí) is called "angúthrá."

Small bracelets worn on the wrist are called "wangan," whether of zinc, glass or silver; these are the "churis" of the plains. An amulet fixed on the upper arm with a silk tie is called "bhawata." For necklaces, a "dulra," consisting of metal beads on a silk thread; "hansam" (haslí) a silver ring or collar (worn also by children); chamkali (champakalli) (literally the "necklace of champa buds") an elaborate ornament with pendants; "hamayal" (har) another necklace with pendant ornaments, complete the list. In Mansera, a necklace consisting of a broad chain work is called "pajútra."

ş

In the ears plain rings —" chala" (dandi, báli.) are worn by women also. "Chi'kan" (zanjír) ear-rings of chain work, hanging about the ears; also "lúrke," colored glass ear-rings. A "jedu" is an ear-ring consisting of a metal cup or bell hung by a silk thread to the ear. "Paizwin" (bulákh) is a plain nose ring worn by women; and "chárgul" (four-flowers) a nose stud worn by married women (called laung in common vernacular).

"Tawiz"—Amulets are worn on the arms, on the forehead, and round the neck, by both sexes. "Dáditak" a silver ornament worn by women hanging over the forehead.

A plain small cup-shaped metal shield, called "Main," is worn on the head on great occasions.

PANGI. LAHUL, CHAMBA, &c.

The women wear a sort of flat folded cloth cap, from this depends over the fore-head, a silver moon-like ornament with pendents, and a border with a fringe of silver is worn over the temples following the angle of the hair.

Round the neck a profusion of necklaces are worn, some fitting close, the next set a little longer, and the largest hanging down to the waist.

The close ones are mode of large shell beads or silver bonds; s veral more are of small glass beads, coral, amber, &c. A number of brass beads are also worn, and necklaces terminating in small hollow brass pomegranates, which, having a metal pea inside, clink and

For this list I am indebted to Mr. A. L. Home. Assistant Conservator of Forest (Jhelam Division.)

jingle like small bells. Each woman wears suspended by three chains of non, a round concave plate of brass, which hangs down from the right shoulder; on the other side a local bell is worn.

The ear-rings are either large round rings of salver, or chains terminatory in great studs. The stud is stuck into the ear, and the chain hose, that the han above. Some of them wear round the ankles bunches of juigling basis peace; anales.

Bracelets are not worn in any profusion, and then only the thick " karas " of zine or silver.

SPITE AND LADAKE

The Spiti men wear round car-rings, and one or more long to $k! \neq [\alpha]$ or let and carquois beads round the neck. They do not appear to wear any condens $\alpha(k)$, $\beta(k)$

Every man has an iron pine stock in his bolt, bis to be only white and steel. Unmarried girls wear or their hair one or two bonds of ting to see earlies and mediates of bonds of under and coral. Bracelets are usually made of bonds out of shell, or circles made by sawing off a round section of a conclusively these are reported.

The married women fix to the front part of the perek (air rely described in Class 10), a large moon-like silver ormanent which had sover the top of freshead, the fronce of a dropping on to the decleral; on each side of these larged flat plant of silver the provided mass down on either side of the free, and to contates in a selver tissel. Every woman has at her waist a tested of bother ormanents living covery shalls the

Laddh.—The women were, as in Spatiand Libral, epicobis more in a restrict of coral and amber and turpous berds rudely strong together with cooches all to bond Eurore in glass boats; also great anothers of biass studied with imagencies or solve. A such Look the Libliah women were round the nock, suspends board to boast, a probability is nections replaced by a huge bit of couch shock. The robra elets are of silver or shock, above described.

The women likewise carry a brass shown a convex triss talent, and notes of small near Persagna belt to the neighborst testing property of the median relation with a concernance of small relationship to the state of the dress next the skin along with a half or well a code traject and a few unit agencyl wheaten or barley cakes, ‡

The period we real kines, but I think not be a bets. The nearly erve principally to carry annulus, the seconds sometimes of small tall that here is outsined, we troop eyes or chains, sometimes of flat boxes or monoted rather pretrily, and sometimes of flat engreved plates of sliver.

Both men and women have a pouch edged with seed for Jot and stinder purposes: the leather part of the pouch is prettily emanded daylor briss or saver.

Exert al's Tear in Spring 25.

[#] See the Photograph of page 30 of Mr I : Polish of k - Sim.

[#] Cumili glam - Ladak p. 305

SIMLA STATES.

The Kanawar people, and also those toward Simla States, wear huge zinc rings or tubes round the ankles: silver or zinc bracelets, round silver ear-rings, and have also a large open brass brooch, of which the characteristic form is—



Pus brooch serves to fisten the upper shawl, or waist girdle: the plate at page 101 to Couningham's Ludákh shows it to advantage. Necklaces of glass beads, and coral arm unber, are here in fashion also.

Kata.— The profusion of large head, amber, and coral necklaces disappears among the Kulu people; they were mostly silver, not a little of it is partily enamelled; this latter work is done at Kangra and at 3^{-1} - Sukh.

A Kalu women wears row the neck chains of small coral or glass beads, and chains of siver beads cut into facets, and having small chamelled pendants hanging therefrom, the conserring of gold or silver with a pendant spoon-shaped ornament hanging from the ring.

They were also round err-rings with bunches of silver bebbins and chains attached; as a barrowthise those in the plains. Some of the richer women wear a head ornament, which is fixed over the forehead under the plains of hair and wo dien thread, which the account. The ornament consists of two beaut plants of silver wire work, which, sopouting it on the central point of suspension, are worn like brands of hair on either side of the face, and terminate in silver tassels: they resemble those worn in Spiti, but are smaller.

ORNAMENTS WORN IN THE PLAINS.

Ir afect.

The originals were in the Decelar are described as follows, from a set sem to me by Janual Klein chief of the Leel (cites):

Then the blaces are -


Hassi, and request costall sold metal. The plate shows one.

Charledo, a no of the asting of a string or twisted sik, on the edge of which a number of the granes which point by dd heads, the thereby the bods (kalli) of the jessamine relaind a are the third to the transfer and gd in rays or spikes.


A complet of silver in a block sile home so splid in

K themal data blooms as the of 4 nows of gold beads about the size of small poissible, not a literal like to a water's 'Colombiance' in the sels.

The non-livenest took on the trision in it to stoll all the from which bring, by a nonal cost of collect win and the injuries (a) is the late of one data and its, one large of an injuries and less of more conclusive to the lower edge of the models is a fringe of late solver folls. This occurrent is called a patric.



-*** *** *** **** ****



- 2- ster- 1 +

Deraint ornaments p



For the arms there are the usual băzuband,—a flexible band of gold field round the upper arm by silken ends and tassels. A pair of "dasti" or "pondas" being just like bazuband in style, only worn on the wrists, and consisting of a number of long gold beads strung on silk and ending in large colored silk tassels.

"Kangan."—Small bracelets on the arms, which open with a hinge and are fixed together by a rude sort of stul and pin—these are the "kacas" of other parts.

On the feet there are "kari," a huge pair of hollow rings, which are bent round the ankle, and the two ends where they meet, end in square pieces as the plate shows.

"Tora."—Apparently the same as "jhánjur" of the plains, are hollow rings of silver, which open by a hinge and are fixed by a stud, worn round the ankle. The peculiarity is that inside the hollow, small bits of metal are placed so as to rattle when the wearer moves. These rings are sometimes worn on the arms towards Sundand Shik'arpur.

"Pontha" are a pair of ornaments for the ankles, worn by children; they are stiff silk thread circlets, to which are fixed all round, small hollow pomegranates in solver with metal inside, that they may tiable like bells.

Ear-rings of the common sort are worn as earliere. The usual bill with its pendent tassel (patra) is drawn in the plate. The nathout assering it also worn.

SHAHPUR.

From Shahpur we having an account in the interesting report by Major Davies. The original report is accompanied by a sheet of well-executed drawings.

The neck ornaments consist of the following: -

Hár.—A broad collar, being a net-work of silver chain, worn both by Hindus and Musulmáns.

Hasli.—A silver solid torques or stiff ring of silver, taporing at either end, is put on by opening and bending, and closing up again when in position: the front is adorned with pendants.

Tiviz.—A thick necklary of crimson silk throads clusped at intervals by silver rings, from which hang silver flower-shaped pendants: in the centre a large oval silver amulet depends.

The bracelets are—

Chúrís, thin silver rings, opened by bending.

Tid.-A broad silver ring worn on the upper arm.

Baloito or "bázuband" a flexible armlet, composed of silk strings and silver plates, tied round the upper arm, the tying strings terminating in silver tassels.

Goken, a thick silver bracelet, so called from having its edge micked with points like the burr fruit: it is worn by Hindu women.

Chankangan.—A band of silver with small chains and pendants all round, worn above a set of the chúris by Hindu women.

Bahin.—A sort of silver tube wrought in a checked pattern, clasped round the arm, and is about 4 inches long.

The thick armlet callel "kara" is worn by both sexes.

Progressings are called childre, and one having three prominences like acorns is called 6 trickedya." It is wear by Herdu women on the first finger. The arsi is worn here, as essentiare, on the County. Eur-rings are in some variety under the name of "bala" or child."

The bill is the ker, like a mill "hashi." The bill is a large thin circular ring of share were consensed at one side by broad silver study. The bill or vill, worn by Mas a one account to a silver ring terminated at either point of junction by a silver stud, and have a home or small silver characteristic terminated by little silver balls.

On the toos broad then raigs are worn called "challe"; on the ankle a flexible code of the variously small pendents is word; it is called "pazeb." A rather graceful silver pendant or challance, eached khard i, is worn at the girdle by unmarried women.

The rapsit characteristic or amount is worn on the top of the head by women of the Aparagraphy, it is expedite chari-phul," and consists of a small round shield or salver plate work dural chased are notes.

Montgomery.

The Mont concry district collection in 1861 contained the following list:-

Chan lan har. A silver neckla e for women.

Hash A the being been the corpuer' of Roman and British antiquity, worn round the needs it tapers at either ead, and the thin ends meet when it is

Kanthi A reserve.

Charapal Partie

D.J.a. do

Hamail sale, do

Tay tank a gold chara or a amer

Special result or good)

Land no klass of several threads (silver)

Daghlagh a redline

Bobster receivings worm by men and women,

Marks, do. (and) do do

Diede, de (saver er gold, either)

B billion do. (viene 's)

The following are all kinds of forcer rivers -

Challe, one ather a dara, born and L.

The brieflets upper to be made the same as the Punjabi ones generally, viz.

GIVERAL LIST OF JEWELS.

A list of all the level ey wern in the Punjob generally, and excluding local peculiarties, shows the filtering corrects yould always—

I .-- HEAD ORNAMENTS.

- Sarpech—Jigháñ, the jewelled aigrette worn in front of the turban.
- Kut biládar. An oval pendant worn over the forehead (fig. 1).

3. Kilgi —Plume in jewelled setting.

- 4. Turah-i-marwarid.—Tassels of pearls worn on the turban.
- 5. Makat or Mutakh.—A head dress worn by Hindus at weddings &c.
- 7. Sisphul, chaunk, or choti phul .-- A round boss worn on the hair over the forehead. if is cut or indented so as to resemble a gold flower like a chrysanthemum,
- Phúl.-A boss like No. 7, only smooth, hemispherical, and set with jewels; it 8. is worn on the top of the head -one or two are worn at pleasure.
- 9. Maulí. - A long chain made of rows of pearls separated by jewelled studs, about 8 inches long hanging from the head on one side.

10. Sir máng. A chain and pendant worn on the head by Hindus.

 $\lfloor 12.$ Boda.—An ornament of silk and silver plaited into the hair of children.

II .- Ornaments worn on the Forehead.

(By women only).

- Dámni, or dáúni.-A fringe hanging over the forehead on either side of the 13. face (fig. 2). Some of these are richly jewelled.
- Do. Kutbí, Do. Sosaní, Varieties of No. 13. 14.
- 15.
- Tika or kashka.—Small ornament on the forehead (pendant). 16.
- Chánd bíná.—A moon-shaped pendant. 17.
- Tiwit. Small anculets worn on the head. 18.
- Jhúmar. -- A tassel-shaped ornament or pendant (fig 24). Mostly worn towards Delhi, not in Punjab.
- 20. Guchli marwarid. A cluster of pearls.
- 22. Bindli.—Small tinsel forehead ornament.
- Barwata.—Tinsel stars worn over the eye-brows, (not to be confounded with 22. Bharrata an armlet)

III.-EAR-ORNAMENTS.

Bálá.—Very large thin rings worn by Khatris, Sikhs and Dogras. (23.They have a pearl or so strung on the gold wire of which they are made. 21.

Mwki.—Smaller ear-rings of the same shape.

- 1 26. Zanjírí — Λ chain worn with the bala to keep it up.
- Dar (gold) -A small ear-ring with three gold study one on side-(fig. 3). 27.

28. Birbali.—A broad ear-ring with 3 stude (fig. 4).

- **\ 29.** Durichah.—A ear-ring with pendant tassel (fig. 5).
- **C30.** Bálí or goshwára.—A set of rings worn all round the edge of the ear. B'ill bahaduri, (see fig. 18)—it has a large pointed stud in the centre.
- Karnphúl, dhedu, and jhúmká. All forms of tassel-like ornaments, made with 31. silver chains and little balls, fringe of silver chain work. &c , &c. A handsome pair of Karnphúl is figured in the last plate of the series.
- 32. Pipal-watta, or pipal pata, like a murki, but has a drop or pendant to it ending in a fringe of little gold "pipal" leaves.
- Kantalá.—A similar ornament, has a stud besides the pendant, (see fig. 6.) 33.
- 34. Bálá khúngri-dár.—A heavy fringed ear-ring (fig. 7). Bálá katoriwalla sádá (see fig. 18),
- Khalil.—Small ear-ring, (fig. 8).

- (36 Jahl Just the same, only that the central stud is jewelled.
- 137 Plannin Silk and tinsel tassels
- 35 Modah Modalica. A small gold figure of a fish worn as an ear-ring.
- 39. Tid. patcing A crescent-shaped jewelled pendant; along the lower edge of the crescent han, a row of gold pipal leaves
- 40 Tandaura, dear A huge star-shaped jewelled stud
- 11. Mar plantwar. A pendant of jewels being a rude imitation of the figure of a percock.

IV. - NOSE ORNAMENTS.

- (42. Noth A large mose ring, one side of the ring being ornamented with a be't of powels or a new pearls, and gold spangle ornaments &c hung on to it.
- 43 Balak, "A small pendant (fig. 10) either worn, hung to the eartilage of the nose, or closestring on to a "nath."
- 44. Litting A sort of orniumnt of pendants put on to the thin gold ring called a nath and hanging from it.
- Moret A small pendant for the above, shaped like the spread out tail of a percock.
- Li mg A small strull I that the flish of the hostril on one side, generally of gold, with a peud or tarquets on it.
- Ploar A small ring with a single emerald, or other stone of an oval shape, is a pendant.
- 18. Bohr A pugling pen lant of gold pipal leaves-(see fig. 11).
- 49 Medidinalo r (Healless tishes)
- 50. If khan, underst gold and worm on the testh;—a stud of gold or silver fixed into the front teeth.

V - NECKLACES AND NECK ORNAMENTS.

- 51. We have A no kine of tirgs beats language down long and loose.
- 52 Karth-kantia, eworn by women also) (fig. 1). This fits rather close to the noke the pendant may be on the 1.
 - 3. Non An amalet, round or star-shaped, suspended from a twist of colored silk thread fastened round the neek by tying at the back (see "júgní" I bow).
 - Town A squire angulet, rewelled, or otherwise.
- 154. Tikkiti A flat square plate engraved with figures &c.
- 55. Headed -A chain of twist I silk, from which depend, by little golden loops, verous come, amulets, &c., all round.
- 56. Zanac A set of chains.
- 57. Chan laman $+\Lambda$ large gold that modal suspended by a single ring on a silk $\xi = -\cos \alpha$ or $\cot \beta$
- (58. Charalterfor A collar or no klapp of a great number of chains (fig 22).
- 50 Mer Her Apher to kless of parts or gold bads & hanging down long.
- 60. Champ lan. A rocklooplike a collar with pendants, we described under (D) cape of our notices. The pendants of rays are either plain metal or set with stones.
- 61. J. m. -- A single jew "col pen lint, I enging from a nocklace of silk—like the "Nim," only more elegated in sleeps.
- [62. Mohr or A 2 dd mod ar er een ham 2] via sak nocklaso.
- 63. Hold dil A sort et a refer of pelo, not square as a tawiz always is, but cut in curves round there is a
- 64 Sankin medar. A start gold weed ther large com wern like No. 57.
- 65. Hossi, or hoss. 180. 1 , a. A ring or collar of silver, thick in the middle, and thin at either ci. l.

Wenten's

C66. Guluband. A jewelled collar (fig. 13)

- Mohnmálá. A long necklace made of large gold beads, with an interval of gold twisted thread between each bead.
- 68. Atralin. A square jewelled (or plain gold) pendant, attached to a silk chain, at the back is a small box like our vinaignette to contain 'atr' or perfume.

69. K mdi, - A chain of silk carrying annulet cases (fig. 14.)

70. Silwatta—An amulet case shaped like a small gold pillow or bolster, with two rings attached to suspend it.

VI ARM ORNAMENTS.

- Bázuband A broad belt-like ornament, generally mounted on silk and tied on the upper arm.
- 72. Nau ratu, is the same, the ornament consisting of a band of nine gems set side by side, and tied by silk ties.
- 73. Taviz. An amulet worn on the upper arm.
- 74. Amant ("the en lless.") A large thin but solid ring of gold or silver, used chiefly by Handus
- 75. Bhawatta.—A square gold ornament, worn on the upper arm (fig. 23)

VII -- Bracklets.

- = $\begin{cases} 76, & \text{Pon hi, worn on the wrist.} & \Lambda \text{ series of strings of shells or small gold clongated} \\ & \text{Fig. 1} \end{cases}$
 - 77. Kan, an or kari or gokru. A bracelet of still in till, worn bent round the arm; when the edges are servated it is called gokru.
 - 78 Ponchian kútbi.*

79.

- Chuadandí (rats' teeth)
- So. Háchidána. (gram of cardamons)
- 181. Kingan or kará zamana (as before)
 - 82 Binks, thick gold bracelets. Hardus wear them (fig. 15)
- \$3. Gake' (as before.)
 - 84 Gura. A flexible bracelet made of square gold stuls mounted on a silk band.
 - 85. Chirr of sorts, as ch: kantakhār it, ch: chamas, ch: kanzam-d r. They are generally made of a flat ribbon of gold or silver, that round, (ug 16))
 - 86. Burn, or long silver shows or tube worn on both arms, like a lot of churis fastenel together.
 - S7. Band-An armlet bread and heavy (see fig. 19)
- SS. Jacobangon. Small hollow 'know' with grains introduced into the hollow to rattle.

VIII -FINGER RINGS.

- 89. Angushtri.—A ring set with stones callel also "mundri" (Hindi) or angáthí.
- 90 Chella. Large challes are worn on the treadso. The challe is a on to plain hooper whole "hoop" ring (with or without stones) being gold or silver, but the same all round.
- 91. And islatina, and this. A big ring with a broad face, worn on the great toe.
- 92. Ku vi panjángla ca set of finger rings of ordinary slope).
- 93 Shahalmi or khari, a ring of long ov I shape (fig. 20).
- 94. Birhamgand, a broad ring figured at No. 21

^{*} There are several sorts of Ponchis called Kutha chow him a time books have rate toother, the historia, like car lunous grains are.

IX. Askilis &c.

- Pal z b.—Various ankle or namer ts made with chains and pendants of silver, which clouds to subser when the weater wilds.
- 96 Cherry Alarse hollowing, who herattles when she weater sails
- 97 Kerrisporer klafklid. Tele karas, wormen the at Ries
- 98. Karagara Arm for ankle of longornamental beats of some worm on the feet
- 99 Zeros A set of chans with a broad closp scalled also tare

To constants cure ty of names of not rail to stribularly one levery little change in the patteriors who for a name in a most essential tradeferont name. The probability of an interest kill of a well-as a wiscommutation. I but of constant devials of original and the market essential tradeferont name at the market essential and market as made to the model as an establishment of the model as an interest name at a name at small to the node at an establishment. The description of the form so that a fact the stription of the model at a constant to work not a Additionary specifically as the stription of the model at the stription of the market as the stription of the market and the stription of the stription o

To the examplifier solution of Jopes (i.e. Burness & Cody inferior enamelling to approximation, a work case becomes to $P_{\rm sol}$).

The distance with required particles of the form of the article required, or us to assist an relate the required particles of the form of the constraints and cold model, as dearly the second of small states by the second distance of some (s,s) and (s,s) are considered.

If the orner of his then to be a compact have bosed patterns, we at goes to the behaveral embosed and of ison

It, was retally state of the construction of the lack as done by a transit in the attention stone as stantache plus agreed to the construction of the language state of the construction of the properties of the construction of

It will be proported by the the season by a characteristic separate processes.

The first of value of the liberation is a first


He makes using the constraints of the second restriction of the second restriction of the finishes not sets the witchest of the finishes not sets the witchest of the finishes and the second restricted of the finishest of the second restricted o

Ho las a small of the form of the solution of the small o

- "Har mea" from the party
- o Name Address to
- "Sanna" fregs. per part
- * Bers " = 3 m v."
- "Kris"-rich is served by been assessed
- " Sanne" along the property of leaster, 14 who



		,
		- (
		į.




t a, s. ta




















.... • •




Ponena of Gungale whom on the ankle nearly full rize


8 Sedafield Life

~ .





•			
	•		



ta'-otta

- "Jandri"-a steel plate for wire drawing.
- "Zambúr"—heavy pincers, straight blades.
- "Chaurasi"—a small square headed hammer.
- "Tappa"—dies, to produce patterns.

A bit of silver or gold is placed over the mould or die and struck (while cold) with the hammer; silver bracelets (chúrís) are given their pattern in this way. The 'tappas' are made of kânsí or bell-metal, which is hard. The tappa only impresses a small part of the metal at once: it exhibits perhaps $\frac{1}{2}$ an inch of pattern.

The roughly formed metal now goes to the chatéra or embosser and chaser. He uses a broken pot to hold fire called "taur" (it is just the curved portion of the bottom of a 'ghara'); a crucible, kutháli; a small anvil with a point at either end, called 'ekwái; and the ornamenting is done with a great variety of steel tools to be described presently in detail, but whose general characteristic is that they are all like large steel nails with a head to receive the blow of the hammer, and the points variously rounded, flattened slant-edged, straight-edged &c., and there are also differences in the size and thickness of the tools. They are like stone-mason's chisels and pitchers on a small scale as far as appearance goes.

Those with the point flat and edged, are called "chirná," and these are in four sizes. The same still broader and flatter is called "chaini." When the edge is slightly curved like a gouge or scoop the tool is 'kanerna'; when the point is flat and the edge blunt, the 'chirna' becomes a 'lúrtá'; and when the tool is thick and large and has its point squared off, showing a neat smooth sectional square, it is called "thalna." 'Ekwásá thalná' is similar, but the point slants off so as to exhibit a sectional rhomboid. Each one of these tools is made in four or more sizes.

I should add that these 'thalnas' are specially used to polish and burnish the ground work of metal or field, from which the embossed flower &c, stands out.

Another tool of this sort has a smooth round point with a small hole drilled in the centre of the cone; when this is struck on a piece of metal and the blow repeated, while the tool is moved along, a series of small points are raised on the metal which has something like the effect of our "engine-turning." This tool is called 'gul-sam.'

The same tools with smooth blunt points, and without the hole drilled, are called 'golra,' and are as usual made in four sizes. The same form, but where the point is slightly more conical and point like, receives the name of 'súmbhá.'

With these tools all sorts of ornamental work and flowers are produced. The men do both chasing and embossing, and also repoussé work. When chasing &c., on a hollow ornament, the workman fills it up with resin to get a firm basis to work on.

There is a verb, 'chitarna' to paint, adorn, emboss, from which the word 'chatera' is derived.

I must here add that it frequently happens that small filings and bits of gold are dropped on to the earthen flour of the workshop; this repeated over a number of years renders the soil valuable, and when a goldsmith leaves his shop, the people called nyárias or gold-washers, buy the right to dig up the earth, which they wash by means of a 'kátrá' or wooden tray and collect the gold grains.

If the ornament has been made of gold, and is to be set with jewels, it will have to go to the 'munassa-kár' or kundan sáz. If it is intended to be highly finished, i. e., to be p welled in front and enamelled on the back, of course it goes to the enameller or 'míná-kar' fast, but I will leave the enameller for the present. The "murassia-kár's" tools are:—

A tirput or workstool; chimia or forceps; and a number of polishers, besides siláis or steel probes

Let us suppose he wishes to set a stone in a ring: the ring has been made by the sumar, who has lett a hollow place for the stone.

The provider will place a little lac in the hollow, and on that will press down a "dark" or bit of foil, provided by the "bindligar," of whom presently.

He rubs the "dank" into the requisite curve, and presses it with a small tool consating of a wooden handle brass bound, and carrying an agate point to polish with. Where the point is large and rounded the tool is called "ghota"; where a very hard bit of 1, 16 is set so as to make a very small point, suitable for preparing the place of setting a ver, sheller in, it is called "khibauri"; another size of agate polisher is called "rokha." The first harm place and the stone placed on it, sometimes the edge of the cup in we of three's is worked up all roundso as a over-lap the stone; this is the European way, only the matrix state by do it nearly. The esteemed method however is to put a "kundan" en that is, to press with a probe or silár thin gold foil all round the edge of the gem talls run is to real, and then the foil by continual pressure consolidates and is burnished. The process remarks me more of a dentist stopping a tooth with gold than anything else. The second quality of the rim put on, as to thickness, and purity of metal, can be varied tes ut the means of the purchaser. They sometimes set jewels "clear," but more usually with a told donel, and sometimes they color the back of the stone to deepen it, but they to versely a the tool itself. The art of fixing gems by little claws is only done by those who have bound the way of making European jewellery.

It we harry in the European tashion is now largely made in Delhi, at which place althost any kind of work can be excuted to order. In most of the large cities some kind of work can be excuted in the European tashion. I have seen rings very well made at Lah to includ Kangra, indevenwith the ns of simple pattern. The 'chateras' can imitate the European which of the single admittable.

The most original work of Delin pewellery is that know by Europeans as babul with Theorem with each of it with india. "Interally work of thorns (khar) or points, to be a selected and or in such form that a number of circular convex to be a selected and over with a number of minute golden to be a selected and who have back, in gold, is 'frosted.' Indeed, no a selected and we as the term habul work, which indicates its resemble to the about or kikar) familiar to every Indian reader; the selected at the selected and the ball of yellow filaments. The extraction of the selected and the surface a number of little points was probably selected by the selected at we compared to the burr

[•] It is from an inflationary is the secret to make the points with, but while the gold used must extracted action to the organization to he like it need not be quite pure, and I have seen some of very

(gokru): indeed a coarser work of this sort, and made for native wear, is called 'gokru.' The work was first brought to notice about 30 years ago, and his since been increasing in demand, and has improved in quality up to a certain point, though purchasers must now be on their guard against bad gold, gilt over and frosted so as to deceive the eye. As I said before, the ornaments made are always spherical or at any rate convex; thus we have ball-shaped earrings, boss-shaped studs; solitaires, brooch settings composed of a row of little bosses &c.

Thy are all hollow and are sometimes filled up with lac; each point is separately made and fixed on the surface. They are not "repoussé" work, as one might at first suppose, though the convex metal base is so.

Through the kindness of Major MacMahon of Delhi, I have obtained further particulars about this manufacture, to imitate which all efforts in England have, I understand, failed.

In the first place, as before said, the 'points' and the convex base are of different qualities, the latter is generally of inferior gold, while the points are made of gold at Rs. 17 or 18 a tola. One of the manufacturers, however, says in his answer, that the alloyed gold is preferred, and he gives Rs. 14 a tolah as the value of the gold used. The workmen get from Rs. 2-8 to Rs. 3 per tolah as the price of their labor, and are allowed from 12 annas as to Re. 1 per tolah of gold advanced to them, as "chij" or wastage.

The goldsmiths are usually Hindus, and have their residences in the tahsil Rasauli, at the following villages:—

Kewáli, Rádna, Rohat, Mangal Kalán, Morthal, Kakrohi, Bilri Kalán, Mohána,

The work is of some antiquity, as various castes were ornaments of this sort before its suitability for the European market came to notice. The Ját men wear as an earring a 'gokru,' but generally women do not wear them; Chumár women however wear them without objection.

It is now time to examine the process of manufacture.

As before intimated, the little points are all separately made and afterwards soldered on to a convex surface in regular rows.

In order to make the points, a 'tappa,' which is a flat circular block or ingot of "kánsi," (the hardest sort of bronze or compound metal,) is requisite. Two and a half tolahs of the metal are melted in a small 'kutháli' or crucible over a charcoal fire, with the aid of the brassblow pipe. When melted, 4 mashas of 'sohága' (borax) and one of black sajji (impure soda) are stirred in, and the whole poured out into a circular mould (kálbút) about the size of a military metal, and deep rough to hold the $2\frac{1}{2}$ tolahs of metal. When the metal is set, but still hot, it is hammered out flat, but not thin, on an anvil, and in the flat surface 5 or 6 small holes, the size of grains of poppy-seed, are hammered in with a punch, taking care that the holes do not entirely perforate the plate. Next, the gold has to be prepared for use on this mould or block.

Four and a half mashas of gold are made into wire, and then drawn fine through the hole of a wire drawer's plate or "jandri" till it is as fine as possible: * it is wound on a metal rod or reel, and thrown into the fire till red hot; when taken out it is soft and flexible, and is cut with scissors into shreds of short length, which are set to

[#] The whole art of gold wire drawing has been described a few pages back.

soak in a little dish of oil. This done, the workman takes up shred by shred with the forceps, places it over the little hole in the 'tappa' before described, and with a tiny hammer, no heavier than 2 tolahs, gives a dexterous blow, which drives the gold into the hole. Turning the 'tappa' upside down, the workman taps the back lightly and the grains of gold having no disposition to stick owing to the oil, readily fall out and appear like so many seeds or tiny pyramids with flat base and conical apex.

The points being ready, the convex base or matrix on to which they are to be fixed has to be made; it is generally of inferior gold. This is made by hammering out a flat thin plate of gold and then knocking it into a mould (in the manner of repoussé work) which haves a smooth convex surface. On this the gold points have to be arranged in regular rows. This operation is one of great delicacy, for if the rows of points are not perfectly regular and parallel, the appearance will be spoiled.

In order to make the points stick in their places before the final soldering, they are immersed in a sticky compound, made by boiling half a tola of the 'dál' or split pulse of the sort called másh, with one chitak of water and six ratis of 'sohága' (borax) till quite soft; the grains of gold so prepared, are taken one by one with the forceps and placed in position.

V .

The solder is prepared thus:-Take one masha of gold and one rati of copper, and melt together; hammerit out till as thin as a sheet of paper, cut the foil into shreds as fine as hair, and across into minute pieces; having mixed these shreds with some of the dál mixture before described, the prepared ornament is anointed all over with it, and the whole put into the fire, and urged with a blow-pipe with great accuracy. The solder melts, while the points do not at so low a temperature; and this is the reason why the ornament must be made of gold superior to the solder. The melting solder is so spread by the heat of the fire and the dexterous use of the blow-pipe, as to settle down evenly on the surface, leaving the points exposed, and they are thus firmly coagulated and fixed together. Should the solder be too thick at any part, it would of course cover the points and spoil the appearance, and the meltmg has again to be resorted to till the required even deposit of the solder is attained. All this requires great meeness of handling, and much experience also; for if the fire is too hot or applied too long, the points would melt as well as the solder, and the work be irretrievably spoil. To ornament is returned in its present state to the jeweller who employed the workman, but it is still dirty and unpleasing in appearance, and has to be cleaned by lighty heating with borax, and then receives the clear yellow frosty appearance by being plunged, when them and pertectly hot, into a strong acid solution of 'kishta,' or unripe dried apricot brought from Kabul.

Eurrings and other ornaments are often made perfectly spherical. This is done by making two homispherical bases in the mould as before described, they are bound together by iron wire, and then with ordinary jeweller's solder joined into one globe or ball: the iron wire can new be removed. The points are afterwards put on in the manner already detailed.

This class will be now brought to a close by an extract from the Report of the Jury in 1864, and this will be followed, by way of an appendix, by notes on the art of enumeling, and of the trades of the pearl-borer, the seal engraver, and the lapidary (bakak) who engraves stones for signet rings.

EXTRACT FROM REPORT ON WORKS IN PRECIOUS METALS AND JEWELLERY.

Jury:-

Mr. F. Cooper. Mr. Lepel Griffin. Dittu Mull, and Mr. E. L. Brandreth, Reporter.

Delhi was, and perhaps is still, the principal place in India for the manufacture of all kinds of jewellery; but since the extinction of the King and Court after the mutiny, the trade in jewellery is not what it was, and the best artizans are emigrating to the native states.

Delhi has contributed a great variety of silver brooches, several beautiful turquois ornaments, gold rings, jewels set in gold for necklaces, bracelets &c. &c., enamelled bracelets, bàbul ornaments, gold work fans, &c. Kurnal, Rhotuk, and Umbala, sent a few gold and silver ornaments; Loodianah a silver jug and cup, pair of silver shoes, and some silver and gold personal ornaments; Simla several silver and other ornaments; Kangra some enamelled and other ornaments; Amritsar a large collection of ornaments of different kinds: bracelets, ear-rings &c. &c. also gold inlaid daggers and sword handles. Lahore had a very large collection of ornamental work of various kinds: silver scent bottles, jewelled sword handles, minákári work, jade cups, enamelled armlets and bracelets, diamondhead ornaments, diamond bracelets, ear-rings, and various other ornaments for the person. Mooltan sent some enamelled silver goblets, and gold worked knives. Googaira (Montgomery) had a very large, and a most complete collection of every kind of the ordinary silver ornaments worn by the great mass of native women. Dera Ghazee Khan, Bunnoo, Peshawur, Kupoorthulla and Chumba, exhibited a few gold and silver ornaments. Cashmere exhibited some very beautiful gold and silver cups and surahis and other silver ornaments.

A few of the most interesting articles exhibited in this class may be mentioned. Among personal ornaments, a superb diamond, emerald, and pearl necklace, very beautifully set, and richly enamelled at the back, exhibited by Behárí Lál of Delhi.* A magnificent diamond and emerald turban ornament with emerald pendants, richly set, exhibited by Lalla Hurjus Rae of Lahore. Among the Kashmir contributions, a richly embossed golden chalice, and the silver and gold richly embossed flagons, deserve special notice. Some glass bottles and cups, ornamented with silver net work and gold border, exhibited by Ralyá Rám, appear of a novel character.

Of the koftgari work, the shield exhibited by Emandeen and Shurfdeen appears the most striking; there were also some beautifully and richly inlaid caskets and inkstands.

The following is a list of the prizes awarded.

		Rs.
1.	A magni ent necklace, exhibited by Behárí Lál,	50
2.	A magnif sent turban ornament, No. 8822 exhibited by Lalla Hurjus Rae,	25
3.	Rich diamond crescent necklace, clear set in silver, emerald and ruby pendants, exhibited by Hazáree Mull (?)	25

^{*} This is shown in the plate, the last of the jewel series.—B. P.

		$\mathbf{R}\mathbf{s}$.
4.	Bracelets, studs, and brooch, set in turquoises with enamelled backs, by Hazáree Mull (?)	25
5.	Ruby bracelet with enamelled sides, No. 8411, by Jowahir Lal, is well finished, unique, and tasteful,	10
6.	Pair of diamond armlets set on green colored chequered ground, flowered setting, No. 8432, by Jowahir Lal,	10
7.	Necklace of emeralds and pearls, very graceful, by Beharee Lal,	10
8.	Bibul work solitaries and brooches by Hazáree Mull,	10
9.	Enamelled bracelet set with diamonds, dove colored ground, chequered pattern, No. 8836, by Harjus Rae,	25
10.	Blue Bhawulpore enamelled silver personal ornaments, consisting of anklets, armlets, necklace, &c. No. 5778, exhibited by Lahore Museum,	25
11.	A large and curious collection of silver rustic ornaments, No. 8972, and following numbers, by Local Committee Googaira (Montgomery).	25
12.	Cashmere gold cups, No. 9118 and 9129, exhibited by the Maharajah	50
13.	Glass bottle with silver net work by Ralyá Rám,	10
14.	Koftgari work, especially shield and dagger No. 8929, exhibited by \ Imamdeen and Shurfdeen,	50
15.	Koftgari inkstand, richly inlaid, No. 8572, by Imamdeen,	25
1 6.	Koffgari box and other contributions, No. 8652 by Gholam Aindean	10
17.	Koftgari richly inlaid casket, No. 8584, by Futtahdeen and Kurmdeen,	10
18.	A richly embroidered gold waistbelt, with diamond and emerald buckle, } Delhi,	25

NOTE ON THE ART OF ENAMELLING.

Enamelling (minákárí) is done in the south Punjab, (Multán and Baháwulpúr), and also at Kangra. It is also rarely done by individual workmen elsewhere. There is a man at Lahore who knows the work, but who states that he can only make a sort of black enamel, and that he has to get the green, red, and blue, in pieces from Multan.

In Multan it is said that the first maker was one Naulú, who worked 400 years ago, and that since then the art so increased in excellence, that Multan enamelled ware was highly esteemed and exported to other districts.

The term "miná" means, in Persian, a glass vase or blue glass; also applied to the sky "the azure deep" &c., and hence to the blue vitreous enamel, which is the commonest sort.

The enamel is usually seen in flat, vitreous cakes: there is opaque white, yellow, pink and red, green and blue. All these are vitreous in substance, the melting glass being prepared with various metallic salts or compounds, as oxide of cobalt, iron, manganese &c., and thus colored.

A rude kind of black enamel is made without any glassy substance, as will be described hereafter.

The article to be enamelled is never made of pure gold or silver, but is one-half alloy, to stand the heating and the treatment; generally the metal used for the work is therefore said to be "nímá chándí" &c.

The silver vessel to be enamelled is first heated and made quite clean with the 'kishta' solution before alluded to. The pattern to be engraved is marked out with a probe or silái, and the pattern is then finished off like "chatera's" work, with such tools as he uses: in Multan these implements are called "toghra" and "handi." The pattern is produced in relief, so that the lower parts being filled up with colored enamel, the silver leaf or whatever it is, may show out on a colored field. A small quantity of the enamel is now finely powdered with a tool called bilohá (Multan), and the powder is mixed with a little borax into a paste with water. The paste is put on to the engraved silver, so as to fill up the dents and hollows cut by the engraver, and leave a clear pattern on the enamel ground; the tool used for applying the colored paste is in Multan called 'súrjan.'

To burn in the enamel is the next work. A bit of clean talc is put at the bottom of the furnace and on it the article enamelled; over this again a small iron cage or dome (to keep off the ashes of the furnace) and the whole is surrounded with lumps of charcoal, well burned and well washed, so as to yield no ashes, and is set on fire.

If on taking the vessel out it is found that the enamel has not spread evenly, or has coagulated or run over the edge, &c., the excess has to be ground down with a file and tool called barbá, consisting of an iron bar coated with a mixture of lac and corundum or emery powder. When the enamel is level and even, it has to be heated again, and it probably requires a further filing down, which is done with sand and water and a bit of soap-nut. It is now finally heated, and after washing in the kishta solution, the work is finished.

The black enamel that the Lahore workman makes is not vitreous, and merely shows a dull black ground, on which the silver flower pattern appears more like the "bidrí" work of Central India.

The black enamel called by the Kabulis (whence the art came) 'sawath,' is made by melting two parts of silver, one part of lead, and four parts of sulphur together, but this is done in a closed crucible and with exposure to a fierce heat; when sufficiently melted the material is poured into a mould (reza). The black substance which results is finely powdered, and being mixed with borax into a paste, is applied in the manner described.

The enamelling on the back of jewellery is called "pharfúra," and is done at Jaipúr, not in the Punjab.

The Mooltan enamelling is principally of cups and plates &c; that of Bahawal-pur of large necklaces, bracelets, and other ornaments for the person. In Kangra, smaller works, annulets, belt clasps, and even articles of European form, are enamelled.

Enamelling is understood at Delhi also.

The best enamelling comes for Jaipúr; no one will tell the art by which the colors are produced, but I have gathered the following:—

Dead white enamel is made by a "calcine," made by reducing lead in a crucible over a slow furnace, by tossing in a few bits of tin the lead gradually runs into a white powder: this is the basis of all of the opaque colors, when mixed with (kanch) glass powder and borax. Yellow is produced either with oxide of lead or iron filings reduced by calcining repeatedly with a little salt. Blue is produced with 'reta' (see Class XIX post), with or without white enamel, according as a deep or pale blue is required.

The Bahawulpur and Multan enamellers produce an opaque red or salmon color, obtained with white enamel and some litharge or lead, reduced further than the yellow oxide, and approaching the 'minium' or red. Pink and purple are produced with 'anjani,' (exide of manganese) and the white enamel.

The Japair enamellers have a beautiful transparent red, which I cannot find out, but expect it is made by boiling acetate of copper with sugar, and obtaining a peroxide of copper, which, if skilfully applied at a moderate heat, gives this color (see Ure's Dictionary of Arts, s. $r \rightarrow$ Enamel"). Green is produced with calcined oxidized copper and karch', optque green by mixing the said copper color with yellow enamel. I have of cottee no information as to the exact quantities used; a great mystery is made of all this.



Person herer's to i

THE PEARL BORER.

The pearl borer, "moti-winh" (from winhna to bore), fixes the pearl into a little hole in a block of very soft wood, generally sembal, &c. The boring is done with the usual mechanical contrivance: a pointed tool set revolving by a bow and string passed round, and moved to and fro with a sawing movement. So here the borer is a light pointed tool with a long handle. To make a loose handle for this, the workman selects the end of a cocoanut shell, the extreme end bit of which makes a mushroom-shaped piece, this he holds his hand upon, while the end of his boring tool revolves in the hollow. The bow used is of course very small and light.

* Æ

HAKKAK-RING STONE POLISHER OR LAPIDARY.

His tools are,—a grind-tone, which revelves can wooden axis between two uprights; the uprights and stand are called 'adda.' The wheel or grind-tone called 'sán,' is a disc made of corundum powder and lac melted together; it is kept revolving by a bow and leather string, like a turner's wheel. The sán is made of two sorts; one to grind coarse, the other fine. 'Mitta sán,' is one to grind timer, this is made with sand instead of corundum.


A third wheel is called 'chilása' and is smaller, and serves to polish the stone with the aid of a paste called "bari," made of pounded burnt crystal or flint.

I may add in this place, that no one in the Punjab knows how to cut diamonds; they say only one or two people at Jaipúr and at Benares do: they have not the diamond powder necessary, and they say it costs two or three thousand rupees to set up a wheel. Other stones they can polish, because the powderel corundum or emery they have, will suffice. The lapidary's wheel is a heavy 'lap' or disc mounted on the cal' of a wooder spindle, the spindle is supported between two uprights, and worked with a bow; the wheel is often weighted with lead to increase its rotatory power: the edge is charged with a mixture of lac and emery. The stone to be polished is stuck with lac on the end of a wooden holder, this is pressed with the right hand against the wheel, and the left works the bow: the facets are produced by the eye only, and are often not very regular.

SEAL ENGRAVER.

The seal is used by all classes, not so much as a seal, but as a signet, especially when the wearer cannot write his name (which is unfortunately very often the case).

The 'mohr-kand' or engraver's stand, consists of a solid heavy pyramidal box, on the top of which is a long wooden ledge carrying three uprights; one at either end is fixed, but the third can be slid along and fixed with a screw, so as to hold the graving tool, which is mounted between the end and middle, in a horizontal position, with the graving end projecting.



Engraver's " Adda "

The tool its if is set revolving by the usual process of the bow. The point being adroitly pressed against the seal stone, and touched with oil and corundum, kept in a cupbelow, a dot or line, or other mark, is engraved: the stone is stuck with lac on to a wooden has the for convenience of holding. The graving tool or 'barna' consists of a light turned wooden shaft carrying a steel spike, at the very point of which a small corper heal, like a pin's head, is fixed. This little head touched with oil and corundum does the work. It a fine line has to be engraved, the headed barma is removed and one placed in the proper position, which carries a little disc of copper at the end; the disc is perhaps ; of an inch in diameter, and the edge can be filed exceedingly thin.

It is this thin edge, when pressed revolving against the seal stone, that cuts a fine line The whole process, however, requires the workman to be exceedingly adroit in adjusting and turning about his stone so as not to get the lines too thick or too deep, to get the curves smooth, &c. Vow are scal-cutting is done with letters of amazing smallness and timeness at Delhi, the scale respectively.

BINDLIGAR-MAKER OF TINSEL ORGAMENTS.

Bindli means a small spangle. In Kangra they are worn stuck on to the face and forchead with gum.

The bindligar makes the 'foil' to place beneath stones set in jewellery, and also the small gold pendants like tiny hollow spoons: they form a fringe to naths (nose-rings) and other ornaments, and are called "jhamkan."

his tools are-

Ahran.-A small anvil.

Chamra charmi.-Parehment.

Mikraz.-Scissors of sizes.

Chumti.—Forceps of sizes.

Sanni. - Small pincers.

Fire holder; agate polisher (mohárí); a smooth stone; and a three-legged stand or low work table

They have thin sheets of gold or silver called 'sitta,' and cut out the form of the 'bindli' with seissors; these they color yellow or red. They give them a concave form by pressing on the leather with an agate tool called "gotá."

NOTE ON THE KOH-I-NUR DIAMOND.

I have a series of papers communicated to me by the late Diwán Hukm Chand Peshawria, which were prepared by the late Fakir Núr-ud-dín. In the form in which they reached me they do not present any connected narrative, I have therefore extracted the information they contain, and having added other matter, have arranged a note on the history of this celebrated diamond, going as far back as it can be traced. I have also been able to consult Tavernier's Voyage des Indes, now a rather rare book. There are also some good, but not perfectly accurate, notices of this diamond in the Encyclopædia Brittanica, and the Catalogue of the Great Exhibition of 1851. The Encyclopædia has reproduced Tavernier's drawing of the diamond.

The legend of the origin of this diamond is, that it was found in the mines of the south of India, and was worn by one of the heroes of the Mahábharat, Karna, King of Anga; this would place it about 5,000 years ago, or 3,001, B. C.*

Nothing more of it is heard till it appears as the property of Vikramaditya,† (Bikramajít of modern Indian vernaculars) the famous Raja of the great Central Indian kingdom of Ujain; it descended from him to the Malwa Rajas, who kept it till overthrown by the Muhamadan power. The Muhamadan power was first felt in the Dekkan towards the close of the thirteenth century; Alá-ud-dín Khiljí, nephew of Firoz, the first sovereign of the 2nd Ghori dynasty, several times invaded the Dekkan, and his General, Kafúr, as early as 1310, brought back from the Dekkan a treasure consisting of several chests of jewels, pearls &c.‡

Alá-ud-dín died in 1316.§ I take it that this Alá-ud-dín is the one intended, and not the other prince of the same name, once the slave of a brahman astrologer, and who afterwards became the founder of the Brahmani dynasty in the Dekkan (he died in 1357). For if it is this latter, it is difficult to understand how the diamond found its way to the Delhi treasury, seeing that the weak and disorganized monarchies that characterized the close of the 2nd Ghori dynasty were never able to cope with, or to overthrow, the Dekkan power. There was also another Alá-ud-dín in 1446—Assuming then that the diamond was with Alá-ud-dín Khilji, it must have remained there in possession of his successors, the last of whom was Sultán-Ibrahín, son of Sikandar, son of Bahlol Lodi. The possession of the diamond by Alá-ud-dín and his successors is stated as a fact by Sultán Bábar in his memoirs, who fixes the date of Alá-ud-dín's acquisition of the diamond as 1306 A. D.

It was at this time that Bábar, a descendant of the great Taimúr-leng, after several invasions, at length, in 1526 (A. D.) attacked Sultan Ibrahím, and entered Delhi: Ibrahím was defeated and slain. One of the native historians says that, on reaching Delhi, Bábar shewed great kindness to the family of the late emperor, assigning a

^{*} Catalogue of the Great Exhibition of 1851. Vol. II., p. 695.

[†] According to the Memoirs of Bábar, the diamond was actually in possession of Raja Bikramajít of Gwalir at the time when Hum (yun (Babar's son) took it. The said Bikramajít was holding Agra on behalf of Sultan Ibrahím against Babar's force. Perhaps this gave rise to the idea that the great Bikramajít had it.

[#] See Mill's History of India. Vol. II., p. 203.

[§] Mill, who always garbles Indian names, calls him 'Alla,' which is no name at all. He also calls the brahmin Gangú—Kongoh!

He invaded India five times between 911 and 932 Hijra.

pension of 7 has of rapids to the mother. She, in gratitude for this, presented Bábar with the diamond, except the Kindas neal-tavárikh, calls it, a 'piece of diamond,' saying it weighed 'S models'.

The weight, it wis not shall peak presently, is quoted from Bábar himself, who does not say that it was actually 5 mishals, but was about, or probably (gháliban) 8 mishals.

In Wilson's Glossity of Indian Terms, the miskal is equal to $63\frac{1}{4}$ grains troy, which would make the diamond weigh 508 grains or (taking 4 grains = 1 carat) 127 carats.

The native historians fix the weight differently. Ferishta makes 8 miskáls equal to 224 ratis, and the translator of Babar's memoirs, to 320 ratis; but the weight of the ratialso differs? The miská also is sometimes estimated at 72 grains; this would make the diamond 576 grains, e pt d 144 carats.

This story of the diam ad being given by Ibrahim's mother is not countenanced by Babar himself, who (p. 308 of the translation) relates as follows:—

The ramily of Bakramajir and the head of his clan, were at the moment in Agra, "Bakramaji', not the earlier colebraty of that name, but the Raja of Gwalior, was at Agra holding the city for Sali in Forahim. Upon Humayan's trained they attempted to escape, but were stopped by the parties stationed to watch their movements, and were brought in parseners. Humayan would not permit them to be plundered, and of their own free will they presented to him a peshkash, consisting of a quantity of jewels and precious stones, amongst which was one funous diamond, which had been acquired by Sultan Alá-ud-dín. It is so valuable that a judge of diamonds valued it a half the daily expenses ‡ of the whole world; it is about a mishals in weight. On my arrival Humayan presented it as a peshkash to me, and I gave it him bath as a present.'

Jean Biptiste Taverni r, who visited India about the middle of the 17th century, gives a different account of the origin of the Koh-i-nur, and if his story is true, that of Bábar's cannot be, nor is it possible that there should have been two diamonds of such extraordinary such at Delbi it the same time, for Tavernier, who was allowed to handle and weigh all the jewe's, would surely have noticed the fact. It is of course possible that the diamond which Bibar had and give to Humayán, was not the one which descended to Shah Jahan and Amangzob. The writer in the Official Catalogue of the Great Exhibition of 1851 concludes that Tavernier's account is not true. There is nothing in the method of cutting the Koh-i-nur cas it was seen in 1851) who have world bettime to suppose, necessarily, that it is the work of an Europe in, nor can there be any objection to the greater antiquity of the diamond on the ground of the att of diamond cutting being unknown. It was not known in Europe before the end of the 15th century cor 1486 A. D.), but it may have been, and probably was, known long before that in India.

Tivernier does not so in to I we been twice of the existence of Bábar's account, and does not relate any special enquity is to the origin of the diamond he saw. His

^{*}S mongree has 1003 of a green seasons. Natives say that one rati equals 8 average sized

⁺ Bal at a some who was server a comment

the said was more! The copyist wrote with instead of chis

drawing and description do not certainly correspond exactly to the shape and facets of the Koh-i-nur as it was in 1851, and there is no reason to suppose that it had been touched between the date of the Mogul reign and its possession by the Sikh power. On the other hand, if the diamond really had its origin in only the preceding reign, there must have been persons at the Court who were well aware of the truth. There is, however, a great improbability in one particular about the story, and that is, that the rough diamond weighed 900 ratis, equal to about 787 carats! The diamond Tavernier saw and weighed was only 280 carats, so that there must have been 500 carats lost in cutting, which is hardly possible-

Tavernier's story is as follows :--

After mentioning that on 1st November 1665 he was shown the jewels in Aurangzeb's ' treasury, he says, " 'the first jewel put into any hand was the great diamond, which is a 'round rose diamond, very convex on one side (fort haute d'un côté); on the under side there is a small nick with a little flaw in it. It is of fine water, and it weighs 3191. 'ratis, equal to 280 carats (of 4 grains): the rati equal to 7-8ths of a carat. When ' Mirgimala, (sic.) who betrayed his master the King of Golconda, presented the stone to ' Shahjahan, it was uncut, and then weighed 900 ratis, equal to $787\frac{1}{2}$ carats, and had several ' flaws. Had this stone been in Europe it would have been differently treated, some good ' pieces (pendants) would have been taken off it, and the stone itself left much larger; as it ' is, it has been quite polished away. It was Le Sieur Hortensio Borgis, a Venetian, who ' cut it, and who was poorly recompensed for his pains. They reproached him with having ' spoiled the stone, saying that he could have left it much larger. Instead of paying him for his work, they made him pay 6,000 rupees, and would have taken more if he had anything ' more for them to take - If Hortensio knew his work better, he could have taken some good ' pieces off without doing wrong to the King, and without having had so much work to ' polish it, but he was not a very skilful diamond cutter.'

Whether this account of the origin be accepted or Bábar's, there can be no doubt that this diamond came from the Golconda mines. Tavernier expressly says that it came from a mine which he calls Gáni‡ (or Coulour, in Persian) which is seven marches east from Golconda. This is the Gáni Partiála visited by Dr Voysey in 1823; and the early history of the stone in Bábar's memoirs points to the Dekkan as its origin. Now these mines of Golconda were known to yield larger diamonds than any of the others of Raolconda and Visápúr.

It is commonly said that this diamond used to adorn the 'peacock throne.' This, however, was certainly not the case in Aurangzeb's time. Tavernier (p. 241) gives a minute description of this splendidly jewelled couch, but the great diamond is not described as being in it. One large diamond is described, but that weighed 80 or 90 carats only, and does not correspond in size to the Koh-i-nur.

In Chapter XXII there is a further description and a plate of this large diamond: it is represented as cut in uniform facets, and there is an irregularity in the shape at one side, he says:—

^{*} Voyage des Indes (Paris, 1676, vol., II., p. 249)

[†] See foot note to page 198 post.

[#] The word gání or kair, means mine.

"Ce diamant appartient au Grand Mogol lequel me fit l'honneur de me le faire montrer avec tous ses autres joyaux. On voit la forme où il est demeuré etant taillé, et montrer avec tous ses autres joyaux. On voit la forme où il est demeuré etant taillé, et montrer avec tous ses autres joyaux. On voit la forme où il est demeuré etant taillé, et montrer avec tous ses autres joyaux. On voit la forme où il est demeuré etant taillé, et miayant esté permis de le paser, j'ay trouvé qu'il pese 319½ ratis qui font 279 ½ de mos carats. Estant brut it pesoit comme j'ay dit ailleurs 907 ratis qui font 793 ½ de mos carats. Cette pierre est de la même forme comme si l'on avoit coupé un euf par le milieu " *

Tavernier also mentions that the rati used in weighing diamonds at Golconda and Visápúr, is $\frac{1}{4}$ less than the European carat of 4 grains.

The writer of the Note in the 1851 Catalogue, before quoted, questions Tavernier's measurement of the weight, as, if a rati is equal as he says to 7-8ths of a carat, it should equal about $3\frac{1}{2}$ grains, which no rati ever does; the maximum being $2\frac{3}{10}$ and the average received weight 1.9 grains. If weighed by the higher scale it gives 700 grains or 175 carats, which is very near the actual weight of the Koh-i-núr, viz, 186 carats.

The diamond remained in the hands of the Mogul sovereigns down to King Roshan Aktar Muhamad Shah (who ascended the throne in 1720) at the time when Nádir Shah invaded the Empire of Hindustan. Nadir Shah, after the battle of Karnal entered Delhi in March 1739 A. D. He seized the entire treasury of Delhi, including the peacock throne and the great diamend, which he called Koh-i-núr or "mountain of light": this is the origin of the name by which the diamond has since been known. There is no reason to suppose any truth in the stery which represents Nádir Shah as changing turbans with Muhamad Shah, and taking the diamond along with the turban. Nádir Shah took the Koh-i-núr with him, but nine years after his return to Persia he was murdered by his nephew Ali Kuli Khan. Soon, however, the country fell into a state of anarchy, and Ahmad Shah Duráni, who had been a yasawal or chief porter in Nádir Shah's service, became King at Kandahar and Kabul, A. H. 1161. The Kingdom of Persia, however, did not immediately pass into the possession of the Duráni. Karim Khán Zind reigned seven years after Nádir Shah, and possessed the diamond; his brothers Jáfir Khan and Lutf Ali Khan succeeded, and had the diamond also. Lutf Ali was eventually defeated by Aghá Muhamad Khan Kajar, and fled for his life. During his flight he fell in with 90 Seistaní troopers, to whom he shewed the diamond, which was then worn as a bazuband or armlet for the upper arm; the diamond he offered to them as the price of his safety. With characteristic treachery the Seistan's took the diamond, deserted Lutf. Ali after hamstringing his only horse, and made their way with the precious jewel to Kandahar. In this city they attempted to sell it, but Ahmad Shah Dinani having heard of this, sent for the men and serred the diamond. Ahmad Shah died A. H. 1184, and was succeeded by his son Taimúr Shah, who, after a reign of 23 years, was succeeded by his son Zamán Shah. Zamán Shah was defeated and deposed by his brother Mahmud Shah.

Zamán Shah when defeated at Ghazni, fled towards the Khaibar, and took refuge in the fort Ashik (sic in Nurdin's papers). In the walls of the fort Zamán Shah hid the Koh-i-núr along with some other valuables. Shah Shujá, a younger brother of Zamán Shah, did not allow his brother Mahin'd to reap the fruits of his victory, but, having gained over a considerable body of troops, established himself on the throne. To him Zamán Shah

^{*} This is very like the resistore, withits quit flat below and is nearly oval, except a slice cut off one side, viewed endwise, and from the end opposite the gash or slice, it is quite like Tavernier's plate.

revealed the hiding place of the Koh-i-núr, and it was dug out and given over to Shah Shujá Shah Shujá was however unable to hold the throne against Mahmúd Shah, but was defeated and forced to take refuge at Rawalpindi, carrying the precious diamond with him.

While there, the Governor of Kashmir sent to assure him of fidelity, and invited him to Kashmir. Shah Shujá believing him, moved to Hassan Abdál, and thence to Attock. Meanwhile, Mahmád Shah, Shah Shujá's successful rival, sent though his Wazir, Fatih Khan, overtures for the friendship of Maharaja Ranjit Singh.

The Kashmir Governor (Ata Muhamad Khán) no sooner heard of this, than he sent renewed solicitations to Shah Shujá to come to Kashmir. Shah Shujá did so, but first despatched his wife Wafá Begam to Lahore, carrying the diamond with her. Shah Shujá, as is well known, immediately on reaching Kashmir, was treacherously seized and imprisoned.

Wafá Begam was well received by the Maharaja, and suitably lodged and entertained at Lahore. So soon as the news of the Shah's fate reached her, she sent to the Maharaja, begging his assistance in procuring his liberation, and offering the Koh-i-núr as a reward for the service.

Meanwhile Wazír Fatih Khán (Mahmúd Shah's Wazir) had made still further interest with the Maharaja, and induced him to aid in the Wazir's design of invading Kashmir. Ranjit Singh advanced as far as the Rohtás fort (Jhelam), and instructed a number of his Chiefs and Rajas to assist Wazir Fatih Khan in his expedition against Kashmir, but secretly ordered them to secure, at all hazards, the liberation of Shah Shujá.

The Maharaja returned to Lahore and immediately acquainted the Begam with the measures taken for the Shah's release, demanding the promised diamond as his reward; the Begam prudently, however, declined giving it up till she saw her husband with her own eyes. Maharaja Ranjit Singh was obliged to be contented, and made arrangements for conveying the news of the success of the Kashmir expedition so soon as the event would occur.

The Kashmir expedition succeeded, Ata Muhamad Khan, the Governor, in great distress released Shah Shujá, and placed him on the throne of Kashmir. Wazir Khan and the Sikh army were, however, completely successful.

It is needless for my present purpose to detail the intrigues which followed the success; how Ata Mahamad Khan made overtures to the Sikh conquerors, and how Fatih Khan was afraid, in consequence. Shah Shujá, afraid to trust either Ata Muhamad or Fatih Khan, adhered to the Sikh Díwan Mohukm Chand, who, according to his instructions, set out from Lahore, taking Shah Shujá with him.

On reaching the capital the Sikh Chiefs left Shah Shujá at Shahdara, and reported the events of the expedition to the Maharaja. Next morning Shah Shujá, accompanied by Prince Kharak Singh, entered Lahore with royal pomp, and was lodged in the "Mubárik haweli."

The Maharaja now made several efforts to get possession of the diamond: on one occasion it is even said that one of the Maharaja's Sirdars kicked the Shah. In Nur-u-din's papers, some extracts from Sohan Lál's history of the Maharaja are given, from which I gather the following particulars:—

Bhaya Rum Singh and others were sent to solicit the delivery of the diamond. They prossed him exceedingly, but he made protences to avoid giving it up. He was therefore put under a strict guard, and "every day served to add to the severity of his confinement". Shah Shujá sent a deputation to the Muharaja saying, that the diamond was mortgued for 6 crores of rupees due at Kabul, but the Maharaja was not satisfied. At last it was agreed that the Mahajara should pay three lacs of rupees in cash, and grant a jagir of the annual value of 50,000 rupees. On receipt of the Maharaja's promise, Shah Shujá said he would deliver the diamond within fifty days.

"On the 29th Jamádi-ul-awal, (1st June A. D. 1813.) Fakir Azíz-ud-din, Bhai Gurbaksh Singh, and Jamadár Khushál Singh, went to Shah Shujá and demanded the diamond. The Shah replied that Maharaja Ranjit Singh should come for it himself. "The Maharaja on hearing this, cheerfully mounted his horse, and accompanied by troops "on the right and left, and taking with him a sum of 1,000 rupees in cash, went to Shah "Shuja's haweli. The Shah received him with respect and bended the knee to him. "The Maharaja then sat down "" "The Shah produced the diamond "and gave it to the Maharaja, who signed an agreement to secure the Shah from further "molestation." Presents were then exchanged, and the Maharaja returned to the Fort.

In Nur-u I-din's papers a number of statements are given of various persons who were questioned as to whether the three lacs agreed to be paid were ever granted. It seems quite clear that, although from time to time sums of money were presented to the Shah, the agreement alluded to was never fulfilled.

As to the weight of this diremond, I already stitled that the Khulasat-ul-tawarikh, speaking of the dirmond in Babar's time's says, the weight was 8 miskals=144 carats. When obtained by Ramid Singh, "wise examiners" of the time gave its weight as 42 mashas = 356 ratis = 757 grains = 1834 carats, which is close to its exact weight.

The diam and was set in gold, and worn as a bazuband or armlet, and is still remembered at Lahore by the name of the bazuband diamond. It was in the state in which it was exhibited in 1851, 186 causts in weight and worth £270, 765; it has since been resent.

No one in this country had an adequate idea of the value of this stone. It is commonly said that Ranat single on being ascel the value said it was "ikbál," or the power which could compare the state wanth possessed it; but what the Maharaja really said, more bone a cas's, was, that the processes have '-i, c, he who could give his enemy a beauting a show beating is the area at less and and take it from him. The meaning is, however, the same.

Fakir Nar-vil-lan water is follows, about what he heard Wafa Begam say on this suiteet -

A few months after the diagonal in epiestion came into the possession of the Maharaja, of I was called back from Jales Ben to Labore, and deputed by the Maharaja to Wafa Begam, to the local what species social of its value. By order of this Highness I wished Wata Begam, in 15-22 ther to morn me what she had heard or knew to be its walue. Wata Begam, in replicable the its value could not be described in one way, but to in several ways. As or long to what she had heard from her ancestors, its value is equal to a heap of precious stones and add mahrs filling a space marked by five stones, each

"thrown on four sides and upwards by a strong young man. Some have said this even to be an inadequate value; others have said that its value is equal to half of the daily income of the whole world. And the real price by which it has passed from one hand to another, is presentation of a weak to a powerful party, which price brought it in the possession of Saduzai family, and at last into the hands of the Maharaja.

The subsequent history of the diamond is too well known to need repetition. It was ceded to the British in 1849, taken by the Marquis of Dalhousie, Governor General, to Bombay in 1850, and entrusted to Lieutenant Colonel Mackeson, C. B., and Captain Ramsay, who sailed with it to Europe, reaching Portsmouth on 30th June 1850. They handed it over to the Board of Directors East India Company, and, on the 3rd July 1850, it was delivered to Her Majesty. It has since been re-cut in a completely round form, losing considerably in weight, but gaining vastly in beauty and brilliancy. It can be worn either in a bracelet or in a necklace; there are two pendants mounted with it.

CLASS XIV.

ARTICLES OF VERTU.

All that can be done in this class is to give a list of the more remarkable specimens that have come to notice.

LAHORE.

Powder-horn, made of polished shells of some large species of Turbo; the mouth being closed with copper gilt covering.

There was one from Amritsar in the 1861 Exhibition [No. 10100].

[8772].—Horse trappings of gold repoussé work ou velvet, (value Rs. 2,900) belonging to Raja Harbans Singh of Lahore.

[8771]—Necklace of gold and coral for horses, (value Rs. 370). Another of large white glass beads. Another of jade beads. Another made of gold coins (ashrafies) atrung on silk cord. Another of large beads of cut rock crystal.

[8778] - Small cups of rock crystal. These are brought from Yarkand, &c., and are much admired in the houses of the wealthy.

[8780] -- A cup of green serpentine. This is called "zahr mohra." because, if poison is poured into it, the stone is supposed to crack, and so "reveal the poison"

[8781] - A jade cup, inlaid with precious stones.

[].—A large onyx stone cut into the shape of a frog (Kabul) in the Lahore Museum.

[8784]. Various sword handles of jade, amulets and charms of the same, inlaid and set with stones

 $^{\circ}$ SS00]. -A fly-flap, yak's tail, in gold and jewelled handle (Raja Harbans Sing, Lahore).

[8803] .- Series of agate knife handles This stone is brought from Cambay.

[1-A jade cup. These jade articles are all brought from Yarkand, and are not made in the Punjab.

[8809].—Ornument for the point of a scabbard, set with rubies. Another of jade.

| SS10 ".- Figure of a tiger carved in agate.

[8811].—Beads of clouded amber.

[8813] .- Vases of dark green jade (loot from China).

[10123].—A hooka vase of carved marble.

[]—A marble book-stand—two plates of carved marble, crossed like the letter X; the Koran is rested on this in a mosque at prayer time (it is called "rihl").

AMRITSAR.

[10087] - A crystal bowl, value Rs. 150.


[10090].-An onyx cup, value Rs 100 (or agate, "sang ghauri").

Also a series of pen holders, little dishes and salt-cellars, of agate and serpentine (zahr mohra).

PATYALA.

[10264, &c].-A boat carved out of white Jaipur marble. A pen-case ditto, ditto.

<i>[</i>]			
•			
	-		
		•	






TABLE MADE OF VARIOUS PUNIAR WOODS.





CLASS XV.

MANUFACTURES IN WOOD, USEFUL AND ORNAMENTAL.

DIVISION I.—FURNITURE.

, II.—CARVED AND INLAID WORK.

Furniture is so little used by natives that this class is a small and uninteresting one. A rich man's house is often well furnished with earpets, hangings, low cushioned divans, and "masnads," but ornamental furniture is unknown save to those few who have adopted the European style. Tables, often inlaid, or with legs covered with silver plate, and arm chairs, are alone in use, and low wooden stools for sitting on.

The number of natives who are skilled in wood carving is however considerable. The form of articles produced by them is rarely good and never beautiful; it is only in surface design that they seem to excel.

All the furniture that was really good in the Exhibition of 1864, was made by carpenters who had taken patterns from European articles, and brought their own skill in design and carved tracery to bear on the work.

The following articles may be mentioned as shewing the more curious articles of furniture:—

[9571].—An arm chair, entirely made of white marble; the back and sides being perforated and carved. A similar one was sent from Lahore (Sirdar Bhagwan Sing, exhibitor,) Amritsar.

[9578]—An arm chair entirely covered with plates of ivory and mother-o'pearl (nímrú), Nawab Jahangir Khan, Lahore.

[9581].—Tún wood table inlaid with ivory.

[9581].—A watch case ornamented with gilt brass. This is a copy of the 'Louis Quatorze' style.

[9707] —A chair painted and gilt, "kárí-kalamdání (See Lacquered Ware), Kashmir.


[9703].—A round table in painted wood. The design of this being of the shawl pattern, was really beautiful, and the coloring chaste and subdued. The cost of such a table is 81 Rupees.


The following specimens are all of European fashion:-

[9570].—Round table, the top inlaid with 50 different kinds of Punjab wood, the stem and base representing reeds on a lake, with swans supporting the table, carved in white wood, and with water lilies. The plate shews this elegant piece of work, executed by native carpenters under directions of Mr. J. Gordon, c. E.

[9568].—A drawing-room chair, elaborately carved (Sirdár Bhagwán Singh). This shews how delicately natives can carve; the material is tálí or shísham wood.









CARVED TURNITURE.







CARVID TULNITURE.



DIVISION II.

CARVED AND INLAID WORK.

It is hardly worth while to make a separate class of the carved and inlaid work. I have already described under the last head the skill many natives possess in the art of carving; but for want of suitable objects, almost the only articles on which the art is exercised are pen-cases, boxes, cups, and legs of the universally used charpoy or flat bedstead.

The following specimens may be mentioned:

Delhi.

[9192].—Carved sandal wood box, the sides bound with silver, and set with oval "Delhi miniatures" (of which hereafter). These sell, according to size and number of paintings, from Rs. 250 to Rs. 25 each.

AMBALA.

[9207].—Carved spoons and forks, for salad &c.

This work seems to have been learnt from Saháranpúr, not far off, where beautiful carved work of the soft white wood of the Wrighten is executed.

There are a variety of similar carvings from Ludhiana.

HUSHYARPUR.

[9279 &c.].—Boxes of dark shisham wood, inlaid with a flower pattern in ivory.

AMRITSAR.

[9339].—Walking sticks of olive wood, and of the "Rauns" (Cotoneaster) carved. A favorite sort of carving is on a short stick, carried, I believe, by Bairágí fakirs, and consisting in inscriptions carved in relief in Gurmúkhí, Hindí, and Persian characters.

[9319].-A carved vase for a húka, of wood.

GUJRANWALA.

A model in carved wood of an elaborately carved verandah of arches and pillars, in an ancient bárádari. This piece of work may be seen in the Lahore Central Museum. It is a faithful representation of a very elegant and interesting specimen of domestic architectural wood carving.

JHELAM.

I may note from this district neatly turned and polished cups of shisham wood, and a similar series from Shahpúr.

The Jury Reports on "Furniture" and "Wood Carving," prepared for the Exhibition Committee of 1864, may conveniently be printed as an Appendix to this Class.

JURY REPORT ON FURNITURE AND WOOD CARVING.

Furniture, in the common acceptation of the word, is unknown to Orientals. The articles requisite to the inside of a house differ in little beyond the material of which they are made, in the halls of an Indian prince and the hut of a peasant. Each must have his charpov, but one will have it of silver, while the other will have it of wood-As in their ordinary dress and food, so in their domestic comforts, all classes are more or less equal. Tables are as superfluous to them as knives and forks; chairs are used on occasions of ceremony rather than for comfortable repose, and are chiefly looked upon as a species of social thermometer by which a man's position may be at once determined. Only persons of quality sit on chairs at a visit; dependents and inferiorshave to sit on the The idea of household comfort is but faint in the native mind, but it is increasing with their advance in civilization. In no country is comfort so well understood as in England Continental habits in this respect have decidedly an oriental tendency. Uncarpeted floors, uncurtained windows, uncovered tables, and uncomfortable bed rooms, are the characteristics of ordinary French and German houses. On special occasions they make a display which English houses seldom pretend to; but seen in the garb of every day life, the solid qualities of an English home come out to the best advantage. The chiference is not in any one thing, but in the whole tone of the furniture and fittings. This love of solid comfort, as opposed to cold display, is gaining ground rapidly among our tellow-subjects in the east, as if by sympathy. In the Presidency towns rich natives display their wealth rather in an extravagant indulgence in European luxuries, than in the barbaric pageants of former days. One of the most magnificent chandeliers ever made is now under preparation for the Nizam of Hyderabad; and nearer the locale of the Exhibition may be see a suite of rooms in an Indian palace that make the spectator forget he is in the East

The result of all this is that in calling for an exhibition of furniture, even in the Punjab, it is not less to look for articles invented by natives and intended for purely native use. The designs will be European, and the articles will be such as Europeans are likely to approve of. That this has been the case, the contents of the Furniture Court in this Exhibition will show. The specimens exhibited are few in number, and with one or two exceptions, commonplace both in design and execution. In this, as in so many other departments, it is evident that much more could have been done had more time been allowed, and had the objects of the Exhibition been better understood. As it is, there is sufficient in the articles exhibited to show what can be done in the province. Woods of all kinds exist in abundance; skill can be commanded to almost any extent. It needs only a steady demand to bring out the real capabilities of manufacturers in this respect

A circumstance that operates strongly against the manufacture of good and valuable furniture is the migratory character of the European population, from whom encouragement for the manufacture is chiefly to be looked for at present. A family seldom lives in one station for more than two or three years at the most; hence economy and durability are the points kept in view in furnishing a house, rather than elegance and cost-liness. It will be long before this depressing influence will cease to operate, but there are symptoms of its decline discornible even now. The style of furniture of a mofussil house is very different now from what it was ten or twenty years ago. On the other hand,

there are circumstances which will always tell strongly in favor of an indigenous manufacture of furniture. One of these is, the serious expense of getting any other; another is the unsuitability of finely polished or veneered European furniture for such a climate as this: it cannot last any time. The defects are in the material as often as in the style of work. The desiderata in furniture for Anglo-Indians are that the wood be suited to the climate, that it be left as much as possible in its natural state without the unpleasant adjuncts of sticky varnish, cracking veneer, or jagged brass binding; that it be portable and light. so as not to incommode a traveller; that it be elegant in shape, and calculated for coolness both is appearance and practice, and that it be moderately cheap. These qualities are rarely found together in Indian furniture. One of the objects of the Exhibition is to ascertain what improvement can be made in this respect and how. There is perhaps scarcely a house in the Punjab that contains a complete set of furniture, that is, a series of articles all of the same wood and in the same style. Houses are furnished piecemeal. one article being the production of one man, another of another, living in far distant ages: most of the articles have a history of their own full of interest if they could but unfold it. These anomalies are the result of stern necessity, and not of choice. A few years may see them vanish.

To the European eye there is nothing in the Furniture Court equal to the chiffonier made in the 89th Regimental Workshop, for finish and solidity; the joining is excellent, the polish and the exact fit of the shelves and doors are all that can be desired. Native made furniture always seems unfinished; the artificer seems to tire of his work as it approaches completion. The superiority of the work of European soldiers over that of natives is very noticeable. The inlaid table from Amritsar, however, shows that under European superintendence native workmen can attain a high degree of success.

The districts contributing furniture are Loodiana, Simla, Jullundhur, Amritsar, Lahore, Goojrat, Shahpore, Mooltan, Gugaira, Kuppurthula, and Kashmir. The following Regiments also sent contributions:—Her Majesty's 89th, Her Majesty's 93rd Highlanders, Her Majesty's 101st Regiment, and the 2nd Battalion Rifle Brigade.

The following articles were specially noticed:—

[9570].—A round drawing room table, the top inlaid with 61 different Punjab woods; and with an elegantly carved and ornamented pedestal. Both in design and work-manship it leaves nothing to be desired, while it derives additional value from its exhibiting at a glance the resources of the province in woods suitable for furniture.

[9764].—A chiffonier exhibited by Sergeant Ord, 89th Foot, made in the Regimental Workshop. It has been already noticed above.

[9679].—A carved side board from Shahpur. The carving is rather coarse, but it is effective, particularly at a little distance.

[9680].—A round table from Shahpúr, not very ornamental, but serviceable and solid.

[9554-64].—Ten pieces of furniture from Simla. They are all in the same style, or nearly so. They are chiefly of 'kakkar' wood. The carving is clear and effective, and the shape of all the articles good. They form a very elegant set, and are creditable to the manufacturer.

- [9675].—An iron easy chair from the Gujrat jail. It consists of a piece of fine durri stretched on a light iron frame. It moves easily and is well balanced.
- [9578].—An arm chair made of ivory and mother o'pearl, exhibited by Nawab Jahangeer Khan The shape is not elegant, but the construction is curious. The blending of the two materials gives it a very silvery appearance.
- [9579] —An arm chair carved in marble, exhibited by M. Ter Arratoon. A beautiful piece of work, in thorough oriental style.
- [9768-71].—A wire chair, a stool, flower stands, &c., from the Regimental Workshop of the 101st Regiment. These are the only specimens of this elegant and useful kind of work in the Exhibition, and are very creditable to the makers. The flower stands would ornament a verandah, and the wire seats would prove very convenient in a garden. This species of work might be largely developed in the Punjab, and would prove most suitable.
- [9779].—An ice box—Rifle Brigade. This is very well constructed in zinc and wood.
- [9784].—Easy chair, 3rd Battalion Rifle Brigade, very solid and comfortable; wood well cut and polished, well stuffed and mounted on castors.

WOOD CARVING.

The specimens in this department are very few in number, and are not generally of high merit. This cannot be for want of good woods to carve in, as these are known to exist in abundance. The native idea appears to be to have their small ornaments and figures cut in ivory or stone, or moulded in precious metal. They like a little rough carving in wood over a doorway or on a balustrade, but they do not seem to care so much for that minute artistic carving which pleases the European eye. An exception must be made in favor of the hill districts, where wood carving is practiced to a considerable extent, as well as stone sculpture. This taste is, in them, much more advanced than their social and intellectual condition in other respects would lead us to suppose.

After all, fancy carving in wood is not an art that is ever likely to meet with much encouragement, except, in as far as it can be made subservient to utility in connection with furniture or architecture.

In this as in all other arts practised by the natives of India, it is surprising what creditable results they arrive at with the use of the coarsest and simplest of implements. The idea of subdivision of labor, even in turning out small articles in large quantities, would never enter into a native's mind. He would commence, carry on, and finish, each one himself, not leaving a single one of the various processes to be performed by another. The hill carving, in particular, is executed with the rudest of tools, and must occupy the patient artist many a weary day. The remuneration would be incommenserate with the labor expended, in any country but this.

Some of the best carving in the exhibition was the work of other provinces. The style of carving displayed in the massive black furniture of Bombay, and its occasional imitations in the Punjab, is characteristic of a different department of the art altogether, and one which is calculated to play a much more important part in the manufactures of

the country, and the social comforts of its inhabitants, whether native or alien. It must be admitted, however, that the chief excellence of the Bombay specimens, sent to the Punjab Exhibition by way of comparison, is in their color and boldness of design. As far as workmanship is concerned we do not see what is to prevent the artificers of Simla from equalling their brethren in Bombay. The chief want about the specimens of Punjab carved furniture, is a want of finish. The last touches are left undone, and the result is an appearance of incompleteness, which is fatal.

- "Districts.—The districts which contributed specimens of wood carving, are Delhi Kurnal, Umballa, Loodiana, Jullundhur, Kangra, Hooshyarpore, Amritsar, Lahore, Gujranwala, Simla, and Shahpore. This list includes some of the districts under Class XV, because wood carving can scarcely be separated from furniture where the articles are of an ornamental character. It includes also districts which contributed specimens of simple wood turning, not sufficiently ornate to be styled carving, and yet not capable of being classed under lacquered turnery.
- "Kinds.—The kinds of articles exhibited are sandal wood boxes, boxes of other kinds of wood, some of them on the Bombay pattern, charpoy legs, walking sticks with fancy heads, ornamental spoons and forks, spices and fruits in wood, paper knives, paper weights, combs, card cases, cups, carved furniture, and a few miscellaneous things.
- "Articles noticed.—A carved chair—No. 9568 of Class XV—exhibited by Sirdar Bhagwán Sing, made by Karm Sing of Amritsar. This is one of the most striking objects on entering the Furniture Court. It is evidently not intended for use, and certainly not calculated to ensure comfort, but for elegance of form and excellence of execution, the Jury consider it a most creditable specimen of Punjab workmanship. All the lines are in flowing curves; the feet consist of the claws or paws of some animal, probably unknown to naturalists, proceeding out of the mouths of many teethed dragens; rather a grotesque combination, but pardonable for its very extravagance. The sides and back are adorned with similar fances. White hone, or ivory study are interspersed with the carving, and the whole is surmounted with the Royal Arms, evidently showing that the chair is of recent product in. We believe it was specially made for the Exhibition. The carving in some places may be considered rude, and only saved from condemnation by a liberal coating of variash; but the same delicate work is not expected in an article of this kind that we look for in a jewel casket or an imitation of fruit and leaves.
- "[9570].—A drawing-room table; the top inlaid with 64 different Punjab woods, exhibited by Mr. J. Gordon, Executive Engineer of Amritsar. This table is mentioned here on account of the beautiful carving on the peak-stal. The base consists of a minute pend formed of mirrors, on which rest a few water-lines carved in white wood, and two swans of similar wood, stretching their neeks up the peak-stal, which is surrounded by carved rushes rising out of the pend below. The whole offect is excellent. As an artistic work, there is nothing in any department of the Exhibition to excel it.
- "[9192-98]—Delhi Boxes, exhibited by Ismail Khan. These were noticed in the Fine Art section on account of the ivery paintings on them, but the carving is deserving of notice here.

- [9206].—Spoons and forks exhibited by the Local Exhibition Committee of Umballa. These are very cleanly carved in good wood, and are remarkable for their delicate finish.
 - 19211 Cardamons of wood-Umballa.
- No] Similar ones from Lahore and Amritsar. These imitations are most deceptive in their semblance of nature.
- [9554 64].—Ten pieces of carved furniture from Simla, exhibited by Lieutenant Colonel Lawrence, particularly two flower-stands, which are beautifully carved, with double serpenting stem, and leaves round the top.
- [No.]—A "chowri" made of sandal wood, also one of ivory—Puttiala. The patience with which each separate hair or fibre of the fly-flap has been separately cut is as oneshing."





TURNITURE THOM SIMEA AND GUJRAT.

DIVISION III.

TURNED AND LACQUERED WARE.

There are two prominent kinds of work which deserve separate mention: one is the 'Kár-í-kharát' or turned and lacquered ware, known to Europeans by the name of Pák-patan work; the other, the turned work of Dera Ismaíl Khán.

The kharát work consists of turned wood boxes, cups and toys, the outer face of which is prettily colored with a coating of mottled lacquer.

The best work in the Punjab is done in the Montgomery district (late Gugaira) at a place called Pákpatan; but the art is by no means confined to this place. I have specimens from Delhi, Amritsar, Lahore, (both the city and the sub-divisions of Sharakpúr and Kasúr,) Shahpúr and the Derajat. Of the Derajat work I shall give a separate notice

The lacquered work has a fine polish and generally a marbled or mottled appearance, often in two or three colors, and the article finished with a flowered border, which latter is done by a species of handiwork different from the rest, and certainly affording a good instance of the delicacy of native handling.

In describing the work of Pákpatan, I may be excused for introducing the account given of this remarkable town in the Settlement Report:—

"The census gives Pákpatan five thousand (5,000) inhabitants, a number which the appearance of the town would cause a stranger at first sight to believe to be under estimated. The conspicuous situation of this town, on an elevated mound which overlooks the plain for many miles, creates, at first sight, a very favorable impression, which a nearer acquaintance however soon dispels. The streets are narrow and steep, the houses are badly constructed, and the place is especially noted for its sanctity and filth. The latter requires no further remark here, but, from its peculiar construction, this town is not likely to be improved by any sanitary measures, unless at a vast expense. Its sanetity is renowned throughout the Mahomedan part of Asia. It contains the tomb of the celebrated saint and martyr, Bábá Furreed, who converted a great part of the southern Punjab to Mahomedanism, and whose miracles entitle him to a most distinguished place among the "pirs" of that religion. The fair held near his shrine, which is still kept in good repair by his descendants, attracts annually between fifty and sixty thousand pilgrims. The miraculous wooden chapatti, dates, &c., which the worthy saint is related to have tied to his stomach when he felt hungry, and which composed his sole nourishment for thirty years, are still preserved for the reverence and worship of the faithful. The most remarkable part of the proceedings at this fair is however the passage through the "Gate of Paradise," a narrow opening in a wall, about five feet by two and a half, through which the pilgrims force their passage during the afternoon and night of the fifth of the Mohurrum. Every devotee who contrives to get through the gate at the prescribed time is assured of a free entrance into paradise hereafter. The crowd is therefore immense. and the pressure so great that two or three layers of men packed closely over each other generally attempt the passage at the same time, and serious accidents, notwithstanding every precaution taken by the Police, are not unfrequent."

The process of making the lacquered were may now be described:-

The tumer's apparatus is very simple: he has first a strong wooden frame made first to the ground and furnished with two uprights, between which the block of wood on which he is to operate revolves. One upright is fixed, and furnished on the inner side with an iron spile which forms one point of suspension; the other upright is capable of admissment at a quarter or less distance, according to the size of the work—it slides along the updet but of the frame, and is fixed by a peg in one of a series of holes in the bar. When adjusted to the required distance, a piece of hard wood, generally shisham or box, is supported by the non-spike in the fixed upright, and a rather long iron pin run through a label in the second, and thus the block is freely suspended on points between the two megalis. The non-pin is prolonged beyond the support, and is turned by a bow. The bow is fated with a leather cord, which, being once twisted round the projecting end of the pin, is worked backward and forwards saw-like, thus communicating a rotatory motion. The treater sets on the ground, gains a fine purchase by putting his foot against the frame work, red results the article with chisels. The machine is kept going by a small apprentice, who saws away with the bow, and is supposed to learn the art meanwhile.

So soon as the article has attained the required shape, it is ready to be lacquered.

The relocing matter consists of thick short sticks (batti), of a composition of action, coloring matter, and, it is said, with a certain admixture of sulphur and bees wax.

Microfloologs are mostly used. The yellow is made with orpiment; green with arson to of apper: red with red lead or vermillion; blue with imitation "lájward" (see Volume I, sub-race) or Prussian blue ('wilaiti nil '). But a pretty transparent or msen, a to luced with the red of the lac insect; and black with lamp black. When to any 've the sticks of lacquer color, the wooden article duly smoothed on I have as so on the turner's frame and made to rotate. If the color to be produced is or initially suffer of the color, the lac-stick is pressed rather hard against the wood and the second of the heat produced by the friction is sufficient to soften the lace while the process. When enough color has been applied, the article looks dull and entry that the feembooks taken and a fine edge put on it with a chisel; this is the myr doctors in the surface of the article till the color has evenly spread, and by A regard to a resolution to show on the surface, which is enhanced by a gentler the root but redges, and finally completed with oil and a rag. To produce the 1. The toppe of a someth admired, the sticks of color are selected of a rather harder the strong and less easily softened by heat. The article to be colored is set revolving, and Non and I has the color stick against it very lightly, allows a point here and a point the proof of the tradition wood soon appears to be sprinkled over with colored dust.


The worker markes another color, and repeats the process, moving the stick up lid violent the revolving block, when by his skilful manupulation the second color result poor is which the first color has left block; sometimes a third color is lighten in the same manner. When enough color is on the surface, the different third is no reliable trigother and combined into a mottle lor marbled appearance to reliable, as I for described, with a Tumbor color and finishing with a ray and oil. Therefore, is I for described, with a Tumbor color and finishing with a ray and oil. Therefore is no stories that of rimson in lible k, crimson and white, and blue and black. As up lifter that is to or by of a cup, a larker is ston put on, with a flower pattern or it, who has done in a dult rat way.








GROUP OF LACQUERED WARE.



KASHMIR TABLE.



The article is again set spinning on the frame, and color applied where the desired border is to come, in a uniform band, and well rubbed in and smoothed with the bamboo; a coating of red is always given first, over the red, a coating of green is applied till the red disappears, and over the green, black.

The flower pattern is produced by hand with a small sharp chisel; so delicately does the workman adjust the force and depth of his cut, that he will, for the flower, let us say, make it appear red by cutting away the black and green coats and exposing the red layer, for the leaves he will scratch down to the green one, and for a white line he will cut down to the wood. A mistake seems never to be made in this work: a slip of the tool would of course spoil the whole.

The turned work from the Deráját (Dera Ismail Khan), differs from that of Pakpatán. The variety of articles made is much less: the favorite article is a round box with a domed lid. The mottled surface is not given; but three coats of color, red, green and black are applied as just described, and the pattern entirely produced by the chisel. The lines produced are often silvered with an amalgam of mercury and tin-foil, and the appearance is very pleasing. The boxes are further ornamented by carved ivory knobs, &c.

It will not be interesting to give a list of specimens. At Pákpatan all kinds of eigar boxes, glove boxes, vases and trays, croquet mallets and balls, children's toys, &c., are made, and a list of them would be useless.

I conclude the class with a descriptive list of the turner's tools:-

- (1). 'Nán.'—A large, heavy, narrow bladed chisel, for the first operation of rough clearing the wood.
- (2).—' Nihán.'—A broad chisel, rather heavy, with long wooden handle, for neat cutting, also called Máthná.
- (3).—They rest their tools on an iron bar 'addi', placed close below the revolving block of wood, and press the edge of the tool against the wood, moving it from side to side.
 - (4).—'Burákí.'—A pointed chisel to cut out screw, grooves, &c.
- (5).—Chírná.—A heavy iron bar, terminating in a flat blade at either end, only the point of which is sharpened edgewise. Grooves can be cut, and a cylinder separated into pieces by this.
 - (6).- 'Rachí,' and 'Roda'-A bar worked into a blade at either end.

The 'rachi,' blade being shape as (a)
(a)
(b)
and 'Roda,' thus (b)

- (7).- 'Sathra' 'Sathri. '-Narrow edged chisels of sizes.
- (8).—'Bankiya '-for cleaning out the inside of vessels intended to be turned hollow. It is like a hooked bar, the edge of the hook being flat and sharp
- (9).-- 'Tesha'--- Adze.
- (10).—Rangáta—the polishing stick.
- (11).—Varma of sizes—This is the universal tool for boring holes.

 He has also saws and files, which need no description.

CLASS XVI.

IVORY CARVING.

The places where every carving is done are numerous, but the only respectable work comes from Delhi and Amritsar. I exclude Patyála, because I understand that a workman there, who far excelled every one else in the Punjab, is dead, and I am not informed that the manufacture is sufficiently established to find him a worthy successor. A few articles are made in Ambala, Ludhiana, and Lahore.

The best work, even of the Patvála artist, is far inferior to Chinese work.

The every with which these carving are executed is obtained from the tusks of wild cb phants. The natives say that the tusks of domesticated elephants yields only a brittle and inferior ivory, hable to crack on exposure to air. I quote the remark, but am unable to produce the result of any practical test applied to judge of its correctness. informant further asserts, that the cause of the brittleness of the tusk of the domesticated animal is the salt that is given him with his food.

The tusks of tame elephants are, however, far from valueless, and I am told the Native Princes - Gwalier, Jaipúr, &c., -dispose of ivery obtained in this way. The Maharajah of Patvala is said to have store houses of ivory, which he does not sell, but makes into ivory bracelets, (churs) and distributes them on the occasion of weddings. The ivory sold at Delhi varies is price from Rs. 3 to 12 per seer. The Tarai in Oude, to the south-west of Napal, called by natives "Khajli ban," appears to yield a large supply of ivory. inhabitants collect the tusks of dead elephants and dispose of them. My informant mentions a place called "Gam bélerí," in Bareilly, as a local market.

The manufacture is dependant on the skill and patience of the workman; the carving is wholly done by the aid of the rudest files, chisels, knives, and steel styles. workman often holds the bit of ivery firmly between his toes as he sits on the ground, and carves it with his hand.

The Delhi specimens are various boxes, crochet needles with tiny figures carved on the handles: minute toys representing men and animals are among the best.

A workman, Panah of Ludiana, seems to produce a variety of work for the **Lu**dhiana city

One of the commonest form of work in ivory, is the manufacture of colored ivory bracelets, slender rings, worn by women on the arm in dozens. The bracelet maker is called ' Churgar,' and his tools are the following :-

1.—'Rachi'—A pointed chisel.—(a)

(a)

(b)

(c)

2.— 'Chirna' — A pointed ditto, but with fine point.—(b)

These blades are generally ground at either end of the same iron, there is no wooden handle.



3.—' Roda'—A thick flat iron ground to a flat edge shaped thus



4.—'Kharát'—The usual turner's frame. The workman mounts a bit of ivory on the turner's frame, and works it till it is in a smooth cylinder, then he divides the hollow cylinder into the number of circles required for bracelets by a pointed tool which cuts into the ivory and separates the circles while revolving—this tool is called 'singhari' and is shaped thus:

The cutting points being at either end.



In order to color the rings, they are mounted on a wooden cylinder called 'kálbút,' which is set turning by the lathe wheel. The rings are colored with lac to a deep crimson, and polished with a 'rangáta' or polishing stick of date tree wood (khajúr).

The following extract from the Jury Report on Ivory to the Exhibition Committee of 1864, notices the best specimens of work exhibited. They should great delicacy of style, and patience in handling. Few people would like to sit down to cut a fly-flap out of a bar of ivory, each hair having to be produced by a separate cut of the fine saw!

"The articles included in this Class are more ornamental in their character, than useful. The actual number of articles exhibited in this department is great, as may be seen from the Catalogue, when the series extends from No. 9192 to 9549, but they do not make a great show, or occupy a large space, being for the most part of small size.

" The East has long been famed for its ivory manufactures. From the very earliest times of which we have any record, India has not only had a sufficiency of ivory for its own requirements, but a large surplus for exportation. It is not improbable that cargoes of ivory from the west of India, with the gold of Ophir, were carried in ships of Tarshish to decorate the palace and temple of Solomon. From the presence of this valuable material in such abundance, and the luxurious tastes of the Princes and nobles who successively surrounded themselves with all that skill could produce and wealth command, it is natural that India should produce the most cunning workers in ivory. This has been to a certain extent the case, but the skill attained in the art has been chiefly confined to certain localities, such as the neighbourhood of Moorshedabad in Bengal, and has not been co-extensive with the distribution of the material. Ivory carving, as distinguished from mere turning, is, from its very nature, an art that will always be most extensively practised in Oriental countries, where the people have plenty of leisure, require very little for their support, and have unlimited patience. The agency of machinery can never be largely introduced into such an occupation, and there is therefore little fear of Western competition. monopoly of the manufacture will long lie between India and China. If the demand for ivory ornaments has declined in India itself, which probably it has done with the decline of Eastern power, it has largely increased in the most opulent countries in Europe. There is therefore every reason to encourage the art among the manufactures of this country, and to direct it into such lines as will ensure success. The tendency of Orientals is to keep for ever to the same beaten track. Originality of design will only be the result of pressure from without. Skill in manipulation exists, it has only to be utilized by the suggestion

of new fields of labor. Our ideas of ivery work, as well as of almost all the beautiful arts processed by the natives of this country, are formed from the travelling pedlars who bring found their wares for sale. We have little information regarding the process of the manufacture, the numbers of artificers engaged in it, or where they are to be found. We know that from father to son for many generations such arts as ivery carving are handed down, but it is with the utmost difficulty that we can find a carver when we want one. This difficulty must have been noticed in almost every department of the Exhibition. The only way to remove it, is to encourage something like a commercial spirit among manufacturers, to teach them the value of their trades, and to point out gradually the best means of making themselves and their manufactures, known throughout the country and abroad. Many an Indian art is languishing for want of some stimulus of this kind.

- A glance at the collection of ivory articles in the Exhibition shows that the contributors have not sent their best specimens.* If the Punjab can produce nothing better than what this collection contains, the art is at a low ebb; but there is reason to believe that the manufacturers have not done themselves justice, and that when the objects of an Exhibition of this kind are more generally understood, and encouragement is held out, a much better display will be made.
- Among a collection of every articles of all kinds, may be noticed an elegant and deheately cut bouquet-holder. It catches the eye at once by its superiority to the rest of the than is, but it is somewhat disappointing to find it marked "China," though apparently exhibited by an Amritsar gentleman. There is nothing either in the quality of the ivory, or the skill of the manufacturers, to prevent the natives of India equalling those of China in this department, but the Exhibition contains no proof of their present ability to do so.
- "The districts from which ivory manufactures have been received for exhibition are Sirsa, Umbaila Leechana, Simla, Jullundhur, Kangra, Hooshyarpur, Amritsar, Lahore, Goqianwala, Shahpore (†) Dera Ghazee Khan, and Patyala. Those which contribute most largely, are Lahore, Amritsar, Loodiana and Patyala. The kinds of articles exhibited are numerous, but may be included under the general heading of boxes, paper knives, chessmen, figures of men and animals, muffineers, combs, bracelets, rings, walking sticks, and dazzer handles, and a few miscellaneous articles incapable of classification.
 - "The most noteworthy articles are the following:-

A camel with two riders, from Loodianah, No. 922, exhibitor Panah. It is neatly cut, and in good proportion. There is no great ornamentation about it but it is a fair specimen of work

9383] .- A camel similar to the above, Lahore, exhibited by Khuda Baksh.

A collection of ornamental combs and paper knives from Amritsar, included under No. 7812, exhibited by Devi Sahai and Chamba Mall.

9354] -An elephant, Khuda Baksh, Lahore.

(2523] -A native bullock carriage.

^{*}I am included rather to doubt this. I do not think that better work, as a class, could have been produced. In him into workmen could, when urged and encouraged, do better work, but ivory carving as a trade is at a low edge in the Punjab—B P.



[9524] + A boat with rowers, contributed by the Maharajah of Patyála. These and the following are the best specimens of Puajab ivory carving in the Exhibition.

Two daggers with ivory handles and scabbards. These are very handsome, and exhibit an application of the art not very common.

Chauris from Patyála, with carved handles—and thin strips of ivory forming the brush.

[9356].—A small pen box, carved, with a minute pad-lock cut in ivory—Khuda Baksh, Lahore."

CLASS XVII.

PAPIER MACHE AND PAINTED WARE.

This is a class which is constituted solely for the benefit of Kashmir: the work known as ka:-i-kalamdani is quite peculiar to that country.

The work is by no manus always of papier maché, indeed it is the method of glazing and ornamenting the surface, rather than the nature of the material that is to be looked to

The work goes by the name of kár-i-kalamdání, or "pen case work," because usually applied to the organization of pen cases, and small boxes; but since an European demand has arisen, to readdies glove-boxes, paper cases, and wases, have been made at Srinagar to order, and even articles of furniture ornamented by this art. It is also called 'kár-i-muna-kash' or 'parated-ware.'

The work is done on articles either of smooth wood, or papier maché prepared by pulping coarse native paper, and moulding the softened material to the required shape. The article is covered with a coating of white paint, on the surface of which a delicate pattern in colors, chiefly crimson, green, and blue, is drawn with a fine brush; flowers, and the curved designs seen upon shawls, are most commonly produced. A very pretty pattern is also done by painting with gold paint a spreading series of minute branches and leaves on a white ground,—a border of brighter coloring is added: sometimes figures of men and animals are introduced. When the painting is done, the surface is varnished over with a varnish made by boiling the clearest copal (sundras) in pure turpentine. I do not think boiling in oil, (which is the ordinary carriage varnish) would yield a cle it enough varnish. The varnish has to be perfectly transparent, or it would spoil the appearance of the painting. I am not sure that mastic varnish is not used: (Western R'mi) mastic is abundantly brought from Kabul. Referring to the material "papier mach." the only other specimens I saw in the Exhibition of 1864, were some cups and bowls rulely salvered with mercury and tin-foil, sent from the Sitpur parganah of the Muzafful ah District


The following extract from the Jary Report of 1864, will be read with interest:—


6 Paper mach' is, as the name expresses, "mashed paper". It is surprising to see the leanual forms into which this material can be wrought. The art of working it in its more original diphases has only become general in Europe within the last 20 or 30 years, but it has probably been known from a very early period. There are various "modes of preparing the pulp, but the general principle is to reduce strips of coarse paper by bealing or sorking to a kind of paste, which is then stiffened with gum or some other gluthous substance. In this form it can be worked or moulded into any shape, and when the required contline is attained, the surface is hardened and glazed with lac, or some sumbing substance, and sometimes lump black, and colored according to the intended design. Sometimes another process is adopted; sheets of coarse paper, saturated with flow and gum, are laid upon each other on a metal mould to the required thickness,

^{*} This loss not refer to the native planufacture.- B. P.









GROUPS OF KASHMIR PAPIER MACHÉ WARE.



this is dried in a hot room, the surface is glazed with lac and lamp black, and the ornamentation is proceeded with. A surface of this kind is impervious to moisture, and even to heat. The chief difference between the two processes is, that in one the paper is reduced to a paste, and in the other it is fastened together in layers; sometimes the two are combined. The black varnish so common in Europe does not seem to be used in India. In Europe, the introduction of mother o'pearl imparts great brilliancy to the work. This does not appear to be done in India, or at least it is not to be seen in the specimens exhibited; nor is it usual to blacken the material, which process gives such a suitable ground for ornamentation in European work. The art in India is chiefly applied to small articles, such as pen cases, salvers, cigar cases, and the like. The successful artificer in this department is more dependent on the excellence of his outer coloring and varnish, than on the quality of the paper pulp. Color and design come greatly into play, but the specimens in the present Exhibition show very little variety; nor does the work last long, for by keeping the varnish darkens, and the colors lose all their brilliancy, as may be seen in the specimens of old Kashmir work exhibited from the Lahore District. The work is peculiar to Kashmir.

"There would be a great demand at home for fancy articles of this description, not that they can e paal European papier maché, but merely on account of their being Indian, and indeed quite different in appearance and style of ornament from European papier-maché. The fact that the native demand for them is properly understood, seems to be fully proved by the number of "kalam láns" exhibited; they are always likely to sell. Other articles also are made, which are equally suitable for European and native use, such as trays, salvers, caskets, chess-boards, ornamental cups, and the like.

"The following articles here noted by the Jury :-

[9708].—A lacquered table contributed by the Maharajah of Kashmir. It exceeds two feet in diameter. The whole surface is colored richly in flower work which predominates. The varnish used is very transparent, and gives a fine smooth surface. The effect is very pleasing, but unfortunately the top has become warped, which seriously detracts from its beauty, and will probably never be remedied. This defect is probably caused by the thinness of the wood. Had the top been made of a thicker piece, the table would have formed an elegant drawing-room ornament.

"[9707].—A lacquered chair from Kashmir. In the same style as the table, but much inferior.

[9726-9727].—Cups and saucers, Kashmir. These are very highly wrought. They seem to be in the Chinese style, and have a very soft appearance. The coloring is excellent."

CLASS XVIII,

PORCELAIN AND POTTERY.

DIVISION I.-GLAZED POTTERY.

It does not appear that the natives of the Punjab ever practised generally the art of glazing pottery for domestic use. A few samples here and there indicate the existence of the art in a rule form, and the greatest progress has been made in the manufactories attached to the larger jails, where special efforts have been made to improve the color and the nature of the glaze. But the art of glazing and using encaustic colors has existed from an early date, and has, strange to say, in the form in which was practised with success, almost entirely perished. The form I allude to, is that of the glazed encaustic tiles, or glazed flower work composed of inlaid pieces of encaustic work, used to ornament mosques, tombs, and public building.

The Wazir Khán Masjid in the City of Lahore, built A. H., 1014, in the reign of Shah Jaban, is covered all over with encaustic work. The Shálimár gardens * have various buildings similarly ornamented: these latter have the patterns inlaid like mosaic work, each piece being separately colored and glazed, and afterwards fitted together with cement.

The whole vicinity of Lahore abounds with ruins ornamented with glazed work; so in the Districts of Multan and Muzaffargarb are numerous tombs, some of them of great age, ornamented with glazed tiles. The Shams Tabrez, in the Multan Fort, is a notable example.

This art is not a stually lost. The Exhibition of 1864 contained specimens of the modern glazed tiles executed at Multan, and there was one specimen of a rather elaborate pattern executed by a workman resident at Jalandhar.

A workmin at Scalket also furnished large tiles glazed of a deep blue color for the churches in that Station † Glazel pottery is made at a few places: I have seen it at Multin and in the Peshavur Biztur. In the Rawalpindi, Scalket and Lahore Jails, glazel pottery is made, and in the latter jail especially; the work, though not equal to Laropean, is remarkable good. The art was introduced by a native.

A small purpliet has been published at the Central Jail, Lahore, from which I derive some particulars as to the method of producing glazed colors. The pamphlet should be producid by any one who wishes to carry the processes into practice, for, in spiriot the author's lame style, and faulty phraseology—a combination of high Pesan words with very or liming Undu phrases—it contains a good deal of useful receive. Two substances are excluded importance in the process; one is kanch, a virtuous glaze; the offer is replaced or ovele of lead. As regards kanch, the specimen sent one is a relected at block glass, like English bottle glass in lumps. There is Angrezi kanchi and native excludes "Tall cancer is made of "sanger-safed" and pure alkali; the designation of the sanger-safed and pure alkali; the designation of the sanger-safed and pure alkali; the designation of the sanger-safed sanger and pure alkali;

^{*} Vistor to the transfer of the or

[†] See the hore of the Jury Report appointed

kind is made either out of reh or alkali earth with sand, i. e., a natural efflorescent alkali and fine siliceous sand; or with ground stone and potash, or with stone, borax and sand,

To make kanch on the English plan: take "sang-i-safed," (a quartzose rock obtained in the form of rolled pebbles from the bed of streams near the hills) 25 parts, pure sorla six parts; purified borax (sohága telia) three parts; salamoniae, (nansádar) one part. Each ingredient is finely powdered and sifted, and mixed with a little water, and male up into white balls of the size of an orange. These are burnt in a furnace, till they become red hot; they are allowed to cool, and again ground up and sifted. The material is again put into the furnace till it melts; when thoroughly melted, one-fourth seer of fine, clean, picked saltpetre (shora kalmi) is stirred in. A foam appears on the surface, which is removed with a skimmer, and set aside for use. It is the "kách-lún" of the druggist.

A glass making material is however to be obtained ready ground in powder from England, and requires only burning and melting as above. The native kánch is less clear and transparent, and has a dirty green tinge. In making kánch a small quantity of oxide of manganese may be added (unjani); but too great fire must not be applied, for, if the manganese gets too highly oxidized, it will color the mass pink or like; at a low degree of oxidization it parts with a portion of its oxygen, which facilitates the destruction of carbonaceous impurities, and also destroys the green color, by imparting more oxygen to the iron, which causes the color. The desi kánch is made by grinding the ingredients already named, sifting, burning, and treating as just described. The proportions are as follows:—

- (1).—Sang-i-safed or 'sang-i-surkh nagori', a siliceous grit, used for mill stones, and sajji, equal parts.
- (2).-Sang-i-safed, 4 parts; sohága, three parts.
- (3).—Siliceous sand, and sajji equal parts.

Š,

>

Two maunds of dry wood will fire a furnace to produce 10 seer of kanch; Kikar or Karir (Cupparis) wood is preferred, cut into small pieces.

The next important articles are the calcines, or oxides of lead. There are "sikka safed," the basis of white and of most of the blues, greens and greys; "Sikka zard" the basis of yellows &c.; "Sikka sharbati," a pale reddish oxide (litharge); and "sikka lál," a red oxide. Sikka safed is made by putting two parts of lead and reducing by tin. The furnace used is a closed one, and consists of an hemispherical open crucible, resting on a base or pedestal of clay, and surrounded by fire, with a conical covering of some dried bricks; holes are made to enable the workman to introduce his iron skimmer and stirrers.

The lead being melted in the crucible, one part of tin is gradually added in little bits; vapour rises, and a white powder forms on the surface, which is raked on one side and lifted out into a vessel placed for the purpose: the melting material is constantly stirred. This goes on till the whole is reduced. Care must be taken that no particles of uncalcined metal remained: this preparation will be spoken of hereafter as sikka safed. Six seers of lead and three seers of tin can be reduced in hot weather in one day in winter in two days. The furnace to produce this quantity requires two maunds of

If and wood (Prosopis,) dry and in large billets, the fire must be steady, neither very here nor very slack. "Sikka zard" is made by exactly the same process of reducing one sear of lead with only one-fourth part of tin or one half the quantity used in the last. "Sikka shaebatti" is made by reducing one seer of lead with four chittaks of zinc material of tin. This is, I presume, a yellow oxide or litharge of lead, which is partly excluded above the vellow stage, and approaching the minium or red oxide stage. Sikka latus the netal explical till red, and made by calcining one seer of lead with four chittaks of one. The above materials form the basis of all the glazes. The color and the glaze is applied together.

White glaze is made with -

One part " sikka safed," One part kánch,

well ground and sifted and moved, put into the kanch furnace and stirred with a ladle. When melted, borax, in proportion of two chittaks to the seer is added. While this is being done the fire must be slick. If the mixture gets a little blackish, add a small quantity of saftpetre. When all is ready, the material is taken out and thrown into cold water, this splits it into fragments, which are collected for use in the manner to be presently described.

A white glaze used at Multan gives a better and more opaque white than the above.

Take sang-i-safed two parts, kanch one part, and grind tegether; a little borax improves to It is may liwith mawn, the gluten of wheat in solution, and applied to the vessel; over it again a conting of finely ground glass powder is spread. This glaze is not seetten used, as it is hable to crack and come off.

This white glaze, if mive I with certain other ingredients, will give the tints shown in the following table. The glaze is mixed with the required coloring matter, and both are grown I together to an impalpable powder ready for application to the vessel.

I should all that the "rett" or zaffre, spoken of in the table and elsewhere, is a perfer consisting of the black oxide (ore of cobalt) which has been roasted in a furnace and row bord, mixed with a little powdered fluit and siliceous sand. The cobalt ore is found in Central and Southern India, and has been known for hundreds of years past. The robust argonization of the orderives off the sulphur, arsenic, &c., which it contains, and completes the exclusion of the cobalt, which is important: I expect some of the zaffre is imported from Europe. It solls in the baztar at 4 rupees per seer. In the pamphlet I am referring to, it is said to come from "Kuána Jhanjhána."

	Color,	Weight of the white glaze used	Material to be mixed in order to produce the required color.	Weight.	13. маккя.
1,	Firozá—turquor-blue.	1 seer,	Chhil tímba, thus flakes of oxidized or calcinol metallic copper.	1 chittak	1
2	Kásni - pink or lilae.	Ditto.	Anjani - oxide of manganese	1 do.	
3.	Sosm -violet, .	Ditto,	Do., do., mixed with reta or zaffre,	1} do.	These are merely shades of the same tints.
4	Udá-purple or puce.	Ditto,	Anjani,	2 do	
5	Khaki-a-h grey	Ditto.	· Reta—Aujani,	1} do	
6.	Nila deep blue,	Ditto,	Zaffre or Reta,	4 do.	
7.	Asmini ky blue	Ditto.	Ditto,	11 do.	Ditto Ditto.
8	Halka-ábi-very pale blue.	Ditto,	Ditto,	1 do	1
9	First-ibi - pale Prus-	Ditto.	Chhil tamba as above,	1-24th of a secr.	. This is a pale shade of No 1

Another method of preparing the dark blue glaze for use by itself. The ingredients are-

Flint powdered,				.1	parts.
Boray,	•••	• • •	• • • •	24	ते०.
Lál Sikka,	•••			12	do.
Sanz-i-safed,				7	do.
Sajji,			• • •	.5	do.
Zme,				5	do.
Zaffre,			٠.	5	do.*

All these are learnt together in the kanch furnace as before. Whenever they have a white ground they are this to produce eatterns, flowers & ... on it, in blue and other colors. For tur pass blue calcinol copper is used; for purple, in urganese; zaffre for blue; the blue zaffre and "child tamba" repure to be bound before use. "To blue cluim" (iron fillings), when prepare I as hereafter described, gives a yellow. The colors are applied with a paint brash, after being very finely ground up with guin, and water. To produce green flowers, they mix "Kahi Idl" (bi-chromate of petash) one tolah, with a little "sikka safed," and dissolving them, in a seer of clear water, filtered through unglazed paper, the powder that is collected in the filter is used and gives a green, mark. Orange color patterns, are done with surma (black antimony); and blue with sulphate of copper (tútyá.)

^{*} This is said to be ' the English method,' and various other colors are given at pages 38-39 of the pamphlet, which I have not quoted.

Just as the white glaze is made to be the basis of a set of colors, in a similar manner a yellow glaze is formed, of which the "sikka zard" is the basis, and this forms the foundation of a series of tints.

The vellow glaze is made of :-

" Sikka zard"

1 seer.

"Sang safed" or mill-stone, or burnt and powdered flint,

4 chittacks.

These are fused in the furnace, and when melted, some borax (1 chittak to the seer) is added.

The fints produced are :-

Color	Proportion of yellow glaze.	Material added.	Weight
Zamińdi, deep green		Calcined copper, chhil tamba.	3 chittaeks.
Subs-full green	1 Do	Ditto	1 ditto.
Pest (k) bright green,	1 Do , ,	Ditto	1½ ditto.
D'un priegreen (color of shoots of young tree diam)	1 Do	Ditto	$\frac{1}{129}$ ditto.

Another green is produced by burning one seer of copper filings with 'nimak shor' (sulphate of soda). The dull red or 'sharbati' color is made in Rawal Pindi by mixing one seer of sharbati sikka, one seer of sang-i-safed, or powdered burnt flint, and melting them together as before with "sohága." In Lahore and elsewhere a similar effect is produced by simply applying a transparent glaze of two chittaks of borax and half a seer of kanch, which shows through it the natural red of the pottery.

The dark copper color producing a burnished metallic lustre is made as follows:-

"Lobá chun," or fine iron filings, are calcined in a crucible in a fire made of "upla," (cow dung cakes) which give a slow smouldering fire. They are calcined with a little salt, and when cold are ground fine in a postle; the burning and pounding is repeated four times, when the iron is completely reduced.

To one seer of borax, I chittaks of the prepared iron are added, and the whole is stirred up with the gluten used in applying the color, and is put on to the vessel prepared to receive it.

"Lakhi," the glossy deep brown generally seen on jugs and teapots, is made by a similar mixture, but substituting 1-16th of a seer of a manganese (anjani) for the iron-

" Kakrezi" a blackish green or olive color, is produced by-

Kánch, $\frac{1}{2}$ seer. Prepared iron (as above), ... 1 chittack. Calcined copper (Chhil támba), ... 1 chittack.

The color having been prepared and reduced to a fine powder, it has to be applied with a brush to the surface of the unbaked pottery. The vessels to receive it must therefore be carefully smoothed over, and cleaned with a bit of wet rag. Inasmuch as the





The kharya-mitti is prepared as follows: -One seer of it is finely ground for two 'pahars' with two tolas of the 'bhimber' gum (Acrea mod star), and 'châl' gum (Conocarpus) two tolas; this is worked up with half a seer of water, then four seers more water are added. The whole mixture is strained through a cloth; the residue is ground up again with more gum till all passes through. The whole being left to stand, a fine precipitate is deposited, the clear liquor is drawn off. Two chitaks of borax, and two of finely powdered glass are mixed in, and the preparation is ready to be applied. With this mixture also they tip the points of the supports which hold the vessels in the baking furnance.

The vessel being so couted, the color glaze to be applied is mixed with one seer of "máwá," a liquid glutinous substance made with 'nishásta,' the gluten obtained by washing wheat flower and collecting the subsidence.

The 'nishásta' is ground with the color and a little water, for \(\) of an hour, then again with more water till the required consistence of a paint is obtained, and the mixture can be applied to the vessels. The vessels being carefully dried are placed in the furnace. The furnace is shewn in the plate. It consists of an outer bee-lived shaped dome or covering, perforated with ventilators; and an inner hollow cylinder, underneath which is a furnace fitted with four flues, one passing up each side of the cylinder. The bottom of the cylinder is grated, and on the grating, which has a circular area of size according to the structure of the kiln, the vessels are placed. Each is separately supported on small stands (sipái), being tripods of burnt clay, having three points on which the vessel rests; these are tipped with the 'astar,' because otherwise they would stick to the glazed surface when it melted, and require to be detached by force, leaving little holes on the surface of the vessels. The 'sipáis,' require to be made fresh for each changing of the kiln.

The kiln is fired with "ber" (Zizyphus) or "kikar" wool, cut in small pieces; these give very little smoke, which of course is a desideratum. Five mounds of wood supply a furnace of the size given in the plate. After five hours of heating, the fire begins to take effect; after seven the color swells; after nine, it melts and begins to spread, after ten it is transparent and smooth; the fire is then stopped and rake I out, and water poured on.

Every ventilator and hole must now be carefully closed, for draughts of wind or dust would ruin the bake. On the third or fourth day, according to season, the the kiln will be cold, and the vessels may be taken out.

The great difficulty with native pottery is the extreme coarseness of the pottery clay, which gives a red color, and its hability to crack in the furnace, thus throwing away the glazer's trouble. The clay cannot be worked up very thin.

The jail petter recognizes the usual three kinds of clay: whitish, red-C or rather clay having a cast of red,) and black (having a grey tinge, -it is not a black). He says that

^{*} Also carles kathi gend.

no good clay can be got at Lahore; even that from the village Kot Khoja sai (black) is not good; he gets good clay from Gujranwalla and Hushyarpúr.

The following articles are included in the list of glazed pottery in 1864.

[9826] — Enamelled tiles, prepared under directions of E. Garstin Esq., of Amritsar.

[9833].-Glazed bricks for flooring (cost 8 annas each) by Kutba of Sealkot.

[9835 A 7.-- Cups and saucers, bowls and cream pans, by the same.

The following were from the LAHORE JAIL.

[9837—9850].—Breakfast service, turquois blue; Jars—pale lavender color; vases in green glazed pottery;—Soup tureen and dishes—10 pieces.

Jugs in various patterns, embossed with designs; &c. Plates glazed in burnished topper color; brown teapot; candle-sticks; basin and ewer; cheese cover and dish; two large glazed earthen vases suitable for a garden.

[9851].- Two vessels, one glazed, one unglazed, experimentally made from Kaolin obtained at Dalhousie.

Disintegrated granite rock may be seen in various parts of the Himalayas, and some of it would probably be found to yield a fairly tenacious Kaolin. The difference lies in the pureness of the color. It frequently happens that a slight yellow tinge is acquired in baking; this is ascribed to the presence of oxide of iron, but may be due to some fault in the furnace. During 1869, a bag of an apparently fine and white Kaolin was sent for trial from the Agror Valley (Hazára), but proved a failure: it had no tenacity, and was merely a disintegrated quartz rock.

[9855] - Two pieces of pottery in black clay, which have been glazed with the lac colors described under the process of wood-turning and lacquered ware. A specimen of the same on glass was also sent, the lacquer seems to stand well on the pottery, but on glass shows a tendency to crack and peel off.—(The specimens were from Kasúr in the Lahore District).

[9867 .—Specimens of variegated encaustic tiling (modern)—Jálandhar, exhibited by Pandit Manghul.

9877-9890] -- Various glazed vases, basins, articles for table and domestic use, ness'ty plant, green and brown-RAWALPINDI JAIL.

9897 4993 7.—Glazed articles for household and table use, JHELAM JAIL, and Pind Dalan Khan. (by Megha Singh and Ganesha Singh of Pind Dádan Khan).

1 0000 7 -Various glazed bricks, ancient, and modern; glazed pottery in blue and white pattern and in plain colors, MULTAN, -(from the Jail and City manufacturers.)

2048 The Encaustre tiles from ancient tombs.—Muzaffargarh.

 $\left[(9958 \; \&e_{se}) \right]$. The same from Dera Ghazi Khan,

9966.7 Glazed cups and basins, white, with a pattern in blue, and other plain colors (Peshawar Bizar)

[9970 &c.]. Porcelain cups and teapots-imported Russian manufacture.

1. Specimens of glazed pottery from the Jálandhar Jail.

In a mem con the Delhi District by Mr. Thornton, there is the following notice of Independent Plane I pettery:—

"A rude kind of pottery, with a red and yellow glaze, is manufactured, but used chiefly in making toys and 'chillams' (the bowl of the 'huka'). The giaze is produced by an application of exide of lead and borax. There is also a rude kind of porcelain, known as "Hindustani chini", not untike of I Majolica. It is manufactured from burb trate (a powder formed of disinter, at I felspathic rock), and covered with a glaze produced from a real glass (kanch) and a quartz powder. A blue color is produced by adding the powder known as ranginilate at I brought from Jaipur; green is obtained from copper; and yellow as above described. This porcelain is not much used except to make the small round ink-pots (dawát) for holding native ink, which are exported in considerable numbers."

^{*} This is sold in the Bazar in the form of a blackish sand, and is an oxide of cobalt, the zaffre above described.

DIVISION II.

UNGLAZED POTTERY.

The only distinctive kinds of unglazed pottery in the Punjab are-

- (1) Or imary clay pottery, either red or black when baked, made in all districts, in some better than others
 - (2) The fine pottery work of Rohtak.
- (3) The pub yellow and grey clay ware of the Deráját; the texture is gritty and very porous, hence the "smalus" or water-coolers, are very excellent.

Und to the first head however there is a considerable variety. In some districts there are skilful porters, who make bowls of portery day almost as thin as stout paper; they being porces, it fills like the water, so in render it extremely cool owing to the rapid and easy exposition. Such bowls are made in the Gujranwalla District. In Lahore I have so in them pottery vises made double, some vase within the other, and the outer layer perton to be to show a pattern

In some places the pottery is ornamented with an amalgam of mercury in patterns. Kargaresent some than earthen vases, first silvered, and then covered with a coating of transparent be coloring over the silver.

A" pottery of every kind is done with the same rude apparatus. knowledge restrictles the ave wheel, made of clay mixed with bits of cotton, wool, or other mater 1 to 1 red at - A wooden axis properts from the centre of the under side, and works on a part of well'stante the ground, the workman sits with the wheel in front of him. In the to commune the a rapid motion to the potter's wheel, a small nick is made on the near remains, in which the workman impinges a stick, and with a series of jerks urges it in spanning. The which remains only tolerably level while at its full speed, and some logues to have an arregular occontric motion, this renders it very difficult to greatly any vessel perfectly true with such a wheel. The wheel is called "chak," and the turning striked inda." The wooders block on which the axle turns is called "chopat." In the Upper Panjalea larger and steadier kind of wheel is made by a disc mounted on a woolen spendle. On the lower limb of the spandle a second disc, but made of wood, is fixed. A bid is now a 12, across which two perforated bars are firmly fixed. The spindle or axis is 1.11 or them, so that the upper lose revolves just above the surface of the hole, and the lower of a serves as a trend-wheel. The workman sitting on the edge of the hole, with his ferrors in turns the winding printing the lower wooden disc with his foot. These to these stoody to the true who dispresered for all large sized vessels. More information will be to make the Jury's Report which is printed further on.

With very vertices is 1, a lump of knowled day is placed on the centre, and the workness in its faceth us of way, constantly dipper, his right hand in water, a bowl of which he keeps at less to. Wrot the vessel is formed, as detailes the base of it from the whole by devices a salver the restricted string across, this cuts the clay. If it is described a very by a sach such as a gharm, the workman uses a sort of short wooden really a distribution. To will be right hand with which the moulding is done; in his left hand has hills another round mallet called thering, which he uses inside the restricted from the Norway do not take any very great pains in preparing the clay. They

select material from a place which is known to yield it, and bring it in on donkeys, &c., in bags. When dry, they pound it well, and sift out all the coarse particles, putting the fine powder aside. The coarse pieces are thrown into water to soak, and when they are dissolved, the liquid clay is mixed with the fine powder already obtained, and the whole is trodden and kneaded with the feet.

In some jails, a masonry tank is built, and the clay well agitated with a large quantity of water; the coarse particles at once fall to the bottom owing to their weight, but the water above is thick like pea-soup, this is poured off, and after a while settles, leaving a very fine mud deposited, and clear water above; the clear water being cautiously drained off, a fair tenacious pottery clay results. The coarse particles in the first tank are worked up with water till they dissolve and form a similar liquid.

The potter's clay found in the alluvial plains of the Punjab is of four kinds; white, grey, red and black; or rather is recognized under these names, by each kind having a whitish, reddish, or grey cast color. The first is not common; the Derajat and Multan Districts alone have pottery made from it, and under this is included the Dalhousia Kaolin, safed matti. A sort of pape clay is abundant however in the Salt Range, and at Aurangpur near Delhi (see vol. I). The red and grey clays are the common ones, they turn red on burning. Really black clay is not commonly found, but is so occasionally; black clay, when of good color, makes very neat vessels, when burnt it is still black, but is aided in color by mixing in lamp black.

The specimens of unglazed pottery may now be described, with such notes to each specimen as may appear necessary.

ROHTAK.

[9787 &c...].—A series of vessels executed in well burnt pottery, the surface ornamented with engraved devices and patterns. The articles are of a well tempered material, and of a pale reddish brown (badámi) color; the pottery is finished with a shiny pearl-like substance, probably tale ground to an impalpable powder. This is the best pottery (unglazed) I have seen from any district. The collection consisted of fancy-shaped watervessels, plates, cups, pipe bowls, covered pots &c.

LUDHIANA.

[9813].—Series of vases, jugs, &c, in baked day. The vessels consisting of rather indifferent copies of classical and quasi-classical vases, are made of ordinary burnt day with devices moulded in relief, and are colored with an unburnt smooth coating of dead white or pale pink paint (but see Jury Report post.)

KANGRA.

7 9819 [.—Two small vases of thin unglazed pottery; the surface has been silvered over with an amalgam of tin-foil and mercury. In one instance the silver was covered over with transparent purple lac varnish, giving a purple metallic lustre; on the other was partly painted with green, shewing green and white (silver) pattern, and varnished over with lac varnish.

HUSHYARPUR.

[9822 &c.,] -A large "degcha" or water cauldron, of very well burnt pottery, would hold several gallons. Another specimen, showing successful burning of very large vessels in this district, is a huge oval jar, about five feet high and two feet in diameter, used for storing grain.

ÀMRITSAR.

19532] -Besides other ordinary pottery, some of them well baked, there was a large terra-cotta garden vase, made under the directions of J. Gordon, Esquire, C. E.

LAHORE.

A number of toys in pottery were in the collection; and also an excellent series from Hashyarpur. They are made by pressing thin clay into hollow moulds, half the figure being formed in one, and half in the other mould, the two halves are afterwards joined, the figures are burned, and eventually colored by hand. Figures of men, birds, animals &c, are thus produced.

9869 -A set of vases of burnt clay, painted with a white ground, and then with flowers on the white field, the whole being thickly varnished over with copal varnish. This is a very poor and perishable substitute for glazed pottery.

GUJRANWALLA.

From this district I have received some well burnt drinking cups and basins in perfectly blick clay, very thin and porous; also some brown clay basins as thin as paper almost, by Hiyát, potter, of Gujranwalla.

JHELAM.

19982 1 - Some very well polished and burned water goglets, of a bright even red color (Tahsil Chakowal)

RAWALPINDI.

There are some classical looking water goglets of rough gritty porous clay, spherical and much flattened, nair ow mouth, and two handles on either side: the form is rather classical

SHAHPUR.

The plain pottery of this district (Khusháb Tahsil) is well finished and good.

MONTGOMERY.

A great variety of pottery was also sent from the Montgomery district, Tehsils of Hujra, Kamália, and Pák-Patan (No. 9920-9947).

DERA ISMAIL KHAN.

We have here the specimens of white gritty porous pottery already alluded to. The material seems suitable in color and texture, for producing large terra-cotta articles for garden use

DERA GHAZI KHAN.

[9955].—Vessels similar to those last described of pale porous clay.

The pottery of Kálábágh (Bunnoo district) of a similar kind also deserves notice.

HAZARA.

[9974 &c.].—There are some black clay basins ornamented all over with an amalgam of tin and mercury, which, unlike those of Kasúr and Ludhiana district, have the silver pattern burnt in. The vessels are accordingly useful, as the silvering does not wash off. A large "surahi" of smooth red clay was similarly ornamented.

KOHAT.

[9975].—Here again we have pottery of pale yellow or white porous clay, like that described under Dera Ismail Khan. The vessels sent were a water jug of classical shape, a butter dish, and some other articles.

KASHMIR.

Specimens of the "Kangre," a sort of chaumière were sent. They are earthen pots contained in a peculiar sort of basket work, with a handle at the back, and are carried under the clothes for warmth in winter.

JURY REPORT ON PORCELAIN AND POTTERY.

The following is printed from the papers of the Exhibition of 1864:-

Jury.

- 1. Dr. A. M. Dallas.
- 2. Mr. Baden Powell.
- 3. Mr. O. DeCortanze.
- 4 Lalla Kunhva Lall.
- 5. Major T. W. Mercer.

- 6. Major J. E. Craeroft.
- 7. General VanCortlandt.
- 8. Mr. T. H. Thornton.
- 9. Mr. C. P. Elliott.
- 10. Mr. W. P. Woodward, Reporter.

١

* * * * * The process of manufacture in India is simply as follows:--

The clay having been procured, is mixed with water, and after one or two days standing thus, is well kneaded for four or five days more. A lump of the clay is then taken and turned on the wheel, until, under the dexterous handling of the potter, after going through a variety of forms, the requisite shape is attained. The vessels are then gently removed, being dissevered from the wheel by a string passed along while on the turn. They are first dired in the sun, and then baked, being closely piled together in a sort of kiln, the smaller articles being enclosed in large vessels kept for the purpose. Some few articles are cast in moulds

The Indian potter's wheel is a rude and clumsy looking thing, but is not in all places of the same make and shape. In the lower provinces it is a large circular stone, resembling the upper mill-stone, turning on an iron or wooden pivot securely fixed in the ground. It is turned with a stick, and as long as the impetus lasts the potter works the clay in the centre, and then again uses the stick to quicken the motion. In some places the wheel is not unlike that of a common cart, but is fixed and turned in the same way.

In the upper parts of the Punjab, however, the construction is different. A hole is dug in the ground three feet or more deep, and the same in diameter. In this is fixed vertically, by two horizontal supports, an axle of wood, carrying at the lower end a wooden disc, and in the middle the working disc or table. The potter then sits on the edge of this hole with his feet inside, and turns the lower disc with his feet, and works the clay on the upper. This wheel has none of the defects of those first described, as it ensures a regular motion, without any delay or trouble in turning or throwing.

In the Punjib, and it may be said in India, there is no indigenous manufacture so common as pottery, almost every village having its potter. In some places they excel, as at Agra and Aligath. At Rohtak, Gujranwala and Jalandhar, it is made remarkably than, so is to be distinguished by the name of paper pottery; but generally the out-turn is a rade rough description of pottery, though of great variety of form. It is made nearly altogether from the clayey deposits of marshes, tanks and canals, called "chikni" and 'kili matti," with a slight admixture in some cases of river sand, but of no stony ingredient. This is pronounced to be the great defect which renders the pottery liable to suffer if sub-yotel to the heat necessary for the commonest glazing.

The generality of articles made are water jars, drinking and cooking vessels, and other such vessels of great variety used by the poorer classes, though the first

· L Tall

are in general requisition by rich and poor Europeans and Natives, and would not be improved by glazing. In some articles a rude sort of glazing is attempted, as in toys and chillams.*

In all the imperial cities of India, and as regards the Punjab, especially in Lahore and Delhi, may be seen on the walls of the public buildings and mosques, specimens of tiles. This art has been thought to be dying out, and among the specimens of glazed tiles exhibited, the Jury were struck with one set, which they at first supposed to be antique, but it has been since ascertained, very much to their surprise and satisfaction, that these were made expressly for the Exhibition by one Sharfdin of Jallandar; very good specimens of glazed tiles have also been contributed from Multán.

This art is known under the name of "kási." According to local tradition, it was introduced from China through Persia, by the Moguls, through the influence of Taimūr Lang's Chinese wife, and it is remarkable that the commencement of the practice of ornamenting the walls of mosques with colored porcelain, appears to be synchronous with the Mogul conquest of Persia; on the other hand, the art of glazing bricks, &c., was known to the ancient Semitic races,—r. g., the Chaldeans and Arabians, and was introduced by the latter into Europe, and it is noteworthy that the word "kási," is not a Hindi or a Tartar word, but an Arabic word, akin to the Hebrew "kás" (a cup or glass.)

It has been remarked as somewhat surprising and unaccountable, that having advanced so far in the manufacture of porcelain, as to be able to cover their buildings with a coating of enamelling of the most brilliant colors and tasteful designs, the artizans seem to have come to a stand still, and never to have applied the art for purposes of domestic utility. The truth appears to be that they received no encouragement, there was no demand for such articles, and there is none still; among the natives themselves, as the higher classes universally use gold, brass, silver or copper dishes, there is no taste for ornamental crockery. Among the Hindús, a religious prejudice prevents them from using an earthen vessel twice, so that to break a *China* dish every time after using one, the cost being about four times greater than common pottery, would not answer in a pecuniary point of view. As regards the Mahomedans, they were ever moving about in camps, in the train of the Emperors, and to them, costly vessels of porcelain would be a nuisance.

Attempts have lately been made in some of the larger Punjab jails to manufacture glazed pottery, and as the Catalogue will show, all kinds of articles of English design have been attempted. By far the greatest attention has been paid, and success attained, in the Lahore Central Jail, but the energetic officer under those intelligent superintendence the experiments were conducted and have advanced so far, will be the first to acknowledge that the results, though encouraging, have not been thoroughly satisfactory.


Some specimens of ornamental plain pottery, urns and vases, from Loodiana, attracted attention. The designs, being uncommon and even elegant, bespeak an intelligent workman. It appears that about 25 years ago Colonel Claude Wade, for sometime on political duty at Loodiana, and known there as "Bakshi Wade Sahib," gave the manufacturer of these specimens, Jassa, some patterns of English pottery, which he has followed very successfully. He uses no glaze, but a paint made of chalk and gum.

^{*} A description of the Delin glazed pottery is constrol as it has about been noted in the text.

The following is a list of the prizes :-

		_			
1.	Lahore Central Jail,		For best specimens of glazed pottery		Sir R. Montgomery.
11	Ludhana-Utum,	•••	For elegancy of design and superiority of finish of specimens of plain pot- tery,	6 shares, value Rs. 60,	Exhibition Prize Committee.
Τιι	Jalandar—Sharfdin,		Glazed ornamental tiles.	2nd Special Prize, value Rs. 25,	Major Medley.
1V	Multan,	•••	Ornamental do.,		
v	Lahore Central Jail,		Four large glazed garden vases,		Mr. J. Gordon.
VI	Rawalpindi Jail,		For good attempts at glazing,	3 shares, value Rs. 30,	O4 1.1
VII	Rohtak	•••	For skill in mixing the materials,	Ditto	Ditto.
VIII	Multan Jail,		For attempts at glazing.	2nd Ditto 20,	Ditto.
IX.	Gugaira (Montgomery)	Jaul.	Ditto ditto	1st Ditto 10,	Ditto.
X	Gujranwala,		For paper pottery,	Certificate.	1
XI.	Kasúr,		For application of kharadi work to ornamenting pottery,		





GROUP OF GLASSWARE.



CERAMIC VASES -- LUDHIÁNÁ





CLASS XIX.

GLASS MANUFACTURE.

This manufacture is still in its earliest infancy in the Punjab. There is neither good material forthcoming wherewith to make pure glass, nor suitable furnaces to melt and to annual it.

Two kinds of glass are made: white glass, and coarse blue or green glass, generally full of flaws and air-bubbles. White glass is made either of fused glass imported from Europe in the lump, * or of melted fragments of European vessels. The pieces are melted in a crucible and blown into the required shape.

Only small articles are produced. There is a tolerably good workman at Patyāla and one at Lahore; both these can make small candle-shades, small vases, glass globes, and bottles. Lamp chimneys are so much in demand that they are often made, but these articles, in common with all native glass, from want of proper annealing, are very brittle and stand heat badly. To save the lamp chimneys, it is the custom to boil them in a pot-full of hay and water before putting them on a lamp.

At Lahore the workman was intelligent, and I succeeded in teaching him to draw glass rods, and thus to make flower stands of the pattern well-known as "Exhibition vases." He also produced some twisted or spiral glass rods, which, fitted on to a dish of tm or glass, made a pretty flower-holder, the twisted handle appearing above the leaves and flowers which conceal the less sightly part of the stand or dish.

The coarse kind of glass is made by re-melting lumps of a crude greenish glass slag called "kánch."

This is made by collecting the sandy soil in certain places where it has a natural admixture of carbonate of soda efflorescing from the soil, and melting the mass over a fire. The "Reh" or "Kalr" soil described in Vol. I, has generally a predominance of sulphate of soda, but in some places it is carbonate, and not sulphate, and the soil, if sandy, can be easily melted into glass. In some parts of Oudh the reh soil is full of carbonate, and it is melted into coarse glass, from which glass bracelets or bangles (churis) are made.

In places where the natural soil is not to be had, glass is made by melting quartzose pebbles (sang-i-safed) ground to powder with khar (potash) in equal parts. I believe this latter is the commonest way of making glass in the Punjab.

The only specimens of glass worthy of mention, came from-

Lahore, Hushyarpúr, Patyála, and Karnál.

The specimens are enumerated to show the sort of article produced, and a note of any poculiarities is added.

LAHORE.

834.—[9999].—Flower baskets, with crystal glass handles (see annexed plate.)

835. —[10000].—A glass ornamental centre-piece for flowers (see annexed plate.)

^{*} See extract from Jury Report after the Patyala specimens,

- "Silvering mixture; —A seer of pure tin (kalai) and a maund of lead, are melted together, and 4 tolas of quicksilver are added to the mixture. An amalgam is thus formed.
- "The glass globes, are generally made about the size of ordinary glaras: they are then broken up and sold in pieces, to be subsequently cut into different shapes for spangling women's dresses, or ornamenting the walls of ceilings of rooms * &c. A few globes are occasionally kept intact for disposal, but there is no trade in them.
- "The manufacturer is not able to dispense with the breaking of the necks of the globes. I got him to make some glass bottles for the Dispensaries, but as the necks were all broken off, and he was unable to make lips to them, the bottles were not of much use.
- "The art has been practised for four or five hundred years; especially the manufacture of silvered glass used for ornamenting the walls of palaces, for trinkets as " arisi" and necklaces, and for making studs of pieces of looking glass which are put on to women's scarves in parts of the country; such a dress has already been described."

The remaining specimens of fairly well made glass consisted of the following:-

PATYALA.

841. [10015].—Candle-shades.

842. - 10016 7.—Two ink-stands

843. [10017].—Two glass plates.

844.— 10018 ".—Two glass bottles.

The Jury Report on glass gives the following note of Patyála glass.

Good specimens are exhibited of glass articles made at Patyála and Lahore; the former being the clearest and best. This is, however, owing to the material. The manufacturer of the Patyála articles is in the employ of the Maharaja, and he has two assistants. The raw material is imported from England in the shape of bricks or blocks weighing about 4 lbs, each; it costs at Patyála Rs. 40 per maund. He also uses bits of broken white bottles, which are melted down and blown through an iron tube. The articles exhibited are little inferior to similar articles of European manufacture. He acknowledges having learnt the art about 30 years ago from a gentleman at Cawnpore, whose name he forgets

"The Labore manufacturer uses only broken English glass, and the result is very fair. The designs of the articles exhibited were furnished by a member of the Jury."

Before closing this Class, a note must be made of the churis or glass bangles of colored glass. Some were sent from Gurgaon, Karnal, Rohtak, (Jhajjar), Hushyarpur, Jhelam and Maler Kotla. Some of them were, I expect, made of the natural alkaline earth, particularly those of Gurgaon, Karnál, and Maler Kotla.

These glass bracelets are worn, a good many on each arm, by children and the poorer class of women, who cannot afford silver or gold ornaments.

^{*} Most of my readers will have seen the 'Shish mahals' in the Lahore Fort and at Delhi, and elsewhere the change are covered with bits of looking glass fixed in studeo.

The art of making glass bracelets or churis is as follows:—The workman is called churi-gar. His tools are:—

Kundi, of sizes-Iron hooked rods with wooden handes.

Tirkala-A long iron wire pointed, mounted in a reed handle.

Málá—A long narrow iron spoon, shaped like a spear-head.

Sinkh; A long pointed iron rod.

Sarhindi—An iron rod with a cone of clay on one end, so that circles of different sizes can be obtained by using the point of the cone for small circles and pushing it farther in to produce a wider aperture.

Kharchi-A small ladle.

Nali -Blower's tube.

Silái-Iron spikes of sizes.

Tongs and furnace.

A wooden cylinder-' muttha'-to keep the bracelets on.

They have three furnaces; one called "haus," in which they prepare the 'kach' or glass; one, in which the melted material is kept for use by the maker of glass articles; and thirdly, a small furnace in which they make the miná or enamel glass coloring for ornamenting the bracelets.

The furnace is fed with 'karír' (Capparis) wood, as it gives a fiercer fire.

Glass is made by melting 'lál-pathar,' a red sandstone with sajji. They make the material into balls (pinni), and burn it all night with a slow fire. Next day they heat it more fiercely, and then it fuses into 'kach.' The glass is then removed with the aid of the kundis or hooks.

To make bracelets, some kach is placed in an earthen pot and melted, the progress being tested with an iron rod. The workman then takes a "sinkh," and lifting a portion of the glass, makes a thick ring on the rod; he loosens this when cool, and hanging it on the pointed end of the rod, puts it into the furnace, spinning it round and round on the rod till the ring opens out and forms a bracelet, he then withdraws it, and slips it over the conical mould or 'sarhindi,' so as to adjust it to the size required; when cool, it is finished.

The coloring is done afterwards, with lac applied to the glass while warm, so that the color sticks, or else ornaments are made by melting small points of colored glass rods (miná) and applying them.

LOOKING-GLASS MAKING.

Last of all, I have to make a note of the "lainasaz," or looking glass-maker's trade. The last is almost entirely confined to Delhi, where also the glasses are set in a variety of ornamental wood and ivery frames, and the backs finished up with a sheet of plain glass, painted in rather gaudy patterns on the linside to give the effect of chamel. In a note on the Delhi District already quoted, Mr. Thernton says.—

"This is a thriving manufacture. The glass is brought in an unpolished state from Damascus and Halb (Aleppo), ria Calcutta." I should say that the glass is of two kinds: first, that intended for looking glasses, which is always extremely thick. A native or Delhi mirror is at once recognized by its nearly always having the edge of the glass bevelled off or cut down towards the frame, showing how thick the glass is. Some are however made flat and plain like English glasses. The second kind of glass is the clear white glass, generally oval in shape, used for covering the Delhi ivory miniature paintings. These glasses require to be well smoothed off at the edges and to exhibit a beautifully clear and polished surface. Mr Thornton continues, "the glass is polished first with 'burbura' (a powder of disintegrated felspathic rock) and afterwards upon a hone made of the wood of the semal (Cotton tree—Bombar) sprinkled with powdered flint or emery.

- * * There are about thirteen manufactories, and about 200 artizans employed."

 The looking glass maker "aina-sáz" is the workman who silvers the glass.

 His tools and materials are the following:—
 - 1. Diamond pencil (cutter).
 - 2. A flat perfectly smooth stone slab "sil," generally of the red sandstone of Jaipur &c.
 - 3. Pincers, files, compasses, saws, scissors.
 - 4. Corundum or emery powder.
 - 5. "Potli khákistar."—A small bag or dabber filled with wood ashes.
 - 6. Mercury, tin-foil, and glue.

He first spreads tin-foil evenly on the stone slab, and pours over it the quicksilver, which he gently spreads by the aid of his bag or dabber (No. 5); the mercury adheres to the toil, and the surplus is allowed to run off. The sheet of glass is now let down delicately and exactly over the silvered surface; the silvering adheres of itself to the glass. The plate being removed, is left for a time in a slanting position, so that an excess of mercury which still remains, may completely drain off. This done, the glass is ready to be framed.

the same of the same of the

CLASS XX.

ORNAMENTAL OR FANCY MANUFACTURES.

There is not much to be entered in this Class, but my account of Punjab manufactures would not be complete without an enumeration of a few of the fancy articles which Punjab workmen make. The enumeration is quite heterogeneous like the Class itself.

- 845.—[10042].—A small round box, made of transparent horn, by Kanyha Lál of Kotla, (Ludhiana district).
 - 846.-[10043].-A parrot imitated in paper, price Rs. 1-8, by Bhawáni of Ludhiana.
 - 847.-[10045].-Paper flowers by Teka of Ludhiana.

Natives are very good at making paper flowers: the green leaves accompanying them are often made of talc stained green.

848.—[10100]—A narrow necked bottle, in the interior of which letters in Persian and English are painted in black—Amritsar.

Several of these articles were exhibited. In some cases; the letters were cut out in black paper and stuck on after the fashion of the now somewhat bygone art of "Potichomanie," others were painted with a brush.

- 849.—[10103].—Wax flowers—Amritsar (exhibited by Sirdar Bhagwan Sing).
- 850.—[].—A toy, consisting of a round looking glass to represent a pond, with a number of small paper ducks thereon, having their heads suspended so as to move at the least shake.—Lahore.
- 851.—[].—A peep show. A small square box with a lens to look through, displaying a small gilded temple, trees, and flower beds, multiplied by reflection in small mirrors placed at the sides. (LAHORE.)
- 852.—[].—A small cannon of silver, mounted on a marble slab. This is furnished with a sun dial. Over the touch hole of the cannon two upright pieces support a burning glass, with a slide to incline it to a proper angle, and to the dial. The angle being such that the focus of rays converges on the touch hole at midday—the gun is supposed to fire of itself at noon—(I doubt this article being of native manufacture.) Exhibited by NAWAB JAHANGIR KHAN of LAHORE.
 - 853.—[10170].—Boxes made of straw—Chakkowal, Jehlam.
- 854.—[10269].—A boat carved in marble, also ducks of white marble, made hollow, so as to float (PATYALA.)
- 855.-[].-A "Jack in the box". A narrow wooden box, on drawing the lid of which, a cobra snake, made of horn, starts out.
- 856.—[].—Boat made of pith. This is an article made as a toy, of narrow strips of pith joined together.
- 857.—[].—A glass bottle with a narrow neck, which contains a wooden charpoy, a ball, and other articles. The wonder is how these articles were introduced.
- 858,—[].—Ornament made by shaving up a piece of soft white fig wood (Ficus glomerata), these shavings curl up, and so a sort of Catherine wheel ornament is produced.

Paper lace.—This is most ingenious. It is all done with hand cutting and fine seissors. The patterns are beautiful. It is executed by Karím Baksh, Gulám Husain, and Kallu, of Shahábá l in the Ambála district.

PLEASE NE.

ì

859—[].—Siphon toy in pottery. Being a large cup, with a female figure in the centre, holding a child on her head. The cup is filled with water, but so soon as the water reaches the brim, the whole runs out through an aperture underneath the figure. This is effected by some syphon arrangement, but I have failed to discover it. The toy is supposed to represent the mother of Krishna, who crossed the Jamna with the child on her head, fear for the child's safety being excited by the depth of the flood, she was gratified by finding the water suddenly recede so soon as it touched the child's body.

860.—[].—Lac bracelets, ornamented with beads, Delhi.

I must add to this class an account of making lac bracelets or churis, which are worn like the ivory and glass churis already described. They are made in many places, especially Delhi, and the process in the Punjab exactly resembles that described in a report on one of the Central Indian Districts, which I have unfortunately mislaid, but which I have used for the purpose of quoting the recipe for making the gold solution that gives the gold lustre to these pretty but fragile toys.

Refined or purified lac, is mixed with the fine powder of burnt bricks, and the two are heated together in an iron pan and stirred till perfectly combined. The lac is drawn out into sticks of the thickness of the intended bracelet, and this is done by rolling the sticks on a flat board while still hot. Pieces of the requisite length are cut off, and each piece is bent round and joined, and placed on a wooden cylinder to cool, and to be further ornamented. The glazing with gold solution and silvering is generally done before the sticks are cut up.

To silver the sticks, tin leaf or foil is mixed with half its weight of dry glue, and these are pounded and ground together for a long time, till in about six hour's time they amalgamate. The mass is then thrown into very hot water, when it crumbles into little pieces. They then stir this up and pour off the water, repeating the operation till all dirt and impurity in the water disappears. When the solution is quite pure, they boil it up and let it stand, carefully covered, for the night.

Next day the silver solution is found deposited. This is spread with a brush on the lac, and burnshed by rubbing over with strings of glass beads. If it is desired to produce the effect of gold, the silvered lac is painted over with a transparent yellow varnish prepared as follows:—

Gum myrrh (bol) is boiled in sweet oil in proportion of 40 to 48. The liquid is strained through a cloth; the sediment thrown away and the oil set aside. An earthen pot is now smeared with clay on the underside, and its mouth is closed up with an earthen cover, the edges of which are luted over with clay, so as to render it air tight. This is heated red-hot over a fire. When quite red, the mouth is opened, and little bits of sundras (copal) are thrown in. The same weight of sundras as of bol is used; the mass is stirred and the mouth again closed. The stirring and heating are repeated till the copal is theroughly reduced. The myrth and cal solution is now achded to it, and the whole heated and stirred, after this the mixture is strained through a cloth and is ready for use. The braidless are often further emand atted by having little glass beads and bits of tin feds stack closed the edge.

CLASS XXI.

PRIME MOVERS &c.

This Class is unrepresented.

CLASS XXII.

DIVISION 1.

MACHINES FOR RAISING WATER.

The only machines which are used for raising water are, the Persian wheel, used in most wells in the Bari Doab, and but little used in those parts of the Punjab bordering on Hindustan; the "chalár", or small wheel on a similar principle, used for raising water from tanks, ponds, and low level canals; the "Lao-charas" or rope and bucket, used in the Δ mbala District and elsewhere; and the rude long armed lever and pot called "Dhankli,"* used in Hushyarpur and elsewhere.

I have given a drawing of the Persian wheel, and described all the above named machines in Vol. I, at page 206 et seq, where the subject of irrigation is treated of. But under this Class I can appropriately inform the reader of the different parts of which these machines are made; nor will it fail to strike the student of languages how minute the people are in their nomenclature. Every peg and bit of iron or other material used in making up these implements has its appropriate and distinctive name.† It will be observed also that the name varies according to the District. This change of agricultural nomenclature has already been noticed when we spoke of the various soils in Volume I.

The parts of the 'Lao-charas' are those given by Mr. WYNYARD.

- ' Láo '—the hempen rope.
- * Bhawan '-- the wheel over which the rope passes, (made of 'kikar 'or 'shisham' wood and iron.)
- "Kohar"—the groove on the edge of the wheel for the rope to run in.
- · Mán dal '-an iron hoop which keeps the mouth of the water bag open.

[&]quot;This has been in the first Volume, incorrectly written "Dhenkh."

[†] The same remarkable variety of names will be observed in the jewellery list, and above all in the names for the kinds and varieties of cattle in use among the Gujars or Bar tribes, whose principal occupation is cattle grazing. Not only is every shade and combination of color distinguished by an appropriate name but the turn of a horn, the shape of a tail or car, is sufficient to give rise to a distinct epithet.

- · Charas ' or · charsa '—the leather water bag.
- ' Kili '-the pin which unites the las and the yoke.

Partala—a leathern apron, worm behind by the driver of the bullocks—this prevents his getting cut by the tight strained rope.

The parts of the Dhankli are merely:—The long lever of 'sál' or 'shisham' wood called "dhankli". The earthen pot, wide mouthed and large, in which the water is raised is called 'karwála'; and the rope which is attached to it is 'berah.'

I will now give a table showing the parts of the Persian wheel, both in the Panjabi and in the Cis-Sutley dialects.

The reader is reported to the sketch of the Persian wheel at Vol. I, p 208.

	Parts of the well gear		Panjabi Name.		Cis-Sutlej Name.	
1	The horizontal lautera wheel,	-	Dhól,		Chakal.	
2	Its shaft or axlo-tree,		Trikala.		Bhalohal.	
3	The upper cum of the lantern, also the le	wer	Ganyá.			
1	The bars between the rims, into the first of wine the teeth of the vertical work,	erstices : wheel ! 	Khubba,			
5	The small a solen pegs which seeme the or the Khubba " projecting through a seement of the period of the period of the seement	ie end- igh the	Dhatúrí,			
ti	The boar resting however two pillars for a the socket into which the appear to a wie of the Dhol walks.	which cr point	Kárjan,	•••	Gangan †	
7.	The crooked stick which passes throughour and holds the axle of the Dho	igh the	Makra, (°)	•••	Makia.	
8	The vertical wheel, the teeth of which the lantern wheel,	work in	Chuhakh,	• • •	Chaktí.	
9	The teeth of it,		Burya.			
10	Its axis or shaft carrying at one challach, and at the other the well (bair,)	end the	Lath.	•	Lath,	
11	The cross to am or main spoke of the c	huhakli.	Dhakar.			
12.	Two Lighter spokes crossing it at righ	t angles.	Bázú.			
1.3	The can't which prevents the vertical backwards,	I turning	Kutta.	***	Addá or Kutta	

^{*} In Co. Sutled it either rosts on walls or pillars or on a forked pole "tak" at one end, or an upright or Dhou at the other.

	Parts of the well gear.	Punjabi Name.		Cis-Sutlej Name.			
14,	The beam fixed across the centre of the well's mouth, which supports the shatt of stath" of the skeleton which which the ropes and water pots are fixed,	Jalian.		Jhálu.			
15,	A hole in the Jallan to serve as a socket for the end of the axle "lath,"	Tálwa.					
16	The wheel at the end of the Jallan,	Bäur,	٠.	Bæír.			
17	The reperframe which hangs over the bair and dips into the well,	Mālā,		Mál.			
18	The water pots fixed on the mala at intervals,	Tind,	•	Tindar.			
19.	Sticks which project from the side of the well and touching the 'Ba'ir' wheel, keep the mal or rope work in its place. The two act as forestay and backstay,	Sútlar,		Jal thaman on the one; side Suttar, on the other			
20,	Cross bars, like the rounds of a ladder between the two ropes of the mala,,	Arcman,		Gúí,			
21	A wooden splash board or guard, fixed at the unier side of the well to prevent dut being kicked down by the bullocks in passing,	Barda.					
	The water being raised in the pots, pours into a series of troughs over the well's mouth			;			
22	The first which is fixed under the wheel and para. I to it,	Páichá.		Páichá.			
23	The second at right angles to it,	Bári.		ı			
	The third leading from the "Bari" to the field or reservoir &c	Nishār,		Ná _{zar} .			
24	The pole with seat for the driver at the end, term the two forked branches, and with a verted seat of string.	Gádi.		Gádhar			

⁽N. B. See also the class "Agricultura" Labiements

DIVISION II.

Is not represented by any indigenous exmaples.

DIVISION III.

The common forms of carriage are three:-

- (1) The country cart is called "gárí," or "gadah,"* and with the epithet "do-baldí," char-baldí," according as it is drawn by two or more bullocks. Less than two are never employed. The term backery, † so often used by Europeans, is not known in the Punjab
 - (2). The "Ekka" or "Yakka" (i. e., the one horse) and
 - (3). 'The "Baili," a sort of large "Ekka" drawn by two bullocks.

The "Rath" is a large four-wheeled vehicle, with a domed and ornamented pavilion of cloth and tinsel over it; though seen towards Delhi, is not used in the Punjab.

A country cart, though very clumsy, is very well adapted to the style of travelling; great speed is not required, and the roads traversed being "kacha," that is, made without metal are soon worn into deep and irregular ruts, which would tell sorely on a cart of neater manufacture, and with much stiff iron work and joinings. The native cart, from its style of build and the few joints it has (and those always of wood) gives and yields, creaks and grouns along, but never breaks down; even a wheel giving way is a rare occurrence.


A cart with two bullocks will carry 20 maunds of 80 lbs, and do 15 miles in a day. A three bullock carries 30 maunds, and a four bullock gárí 40 to 45. More than this is not ordinardy wanted in a cart.


The word work of a cart is made of Kikar (Acacia), Ber (Zizyphus) or tút (Mulberry) of Shishata (Dallergia Sissa). The Coniferous woods are neither strong nor elastic enough to stand the wear and tear.

The eart is framed upon the principle conveyed by the conjunction of the lines in fig 1 of the plate.

The bottom of the eart is formed by two stout shafts called (úd) inclined to one another, as in the lines a, a, a, a. These are kept in place by cross bars b, b, b, b, b, b, b called "tikám". The ends of the shafts (ûd) meeting into one, form the pole on either side of which the bullocks are yoked; at the point where they meet a wooden but or cap is fixed, eithed "sunni," to which the yoke beam, "jhúla" is transversely tied. To form the platform at the bottom of the eart, short planks are filled in between the bars (tikání—b&c.) The whiels are supported by iron axle-pins, between the axle 'tura' under the shafts a a, and the outer beams a b called "painjin". These beams are supported by two cross b and fastened under the platform of the eart (c, c, c) and called "tír."

⁺ What this work is Lemmat discover. It is a set to Albert Pois, at Hindred Bengali, and had it to a set of the Section of Western discover. Whis provides a fact that the In Wilson was a section of the fact in Wilson with a finding cost of the fact that the fact of the









Goods placed on the platform are prevented from falling off by a high railing on soither side, called "munni" or "khabúah" (Cis-Sutlej), the poles of which are stuck out into the shafts a. a. a. a. a. and which can be filled in either with net work, matting, or simple railing bars, according to the nature of the goods to be carried.

The wheels of a cart are made with a very heavy felly, in separate pieces, and no tire (fig. 5). The spokes are six in number, each consisting of two parallel bars, as in the cut. The pieces of the felly are deeply mortised one into the other as indicated by the dotted lines; no nails or bolts are used, except that occasionally an iron plate is nailed over the joint. The wheels are consequently very tough, but yielding, and are well adapted to the deep-rutted country roads.

In the Cis-Sutlej, Mr. Wynyard gives the following names for parts of the cart. The body without the wheels is "rerá;" the axle "awan;" a ring of iron round the axle "ánda;" a second and smaller ring "ándi." The other names are as before given.

The 'bahli' is a carriage for conveyance of people, and is drawn by two bullocks; it is comparatively light in actual drawing weight, though clumsy in appearance, being constructed principally of bamboos covered with leather. The frame work, or basis on which the whole depends, is illustrated by fig. 2.

Two bamboos, a. a., curved at the lower end, are inclined so as to enclose a broad space at the one end and come to a point at the other, these are called "phar." They are crossed at the commencement of the curve down and at the extreme end by cross bars C. C., and c. c; called, the front one, "tikání," the hinder one "ánk." The space between is filled up with five bamboos called "májá" and little cross bits "dandia" (not shown in the figure); and the whole is strengthened by the iron—le bits between C, and c, and by a cross bar of iron called "talwattí." A small curved bamboo, indicated by the dotted line K. K., joins the bottom of the curve with the shaft, and various wooden cross bits, indicated by the dotted bars f. f., support it, and a cross bar underneath, parallel to D. (called mairáb) holds the whole firm. This entire frame work is covered with leather.

The wheels are supported by two bars (called tulawaí) which meet at the point G. At this point the axle pin of the wheel is inserted, and the other end rests in the curved beam H. H. (painjní), which besides receiving support from the under beam "mairâb," is firmly tied at either end by ropes to the knobs of the cross bars C. C., c c.

The whole frame work and whoels in this state is called "tángá," and is used to carry large loads of grass, cotton, &c. If it is used for carriage, then a flat frame or platform, with the bottom of webbing like a bedstead, and carrying four uprights, forming a canopy, is put on (fig. 4).

The whole canopy is fixed on over the sloping frame in the last figure, so that the pole a,a, (saongi ki talwatti) rests on the pole C,C, in the former figure, and the front of the platform on the pole C,C, to which it is firmly tied down with ropes. The whole of the seat and canopy is collectively called "piri" or "saongi." The webbed seat is stretched over a wooden frame, of which the two side bars are called "jeru" and the fore and aft ones "bái." Pieces of wood let in at the corners for strength and to hold the uprights, are called "dhiwat"; the four uprights are called "dandá;" and the cane work roof and the cloth covering called "chatri;" the ornamented bars behind, (see fig.) nine in number, are called "táriya." The bullecks are yoked just as in a "gárí."

The "Ekka" or "Yakka" being drawn by one horse, it is not possible to adopt the arrangement whereby the bamboos forming the frame work are brought together so as to form the pole of the vehicle, otherwise the principle of the construction is the same (see fig. 3.)

A. A., are the shafts, made of an upper and lower bamboo, with cross sticks; b. b. is the dandya on which the driver puts his feet, g. g. is another bar, and from this the space is filled in by seven bamboos, and the frame work covered with leather. The lower cross bar of the frame carries two wooden blocks (addí) which support the axle tree "dhura." It is in the method of supporting the wheels that the "yakka" differs from the "bahli." In the former there is a regular axle-tree, which the support of the wheels in the "bahli" has been explained to be without such a piece. The seat and canopy, "píri" and "chatri" are fixed on to the frame from g. g. to e. e just as in the case of the "bahli." The shafts are furnished each with a stick attached by a ring near A and called "supai," by which the carriage can be propped up, otherwise the balance when the horse is out would be to throw it down on the shaft ends. The wheels of an "ekka" are made like those of the cart, only lighter, and the pieces of the felly are not mortised together, but joined by small iron plates on either side secured with bolts.

In connection with this Division. I think a suitable opportunity occurs to print the report of the Jury at the Exhibition of 1864, which describes the carriages in that collection. Though of European fashion, and nearly all made under European supervision, the actual work is native. There is one native carpentering firm, Bhujjan Lal and Co. of Jullundur, which builds European carriages; and at every large station native workmen are to be found who can paint, repair and restore carriages. A great deal of the success attained in such work is due to the knowledge of iron work and painting acquired in the workshops attached to the Punjab and Delhi Railway at Lahore.

JURY REPORT ON CARRIAGES.

Jury:-

Mr. G. Stone.

Captain Mercer.

Lieutenant Colonel Wintle.

Mr. L. Saunders.

Mr. H. Gunn.

Captain Black,

Sirdar Bhagwan Singh.

Mohamed Shah.

Lieutenant Colonel A. Taylor.

R. Bocquet, Esquire (Locomotive Superintendent, Punjab and Delhi Railway) Reporter.

Class 23* of the Catalogue forms a prominent feature in the Exhibition building, and is deserving of more notice than the public has bestowed upon it. When we consider the great skill, technical and mechanical, requisite in all the followers of the trade, and its necessity as affording the means of inter-communication and comfort to the public, we cannot but uphold all endeavours of enterprising people in the Punjab to acquire that vitality, which would tend to invest them with the same importance as the richest among the rising merchants of the country. Although the trade is in its infancy in the Punjab, and its followers perhaps necessarily despised, we feel assured that the period is not far distant when carriages, as complete and comfortable as those procurable in Calcutta, will be manufactured here at far more reasonable prices, possessing the advantages of being constructed of well seasoned timber and properly welded iron work. It would indeed prove a boon to the public generally if any competent parties would devote their capital and time to so laudable a pursuit, for laudable it undoubtedly would be, if the intense and continuous application necessary to combine and adapt the manifold intricacies of carriages, which leaves but little leisure for any other pursuit, be taken into consideration. Those people who have been put to the trouble, anxiety, and expense, of obtaining conveyances from Calcutta, will readily concur in the above.

The catalogue mentions upwards of 40 articles belonging to this Class. A large number of these are roughly constructed, representations of the different country vehicles used by the natives; there is nothing novel in the design or excellent in the workmanship.

The first full size carriage, we notice, if taken in the order in which they stand in the Exhibition annexe, is a species of Victoria Park Phaeton, with a hood and coach-box. The outlines of this carriage are, on the whole, good, and the interior is neatly fitted, and presents a very cosy appearance. It is strong and serviceable, but has evidently been constructed by some one who shares in the popular, but delusive idea, that weight is strength. Next come three very light, elegant, and strongly built, open carriages. One a Stanhope Phaeton or Waggonette; the second a Droshky on four wheels, and lastly, a Mail Drag by Mr. Chapman of Umritsur. These small carriages are strikingly bold in their outline, and with their double-spoked wheels, finely tempered springs, and masterly style of under-framing, contrast strongly with the heavy looking wheels, short springs, and to say the least, cumbersome under-framing of the other four-wheeled conveyances on show.

^{* (} Class XXII, Division III of this Book.)

Of the Waggonette, we have to observe that it has a very tasty outline, and looks very light and smart, with room enough to carry six persons with comfort. The height of the back and front wheels are well proportioned, the springs lengthy, and the deep black colored side panels show well against the chocolate colored wheels, picked out with vermillion and black.

Of the Droshky, we have to notice that the design is original. The curves are easy, and flowing well into one another. The wheels are light and high, the springs lengthy, the fittings are drab morocco with green trimmings. This carriage is painted a neat bottlegreen, picked out with bright green. This trap is got up with great taste, and presents a very favorable specimen of the conveyance adapted for one horse or a pair of ponies. The splinter bar can be removed in such a manner as to form a perfect one horse vehicle. The Mail Drag by Mr. Chapman of Umritsur stands close by. It is unpretending, very neat, and forms a vehicular link between the four-wheeled Dog-Cart, and the Mail Phaeton so much in tashion at the present time. It is very well mounted on a neat iron framing, has elastic springs, and tapering wheels. The tastily shaped body tooks well; the side panels are of sheet copper over toon wood. The iron work is blackened, the body, springs, and wheels are painted bottle-green picked out with bright green. The cushions, etc., are of drab morocco leather, which tends to give this trap a similarity of decoration to most others seen in this part of India. We are of opinion that on this account the appearance suffers from this rameness of hues, but these are the favorite colors for this style of conveyance. The trimmings are of rich drab silk; and handsome circular lamps set off the whole so well, that the Jury has justly awarded to this unique specimen of coach-building by an amateur, the prize medal.

Bhujjun Lall of Jullunder has on show two specimens of his work: a four-wheeled Dog-Cart with canvass top, and a two-wheeled Dog-Cart without. Of the four-wheeled Dog-Cart we have to remark, that as a native production it deserves great praise, but it is wholly unadapted for one horse, or even for anything but good roads; not only on account of its appearance of weight, but also on account of its short springs and the absence of springs in the cushion. The canvass top is an admirable contrivance, and it is a pity that some sort of arrangement of this kind has not been adopted in the case of the open conveyances above noticed. The Dog-Cart on two wheels and spider springs presents a method of disconnecting the shafts from the body, the object of which however is not obvious. It is consequently, rather of doubtful advantage, as it entails much extra weight and complicated iron work. The finish and general workmanship however has gained a certificate of honorable mention from the Jury. There is one other two-wheeled dog cart on show, which is in the opinion of the Jury much better adopted to the uses to which this class of conveyance is usually put, than anything that has yet appeared in this part of the country. The driving seat is something like that of the Mail Coach of England, and of very easy access. The wheels are of convenient height, and the shafts very elastic, obviating totally that disagreeable os illation known as "knee motion." The price of this cart, 350 Rs., commandel a ready purchaser. Bhujjun Lall's cart at Rs. 500, is, as has been observed, a peculiar specimen of its kind, entailing expensive iron work, hence the difference in price. This last specimen was constructed in Lahore.

A pair of Buggy wheels, by Mr. Burnell, deserve to be noticed. They are varnished Shisham, with very stout tires. They are heavy in themselves, but are strong enough for

the heaviest two wheeled conveyance. The idea seems to be to show, how strongly and of what good materials they have been constructed. They have won the prize which has been offered for the best pair of wheels, and as there are no others on show, it has been thought fit to award it to the mistree who made them, and whose name appears upon the boss of each wheel. Two "dandies," one by Mr. Watson, the other by Captain Dyas, well deserve the prizes awarded them. They are a very considerable improvement on the wretched contrivances that are everywhere to be met with on a cruise through the hills.

PRIZES AWARDED BY EXHIBITION COMMITTEE.

The Mail Drag by Mr. Chapm	Medal.									
Dandy * by Captain Dyas,	•••	***	•••	•••	20	Rs.				
" by Mr. Watson,	•••	•••	•••	• • • •	20	"				
Ekka by Bhugwan Singh, (1	Model)	•••	•••		20	,,				
Carts by Bhujjun Lall,	•••	Cer	tificate of	hono	rable	mention.				
Phaeton by Francis,	•••	***	•••	•••	Dit	to.				
SPECIAL PRIZES.										
Model of a Waggon suitable for conveyance of troops to be awarded by the Inland										
Transit Cor	pany	•••	•••	•••	100	Rs.				
One pair of wheels to be award	led by Mr. Bur	nell,	•••	• • •	50	"				

Light sort of chair or hammock, strung on a pole, for carrying a lady or gentleman in the hills.

DIVISION IV.

RAILWAY PLANT.

There is nothing in this Class of indigenous Punjab work; but I may take this opportunity of mentioning a model of a first class carriage, made to scale by native carpenters, who had learnt in the Workshops, which was Exhibited in 1864, and is now in the Lahore Central Museum. It is finished in every respect as a real carriage, even to the doorlocks, hand-rails, windows, roof lamps, springs, grease boxes, buffers, &c. &c., every thing being workable. It was made without aid or supervision. At the same time I may notice a full sized carriage intended for use on the Punjab Line, also made by native workmen.

The following description is taken from the Jury Report (Lieutenant Colonel G. Sim, Reporter.)


"The Jury examined also a beautifully executed model of a 1st Class Carriage, such as is now in use on the Punjab Railway, but which is not included in the Catalogue, as it was stated to them it had not been registered or sent when the latter was compiled.


"The model was made by five Native workmen belonging to the Railway Workshops, but made in the city, without any aid whatever from Europeans. It is on the scale of $l\frac{1}{2}$ inch to the foot, complete in every detail of iron, wood, brass, and external and internal arrangements. It is a marvel of correctness, even to the glass windows and venetians, which can be pulled up or let down, to the buffers, and buffer springs, wheels, axles, grease-boxes, steps, door handles, guard's locks, doors, hinges, bolts; and also to the rails, chairs and sleepers on which it rests and runs. The Jury consider it a remarkable specimen of the skill and minute carefulness in execution, to which, under the teaching and example of Europeans, the Native artisans in the Punjab have attained since the railway was first commenced. It proves also how useful in all the handicraft requirements of a railway the Native workmen are found to be; a result that the officers of the railway have often cordially acknowledged in their official reports.

"No. 10.458—A first Class Carriages made for the Punjab Railway.—This carriage was of course built in the railway shops, and will be used on the line. The work was done by the native workmen under the usual European supervision of the Carriage Building Department. It is of the Saloon pattern, with seats at the ends and sides, but open in centre. The cane work of the seats is of an improved and more regular pattern than ordinarily given, the seats not being cushioned. The windows are of much larger openings than usual, as the carriage is intended to be used if required by Sirdars and Native gentlemen with their suites, and the ventilation has been more carefully studied. The joiner's work is very accurately done; the wood carving to the window and sash frames being of tasteful design, and the relief being more deeply undercut, showing, on the part of the native workmen, a great improvement over the ordinary style of the country, which is flatter."


──◆※◆








GROUPS OF BOATS













PLEASURE BOAT


KOH LA FERRY.



ZARAK,



"PARINDA" OR HUNTING BOAT.



DONDI.

MODELS OF BOATS.

.

ď.



DIVISION V.

BOATS.

In the province of five rivers this Division may be expected to be well represented. The boats, however, are very clumsy in construction, and have remained unaltered for ages.

The following kinds are mostly in use:-


なると、これのないからないということにはなるとなっている

1. "Berí"—This is the large traffic boat on the Ravi, Chenáb, and Jhelam, and also on the Indus. It carries from 500 maunds or less, up to 1,000 maunds.

The "Beri" is always of the same shape, except at Attok, where it is of a narrower and more tapering shape. Thus the "Beri" of the Ravi, &c. is shaped like the model in the *lower* group of boats in the annexed plate, viz., the small boat immediately in front of the one with the mast; the Rawalpindi (Attok) "Beri" is figured in the upper group, being the little model to the extreme left.

In the Rawalpindi District however the form seems to have undergone a change, for the catalogue of the 1864 Exhibition contained two models, "Bern namúna sábik" (former shape) and "Bern namúna hál" (present shape). The boat just described is the former pattern; the "namúna hál" is a square stemmed and square sterned boat, like those on the other rivers.

A rather larger outline will better illustrate its general shape.



The flat bottom or hull is constructed on a skeleton of longitudinal beams with transverse ribs; the sides are not, however, ribbed up to the top, but are constructed of stout deodar planks, which, as shown in the cut, are scarf-jointed together, and afterwards further secured by small iron clamps. The sides and the bottom are held together by still larger iron clamps. The scarf-joints, are not secured by nails, but by pegs of bamboo, driven slantwise through the edges of either timber and then smoothed off on the surface.

I may give a more particular account of the "Beri" described from one on the Ravi. These large boats perform the journey down to Sakkar, and when they do so, avail themselves of a sail. The mast, "kúa," merely rests on its end in a hollow socket in the mast beam (adda), which crosses the boat from side to side and flush with the edge, about two-third of the length from the stern. The mast carries a large square or rather oblong sail, called "sidh" or "sirh," wider than the boat. The sail is made of coarse cloth called "khaddar." The mast is supported by two stays "geru," which are fixed to the sides of the boat, close to the (adda) and are immoveable. Two other stays (chotíye) support the mast lengthwise to the boat, and are fixed at stem and stern. There are also two moveable stays, on loosening which the mast can be let down, called (táliye). The mast carries its pulleys

(yarí) with pully wheels (rawat,) on which move a rope "usran" fixed between the "talive" or fore-stays. This rope is the support for the cross yard "ar" which carries the sail. A similar lower beam or boom extends the sail below. The sail can be reefed by aid of string tags called "bandar." The sail carries two other ropes, one at each end of the yard "vera," and two others attached to either end of the boom "hanj" these aid in shifting the sail. There are other ropes, but I do not pretend to give them all. The above are the principal. The boat is built of deodar, or when built towards Sindh, my Lahore informant said, of woods which he called 'sail, 'dupla', 'arni' and 'pona.' At the end of the boat in the figure will be seen a set of arches, these lead into the "khanji" or places for the boatmen to sleep.

The 'Beri' then represents the heavy traffic boat of the principal rivers, but is used on the Chenáb and Jhelam for a ferry boat also. On these latter rivers, however, a flat boat pointed at bow, and square and very low at stern, is now often used for a ferry, because being placed stern on to shore, the carriages, &c., which are to pass the river can be so easily relled down an incline made on the bank—and the gradual slope of the stern end forms as


it were a continuation of the incline, so that there is little difficulty in getting even a heavy "Dak" carriage on board.


"Zárak"—on the Sutlei, the heavy traffic heat is colled by this

"Zárak"—on the Sutlej, the heavy traffic boat is called by this name, and it has also a square stem and stern, and is broad and heavy, and much higher in build than a "Beri." The plate shows in the lower group a "zárak" with its mast up, and with a thatched hut erected on the deck for accommodation during the long voyages which these boats make with grain, &c., for the Kurrachee market.

"Kishtí" or chapú. This word is sometimes incorrectly applied to all sorts of vessels, but it properly applies to those flat 'tray-like' punt boats, with their bow sharply pointed and inclined upwards as shewn in the plate.

They are built without curves of any kind. The bottom is perfectly broad and flat, and made of planks nailed to transverse ribs, the bottom is broader to the stern end: the sides are low, and consist merely of straight boards fixed at an angle to the bottom. The planks are usually of chil or deodar wood; the sides and transverses of kikar (Acacia arabica) of Dalbergia (Sissú) or







Mulberry (tút.) The clamps are also of tút. The pointed prow is joined by a sort of dovetail to the bottom and is secured by curved clamps of hard wood at the edges.

The term kishti or navak is also applied to the flat boats mostly of European or quasi-European pattern, used in constructing the bridges of boats which span our large rivers as soon as the monsoon floods subside.

The native boat (kishti) may be constantly seen as a ferry boat on the Sutlej, and as an ordinary traffic as well as ferry boat on the Bias. The Bias not being a trading river (it runs into the Sutlej at Haríkí, too high up to be a trade route) the 'beri' does not appear to be in use.

The smaller boats are known by the names of 'donda' or 'donda' (according to size) and chapa (?)

The "Dondi" or "dúndi" is much used at Jhelam as a ferry boat: it is much smaller and lighter than the "beri", and has its stem and stern both pointed, the stem having a longer point and raised higher than the stern: it is not unlike the small boat in the upper group. Similar small boats were in the Dera Ghazi Khan collection for use on the Indus.

A ferry boat used at Kohála on the Jhelam is shaped almost like a filbert nut, very much bowed and curved, the prow pointed, but the hull curving upwards towards the prow, and the stern square cut.

In Kashmir, as elsewhere, besides the ordinary boats, a number of fantastically shaped pleasure boats are in use: the upper figure in each of these groups shows specimens of such.

In Kashmir the population is so aquatic, and its city so like an Eastern Venice, as far as its water traffic is concerned, that a special notice must be devoted to Kashmir boats. A large and heavy boat like the Punjab "beri" will be found much in use, while on the lakes and rivers around Srinagar the higher classes adopt as a pleasure boat a long narrow boat fitted with an awning, and called "parinda," the "flyer," from the speed at which it can be urged by its many oars: such a boat is figured in the upper group. A variety of this boat of smaller size, for hunting and fishing purposes, is called "parund" or "shikari"; and a broad boat or punt in the collection of 1864 was marked "Dúngá." The large heavy boats so often the dwelling place of whole families in Kashmir, are thus described by Lieutenant Louther:—*

"The vessels are curious contrivances, the farthest from architectural improvement I ever beheld. The larger craft are not bad models of "Noah's Ark," equally solid, and equally capacious, built entirely of fir (deodar) timber; the breadth of beam enormous, and the length so unmanageable, that it often takes a whole day to turn round into a canal after discharging the freight. Those employed as "lodging houses" are even more unwieldy, and often contain a strange medley of society. They are thatched nearly to the water's edge, and any holes which time and the poultry may have perpetrated in the roof, are patched from time to time with party-colored rags, or with any remarkable rubbish which may be at hand. Four or five families (including always many squalling brats.) tenant these crowded berths; their goats, fowls, ducks, and dogs always accompanying them, and assisting in the general uproar and impurity. Every cabin has its fire-place, and every fire-place its attendant volumes of nauseous smoke, the produce of wet sticks

or still more unfit materials. From sunrise till sunset, this crowded community furnish a fearful picture of debased humanity, too idle or too helpless to work, or what is more probable, quite shut out from the opportunity of working (except occasionally gratis on the tyrant's account). Subsisting on wild fruits and weeds, with goat's milk, (their poultry, and its eggs being kept for the white visitors, whose money paid for the same will perhaps benefit some watchful soldier),—their persons barely clad with rags, and unapproachable as bad-living, dirt and vermin, can render them,—their angry jabbering in constant warfare with each other, altogether form a hideous Babel of human misery in the centre of Nature's most lavish gifts, and which reveals the gross system of misrule under which the people are struggling."

In concluding this Division, I shall extract a detailed account of the boats used on the Indus, which will be found in Volume XVII of the Bombay Selections, called "Sindh,"—Part II.

"The boats upon the Indus are of simple construction, and their figure perhaps the best that could be given considering the kind of navigation in which they are employed. They are easily constructed, not very expensive, and for stowage of cargo no form could be better devised. Their proportions, though not elegant, are pleasing, and tacking or under sail their appearance is pretty. The employment of the Indus craft is confined to harvesting the crops, serving the ferries, and keeping large towns in fuel; for these purposes the supply is ample.

"Between the sea and Attok two kinds of vessels are in use: the Zohruk on the upper, and the Doondee upon the lower Indus. In boats belonging to the latter classes a slight difference in the build gives rise to a further classification, and of this description of vessel, the mohana (boatman) enumerates more than one variety; but before particularizing each, a description of the Doondee is necessary. Her good and bad qualities are shared alike by them all, and the following notice of this boat is therefore applicable to every vessel upon the river.

" Form and Method of construction .- The hull or body of the boat is formed by the junction of three detached pieces, namely, two sides and bottom—at variance with our ideas of naval architecture; the three parts are first separately completed and then brought together as a cabinet-maker does the sides of a box. The junction is thus effected: -When each of the three parts that are to form the whole is complete in itself, the sides are carried to the bottom of the boat, and at once secured by crooked pieces of timber to the flat future bottom of the Doondee. To bring the bow and stern up to the corresponding parts of the sides is more difficult, and to effect this many days are necessary. Where the bow and stern are to rise, the planks are lubricated with a certain composition, which gives them a tendency to curve upwards, and this is further increased by the application of force. The extremes thus risen, a trackle is stretched between them, and by a constant application of the heating mixture, and a daily pull upon purchase, the ends rise to the required angle and are secured to the sides, while an advantageous curve is imparted by this process to the planks in the boat's bottom. The bow of the Doondee is a broad inclined plane, making an angle of about 20° with the surface of the water. The stern is of the same figure, but subtends double the angle.

"To the slight curve in her bottom planks, she is indebted for the following advantages in descending a river. Should she strike upon a sand bank, the boat turns like a top, and presents no stationary point for the stream to act against.

"The Jumptee is the State barge of the Sind Amírs, and is used by them and their principal officers on all occasions whether of business or of pleasure. Perhaps the appearance of this boat, as she approaches the capital, is more characteristic of the Indus and of Sind, than aught else to be seen in the country. On this day her Meerbar puts on clean clothes and the national cap received from the Amírs in a recent river excursion: the bright hues of the cap formed of the gaudiest colored chintz, vie with those of a Kil-

marnock bonnet or a Paisley tartan. The crew are dressed becoming the occasion, and as they bend to the rope the breeze distends their ample robes, and a further character of stateliness is imparted to the Jumptee. Large red flags wave over her stern, and from the raking mast streams a long party-colored pennant that anon skims the water as the breeze lulls and freshens. In the bow of the boat is a small crimson pavillion, in which royalty reclines, and in the other extreme of the vessel is a roomy cabin of elaborately carved work for its numerous attendants. The steersman on an elevated platform stands out in bold relief, and while he guides the boat, encourages the rowers. The Jumptee's crew are a noisy set, but for aged men, wonderfully good humored; they are divided into two gangs or watches, and are as partial to a cup of good bhang as sailors are to grog!

- "These boats are decked, and of considerable tonnage. One which I saw at Hyderaabad measured 120 feet over all, with a beam of eighteen and a half feet; her draft of water was two feet six inches, she pulled six oars and a crew of thuty men. They are built of Malabar teak, chiefly at the ports of Mughribee and Karachee.
- "The Zohruk.—What the Doondee is in Sind, the Zohruk is on the Upper Indus, namely, the common cargo boat of the country. The planks of this vessel are held together by clamps instead of nails, and the junction is often neatly enough executed. This class of boats is not so strong as the Doondee, but they sail faster and draw less water. They are more roomy than the Doondee, and though less adapted for the conveyance of goods, are much superior for transporting troops.
- "The Dugga.—This is the clumsiest, and, at the same time, the strongest built boat upon the Indus. She is confined to that rocky and dangerous part of its course lying between Kalabagh and Attok. The form of the boat differs but slightly from that of the Doendoe; the Dugga has neither mast nor sail. Her name is the Sindian word for a cow, and the awkward, sluggish motion of this boat, shows that it has not been mis applied. If the Dugga drops down the river to Mittun, there she must remain, and be sold for whatever sum she will bring, for to drag her up against the stream of Kalabagh would cost more money in the hire of men than the boat is worth.
- "Boat building materials—Suggestions.—The Upper Indus is principally supplied from the banks of the Chenab, where the Talee tree, the Sisson of Hindustan, is seen with a trunk measuring twelve feet in circumference: three such trees furnish plank enough to build a large sized Zohruk.
- "The Attok boats are built of good fir, brought down the Kabool river, and from the forest, of the lower Himalaya.
- "Iron work—The Lower Indus is supplied from Bombay, and the Upper portion of the river from the mines of Bunnoo and Bajour."

.....

CLASS XXIII.

INSTRUMENTS FOR WEIGHING AND MEASURING.

Under this Division there were only two specimens in the Exhibition of 1864.

One a large clock, made entirely by a native, but with materials and tools obtained from Paris; and another, a small clock which worked a musical box, and had a sort of mock waterspout, which played when the clock worked. It consisted of a spiral of glass, which turning rapidly caught the light against the edges, and produced the effect of flowing water. The works of this clock were not of native make: they were put together by a native workman in the service of the Maharaja of Patyala. They are alluded to in the report on philosophical instruments, which will be found a few pages on.

The second division of this Class is unreprésented. Natives are however well able to copy, and that with fair accuracy, European scales, letter weights, &c. &c.



CLASS XXIV.

MATHEMATICAL AND PHILOSOPHICAL INSTRUMENTS.

The Exhibition of 1864 contained not a few specimens of modern instruments made under European supervision. Mr. Spence of Scalkot produced an Electro-Magnetic battery. The workshops of Rurki (North-Western Provinces,) and Madhopúr, produced levelling and surveying instruments. The somewhat elaborate machinary of Colonel Dyas' rain-guage, as improved by Mr. J. L. Watson, is successfully turned out at the Madhopúr foundry. There can be no doubt that almost any amount of success may be obtained in this direction: the fine materials however have to be imported, and constant supervision exercised.

A report appeared in 1841, on the construction of philosophical instruments in India, by Captain J. Campbell, Assistant Surveyor General. From this paper I make the following extract:—

- "Sir John Herschell in his "Discourse upon Natural Philosophy," has thought it necessary, for fear the fact should be doubted, 'to assure the reader that balances have been constructed capable of rendering visibly sensible a quantity of matter to even the millionth part of the whole'; yet this which by the passage is evidently considered a great effort of mechanical skill, I have been able to effect by the hands of an Indian workman, totally untaught, except by myself; and with regard to its outward appearance, no one who has yet seen it but has remarked—'How beautifully it is worked' or that 'no one would for an instant believe that it was made in India.'
- "It might be remarked in contravention of my propositions, that I endeavour to assert the possibility of rivalling in India the productions of the genius of Ramsden and Troughton, and that the idea is absurd; but however such it is my intention to assert.
- "From their unimpassioned character, their slow and quiet habits, their delicate appreciation of touch, and their untiring application, it is probable that a clever native, if once taught properly the art of dividing the circumference of a circle, might very probably surpass the best effect of the most celebrated workmen of London.
- "It is supposed by many, that modern discoveries in optics have improved refracting telescopes by the lenses being better made; but such is not the fact. The lenses of the present day are not in the least better than those which Galileo and Huygens were able to make; and it is probable there is hardly a Chinese workman who does not possess a great deal more skill in polishing a lense, than the best optician in London. I once bought in London a Chinese toy, an imitation of a compound microscope, from which I took lenses so beautifully polished, as to be admired by one of the first opticians in London, and I have little doubt that a clever workman in India could fashion lenses with which a refracting telescope could be put together quite as good as the best which Tully or Dollond ever made.
- "The above may appear a startling assertion, but no optician will deny the possibility of its being correct; for the fact is, that workmen are totally unable to give a particular required figure to a lens, and lenses of required focal distance for forming the achromatic object are selected from among numerous failures (whence the high price). Modern science has only improved these instruments by teaching the proper theoretical principles upon which to empound their various parts."


Further detail cannot however be permitted to this subject, my plan confining a descriptive account to those articles which are of purely native manufacture,

Almost all the instruments that were exhibited, were astrolabes, dials, and other instruments used either in the fancied computations of astrology, or in those real calculations of ancient astronomy in which it is well known the Hindus attained considerable excellence. His Highness the Maharaja of Kapurthala exhibited two fine astrolabes, one a small hand one, the other represented in the plate. Each is furnished with a number of variously engraved discs or plates, which are used in turn according to the purpose of the observation.


The method of taking the time by this instrument is described in the report. Other observations can be made.

The following list of astronomical instruments was compiled for me by Pandit Rádha Kishn, late astrologer to the Court of Ranjit Singh, and by Pandit Durga Pershád.

- 1. Digyantram—A brass disc with a moveable index, used for finding the exact time of the sun's crossing the meridian, and for fixing the quarters of the heavens.
- 2. Trikon shankú vantram Consisting of a wooden tringle with a cross bar, like the letter A; the cross bar is graduated, and a string and a ball depending from the apex shows how much out of the perpendicular it is, and what the angle of the ground is.
- 3 Sambhúmí yantram—An ordinary spirit level.
- 4. Ghati yantram—A water clock. A copper bowl perforated with a little hole, which, placed in a vessel of water, gradually fills and sinks: exactly one hour is consumed in filling. This article is in common use, and by it all police guards, &c., keep the time, striking their going as each hour comes round.
- 5 The hour glass of sind is also used, called 'bálú ka ghati yantram.'
- 6 Shankú yantram Graduated scales used in measuring.
- 7 Prited yantram-A long graduated beam for finding out the time by the aid of the shadow.
- 8 Chakra yantram—A graduated disc, and needle, for determining the zenith distance, and the altitude of the sun.
 - The "chap yantram" is a half disc, also used in determining the zenith distance.
- 9 Tiri yantram—The quadrant.
- Samay prabodhak yantram A dial graduated so as to show the sub-divisions of time.
- 11 Dhruv bhraman yantram—A square plate, having circles inscribed on it and an index rod, by means of this the time is ascertained at might, by the polar star (*Dhruv* polar star—*bhraman*—going, wandering.)
- 12 Ratri pradip yantram—Another instrument for telling the time at night (ratri—night pradip—lamp.)
- 13. Daksburedak bhiti yantram (Lit.— from south-northerly separation) A square plate with graduated quadrant of a circle, an index, and plumb line, used in ascertaining azimuth distances.







ASTROLABE.



- 14. Sextant.
- 15. Octant.
- 16. Rám yantram—used to show the declination.
- 17. Yámyottara yantra—A dial with tube for shewing zenith distance and the meridian shadow of a *Guomon*, when the sun is in the equinoctial line—(yámi-south uttaranorth.
- 18. Falk yantra—A graduated oblong plate, with inscribed circle and bar to give the shadow—for measurement of hours, angular distances, &c.
- 19. Yashti yantra (or ishti) a dial for computing time.
- 20. Digansh yantram-In geodesy, to ascertain the bearings of a given object.
- 21. Nárí balay yantram—Shows the time according the Indian division of "Nári"—the hour of 24 minutes.
- 22. Samrat yantram—The form of the instrument is a semicircle, superscribed on the hypothenuse of a right angled triangle; the circle is graduated and intersected at its extreme ends by another arc. The brass plate on which the whole is engraved carries an observing tube. The instrument is used in measuring zenith distance and declination.
- 23. Jaya prakásh yantra.
- 24. Yanti ráj—The usturláb of the Yunání or Arabian astronomy.
- 25. Budhi yantra—A large gnomon, the shadow of which is observed when the sun is in the equinoctial.
- 26. Jar kaliya yantram—To show altitude and ascensional difference.
- 27. Gol yantra—To show the motion of the planets, according to the Hindi divisions of the sphere.
- 28. Kránti yantra—declination instrument.
- 29. Játul halka yantri-For finding longitude, &c.
- 30. Bhugol yantra-Globe.
- 31. Swayambahu yantra—A revolving disc, set turning by a stream of water, which flows by a siphon tube out of a vessel properly placed and dropped on to the cogs or teeth of the disc. A revolution is maintained at a certain rate, and by this means the time is ascertained after the machine having been once started at a known hour.
- 32. Vakra darsaná bhangí-A vessel showing the reverse revolution of planets.

The Jury Report of 1864 is as follows:-

Jurors.—Colonel Maclagan, R. E.

Major MacLeod Innes, R. E., V. C.

Kanhya Lall, Executive Engineer.

A. Neil (Meteorological Superintendent) Reporter.

The articles to be reported on were in the Exhibition, contained in Section C. Those most worthy of notice are now described.

[10676-7].—Two Hydrometers, made of brass, exhibited by Goormook of Loodiana, of ordinary form, and very rudely finished.

[10683].—Brass tubular beam-compass, exhibited by J. D. Smithe, Esquire, of Madhopúr, and constructed in the Baree Doab Canal Workshops. Their fitting up was rough and unfinished, but the instrument itself is tolerably well made. The jury awarded an Honorary Certificate.

[10684].—Electro-Magnetic Battery, of ordinary construction, but well finished, exhibited by Mr. W. Spence, Sealkote.

[10685].—Clock, scientifically and elaborately finished (original cost Rs. 4,000), exhibited by Rajah Hurbuns Singh of Lahore.

This clock is made to strike the hours and half hours, and shews the diurnal position of the sun in the ecliptic throughout the year, and the lunar rotation throughout the month. It was constructed under the immediate management of Bhugut Ram Sohai, in the time of Runjeet Singh. The finishing is in most of its parts exceedingly good, and very elaborate. The Jury awarded a medal.

[10686-692].—Astrolabes, exhibited by the Rajah of Kapurthalla. These instruments are now almost obsolete, and there seems nothing in the construction of either of those exhibited worthy of being noted. A short description of one of them will suffice. In Hindi, the instrument is called Yantra Raj, in Arabic, Ustarláb. On the back of the dial there is a moveable copper tube attached to a flat narrow plate, each end of which is pointed. Here the margin is divided into 360°, and these again into fourths by a vertical and transverse line, which intersect each other at the centre of the dial. In the front or anterior side of the dial, the margin is divided into 60 gharies—2½ of these being equal to one Euglish hour. Each ghari is divided into 6 equal parts. Within the anterior margin, which is raised, there is a moveable circle of brass attached to the centre of the dial by a pin. On the edge of this the twelve signs of the zodiac are marked, each compartment being divided into 15°.

How to use the Instrument.—Raise the tube to such a position that the rays of the sun may pass through it. Mark the position of the tube with reference to the degrees on the margin, counting from the transverse line. Ascertain from the calendar in what sign of the zodiac the sun is together with the degree. Bring the sign and degree to bear on the inner circle on the anterior side, and on the transverse line then mark the degree opposite the projection of the inner circle. The degree marked on the posterior side of the dial should be traced on the flat plate on the anterior side. Bring the sign and degree of the upper circle upon the plate, and mark again the degree opposite the projection of the circle. The gharies contained between the two marks made opposite the projection will be the time of the day.

[10693-5].—Gold and Silver mounted Magnetic Compasses, exhibited by the Maharajah of Kashmir. Creditably constructed.

The object of these is to furnish the Musulmán with the means of knowing which way to turn towards the Kibla (Mecca) at prayer time.

The Jury awarded an Honorary Certificate.

[10698.]—A clock, said to be made by a workman in the service of the Maharajah of Patyala. There is a musical apparatus attached to it, but nobody can make out the tunes. An ornamental water-spout is also attached, in which a short twisted glass rod

is the water; the light catches the edges of the spiral, and as this is kept in motion produces a glancing like the glimmer of falling water. Workmanship very creditable.

[10699.]—A model of the Electric Telegraph apparatus, also made by a workman in the service of the Maharajah of Patyala, neatly finished.

The Jury award an Honorary Certificate.

[10702—7].—A set of Surveying Instruments, made in the Rurkí Workshops, and consisting of an Everest Level (20 inches), levelling staves, telescopic staves, case of Spirit Bulbs; ground agates for compass needles, and small pocket compass. Exhibited by Major Allen. They are all beautifully constructed, the Everest Level especially so.

The Jury awarded an Honorary Certificate.

CLASS XXV.

SURGICAL INSTRUMENTS.

Native Surgery is unfortunately in an extremely backward state. The operations known are very few and very rude. The implements are mostly so coarsely made, that it is wonderful how any result whatever can be effected with them. Fortunately, however, the natives of the Punjab are extremely willing to profit by European art and science in surgery, much more than they are in the case of European medicines. They still cling desperately to the exploded fallacies of the old Greek school with its dry and moist, hot and cold, remedies.

There are no books on surgery worth reading. The art of surgery was looked on with contempt, and was consigned to barbers and such like craftsmen. A respectable physician hardly dared to attempt the practice of surgery, or he was nicknamed 'barber.' Hakím Muhamad Ishák, a physician of some note, who came to Lahore in the reign of Alámgir (Aurangzeb), and entered the service of Nawáb Amánat Khán, Subadár of Lahore, turned his attention to surgery, but was much derided in consequence. He had learnt something about surgery from an Italian in the Nawáb's service, named Antún (Antonio). Muhamed Ishák wrote a treatise on surgery, called "Tashkara Ishákiya".* Although it is one of the best extant, it contains very little that is useful. Of several diseases, the cure of which is perfectly easy, he makes no mention, and declares some of them irremediable. Thus of stricture of the urethra he says-"The cure of this disease is known to God only." They had only a rude idea of lithotomy, and nearly always killed their patients. although the native surgeons, who have learnt the operation in the European method, are, from their impassive and steady manipulation, particularly successful in it. The native operation for stone consisted in passing the finger into the rectum, and feeling for the stone fill by pressure it protruded so as to make the exterior of the perineum bulge, the operator then, with a lancet or razor, cut a gash over the protrusion, taking his chance of what membranes or tisses he cut through, and pulled out the stone. It is needless to add, that m many cases the laceration and injury of delicate structures was such that the patient did not survive.

It was hardly possible to have a limb amputated, although the frequency of battles in those days rendered it compulsory to make some attempt. I was quite unable to find any native surgeon who knew anything of amputation. Many told me that they could extract a bullet with a sort of hook and forceps, and that when a limb was shattered by shot they would remove the splinters of bone, and trim the ragged edges of the wound, and heal it. Whenever amputation was attempted, the flesh being cut, or the bone sawn through, (they generally however availed themselves of the fracture of the bone, by pulling out the splinters as before said,) and then hemorrhage was prevented by dipping the limb into melted rosin or hot give! This agreeable method of dispensing with ligature of arteries and suture, in one process, was occasionally practiced in the case of criminals in the Sikh days, who had a finger or a limb amputated as a punishment. Nature seems

^{*} A good manuscript copy of this has been obligingly lent to me by Fakir Syad Jamál-ud-din, of Labore among whose ancesters, the physician was numbered (he was the Fakir's father's mother's greatgrap (lither). I take this opportunity of acknowledging the frequent assistance. I have received from this gentleman in preparing the various sections of this yolung.

to have gifted these people, as a compensation for their lack of knowledge, with a proportionately powerful vis medicatrix, as regards suffusion from veins, &c. It is uniformly noticed how much fewer veins a native patient needs to have tied than an European.

Dr. Farquhar told me that after the battle of Chilianwala he was about to render assistance to a Sikh soldier who had been wounded in the leg by a cannon shot; amputation was necessary. The man loudly protested, thinking he was to be killed, but when he was pacified as regards his safety, he was again horrified by seeing, as he thought, no means of staying the bleeding, and cried out for the 'hot ghee' wherein to dip the stump. He was quite astonished at the use of a tourniquet and ligatures for the arteries. The use of the hot ghee always incapacitated a man for work for several weeks, and even months afterwards, always producing a painful sore, with sloughing, and not unfrequently mortification. No native surgeon will at the present day attempt amputation.

The different surgical operations are performed by the following classes of people:

- (1.) 'Shikasta-band'.—These men reduce dislocations, and attend to fractures. They have no apparatus of any sort. They reduce dislocations by the application of force, and apply stout bandages. They are, however, tolerably skilful at reducing simple dislocations, and frequently effect considerable relief to the patient by their system of rubbing, pulling, and manipulating the muscles in cases of straining. The people who perform these operations are often 'Kamángars' or bow makers, and also wrestlers.
- (2.) Banjáras or oculists.—The most remarkable operation is that for cataract, in which, in spite of their rude apparatus, they are very fairly successful. As far as I am aware, their operation is always for depression. For instruments they have a very small lancet, which consists of a short handle, wound round with silk, and exhibiting the triangular point of a blade thus

This is used for incising the cornea.

They have also a probe of steel, but more often the probe ('sua') is replaced by one of the long fine white thorns of the Acacia. The younger trees have very long and finely pointed thorns, which have a beautiful white siliceous coating and certainly offer a smoother and finer point than any steel work made by an ordinary workman. The thorn is extremely tough. They have also two hooked instruments ("kundi"), one rather thick, made of copper, the other of steel, and much more slender and finely pointed, and also a blunt probe.

The probe or thorn is used in operations where they simply puncture the cornea and depress the cataract. In other cases they make an incision with the lancet (in lieu of

the Beer's knife of modern surgery), and then introduce the copper hook to open a passage for the depressing instrument: the smaller hook being used in depressing the film if it cannot be removed by the probe alone. A small razor (ushtra) is among the instruments of these practitioners. The Banjáras occasionally brand the temples, with a view to strengthen the sight and prevent blindness.

(3.) Jaráh.—This term is, perhaps, a more generic word for 'surgeon,' than indicative of a special class. All operations, however, such as bleeding with lancets, lancing of tumours, swellings, treatment of hemorrhoids, extraction of teeth, is done by the jaráh. His instruments will now be described. In the Lahore Museum there is a case of mother-of-pearl and steel containing a series of implements inserted through holes in a plate which stops the mouth; this looks more like a lady's work case for scissors, crochet hooks, &c., than a surgeon's box, but in it the tools are better made. There is an attempt at polishing, and the various knives, &c., are made to screw into handles.

The usual instruments are as follow:--


- "Sanni"—A rude pair of iron square pointed pincers, one handle of which is hooked at the end. This frightful apparatus is for drawing teeth.
- "Naherná".—A thin iron blade, with a sharp slanting edge or point, used for lancing the gums previous to extracting a tooth. Some rather broader bladed "nahernas" are used for paring nails, and chiropodic operations.
- "Patri"—A hone for sharpening instruments.
- " Chamúta" is a leather strop for the same purpose.
- ". Mochana ".—Tweezers.
- "Ushtra"—Small razors, used either for shaving any part to be operated on, or else for making a deeper incision or gash than the lancets (nashtar) will make.
- "Toká"—A small hook, the point of which is flattened at the sides and sharpened. The stem being flexible, it is placed in position, and being drawn back, is let go and strikes smartly on the place, which is punctured by the sharp edge. It is used for opening veins in the forehead.
- " Mikráz"-Pointed seissors.
- " Nashtar" (fasd-ki)—Lancets for bleeding.


Needles and thread; Bandages, &c.

- "Zambúr and Zambúri"-Forceps of sizes.
- "Dastúr"-A sort of syringe used in administering an enema.
- " Suá and Silái"-Probes.
- "Pichkárí suzák"-A syringe for injecting remedies in urinary complaints.

For bleeding and cupping they have the following: -

The use either a horn, or an earthen cup called 'rummi', or a hollow vessel called "tumbiya" or 'kuppi'. When they apply the horn after cutting the vein, they apply the mouth to the point of the horn and draw in the breath, thus exhausting the air and causing the blood to flow and fill the vacuum; or else they prick the skin over with a lancet







. and then apply the earthen pot which is heated, so that the air on cooling may contract and a vacuum be formed, to fill which the blood will exude.

In some cases they merely wish to excite a tumour or boil, and they heat the "tumbiya" or kuppi and tie it tight over the place, which causes it to rise and swell, or to suppurate.

When bleeding by venesection is being done, the surgeon gives the patient a short round stick or "latti", which he is expected to keep twirling with his hand, thus keeping up circulation by the motion.

The case alluded to, contained a small saw (ari), and a "pech", an iron wire terminating in a spiral like a small cork-screw, used for worming out foreign matter from the ear or from a wound. In the Montgomery collection a looking glass was added to these articles, and the whole enclosed in a leather case called "rachyani".

(4.) Gagras—These people are solely occupied in the application of leeches ('jok').

鲭

(5.) 'Madári'.--These people cure the bites of snakes and animals, not by surgical or medical means, but by spells, incantations, and charms. These are invariably resorted to by the people in cases of snake bite!

"Kán mailyás". - Ear surgeons. These men occupy themselves with the treatment of ear-ache, and with removing obstructions in the passages. The use of a syringe is unknown. Their favorite remedy for ear-ache is the introduction of a little sweet oil.

They use a pair of forceps, "chimta,"—a broad pointed probe used for digging out foreign matter, and called, "silai ariz nok-wali,"—a blunt probe, "gol-nok-wali,"—and a probe for inserting cotton wool for cleaning the passage—"silai-pamba wali".

The paring of nails, removal of corns, and other work of the chirepodist, is done by the barber, "hajám" or "nai.".

I must here mention one of the few operations in which the surgeons of the country are eminently successful. One, that of the cataract has been described, the other that I allude to, is the work of the Kangra "Khangars" in restoring the nose. Jealous husbands bite or cut off the point of the nose of their wives in spite, and cutting off the nose seems also to have been used as a punishment in former days. The annexed plate, copied from a native drawing, will show the process. The patient is laid down, and the surgeon, with a lancet, or rather with a small razor (ushtra) cuts a triangular bit of skin from the forehead,* which he turns down, and then dexterously and lightly twists just at the junction of the nose with the brow, so as to bring the right side of the skin in front; he lays this down over the nose, and having by dexterous manipulation and working drawn down the remainder of the original cartilage so as to form a basis, he disposes the new skin over the whole, and fixes it by strips of plaster and bandages. The gradual treatment of the healing surface, and the patients lying by, flapping away the flies, are quaintly, but accurately, portrayed in the plate. The only implements the "Khangars" use are a razor or lancet, a needle for sewing, and one or two tools for smoothing down the skin.

^{*} The skin is taken from the forehead, and never I believe from the check,

These are all the classes of people which make any pretence to be surgeons. The practice of obstetric art in any form is unknown; midwives or dáís attend, if necessary, but are unable to render any assistance beyond what their hands can afford. It is needless to remark that they are utterly ignorant. In the list of drags of the first volume will be seen various remedies given to women before and after child-birth. It is to be remarked, however, that especially among the lower orders of the agricultural population, cases of difficult parturition or birth appear to be comparatively rare. Should such a case occur, the life of the child or the mother, or both, is invariably sacrificed through ignorance of any proper treatment.

Under this chapter, I may mention that veterinary surgery is no better understood than that applied to the human frame. The Bétár or Salotri has a few lancets for bleeding and some bandages: branding with a hot iron is a favorite remedy for most diseases in cattle. The pious Hindu will not touch the sacred animal himself, letting it die rather, he performs the operation however, vicariously by a Mussulmán, and it is all right!

I may take this opportunity of including a notice of the Bhátra or ear-borer. Every native woman considers it necessary to have the ears bored, and some times not only one hole but many are made, to admit of all the mass of bális, bálas, murkis, &c., &c. that are fashionable to wear. *

The Bhátras tools are as follows:-

Murki—a stout zinc wire bent round so as to form a nearly complete circle, the two points are sharpened. One of these points is forced though the lobe of the year, and the ring drawn though and left there till the wound, which is a severe one, heals. When the murki has done its work, a "bunda," or second zinc ring, thicker than the murki, is inserted to enlarge the hole. The bunda has also a small weight hanging from it, so as to pull down the ear and ensure the hole being made. I am told that the operations necessary to gratify the hideous vanity of wearing clusters of earrings are so painful, that women sit in the house for days crying with pain, and the wounds do not heat for three months sometimes.

I append the Jury Report in the collection of 1864, which shows also how far European instruments are imitated by native workman (see also the class "Cutlery.")

REPORT OF THE JURY ON SURGICAL INSTRUMENTS.

Jurors:-

Dr. Farquhar.

Dr. Thom.

Dr. Penny.

S. A. Surgeon Raheem Khan,

Dr. Dallas.

Dr. J. B. Scriven, Reporter.

The Districts exhibiting articles are, Kangra, Hooshyarpore, Sealkote, Lahore, Shahpur and Goojranwala. Besides these, articles are included in the catalogue from Amritsur and Patyala, but have not come to hand.

^{*} The sight of these rings ought to cure European ladies at least of the barbarous practice of boring holes in their flesh to stick ornaments in '

- The collections reported on are eleven in number, viz:-
- 1st.—A rudely constructed razor and lancet sent up by the Local Exhibition Committee at Kangra.
- 2nd.—A set of three ivory handled vaccine lancets, exhibited by Dr. Aitchison of Hooshyarpore.
- 3rd.—A similar set of lancets with horn handles, also exhibited by Dr. Aitchison of Hooshyarpore.
- 4th.—A case of Lithotomy instruments. These are of the kind commonly provided for hospitals in India. They are not of the newest or best pattern, but their finish is good, in fact equal to that of the instruments usually supplied to Medical Depôts from England. They are highly creditable to native artificers, and the jury think they are deserving of a prize of Rs. 20. The exhibitor is Mr. Spence of Scalkote.
- 5th.—A case of midwifery instruments. The finish of these is also creditable. The silver catheter is particularly well made, but the pattern of the forceps is not good. The jury consider this case deserving of a prize of Rs 10. The exhibitor is Mr. Spence of Sealkote.
- 6th.—A case of instruments for extracting teeth. The key and gum lancet in this case seem to be very good. The forceps and elevator are made after a pattern not much used in the present day, and certainly not to be recommended, nevertheless the finish of all is excellent, and the jury recommend a prize of Rs. 10. The exhibitor is Mr. Spence of Sealkote.
- 7th.-An abscess lancet; and

And the second s

- 8th.—A bleeding lancet, both by Mr. Spence. These two instruments are well polished, sharp, and apparently of good quality.
- 9th.—A case of razors and other instruments used by the Native barber surgeons: these belong to the Lahore Museum.
- 10th.—A lancet and probes used by native Surgeons in the operation for depression of cataract, exhibited by Dr. Henderson of Shahpore.
- 11th.—Two rudely made bleeding lancets and a gum lancet, from the district of Goojran-walla: the name of the exhibitor is not given.

The prizes above recommended are as follows:-

No.	Article.	District.	Exhibitor.	Prize.
10713	Lithotomy case.	Sealkote.	Mr. W. Spence.	Rs. 20.
10714	Midwifery case.	"	Do.	Rs. 10.
10715	Dental Instruments.	,,	Do.	Rs. 10.

CLASS XXVI.

MUSICAL INSTRUMENTS.

The musicians of the Punjab, whether Hindu or Mussalman, use the Hindu system exclusively. The Arabic system of music is not known.

It would be impossible for me to give under this Class any account of the musical system. I have only to describe the musical instruments in use as one of the branches of mechanical manufacture.

I may however add a few words in preface to a descriptive list of musical instruments, and explain as much of the system of notation, tuning and melody, as will render what follows intelligible.

The musicians who accompany regular nach players,* are always Mussulmans of the caste of Mir or Mirási (barbers and astrologers &c.) and are called "Dôm"; this term is not however considered complimentary, and would be a positive insult if addressed to any one else. The Dôms use only a "sarangi" a sort of fiddle, a pair of little bells or small cymbals, and a drum; but at more elaborate nautches, in the houses of the wealthy, I have seen other instruments introduced. Some classes of Hindus perform as nautch dancers, and accompany them with music, such persons are called Rásdhári. Professional players on the tambúra (a sort of guitar) are called "Kaláñwat"; those on the bín, are Bín-baz." Amateur musicians are called "atai," whatever instrument they prefer.

I should note that music is strictly forbidden to Mussulmans, excepting only a drum called "daf," at marriages or ceremonies, and then apparently only for the purpose of publicity or proclamation of the event. It is needless to say that this prohibition is little attended to; and as early as the reign of Kai Kubád (1285 A. D.) one Amir Khisro, in spite of the prohibition, introduced the guitar known as the "tambúra," which accompanies the voice; and this has ever since been a very popular instrument. Amateur musicians are rare, and professional ones are looked on with a sort of contempt, like surgeons.

The Hindu system of music does not appear to be very different from our own, at least as regards the division of the scale or gamut. The octave, with seven full tones, (the eighth being a repetition of the first) is recognized, and called 'saptag.' Instead of the letters of the alphabet C. D. E. &c., or the notation do, re, mi, the notes are named—

Do-Kharj.

Re—Rikab.

Mi-Gandhár.

Fa--Madham.

Sol-Pancham ('the fifth') or dominant.

La-Dewat.

Si—Nikádh.

Do-Kharj--again, &c.

^{*} This word is now almost naturalized as "nautch."

Sub-division of tones ('sur') are recognized, and a half tone is called "murchhan." The quarter tone is recognized, and both half and quarter tones are easily produced, even on the fretted instruments, by putting the string to one side of the fret, which of course tightens it slightly, and raises the tone. In a "saptag" there are 21 'murchhans' or subdivisions, as will be seen by dividing the scale into fractions of tones as, C. C.#, C.##, C.##, C.##, D. &c.

The term 'ras' is used apparently as our 'base'; "dirg" as tenor; and "palutt" as treble.

I should remark that the instruments are tuned to a convenient pitch to the voice, or to about half a tone lower than our full concert pitch. To tune an instrument is 'sur karna.'

I will now proceed to a description of the instruments in use.

ころない は日本ない あしました あんだん かっ

DIVISION I.

STRINGED INSTRUMENTS.

The most favorite of these appear to be the varieties of guitar.


When these have more than one string, it will be invariably found that only one string is designed to be fingered; the others, remaining as open strings, and form the common chord of C. major, which is played as an unvarying drone or accompaniment with the thumb, and while the "chantarelle" or melody string is struck with the finger, which is generally armed with a skeleton thimble made of iron or steel wire, and called "mizráb." Those instruments which have frets (sundri) have them moveable, as it is the invariable practise to set the frets according to the rág or melody to be performed, and there are certain set tunes appropriate to the different hours of day or evening.

- 861.—[].—Tambúra—This guitar has only four strings, and no frets. It is a very favorite instrument, and accompanies the voice. The tambúra is called "chherwala," riz., "the accompanier," as it is shaken (chherna) or twanged to the voice. The strings consist of "madham" or first string, which gives the melody; and three others form the base or drone, tuned to the octave and fifth. The tambura is a large guitar, with a large hollow body made of a gourd, faced with wood, and with a long stem or handle. It carries four strings, one of brass and three of iron wire: the strings are much thicker than those of the "sitár" (which follows). One string gives the melody, and the others the base or drone, but usually the instrument being used to accompany the voice, the changes of tone in the first string are few.
- 862.—[] "Sitár"—There are several kinds, all of the varieties of guitar, to which word the name has a clear affinity. In form these instruments are not inelegant. The body is gourd shaped, and exceedingly bulging; in fact consisting of the half or section of a large gourd, with a flat face, the shoulder sloping off into the long wooden handle: the manufacture will be described presently. The instruments are often prettily and elaborately inlaid with ivory or else painted in gold and colors and varnished. The varieties of "Sitár" to be now described are the "Madham Sitár," the "Chárgah Sitár," and the "Tarbdár Sitár." The favorite form of "Sitár" is called "Madham". This is the instrument introduced at Dehli by Amír Khísro in the reign of Kai Kubád, as already intimated.

The Madham Sitár has the handle long and hollow, or deeply concave, but faced with a thin piece of "tûn "wood. The frets are of brass, and grooved in the middle, so as to retain the cat-gut belt which holds the fret to the handle, but admits of it being moved up and down to the position proper for the "rág" or music to be performed, as already explained.


The frets are 16 in number, that is, prepared to produce on the first string, two octaves; in compass, a large instrument is sometimes made with twenty-one frets or three octaves.

The Sitár has commonly five strings, but sometimes six. The first string, called madham, is of thin steel wire, obtained from Delhi or Bareli; the others are two of brass, and the third of steel wire,





GROUP OF MUSICAL INSTRUMENTS.



The three last are the drone or accompanying, and always open, strings, being tuned to the key note fifth or 'panchma,' and the lower octave of the key note, if there are six strings, the key note is doubled in unison; if seven, the third is given as well as the fifth, thus giving the whole chord.

- 863 "Chargah Sitar," is like the Madham, has four strings, and no frets, but permanent marks on the handle indicating the position of the fingering.
- 864 —"Tarbdár Sitar," or Sympathetic Sitár, has the handle slightly concave, and under the frets and under the playing wires a set of very thin steel wires are extended, tuned to the ascending notes of the gainst. The pegs which hold these strings are at the sides of the handle, those holding the playing strings at the head. The "tarb" are purely sympathetic strings, vibrating and producing a shrill twang in unison, and by sympathy with the corresponding note struck on the upper strings. The admirers of the Sympathetic Piano-forte of modern times will perhaps be surprised to note so very uncient a recognition of the principle. The "tarb" strings appear to me to be timed rather flat of the true tones, which produces a greater twang, and there is always one tone below the

key note. Thus, suppose the first strings of the drone strings is funed to C then the lowest of the "tarb" strings will be funed to the B below and so on, upwards.

865 := Bin. "-The next instrument of this class is a 'bin.' It consists of a long hollow bar or key board, flat above, and concave below, on this the wires rest, and it is supported at either end by a large gourd. The form will be more readily understood from the plate.

The "bin" is the best sounding of all the stringed instruments played by aid of the fingers and the "mirrab" or wire guard.

It has six strings, and moveable frets; the first string alone, which is played with the frets, is called "baj". The other six strings are string at some distance off the "baj," so as to leave room for the play of the finger. The second and third are of steel wire, the fourth of brass, the fifth of steel, and the sixth of steel also, but with fine brass wire voiled upon it. This string is called "larz."

They are tuned thus-

2nd.—Khari C) unison

3rd.—Khari C.) unison

4th.—Pancham G above

5th.—Madham G. octave below

6th.—Larz C octave below the second string.

The bin has also the sympathetic strings called "tarb," whose screws are on the side of the handle. They are nine in number,—that is, eight notes of the gamut and one below, thus the second string of the upper set being tuned to 'middle C. "Kharj"—the lowest note of the tarb will be B natural, the second C natural, corresponding to the second string above, and so on up the scale.

The bin is frequently made of a very large size with proportionately stout wires, and can then produce a loud sound. It is used more for instrumental music than accoms panying the voice. It is not to be confused with a sort of paper also called 'bin'

866—Rabáb.—Is an instrument much used in Lucknow and in Hindustán, but not in the Punjab. It has six strings, and a long handle about three feet long. The strings are attached to screws in the broad head of the handle, and arranged in a peculiar manner, which will be understood from the figure in the annexed plate.

I have now only to add a few instruments, which are hardly fit to be called instruments at all, being rude and unmusical sounding guitars, fitted with only one or two strings, and capable only of affording a sort of accompaniment to the voice. Such are generally used by fakirs and wandering singers.

867.—" King."—A rude instrument, deriving its name from the twanging shrill noise it makes—It consists of a single wire stretched over two small bridges resting at either end of a stick or bamboo, which passes through a small half gourd at either end, like our basket stick; the face of the gourd is left open (fig. 1.)

This instrument is used by Brahman beggars when singing for alms, &c.

- 868.— Yak tára."—This is a rude instrument with one string, for accompanying the voice, and used by fakirs sometimes. also accompanied with the "kartal" or 'bones." It consists of a long bamboo handle with a small circular body made of half a gourd, and with parchment strained over the front. on this is a small bridge over which the brass wire passes. The wire is secured to the end of the bamboo projecting slightly through and beyond the body. A large wooden peg or screw at the end of the handle enables the player to adjust the tone of the string.
- 869 "Chártára."—Played with a wooden stick or plectrum, ('jawa' or jaba), which is a thin piece of wood shaped as (fig. 4.) The chártára is shown in (fig. 2.) It has four strings, three of steel and one of brass wire. An instrument I saw of this name at Delhi, had only two strings, and was played with a bow like the 'Kamánch' (fig. 3.)
- 870—" Sarád," also called Rabáb, from Bunnoo. This instrument is mostly used by Kábulis and in Khorásán, and so is found in our frontier districts. One specimen in the collection of 1864 was described as "rabáb." The instrument, which is rather elegantly shaped, is figured in the plate. The great depth of the body, as shewn in the side view is remarkable. The body and a part of the handle, (as far as the fret marks) are hollow, and made of 'tûn' or 'shísham' wood.

The handle and body as far as the central bend or waist, are faced with wood, and the rest of the body with parchment. There are six catgut strings which are played on with the 'jawa' like the last described instrument. These strings pass over a small wooden bridge on the parchment, and are secured to a piece of leather, which is fixed to the bottom of the instrument, and has the end split into tags to each one of which a string end is fastened off. There are also five sympathetic brass wires, (turb) which pass into the hollow body of the handle through small holes made for the purpose, and are wound on screws the handles of which project at the side.

The Rabáb called "Rabáb Banársí" - Benares rabáb - is an instrument with a bow.

The next series consists of three stringed instruments, which are played with the finger, or with small sticks or hammers. These instruments no doubt suggested originally the dougn of the Virginal, Clavichord, and Harpsichord, which have been improved into the modern Piano-force, they correspond with the Dulcimer, and Psaltery of ancient witters.

Of these instruments, only one exists in the Museum of Lahore, as in use in the Panjab, the others are obsolete.

871.—"Kānūn."—This is the psaltery or sort of harp. It consists of a frame shaped as in figure 6. The strings, which are steel, are twenty-three in number, to include three whole octaves: they are fixed by moveable screws at the upper end. It differs from our harp in principle of construction, masmuch as the strings which are fixed to the sounding board, are thence carried, not diagonally upwards to the curved upper beam, but horizontally to a beam opposite the sounding board. There are 28 strings.

872.—"Kantira"—This instrument consists of a hollow and flat sounding board, made of tûn wood, and of an oblong shape, supported partly on a hollow square box, and partly by two tressel legs or rests. The specimen I describe from was about 20 inches long and 8 broad. In the upper part (the end opposite the box) the screws for holding the wires are fixed upright and perpendicular to the face of the sounding board; the strings, twenty-two in number (3 octaves) are of steel wire, and of equal length, the requisite adjustment as to length being attained by the wires passing over or rather through some ivory pegs arranged diagonally across the board

The instrument is played with the finger and 'mizrab.' It is tuned from one note below the key note, and then regularly up the scale by full tones.

We now come to the stringel instruments, which are played with a bow (gaz or kumání). There are several varieties: the most protensious is the --

873.- 'Táis.'-A long handled instrument, of which the body is in the form of a peacock, whence the name. The upper part of the body is covered with strained parchment, and the lower part highly colored, gilt, and varnished to resemble a peacock. curious instrument is figured in the plate annexed. The handle, which is very long, is hollow, but faced with a thin slip of tan wood. It carries sixteen moveable brass frets. Along the left side of the keyboard or handle, a small bar of wood is attached, which carries sixteen pegs, which hold sixteen sympathetic steel strings "tarb," which are arranged slightly diagonally, so as to come down to the bridge of the instrument, which supports the four main strings on the upper edge, and the sixteen "tarb" strings through sixteen small holes in the centre of it. The four strings are arranged as usual: one alone at the right side, which is changed by fingering to produce the melody; the other three tuned to the key note, fifth and octave form the bass or drone accompaniment: the four strings are made, the first three of steel, the fourth of brass wire. All are of equal length and attached to four large pegs, two in front and two at the side of the extreme end of the handle, but as the second string produces a shriller tone than could be got by having the full length and tightening the screw, it is shortened by a small ivory peg through which it passes, just below the fifth fret. The instrument which I have heard played with considerable skill, is played with a bow fitted with a number of black horse hairs, and stiffened with rosin (biroza); the hairs of the bow are not arranged flat as in an European violin bow, but in a bunch, with a piece of wood at one end, which can be adjusted to tighten the hairs. When once set right they are tied down with string, there being no screw arrangement as in the European bow.

874—"Sárangi"—Is the common fiddle used by all the nautch players. It has a thick short handle, almost as broad as the body, and is like it, hollow. The body is also hollow, and faced with parchment; it is chamfered or pared away at the sides towards the middle. The strings are of catgut, four in number, and attached to screws with large knobs fixed in the handle, two in front and two at the sides. There are also eleven or thirteen brass wire 'tarb' or sympathetic strings, which are fixed to screws or pegs arranged in two rows: these pass through the body of the handle and project at the side. The end of the wires are introduced through small holes in the surface. The sound of this instrument is very harsh and disagreeable. The first strings and the second, in order to shorten the length, rest on a small bridge near the tightening screw, called "ár" or "pílak;" the third rests on a tag of tightly wound silk, possibly to deaden the sound: this tag, which can be pulled under the string at pleasure, is called "batti." The curious shape of the head and handle will be seen in the plate.

Another instrument was described to me as in use in Pattiala, as the Cháng, (fig. 7). I have some misgivings that this is either the same as Saranda, or only a variety. I have not been able to procure a specimen, but am told that it is at once recognized by the body being in the shape of a kite (patang.) The body is made of wood, and the upper part is hollow and open, the lower part is covered with parchment and carries the bridge. There are five strings attached to screws placed thus:

In the handle, and also eleven sympathetic strings, which are attached at the side. The instrument is played with the "gazi" or bow.

875.—"Tid" or "Tad."—This is a much ruder instrument than any of the foregoing. Its body is of roughly cut deodar wood, shaped as in fig. 8, the upper part being hollow, the lower covered with parchment; it has four strings, three of steel wire, and the fourth of thick twisted copper wire, and is played with a rude bow. This instrument is only to be found in villages, and is said to be much used in Marwar.


876 — Dotára."—An instrument called dotára, but having however four strings, is not unlike in shape to the Chártara, but has a short thick handle like a sárangi.

877.—"Chikira—is the fakir fiddle. It is represented in fig 9. The three strings are made of bunches of black horse hair, and there are five sympathetic strings. The handle is covered with wood and is hollow, the lower part of the body is covered with parchment.


878.—" Kaminchi"—is a sort of large fiddle, twice the size of a "sarangi," and used mostly by Kashmiris (fig. 3.)

Before passing on to the wind instruments, I should mention that the manufacture of stringed instruments is a specialty of one class of workmen 'Khátamband': they never make drams or pipes of any sort.


Their tools are like those of ordinary carpenters, but capable of doing smaller and finer work. They have the "tesha" or adze; some saws, a "chosá." or long thin rasp, a "tikora" or three cornered file, a "miyan-tarásh," or gouge or scoop to make the hollow handles of instruments with: a "mingira" or half round file; a "kanassi" or two edged file with a fine or "smooth" cut; a "sathri" or "chaurasi" (small chisel); "sauni," forceps. "parkar" or compasses, and a "barma." to bore holes. The wood used is invariably "tûn," which is tolerably hard, does not split, has no resin or oil, polishes well,




·		



•			
		•	
5		•	









and is not liable to insects or to decay. The dry shell of the great gourd (Cucurbita maxima) and Lagenoria (the bottle gourd) are in request for the bodies of all sorts of sitárs, bins &c.; ivory is required for inlaying and for the bridges (ghori or surdhárí) of the instruments.

DIVISION II.

oc: 0:00

WIND INSTRUMENTS.

These are not so numerous as the stringed instruments, nor are they commonly used, except perhaps the bansri or flute, and a sort of flageolet; snake charmers carry the bin," and trumpets are used in heathen worship.

The following is a list :--

- 879.—" Bansri"—A flute or fife with four holes, made of bamboo.
- 880 .- " Nai" is a straight pipe somewhat similar.
- 881.—" Alghoza"—A sort of flageolet also made of bamboo, has seven holes, is slightly funnel-shaped, and played either singly or with two in the mouth at once.
- 882.—" Surná"—vulgarly called "tútí"—A wooden tube with a trumpet shaped end. In fact a sort of clarionet.
 - 883.—" Nairi"—A flageolet played by Kashmiris, very like the last named.
- 884.—" Bin."—This instrument consists of a double flageolet, fitted to a hollow and narrow necked gourd. It is figured in the annexed plate. It is principally played by snake charmers.
- 885.—"Sharnao."—From the Bunnoo hills, and also to be met with in other hill places of the west Punjab. Is a regular bag-pipe, or set of pipes fitted with an inflated goat's skin.
 - 886.—" Mardang "-is a sort of postman's horn.
- 887.—" Turi"—is a very long, and loud sounding straight brass trumpet, used at marriages, religious festivals, &c. When curved it is called 'karná." Horns (narsingha), and couch shells (shank) are also used on such occasions.

DIVISION III.

MISCELLANEOUS.

The following are miscellaneous:--

888.—" Jaltarang,"—consists of a series of thin porcelain cups of sizes, partly filled with water, according to the note required and so tuned to two or three octaves, note by note. They are played with small bamboo sticks, like our harmonicon, &c.

889.—" Talli "—a small bell worn round the neck.

890,-" Jora or Kainsi"-two small bells, struck one in the other.

891.—" Santúr"—a steel triangle, similar to that used in bands with us.

892.—" Chaina"—Large cymbals.

893 .- " Jhánj "-Also a kind of cymbal.

894. "Mejra"—A name for cymbals appearing in the Gugaira (Montgomery) collection

895.— 'Kartúl''—two pieces of hard dark wood, generally shisham, played just as the "bones" are by Negro singers

896. — Munchang or muchang" is the Jew's harp. This toy appears to be of great antiquity in India, and is of exactly the same form and construction as those used by children in Europe — I am told that at Kalka (Ambala District) at a certain season of the year these toys are made and sold by hundreds.

DIVISION IV.

DRUMS.

Drums are so universally admired, and form such a necessary accompaniment of every entertainment, procession, or ceremony, that it is not surprising to find a great variety of every possible size and shape.

897.- "Tambur"-is an English Military drum.*

898.—" Dhol"—Is a very large barrel-shaped drum, held horizontally, both ends being fitted with leather or parchment, and struck with slightly curved sticks.

899.—" Dholki" or Dholak—is the same shape, but somewhat smaller.

900.—" Pakinaj"—A large drum of barrel-shape, but much more elongated, and consequently having the parchment end much smaller in diameter. It is used in processions.

901.- ' Nakára "-Is a kettle drum.

902 .- " Dhansa" -- A military kettle drum carried on horse back.

903.-" Naubot"-A very large kettle drum carried on camel back.

[·] Not to be confused with tambura, the sort of guitar before described.

- 904.—Tabla.— The pair of small drams played on to accompany the "sarangi" at a match. The body is made of turned and lacquered wood; the bases being rather broader than the upper end, they stand upright, and have parchment at the upper end only, which can be adjusted and tightened by long leather thougs. The tabla are always in pairs, tuned differently: the one with a high note is marked with a large black spot on the parchment, and is called "agaura;" the other or lower toned drum is called "pichaura" or "dháma"—played with the hand.
- 905, -" Tisha" is a sort of tambourine. Its body in fact consists of a sort of basin of pottery ware, covered with goat skin and played with sticks. A hole is made through the basin at the back. The instrument is worn suspended from the neck by the performer by strings, and used in processions, weddings, &c
 - 906.—" Daira or Darya" is a large tambourine without bells.

草

907.—" Khanjei" is a smaller tambourine with bells, set in the rim, just as in the European tambourine.

A native book of musical instruments I have seen, contains a small but rather deep made tambourine, with bells called "daff"

- 908.—" Mandil" is a small barrel-shaped drum, of turned wood, hung by a string sound the neck, and played on at both end's with the hand. This is used by itinerant showmen &c.
- 909,—"Daf"—is a sort of tambourine, used only by bhangis, and churas (sweeper easte). A circular wooden frame, the front covered with parchment and the back by a network of catgut (or rather goat-gut) leaving, however, a round hole in the centre.
- 910.—"Danré"—A small drum, used by Kahárs (hill carriers) and also by itinerant showmen: it is shaped like a 'dumb-hell,' is of turned wood, and has a parchment face at either end; two small strings are attached, each armed with a pellet covered with cloth. The little instrument is grasped in the middle by one hand, and then being twisted about, the pellets hit the parchment and produce the sound.

The Kahárs, when sitting round to sing, will frequently use an earthern 'ghara' for a drum, or will support a metal plate on an inverted 'ghara,' and lay a bracelet or bangle on the plate, and strike it as a drum; the bracelet causes a jingling sound, as well as the drumming noise.

911,—Tumkanini.—A drum used by Kashmiris. It consists of an earthen pot, narrow at the bottom and wide at the mouth, shaped in fact like a flower pot; the mouth is closed with parchment or skin, and the instrument is held under the left arm and drummed on with the right hand.



CLASS XXVII.

SMALL MACHINES FOR VARIOUS PURPOSES.

This Class cannot be expected in the present state of advance to which this country has attained, to be very numerously represented, or to exhibit any very great skill. I shall have little else to offer by readers, than a list of the best of such articles as were exhibited in 1864, and have been elsewhere met with.

The first kind consist of locks.

912.—Ordinary native padlocks.

Every man fastens his house door, and even his boxes, by means of a chain and staple with one of these padlocks.

The padlocks are of two kinds, one of which is considered insecure, and the other other more difficult to open.


The upper one (fig 1), in the annexed plate, is closed simply by a catch which is pressed forward by a spiral spring, so as to fix the end of the handle which projects downwards for the purpose.

The key is a mere screw; it is inserted at the mouth of a short tube, which carries at one end the iron catch, and is surrounded by the spiral spring. It is wound in till the thick part touches the outer shell of the padlock, when the leverage causes the internal spiral to be contracted, by which means the catch is withdrawn and the handle let loose. A thief could of course effect the same thing by inserting almost any old screw key of the same size. A single blow would also remove the end of the case, and then the catch could be pushed back with ease. A glance at the sections shewn in the sketch will explain this.

The second kind of lock, though still ruder in appearance, and having the awkward bar or iron (shewn at fig 2) for its key, is yet stronger and resists the burglars of this country better. In this lock there is a strong iron bolt thrown across (fig 3, a) and is held there by the upper bolt (b), being furnished with a stiff spring in either side (c c.) This cannot ship through the hole at the end of the case (d) without being first compressed by the fork of the key. A thief, unless he happens to have a key of the right size to catch the springs (which may vary considerably), has to break the whole lock. At best however this is a very rude and by no means secure padlock. Some remarks about native locks will be found in the Jury Report on Cultery and Hardware at page 152, et seq. They should have more properly been inserted here, but it was found impossible to break up the report.

Among the most noteworthy of these locks, is that sent from Basahir (No. 7779), and used in other parts of the hill districts also. In principle it is not unlike the second figure in the plate, as it consists of a bolt thrown across the aperture in the lower part: the key is however different, it has to be inserted vertically through a slit in the upper part, which is made with a flat top, and then being inserted, has to be pushed sideways till it catches the spring mside, and allows the bolt to be pushed back. The key is shaped as at fig. 3.







Omitting locks imitated from European models, the ones worth extracting from the Catalogue of 1864 are—

- 913.—[No. 7870].—Monster lock of polished iron (valued at 40 Rs.) made by Ilahi Baksh of Lahore. This is on the principle of figure 2, and opens with a lever bar.
- 914.—[No. 7873].—Puzzle padlock.—This is in shape like a horse: it is from a maker in the distant province of Bukhára. It is certainly difficult to open. The key is fixed in it, but has to be properly applied, so as to enable the bolt to be withdrawn. In shape it is made to resemble a horse. I had no opportunity of discovering the secret. The great difficulty is to find out how to insert the key, which carries a small moveable bar at one end. If the key is once inserted the puzzle is overcome, as a push throws back the bolt.
- 915.—[No. 7890].—Was a padlock, made in the form of a tiger, and gilt. It was made by Pir Baksh of Lahore, who valued it at 20 Rupees.

A series of neatly made scales and weights for postage purposes was sent from Ludhiana.



CLASS XXVIII.

ORDNANCE, AND ARMS EXHIBITED AS SUCH.

In former days, as already intimated, the art of making swords and guns, as well as of defensive armour, was successfully practised in the Punjab. It is at present only to be found in the workshops of a few artificers, relicts of the Sikh days, and of apprentices who had learnt from them. In Kastmir, however, both swords and firearms are well made, and the sword blades of Peshawur are famous. The cutlers of Sealkot, Nizamabad, and Wazirabad (Gujranwala district), and of Gujrat, are still able to make such weapons, but not of a very good description of metal.

DIVISION I.

ORDNANCE.

It may be as well to make some mention of the art of cannon founding as practised in this country.

The casting of cannons in brass was understood, and a few well finished specimens may be seen in the Luhore Fort Armoury, and one good specimen (Mohamadan work) in the Lahore Museum.

Outside the latter building stands the once celebrated gun called "Zamzama," or "Bhangiwalla töp."

It was cast in the time of Ahmad Shah Dúrání and was evidently considered a wonderful work, even after making allowance for the Oriental metaphors of the inscription.

The gun is 14 feet $4\frac{1}{2}$ inches in length, exclusive of the cascabel, and the aperture of the bore is $9\frac{1}{2}$ inches.

The following is a transcript of the descriptive account placed in the Central Museum.

The great gun called "Zamzama," or the "Bhangianwali töp," was cast A. D. 1761, by Shah Wili Khan, Wazir of Ahmad Shah Dúrání.

After the departure of Ahmad Shah, the gun was left in the possession of the Sikh Sirdars of the Bha i mist (whence its name "Bhangianwali top.") It came to be regarded as a talisman of supremacy arrong the Sikhs. Eventually, Ranjit Singh possessed himself of it, and it was used by him at the siege of Multan, in A. D. 1818. From that date it used to stand at the Delhi gate of Lahore, until removed in 1860.

The gun now stands near the Central Museum, facing the Sadr Bazaar, in which position it was placed on the occasion of the Duke of Edinburgh's visit to Lahore, in February 1870.

The inscription on the gun is translated as follows:-

"By order of the Emperor [Ahmad Shah] Dúr-i-dúrán, Shah Walí Khán, the Wazír, made this gun, named Zamzama, the taker of strongholds,

The work of Shah Nazr.

1

"In the reign of the Emperor, possessing dignity like the Feridan, Dispenser of Justice, robed in equity,

.

[In the reign of] his present Majesty, Ahmad Shah Dúr-i-Dúrán, A Prince occupying a throne mighty as Jamshid's,

3

There was issued unto the Chief Wazir, From the threshold of His Highness,

1

An order to have east, with every possible skill, A gun, terrible as a dragon, and huge as a mountain:

5

[Yea, the order was given] to his heaven-enthroned Majesty's devoted servant, Shah Wali Khán, Wazir.

6

So, in order to effect this great achievement, The master-workman called up his endeavours;

7

Till, with consummate toil, was east This wondrous gun—Zamzama,—

A destroyer even of the strongholds of heaven— Under the auspices of his Majesty.

9

I enquired of Reason for the date of this gun; Reason angrily replied—

10

"If thou wilt give thy life in payment I will repeat to thee the date."

11

I did so, and he replied;—' What a gun is this!'
'The form of a fire raining dragon.'"

The last lines give the chronogram of the date of the gun, 1174 A. H., or 1761 A. D.

The letters in the words have a numerical value, according to the "Abjad" system.

This gun is mounted on a large carriage (takht). The Sikhs used shisham wood for the carriages, but always preferred Kikar (Acacia arabica) for the wheels, on account of its toughness. They thought this of so much importance, that for the supply to the arsenals in Kashmir, the Sikhs attempted to form a plantation of the Kikar in the uncongenial climate of Srinagar, where a few of the trees may still be seen. Besides guns cast in brass, long narrow iron guns may be seen at Lahore, and also a few of wider bore, made of bars of iron secured by iron rings or bands.

Iron small bore cannons, mounted on the wooden saddles of camels were in use, and called Zambúrak.

The principle of making guns in bars with rings, was considered as the early and rude idea, and was abandoned when the art of casting was invented.

The cascabel of a cannon is called "dumeli" or "badeli"; the trunnions "hathúa."

The frame of the carriage on which the gun rests is "parh"; "makki" is the sight mark on the muzzle; and "dídbán" the sight at the other end. The touchhole is called "piála".

Guláb Singh invented a very small gun (of iron) mounted on a small carriage for hill warfare, it was drawn by a man or by a goat.

The "Obchi" or howitzer, was only introduced after the contact of the British power with the Sikhs, and was used to discharge shells (gola-sél) made of zinc, because they did not know how to cast hollow iron shells.

The Obchí is said to be kothídar, or having a chamber at the end of the bore, which the cannon has not.

The shell is made in a mould having a solid centre and a layer of wax over it; over the wax other layers of clays are smeared. The wax is melted (as described at page 141) and thus a hollow is left, which is filled by the melted metal.

An other way is to take an iron "reza," or hollow iron mould, which separates into two halves; each is filled with a mixture of sand and oil, and a wooden ball of the required size first impressed into one half and then into the other: a hollow sphere is thus formed when the halves are closed together, but in the middle, an earthen ball (bacha mitti ka) is fixed to an iron pin, projecting from the bottom of the mould. The bacha" is made of the same size as the interior hollow of the shell is to be. Metal is then poured in.

and spirits.

The mouth of the shell is fitted with a tube of box wood, through which passes a falita (or fatila) or slow match, made of cotton thread soaked with a paste of powder

The "obchi" was made for shells of 10 seers, 15 seers, or 20 to 25 seers.

The next kind of gun to be described is the "Hoth"-always constructed of the length of nine times the diameter of the aperture; either shell or shot could be fired, and could be sent much further than by the obchi. This gun was also made without a chamber (kothí.)

The large mortar was called "Ghubára;" the length of the piece being half as much again as the diameter of the mouth: it was made of gun metal, never of iron.

Large shells were made with a series of thin iron bars, called "kapanch" inside. This was done by simply taking an earthen bacha, or ball, to keep the centre clear, over this the iron bars were arranged all round, fixed with wire at the bottom and round the neck. Over this frame wax was spread, and Each kapanch was shaped thus < then earth. The wax being melted out, as before described, and metal poured in. When the shell case was thus complete, the earthen bacha was broken up, and picked out in pieces, leaving the collection of "kapanchs" inside, which remained attached by the neck to the shell by the contact of the melted metal. The explosion of the shell caused the plates to separate, and a dangerous discharge of these sharp pieces of blade-like metal was the consequence.

Several guns called "jazail" have been used in forts. They are merely very large long muskets, so big that a man could not use them.

These particulars were given me by Nidhán Singh, an old man who used to cast guns in the Sikh times. He tells me he has cast 700 pieces in his day, and originally learnt through his father from a Kábulí.

DIVISION II.

FIREARMS FOR WARFARE OR SPORTING PURPOSES.

These will be best illustrated by enumerating, with the addition of descriptive notes, where necessary, the collections sent to the Exhibition of 1864.

AMRITSAR.

916.-[10364].-A pistol (the English term is used in Pánjábí-pistôl.)

917.- [10365].- A blunderbuss, called "karábín" in the vernacular catalogue. It is a short and somewhat wide mouthed piece, but the short and trumpet shape barrelled weapon generally known as the blunderbuss, is not called karábín, but "sher bachá."

918.—[8731]—Matchlocks inlaid with gold.

١

These matchlocks are of the form which will be seen in othe plate representing

- 'a group of arms.' There is one near the right edge of the pillar. It is fired by a "falita" or slow match, and called "bandúk tora dár." This latter word is said to be derived from the "taur" or "tor." the Elephant creeper, the fibrous stalks of which, when dry, were used for slow matches. The air roots of the "pipal" (Ficus religiosa) and of the "bar" (Ficus Indica) are similarly used.
 - "Bandúk pathar kalah."-A long barrelled piece, firing with flint and pan.
- "Bharmár lahori."—A kind of weapon that has both flint and a slow match, in case either should fail to go off. It was invented in Ranjít Singh's time by a Hindústaní called Mirza Bharmar, whence the name.
- "Rafl."—This is merely a corruption of the English term rifle, and is made on the European model.
- "Bandúk masála-dar"—"Masála-dar" means a weapon that is fired by a cap containing the explosive composition or "masála."
 - "Karábín."-A short barrelled gun, with the muzzle slightly trumpet-shaped.
- "Sher bachá"-A short barrelled and very trumpet-shaped weapon, not larger however, than a large old-fashioned horse pistol.
 - " Bandúk rakh-dár " has a rifle bore.

PATIALA.

919.—[8107].—An air gun. (This is imitated from the European model.)

SIMLA.

920.- [10301].- A native matchlock-Sirmur State.

DERA ISMAIL KHAN.

921.—[10109].—A Pathan matchlock.

DERA GHAZI KHAN.


- 922.—[10413-34].—A matchlock from the Khurásán, exhibited by the Lund Chief.
 - 923.—[10414-312].—Another from the Bozdár hills.
 - 924.— 10416—314 7.—Another from Rájanpúr.
 - 925 [10417-315].-Another sent by the Gurchain Chief.
 - 926.—[10418-316].—Another from Rájhan by IMAM BAKSH KHAN.

Shooting belts, called "Kamr-khisa," accompany most of these guns. They are furnished with a series of parallel tubes bound together, for holding bullets, a shot flask, a powder horn or "shákh," flint and steel, and a knife.

PESHAWUR.


- 927.—[226].—'Tofung Sindi'—value Rs. 500, from Sind, exhibited by MUHAM-MAD ALI KHAN.
- 928.—[]—' Bandúk mah sipaia'—The long heavy matchlock used by the hill tribes: it is always known by having two prongs or metal supports to steady the barrel,





GROUP OF ARMS.





the weapon being too long and heavy to ensure an accurate shot without such support. Though these guns take a great time to load and adjust, yet, in the hands of \mathbf{A} fridis and others, when they do go off, they prove very deadly weapons.

It is now time to describe the method of making guns and boring the barrels.

The stock of a native gun is an unimportant part, and is generally narrow in form as will be best seen from the plate, showing a group of arms on the wall of the Exhibition of 1864.

The matchlock farthest to the left, and next a huge double-handed sword, is the usual form of a native gun: the one represented is "tora-dár," i. e., fired by a slow match; the stock is of shisham wood. The two guns next to this having curiously carved stocks, so broad at the but end, are from Baháwalpur. The stocks are made of stained shisham, and have some silver and ivory inlaid ornaments. One of the long guns from the Deraját has a sort of knob or pad at the end to protect the user from the effects of the recoil. Such a piece is shewn in the centre of the group in the plate.

The locks of guns need no remark. There is first the simple matchlock, which consists merely of a trigger, with a small bar, which allows the piece of hooked metal which holds the 'falita' or match, to drop and come in contact with the pan; there is also the common flint and steel lock, in no way differing from old fashioned pieces of European manufacture. Such locks as are now made with nipple and cap, are copies of the simple European model.

Gun barrels are made in three ways:-

First the common way, which is inferior; but guns for the rank and file in the Sikh army were thus made. The gun so made is called "patta-ka-bandúk." It consists simply in bending a flat broad bar of iron round a mandrel (láthi) into a tube, and hammering together the edges till they are thoroughly united. One good point about these guns was, that if they burst, which they often did, they did not do much harm.

The second way is to take a series of strands (gaz) of iron: each strand is originally square, and then called kandla, but has to be first twisted, so as to form a spirals sixteen of these strands are then longitudinally arranged round a shaft or "láthí" of iron, and tied in their place with iron wire "Chikní mittí" a sort of fire clay, is next smeared over, and then the barrel is heated, a few inches at a time, and hammered together. The spiral twist of the strands leaves a peculiar water-mark in the iron, hence the barrel made in this second way are called "jauhar-dár."

The third way differs from this, in that no "lathi" is used, and the barrel is made of a spiral band of iron, over which strands are again wound the reverse way. This sort of gun is said to be "churidar."

This species of gun is said to be best made in Baháwálpur and next to that at Kohat. Gun barrels are mostly made with "Guleri" or with "Bajaur" iron.

I shall only add, that in these "watered" guns, the outer surface is either round, or filed into eight facets, whence called "pahldar."

The following account of the Kohat manufacture has been kindly communicated to me by Mr. Robert Egerton, C. S., who saw the process.

"This is the piece of forging from Kohat, which I saw the gunsmiths there do before me in about an hour.

They take a flat bar of Bajaur iron, straighten the edges, and reduce the bar to a uniform thickness by hammering and heating: they then hammer the bar to a point, and work it with a hammer under several heatings to a coil. No rod down the centre is used. The coil is hammered tight by hitting it on the ends, and is welded by covering it with a yellow clay (common at Kohat) and heating it. The clay has a reducing effect, and the surface of the iron becomes very fusible under its influence, so that when heated, the joints of the coil are easily welded with very light hammers and light blows. When the first coil is welded, another coil of finer iron, or of mixed metal, used to give a fine grain, is hammered on, the twist of the coil being reversed so as to break joint with the first coil. The upper coil is welded in the same way as the lower, and the whole mass becomes united.

"The barrel of a long gun is made by the process above described, more strips of iron being welded to the end of the first piece of the coil.

The points about the forging worthy of note appear to me to be-

1st.—The quality of the iron, which is remarkably fine and free from scale in working.

2nd.—The curious effect of the yellow clay. I think the clay should be analysed: its effect on the iron is surprising.

3rd.—The forging being completed without a mandril or any contrivance of preventing the sides of the barrel from collapsing under the blows of the hammer at welding heat."

I may here mention that the broad strip of flattened iron which is made into the inner tube or coil, is called "patta". The thin rod which is used in the outer coil is in its first stage merely a thin square rod, and is called kandla; before its application to the barrel it is twisted into a spiral stick (in the state called "kandla bata hua") and it is this spiral, that when the rod is coiled on the barrel, leaves the water mark.

Gun boring is done as follows:—A gun, smooth-bored, is called sádá (i. e. plain) and rifle-bored is said to be 'rakh-dár."

Every gun barrel, whatever kind of bore it is designed to have, is first cleaned with a number of iron tools called "silai," shaped like the "burkú," which is the next applied.

This is a round iron bar about \(\frac{1}{4} \) inch in diameter, furnished with a handle thus:

1



At the end the bar is squared for about three inches of its length, and the square end is generally made of harder iron than the shaft; this end has also two plates of hard iron (aspát) welded in on either side, so as to give two sharp edges. This tool is touched with oil and forced into the rough barrel, and twisted about till the barrel is smooth inside.

The next tool is a "sáfi," shaped like a burkú, but the squared end is not only three inches, but a foot and a half or more in length, and is armed with welded plates on two of the sides as before, but the plates are not of aspát merely, but of the hardest and finest steel (faulád)

After this, a tool called "nizák" is used.

The nizâk consists of an iron rod about 4 feet long, with a short wooden handle. At the end of a rod are attached by a point, two half circular files, which hang down like the limbs of a flail: the flat sides being together and the file surfaces facing outwards. When put together they form one cylindrical file, which fits the mouth of the gun barrel, and is made to do so accurately by the introduction of one or more slips of leather between the two files.





Section


This is worked up and down the barrel by hand, till the final smoothness and polish are given.

For the smooth bore, the process concludes with the use of the "nizák"

To produce the rifle bore, the above processes are followed, and when the nizák has been applied, the rifle bore tool, "rakh-bur," is applied. This consists of a long shatt of iron, at one end is an iron head shaped thus.








When the end of this is first forced into the barrel, the files make only a slight mark; but as by the working of the files (by the motion presently described) the grooves get deeper, it is necessary to widen the filing end. This is done by knocking the 'patri' farther and farther into the slit, till the greatest distention is produced that can be required. But this file head cannot be merely forced into the barrel and worked straight up and down the groove, but has to be regularly cut in a spiral, hence it is necessary to communicate to the "rakh-bur" an uniform spiral motion, coupled with considerable power.

This is effected by the following piece of simple machinery. First, a long and solid plinth or bench of brickwork and clay (a,a) is built: it is about 7 feet long, $2\frac{1}{2}$ feet high, and 2 feet broad, the surface is not perfectly horizontal, and has one end slightly higher than the other. On the surface of this slope a stout plank is fixed, the end of which projects some distance beyond the plinth. On to this two stout parallel bars (c,c) are fixed; secured at one end by a cross brace (f), in which there is a hole, and a central pole or shaft of hard heavy sâl wood (c) passes through it. The other end of the pole or shaft is held by a moveable cross bit, (f^2) which slides up and down in appropriate grooves in the side bars; the projecting end of the central shaft is furnished with a knob and two stout arms (d), which the workman lays hold of to push the shaft forward and draw it back. The milled head iron shaft carrying the files as before described. (h) is now firmly fixed into the end of the wooden shaft, and the barrel to be bored is fixed with iron staples down to the end of the projecting plank, so that the end of the iron rodenters the mouth of the barrel (g). The arrangement will be easily understood by a glance at the diagram.


As at present described, however, the motion of the central pole or shaft would be straight up and down, whereas it is required to have a spiral motion. The hard wood pole is, therefore, deeply grooved by two spiral incisions, and the upper cross brace f^1 , is perforated, not merely by a round hole, but by a round hole armed with two teeth, which, catching in the groves, cause the shaft, although simply propelled by the arm, to assume a spiral motion.




The barrels are bored usually with four grooves or more, two only are made at a time, and the position of the barrel then changed to receive two more.







w effustrate rifle boring (po 290)



DIVISION III.

SWORDS AND DAGGERS.


Nearly all good blades are imported, and we hear constantly of 'Irání' as a term implying excellence in a sword blade, meaning that it comes from Persia (or from Syria even.)

Sword blades of tolerable quality may perhaps be made by a few remaining workmen in some parts of the Punjab; but not many. The Kashmir State has an armoury in which good blades are still made, or might be made. But the best blades are made beyond Peshawur. The late Colonel James's Settlement Report contains the following brief notice:—

"Sword blades of a coarser quality are manufactured at Peshawur, but those in "greatest request, other than Persia and Damascus blades, are the Teerahi, made in the "Ozuekzye (Urakzai) hills of Teera, at what is known as the Mirzá Kháni factory. The "temper of these swords is highly appreciated, and some, purchased perhaps at a small "price, are valued nearly as much as Iráni blades".

In form the swords do not vary much. The varieties most known in the Punjab are the 'talwar' and 'kirch'; shamsher, the Persian word, is the equivalent of the Hindí talwar.

The talwar has a slight curve in the blade; the handle has either a side guard or not. The straight cross handle shaped in the sketch is generally seen in Persian and Khurasan and Kabul swords.



The basket guard like our Infantry sword, or like the Highland sword, is called "Shabakka".


The "kirch" is a straight sword. The European Infantry sword would be called by this name. The Sikh Artillery men had heavy straight swords with iron or brass guards and hilts.

The "khanjar" is a dagger with a curved blade, like the bichúa, afterwards described, only bigger.

Sword sheaths, "miyan," are made of thin slips of 'sembal' wood, covered with velvet, leather, or kimkhab,

The daggers known in the Punjab are the "katár," the 'pesh kabz,' and the "bichúá." The long Afghan knife is known as "cbhura," and in the Peshawur lists a dagger or knife called "babúdí" appears.





'Katár' is the name of a triangular and heavy bladed dagger, whose chief peculiarity is in the handle, which consists of two side bars to protect the hand, and one cross bar by which it is grasped at right angles to the direction of the blade.

The "peshkabz" has a blade quite straight at the back, and sloping at the edge to a fine point; the handle is usually of shirmahi, the white bone of a large Cetacean, spoken of by Richardson as the "seer-fish," a sort of Tunny.* The sheath, (either of leather or velvet) is worn so as cover a part of the handle.

The "bichúi" is a dagger with a waved blade, and has the handle either of iron gilt and shaped like the sketch, or else has a handle with a side guard also like a sword.


The handles of daggers are often of ivory, of "marpech" or jade, of agate, or of rock crystal.


The blades of all these are often prettily inlaid with gold, and then are described as 'koft,' or 'kár-i-tilá.' The handle of the katár, which is always of steel, is generally inlaid with gold. One of the prettiest daggers of the 'bichúá' kind I have seen, was one found. (not made) at Lahore, which had a hollow-slit cut down both sides of the blade, the slit being filled up by a row of small pearls let in.

Swords are inlaid with gold, usually just below the hilt, for a workman will not spoil the appearance of the water of a fine blade by working it over; but common sword blades are frequently inlaid all over, and especially hunting swords, called "talwar shikargah," which are worked all over with figures of tigers, dogs, antelopes, &c.

^{*} No fish of any -pories has a bone of such a size: the bone is probably of a Cetacean called, I believe, the "black-fish," and common on the Western coast.







GLOTES OF MAJOUR.





Generally, it may be observed for the benefit of those who have a taste for collecting specimens of inlaid armour, the best are those old pieces preserved from the Sikh days, or which have travelled from Kabul or elsewhere. The few remaining workmen (who hold licenses for the purpose, and tell you that they are "licensedir"*) are ready to furbish up and inlay with gold, such weapons, on the conditions of an advance wherewith to purchase the necessary gold wire and other material, and a good long time to do the work in. The latter condition is indispensable, for the work is, in its nature, one of great delicacy, and requires the deliberate and patient work of an oriental hand, and the workmen knowing that they have a monopoly, indulge their fancy as to the amount of labor they choose to undergo in the day.

This is said mostly of the few old armourers who remain at Lahore and Amritsar, reminiscences of the Sikh times: they have each a few apprentices, who will no doubt pursue the trade after them as long as European travellers visit India and demand such wares. These to my mind do better work than the more modern schools of Scalkot and Gujrat, which seem to excel rather in producing caskets and fancy ornamental work, than in the much admired armour and weapon inlaying.

I need not extract from the collection of 1864 a long list of weapons to illustrate the above remarks: there were endless repetitions of the same forms of daggers, each perhaps having its own special merits in design, but offering no tangible feature to discriminate it in a printed list. There were swords of the kinds above described, some new,—some old,—some exhibited for the sake of the blade,—some for the inlaying,—some for the hilt and handle, others for the scabbard gay with jewels and velvet; but the Peshawur list will give an idea of the real varieties of swords made.

I should not, however, omit to mention that Sirdar Bhagwán Singh of Amritsar exhibited two or three swords of an unusual character. One was a huge blade, figured in the plate representing a group of arms, and carrying not only a solid basket hilt of steel, but an arm guard of steel also; there was also a sword of the cut and thrust order, intended to be used double-handed, figured on the upper and extreme left hand of the group, this is called "hata"; it belongs to Hindustan, and is used in show fighting: when very long it is called "saif." Another sword in Sirdar Bhagwán Singh's collection is in the lower part of the group. Still another, but not a Punjab specimen, was a huge kind of broad sword with a round point, used in show-fighting, and called 'katah.'

The Peshawur list contained the following:-

[202].—" Shamsher Misri."—Supposed to be an Egyptian blade, valued at Rs 200.

[203] —" Shamsher Iráni—chinár Jauhar".—An Iráni or Persian blade, with the jauhar or water mark, like the chinár (or grain of plane wood).

[204].—Shamsher dozabánáh. A two 'tongued' or two-edged sword.

[213].—Talwar Tirahi, exhibited by Ghulam Jan, and made in the Tira District already alluded to.

[214].—Shamsher Shah-Husaini Irani—A sword of the Shah Husain fashion (the blade is ribbed longitudinally) from Persia.

^{*} Under the Arms Act.

[216].—Shamsher chinár jauhar Khurásáni—from Khurasán as its name implies.

Then we have knives and daggers. The name of one of these I do not find in any of our dictionaries.

[193].—"Babúdí tilákár," value Rs. 45, by Píra of Peshawur.—A gold inlaid knife or dagger.

[].—Chhurá jauhardár, is an Afghan knife, worth Rs. 120.

Chhurá Tíráhi is from Tíra, as before noted.

[223].—'Kárd khurd.'—Two small knives, one rather larger than the other. These are not used in fighting. "Kárd" is the Persian equivalent to "chhurí."



DIVISION IV.

MISCELLANEOUS.

There is not much of any interest remaining. The defensive armour perhaps is an exception, as it often exhibits skill in taste and workmanship.

In former days finely made chain armour was worn, called "zira:" it was either worn with or without lining. I have seen one suit entirely cased in velvet. There is a short coat, "kurta zira," and leggings, "paijama zira," a helmet called "kulla zira," generally consisted of a globular shaped steel cap, surmounted by a plume, and protected all round, except over the face, by a curtain of chain work.

Over the chain armour the "cháraina" was often worn, consisting of four pieces or curved plates, one for the front of the breast, one behind, and one smaller one for each side, attached by straps; armlets of steel accompanied these. Steel helmets called 'khod' were worn, and were furnished with a sliding bar, which could be slipped down so as to protect the bridge of the nose.

The whole "cháraina," when worn by the Sikh nobility, was beautifully inlaid with gold.

Shields were in former days universally used, and are so still by all the Biloch, Pathán, and Afghán tribes.

In former days they were either of steel inlaid with gold, or of rhinoceros hide (genda) or buffalo hide (the commoner ones), generally studded with four gilt bosses, or one larger boss in the centre; they are always circular, and about 18 to 20 inches in diameter, but the size varies.

Among miscellaneous weapons, the battle axe or "tabar," a broad edged axe, was occasionally used; and the armoury at Lahore contains one (beautifully wrought with steel carved work) said to have belonged to Guru Gobind Singh.

A large iron mace is also in the collection, consisting of a stout short rod, headed with a crown-shaped series of stout steel ribs, projecting or radiating on all sides from the central shaft.

The "chakra," or war quoit, has never been used in recent times, but the 'Nihangs,' or Sikh fanatics, always carried, as part of their strange dress and accountrements, a large quoit, which consists of a large thin circle of steel, the outer edge being sharp.

Bows and arrows, as weapons of defence and offence, are now so out of date, that I could with difficulty find at Lahore or Amritsar a single workman who knew how to make them. They are still carried by the Hill Chiefs of Rajput descent; and a bow is presented as a "nazar," or offering of respect, to a paramount chief or power.

Some of the bows are shaped like ours, viz, a single curve or arc; but those in the hills are mostly made with a double curve, like what we now see in pictures and sculptures as "Cupid's" bow.

The bow consists of a central piece, often of horn or bone, and to this two other flexible pieces are joined and firmly bound; these are made of mulberry wood, first inserted into the centre block or hand-piece, and then bound with strips of catgut or thin hide; they are tipped very skilfully with horn: the whole bow is then painted, ornamented with flower patterns in gold and colors, and varnished. The bow string is of crimson silk tipped with catgut loops to attach it to the bow.

The arrows are straight shafts of the munj grass stem (kána), and tipped with solid points of steel; the feather apparently of some kind of grey goose,—called "'ukáb."

The bows are made by a "kamángar," whose trade is distinct from that of the arrow maker, or "tir-gar. I found one of the latter at Lahore, who gave me the following account of his tools.

His implements are :-

- "Kálib"—an iron tube or mould through which the kana or shaft of the arrow, made of kana grass, is passed, to straighten it and pare off knots, &c.: it is heated if required.
 - " Tirpai"—work stool.
 - " Barma "-to bore holes.

Arrow head or "phal," which is made for him by an ironmonger.

The arrow shaft is headed with wood, neatly bound on, so as to bear the incision of a nick to eatch the bow string: the nick is called "bágar;" the feather is made by attaching the feather stripped off the quill with glue to the shaft—four feathers are applied to each arrow.

CLASS XXIX.

IMPLEMENTS USED IN TRADES AND OCCUPATIONS.

DIVISION I.

IN MANUAL TRADES.

This Division is, I fear, a very miscellaneous one, nor have I any explanation to offer of the arrangement, or even of the contents of the pages devoted to it.

Wherever it was possible, in describing special manufactures, I have included a description of the tools or machinery employed in the production, and hence there would be no object in repeating them here.

In some few cases, however, I had either omitted the details, which it afterwards occurred to me might be useful, or I had not obtained the requisite information; for it is literally impossible to understand from a native description, unaided by any diagrams, the tools and appliances used in the various handicrafts. It is necessary to go to the workshop and see both the form and use of each kind for oneself.

But there are not a few trades and occupations which could not be separately described except through the medium of a class like this, and on such grounds, I trust, the disorderly appearance of this chapter will meet with indulgence.


It opens with some details of tools used in trades already described. Thus, we have the tools of the weaver, the silk fringe-maker, and the silk dyer, also the workman who crimps and pleats cloth, a fashion once extensively in vogue.


Then follow the implements of the following trades, which, as before suggested, are merely residuary, and purposely exclusive of all such trades and occupations as have been otherwise noticed in the preceding pages.

Carpenter, Metal cleaner and armourer, Coiner, Needle maker, Tinman, Pipe stem maker, Kite maker, Firework maker. Mat weaver, Rope maker, Gilt leather maker, Book-binder. Cobbler and Saddler, Paper maker, Stone cutter, Mill-stone rougher,

- " Mistrí, or tarkhán."
 " Siklígar."
 " Tangsáliya."
 " Sozangar."
 " Tíngar."
 " Necháband."
 " Patangsáz."
 " Atishbáz."
 " Boryábáf."
 " Rassi-bat."
 " Pannigar."
- " Mochi and Siráj."
- " Sangtarásh."
 " Chakeráh."

" Jildsáz."







There are a few connected with the supply of articles of food, such as:-

Dosálí.—The man who makes up cups, &c., of leaves, in which confectionery and other edibles are rold.

Halwai.—The sweetmeat maker.

Tanirgar.—The cheese maker.

Pápargar.—A man who grinds pulse, and also makes a sort of thin cake or biscuit called pápar.

Bharpúnjá.—A grain parcher.

And lastly some miscellaneous trades: -

The tobacconist (Tamáku farosh.)

Soap-boiler (Sábungar)

Ink seller (Siyahi farosh.)

Wrestler (Pahlwán.)

Tight-rope dancer (Bázígar.)

" JULA'."--- WEAVER.

The parts of the loom can be understood by reference to the diagram annexed. Beginning with the front we have--

- (a.) The "Tur," or beam on which the cloth is wound as fast as woven. It is supported between—
 - (b.) "Mekh," two upright posts, and the tur beam is turned by means of-
 - (c.) "Girdhának," a straight stick passing through a hole in the "tur."
- (d) Tani is the web. The method of preparing it has already been described. I should mention that the web is kept extended at the point where the finished fabric commences by a stick underneath. The stick is furnished with an iron-point at cither end, which is stuck into the edge of the cloth; this is called "panak"

In order to keep the upper and under threads of the web separate, moveable sticks are inserted at intervals. When it is desired to push them forward as the work progresses, the weaver beats the web with a stick called "channi," and the jarring thus produced shakes the sticks forward

The other end of the web, or that farthest from the "tur," is held by a rope, "láns," fixed to a short peg in the wall.

The weaver seats himself on the ground in front of the tur, his feet being in a hole dug underneath. In front of him hangs the "shána" (c.) or comb, which consists of a number of fine sl'ps of bumboo and keeps all the threads distinct.

The "hathá" (f, f) is a rather heavy wooden frame, which fits over the "shána," and is suspended from the roof; it moves backwards and forwards, and as soon as the shuttle has passed between the threads of the web, the workman pulls the hathá forward and strikes the thread home, thus compacting and closing up the yeaving as it progresses.

Behind the shana and hatha hang (g,) the heddle called "tac') "we two in a plain loom, four in a "kless ball" loom—by means of which the thread, of the web are alternately brought over and under each other.

This is shown separately in the diagram to avoid confusion. The heddle consists simply of a pair of light bits of kána or reed, with a series of threads, which have to be passed on to the warp before the loom is set up. They are suspended from a stick called "kalá" (h.) and ultimately to the roof of the building. The heddles are weighted and kept in place by sticks under the warp, having notched ends and called "painsar" (i.). The treddle underneath, by which the rach is raised, is called "karáon" (k).

The shuttle is called nāl, and is made of Khair wood (Acacia catechu). It is shaped like a small boat, having a spool of thread inside, which can be removed when the thread is expended, and replaced by another full one.

The thread when woven is first wound on to a skeleton drum, called "dhera," supported in a square and light wooden frame called "uri"; from this the thread is woven off on to the spools or shuttle spikes by means of the "charkha" already described (see page 1 et eq of this volume.)

Silk weaving is described at page 61; and shawl weaving, which has a special kind of loom, at page 38, and there is an illustration taken from a photograph of a loom which was at work in the Exhibition of 1864.

UTU-KASH-ONE WHO PLEATS AND PINKS CLOTH.

- (1.) Matt-large earthen vessel with a narrow mouth and broader base, which, being inverted, serves as a table or stand to work on.
 - (2.) Angiti-small furnace.
 - (3) Phátrí-a curved iron like a small sickle.
 - (4.) Charcoal.
 - (5.) Fan.

This art is not so much followed as formerly. Gentlemen would have the whole coat pleated over in a chequered pattern, or even in arabesque or flowered pattern. This was much in fashion in the Sikh army. The pleating could be done on any material, silk muslin or satin. It is rarely seen now.

ILA'KABAND or PATHOLI.—FANCY SILK AND FRINGE MAKER.

His tools are -

An "adda"—upright stick stuck on a flat stand, serving to fasten the ends of threal in plaining, fringe making &c., 'silai,' or steel spaces, scissors, and needles.

He makes fringe, fancy buttons, borders, plaited strings for necklaces, izarbands or nettel silk girdles, tassels, and the like.

He makes also gold ribbon of the kind called kaitún, and fringe, on a tiny kind of loon which has no frame work, and moreover is worked sideways. The ordinary loom has its to but right angles to the workman's body + this is parallel to it. The threads are changed not by heldles, but by small leather adjuncts called "kathila," which are simply turned by the hand to invert the web threads.

Finge is made partly in this manner; the tags of the fringe being made by hand and the edging which holds them in place on the loom.

" PATRANG"-SILK DYER.

His tools are -

- 'Karah '-iron flat caldron.
- 'Deg'-caldron.
- 'Kunál'-earthen 'naund' to hold alum solution; another to hold sajjí solution.
- 'Danda kasanwala'-stout sticks used in applying force to wring out the wet 'lachha' or skeins of silk.
 - 'Danda chalaiwála,'—for the same purpose.
 - 'Dandí jóriwáli'—a small sized stick.
 - 'Chattu,'-large wooden mortar with its "molá," or pestle.
 - 'Hangi'-large horse hair sieve.
 - 'Sil-batta'-stone and pestle for grinding up dye stuffs.

Ropes and bamboos.

'Pírí,' a stand or frame to support a deg or a strainer, over the receptacle below.

The dyeing processes have been elsewhere described.

"MISTRI" or "TARKHA'N"-CARPENTER.

His tools are as follows:--

'Tesha,' (or basola) adze. Carpenters are very clever in using this tool, and with it they will do a number of operations for which other and special tools are provided. In the hills a small adze is usel, called "bela" This is smaller and lighter than the regular adze, and moreover the edge is curved.

The specimen I am describing from came from the Pangi province of the Chamba State, on the Upper Chenab river. The coarse, but nevertheless effective and well designed carving on old houses, 'nāgs' and temples in the hills, is almost always done with a tool of this kind.*

- 'Kuhárí or kulhára'—is the ordinary work axe.
- 'A'rà," ' árí "-saws, small and large.
- 'Parnái'-a small and narrow bladel saw.
- 'Martol,' or "hathaurá", "hathaurí"—hammers.
- 'Ghan,' a large sledge hammer, mostly used by wheel-rights.
- 'Barma kumáncha'—is the revolving awl, workel by a bow with a leathern string, which supplies the place of our gimblet, and also of our centre bit. The awl is made of various breadths: a point of any size can be fitted into the handle at pleasure. The leather string (called "tandi,") of the bow is twisted round the moveable wooden reel in the centre of the handle, and by a saw like action the tool is kept revolving.

Chisels are used as follows:-

- "Sathrá"—a large chisel.
- "Sathri"-a small do.
- "Chaurasi"-a sort of chisel which has a narrow stem spreading out into a broad edge.
- * A drawing of a bit of this careng will be found faith rong Class -1 1/2 tor? Control taxes.)

"Chauras bírá"--a very narrow chisel, shaped



"Gird or "gol bira"—a small chisel with a round edge.

- "Chapá-bírá"—a small gouge or curved chisel for cutting grooves.
- "Mivangi"-another, only smaller.
- "Nok"—a chisel like the chauras birá, only again filed off till the edge is reduced to a sharp point.

The planes are -

- " Randá"—common plane.
- "Dráz"—a narrow plane for squaring and straightening edges.
- "Golah"— a small plane with the blade semi-circular, so as to make a rounded moulding at the edge of a plank, &c.
- " Cheri-randá "-a plane for bevelling edges, &c.
- "Gilmi-randa"-a plane for cutting out a groove.

Carpenter's files are -

- " Kanni-reti"—a two bladed file for sharpening and setting saws,
- " Chossa "—a coarse rasp.
- "Reti"-files of sorts. Nim-gird, ("half round" file) &c.

And he also requries -

- "Gunyá"—the carpenter's square or gnomon.
- "Parkár"-compasses of iron.
- "Khatkash" -- a tool to mark lines on planks; being an iron spike in a wooden handle.
- " Ningáz"—a foot and a half rule.

The sawyer, called 'parnáí-kash,' or "árc-kash.' uses only one implement that need be alluded to, riz., his adda or triangular prop, whereby he supports, in a tilted position, the log he intends to saw up. It consists simply of a triangular arrangement of bars, the thud bar being moveable, so as to adjust the opening to the size of the log.

SAIKALGAR or SIKLIGAR (corruptly) CLEANER OF ARMS AND METAL WORK.

His implements are-

- "Sán"—a grinding and polishing wheel; and "diwâl charmi," a leather rope, which is passed over the end of the axle of the sán, and is alternately pulled by either of two men scated at opposite sides; this causes the sán to revolve. It is larger and heavier than the whoel used by the 'hakkak' (q, r,) and so cannot be turned by the bow and string. Two uprochts, or "kel," support the sán.
 - "Kurund"-corundum or emery.
- "Rin lá" -flat e læd scrapers, made like the blade of a plane and used for scraping iron. They are made of various sizes.
- "Miskala"—an iron polisher shape I like a crescent; held by one point, or by both if a flat surface has to be polished.

Horn polisher—piece of horn let into a flat handle.

- "Patri" --- a stone slab for a hone.
- "Kaf"—a mixture of oil and corundum or emery, which is rubbed on the article to be cleaned, after which it is scraped with a randá.
- "Gaddi," a pad of woollen cloth, on which the article is polished. It gets in time a coating of oil and corundum because of the rubbing that comes off the articles polished.
 - "Tor áham."-a pick to clean out holes, tubes, &c.

TANGSA'LIYA.-Coiner.

His implements are—

- 'Bhatti '--forge,
- 'Kalwang'-bellows.

Pincers, anvil, hammers, as in other trades.

- 'Reza'-a narrow ingot mould.
- 'Kutháli '—a crucible,
- 'Chimta'—tongs.
- ' Wadhan '-a sledge hammer.
- 'Tappa'—die with which coin is struck. A bit of rounded and weighed silver is placed between two dies, and both sides struck at once with a sledge hammer.


This represents the old fashion of mint work.

SOZAN GAR.—NEEDLEMAKER.

This man makes large needles of iron wire, still used by colblers and for coarse work, as they sell at four annas or five annas a thousand: the thinner they are the more they cost.

"Iron wire is taken, and a prescribed length cut off with a pair of heavy nippers called "kainth;" a blow with a hammer on a flat anvil, on one end of the wire, flattens it to receive the eye. The needle is then dressed to make it straight by rolling it under a wooden pin on a slightly concave surface of a thick wooden stick. These are called "darári-danda," or "mathána-danda." The needle is sharpened with a file, and then ground on a wheel. This wheel is a vertical shalt about a foot long, shod with an iron point, which revolves in the ground, and the upper end being a point which runs into a wooden arm or transverse bar, which is supported by a wooden rest.

This wheel, called 'charkh' or "bartá," is a mass of lac and corundum melted to-



gether. It is set spinning by a bow and leather string, as is usual in all apparatus when a rotatory motion is required. After the polishing the eye is bored with a "barma," but the barma consists of a mere iron silai or spike with a hollow bit of cocoa-nut shell called "toi," which forms the handle on which the workman's hand rests, while the spike revolves with the action of the bow string (See illustration under "Pearl Berer" page 192.)

The needles are polished by being rolled upon a piece of leather with some "chân," or bran of wheat, and a little water; being rolled and rubbed together, they get smooth. About 250 are made in a day.

TIN GAR (sic). (TIN-MAN.)

His tools require no mention. The iron with which he heats the solder or "ranga" is called 'kabya' or 'kawya.'

NECHABAND .- PIPE STEM MAKER.

They take a small bamboo of the hollow stemmed kind (the Arundinaria falcato or Nírgál of the higher hills) and place it on a sort of iron neck or vice, supported on three feet, (called sipáwa,) over a charcoal fire; they are thus able to bend the tube to the angle required for the huka stem (see plate at page 288, volume I). When the bend is effected, and the stem is cool, it is sawn to size with a small saw; they tie cloth over the outside, and then insert into the end a stout curved iron wire, which is roughed all over so as to stick to the inside of the tube; this gives them a handle whereby to spin the tube round and round while they ward silk or gold thread on for ornament. The iron is called "tôr.

A long iron wire, similarly roughed with points, like the twig of a fir tree, is called nimgaza, and is used for hollowing out and clearing the inside of the tube.

The tube of a huka which supports the chilam or bowl is made of a hollow reed (narí or nai-ábí) and the smoking tube of the small bamboo. The tube of a "pechwán" is made of a coil of zinc wire covered first with birch bark, then with cloth.

PATANG-SAZ.-KITE-MAKER.

The passion of the people for kite-flying may be understood by the maker having a separate trade.

He requires only knife, seissors, a board, a pestle and mortar, a "dullu," a round earthen vessel to hold water and a big shell to polish the paper.

The kites are made of thin bamboo, and polished paper. The form of kite is usually that of a rude attempt at the outline of a butterfly or bird. The kite-flying that is most fashionable, is that by two opponents, each of whom endeavours to cut the other's string. For this purpose the kite-maker covers the string with a colored paste called "májha," consisting of ground glass and corundum mixed with flour paste and red lead.

ATISH BA'Z-FIREWORK MAKER.

- "Mohla"—wooden pestle, thin in the middle for the better grasp of the workman's hand, and thick and cylindrical at either end; this is used for pounding up the saltpetre &c., in the—
- "Chattu" -or mortar, both being made of mango wood to prevent the possibility of striking fire. Only the rough pounding is done in this.
 - "Chakki" flat circular mill or grindstone for grinding materials.
- "Caap"—a sort of basket or frame in which material is winnowed from dust and dirt, by being jerked up and down.

- "Channi"—a seive of horse hair, or of pierced parelement.
- "Sáncha"—a mould or pattern tube to guide the size of the tubes in which the fireworks are formed.
 - "Sil batta," grindstone and slab for grinding.
- "Levi," paste, and "san" for tying up &c. Nearly all the binding of rockets and tying up tubes &c., is done with strips of untwisted 'san' dipped in paste. This, when dry, is an excessively tight and firm binding.
 - "Khurpí," small scraper.
 - "Kharcha," small ladle for filling tubes with composition, &c.
 - "Tesha," adze.
 - "Hathaura," hammer or mallet.
 - "Barma," awl or centre bit.

Small saw.

Materials required- →

Paper, bamboo, jillí (gold-beater's skin), charcoal, sulphur, saltpetre, "deg" steel filings brought from Hindustan - common iron filings are not used.

Hártál (orpiment) gives a blue color; Mansil (realgar) (written m my vernacular list manchir) gives white.

The gold-beater's skin is used to bind over certain tubes to prevent the material burning too fast, or bursting all at once.

BORYA BA'F-MAT WEAVER.

His tools are—

3.

Wooden pegs; string and rope; "hatta" a long beam perforated with holes. This last forms the 'weiver's beam,' though which the moonj strings for the web of the mat are passed and thus kept in place; the other ends of the strings, at the extremity of the intended length of the mat, are fixed to a bamboo, which is kept in its place by wooden pegs. The material used is the dry flag, $T_{qq}hrangurffolm$, (dib), which is objected in bundles. When required for work, a ban hall of the long leaves is taken, slightly damped and made flexible with blows from a wooden mallet.

Matting made of date palm is done without any string web; broad plaits of the fibre are made and stitched together.

RASSI-BAT-ROPE TWISTER.

They have a wooden loard shaped as fig. I pierced with holes, called "charkh"; through these are passed sticks, usubly roughly broken off boughs of a tree shaped as fig. 2 and called "sabila"; the kinet on the shoulder keeps the stick from passing through the hole altogether. To the short end of each stick a length of rope-hemp, or other material, is tied. The perforated board is now fixed firmly to two uprights, and a second and similar perforated board is put over the long ends of the sticks and is turned round and round; this causes the short ends of the sticks, with the hemp strands attached, to revolve, and thus the strands are twisted together. To secure uniformity, the strands ('lár') are Passed over a wooden block called "Lâlbút" (fig. 3) with grooves in it; beyond this the ends

of the strands are caught by a hook, which hook is fixed to the end of a bit of rope, which is made fast to a weight. (When seven strands are required, then one strand passes though a hole bored in the middle of the block). The block is at the end of the strands furthest from the turning board, and close to the weight; as the rope is formed the closing strands force the block forward, as fig. 4.

String is made by twisting on a big wooden spindle called "taowir," suspended by leather thougs.

For rope which is not sufficiently thick to require the first described apparatus, they use a mere wooden frame, carrying four revolving spools at the corners, each spool ends in a hook, to which the strands to be twisted are tied. The spools are set revolving with a band passed over them and a fly-wheel or charkha. This frame is called "takla."

PANNIGAR-GILT LEATHER MAKER.

His implements are, a file, a flat stone, leather, "raughan guna," silver leaf.

They take small pieces of sheep skin, six fingers long and four broad, called "panni," and place them on the stone, where they are carefully scraped; then they place the silver leaf over the leather, and fix it there with a size made by boiling the gelatinous tendons of the goat's foot with nishásta (wheat starch). The silver being fixed, it is burnished (jilá kiya játa) with agate, and varnished with a yellow varnish consisting of copal (sundras) boiled in linseed oil and colored yellow with musabbar (bitter aloes). The finished leather is of a coarse brassy color. Panni is very cheap, a piece only costing a few pies: it is used in native saddlery and shoemaking.

JILD SAZ-BOOK-BINDER.

The book-binder uses these tools :-

- 'Kap.'-A curved knife for cutting paper.
- 'Sil.'-A stone tablet.
- 'Koba.'—A mallet to beat paste-board covers, &c.
- 'Sui.'-Needle, and
- 'Rambhi, a leather cutting chisel with slanting edge; also rulers; serew press called 'sikanja,' seissors, &c.; chední, a tool like a rambhi, but with a straight edge, for scraping leather; 'chossa,' a rasp, to smooth the edge of paper.

MOCHI-COBBLER; AND SIRA'J-SADDLER.


They use the following tools:—

A r-awls of sizes, being made with tapering points, but thick and heavy above, and short flat heavy handles, thus,










to jace page 304



An awl with a little notch in the side of the point, to allow the thread being passed over it at the time of boring the hole, is called 'ar kundiwalla.'

- "Chedni" is a tool for paring and scraping leather thm; it is an iron blade coming to a broad slanting edge, and is fixed in a turnip-shaped handle of wood.
- "Chirni" is a sharp slant-edged tool for cutting leather. The leather to be cut is placed on a flat tabular wedge of wood called 'katira': this is made of 'karil' wood, so as not to turn the edge of the tools.
 - "Koba" is the squat-formed pounder or mallet used for beating leather.

The saddler has a wooden 'tree' to make up his saddles with, called 'kátra.' The shoe-maker requires a "kalbut" or last, with "phárá" or we lge to make it fit. Both artizans use a 'pharni,' or tool for polishing leather, and a gota chobí, a wooden bar cut to an edge for a similar purpose. They have also a 'gamcha' or little lump of dough, with which they clean the tinsel or lace they put on their work.

PAPER-MAKER.

The implements of a paper-maker have been already partly described in the course of the description of paper making given at pages 92 and 93.

The pounding apparatus is called "jandar."

The frame which carries the fine screen on which the pulp is deposited to form the sheet is called "kháshí."

"Mir" is the screen laid over it, and formed of a scries of parallel stalks of the "panni" grass, sele tell for their evenness and thumess. Two sticks, used to extend the 'mir' and keep it straight on the kháshí at either side, are called "such."

The brush for spreading the paper against the prepared wall to dry is called dastina.

SANGTARA'SH-STONE-CUTTER.

His tools are-

Hathaura, -hammer; and "gan," sledge hammer.

Táuchi (of sorts) - stone cutting chisels without handles.

"Cbint"-a chisel for dressing or squaring building stones.

"Tánki "-a thin flat chisel of hard steel for splitting slates.

Tirpái-(stool) to put the work on.

Gunyá and parkár-gnomon and compasses.

Sohán—a rasp or coarse file.

Pathri—a hone to sharpen chisels.

A copper saw.

An iron do.

A large cross-saw, worked with sand.

Sán-a polishing wheel.

Kurand—corundum powder

Barcá—a wooden bar covered with a mixture of lac and corundum, used for polishing.

"Pacharkári" is the art of joining in stone. The Pacharkár has small tánchis, hammers, a small saw, schán, iron wire, bow with iron wire for cutting stone, a tube, which being worked with corundum powder, bores a hole and withdraws the interior cylinder; a 'barma' is also used.

In quarrying &c, the following tools are used:

- "Karandi"—the scoop (a long wire with spoon shaped scoop at the end) for cleaning blast holes.
 - " A'gal "-erowbar.
- "Jabbal"—jumper used for smaller blast holes, being pointed at either end and bulging in the middle.
 - "Min"—("Dig" lower down, but both in hill districts) a lever.

CHAKI RAH-MILLSTONE ROUGHER.

The millstone rougher's whole business is to rasp or roughen the surface of the grindstones. This he does with a small pick or hammer called "chakiráh."

DOSA'LI.

A class of people who make "dhana," (little cups) and "pattal," (plates) out of leaves, in which Hindus cat food or carry sweetmeats from the shops, &c. They fasten the leaves together with the strips of the bark or sheath "tili" gathered from the stalks of the "munj," and even work patterns on the leaves with thin strips of the same. They originally were hill people, but some few are found in Lahore, Amritsar, and elsewhere.

HALWAI-SWEETMEAT SELLER.

The halwai or sweetmeat maker uses the following vessels-

Karáh and karáhi-open iron hemispherical cauldrons.

Thal—plates of brass, or trays.

Khwancha—large brass tray. The itinerent seller carries one of them to hold his wares when selling: he supports the tray on a sort of stool made of kana reed, called "tarauni."

Tawá—an iron plate for baking.

Dors-a cup the hel to a rod, or deep ladle.

Pauni—a c. dender (various sorts) some to drop 'bedána' through, (which consists of drops of thin paste passed into ghee and fried,) some to make "bundi," which is finer.

Belna and chakla-paste roller and board.

Khurpi—an edged tool for scraping the inside of kettles and pots.

Knives (churi).

Masad chobi-a round mallet used in beating the sugar used in making "halwa."

Sieves (channi).

Wooden moulds to make sugar images in, as used on festival days.

Dábí-a wooden scraper.

PANIRGAR-CHEESE-MAKER.

His implements are-

Chiku-a shape or mould made of bamboo in which cheeses are made.

An iron pan (karáhí).

Shirdán-rennet?

Dori-an iron strainer to separate the curd.

Bojha, a stone weight to press the cheese

Natives have only one kind of cheese. They heat the milk first, using ewe's milk, goat's, cow's or buffalo's; of these ewe's milk is mostly used,—and then stir it with rennet mixture. The curd is placed in the mould or chiká, which is first lined with cloth, and is then pressed with the addition of a little salt. These chooses do not keep long. Kabulí cheese is imported into the Punjab. A cheese made as above is ready for use in a few hours after pressing; the cloth is changed twice during the process.

PATPARGAR-PULSE GRINDER AND "PATPAR" MAKER.

This man makes "pápar," that is to say, thin flat cakes made by mixing mûng or mâh (pulse) flour with salt, black papper, spaces, zira, & z., into a paste with water, and then rolling it out with a rolling pin.

They first of all take dál or split pulse, soak it in water, a ld the spices, and make it up into little balls of the weight of halt a chitták each, one ball rolled out thin makes a pápar. This is a separate trade.

Pápargars only make these cikes, or else "baryín," a km l of fried savory cake, or "piti," which consists of mah pulse ground up with water, and is sold in that state, being cooked according to taste by the purchaser. They also grind up grain in the same way, and sell it to halwars, who make the sweeting at called "hell 14" out of it.

BHA'RPUNJA OR BHA'RPUNJA-GRAIN PARCHER.

His implements are —

Kaunchá—shovel to take out the sand, which they first heat in the oven and afterwards use to parch grain on.

Kharchá—a ladle.

Bhatti-the oven.

Kárchí-iron plate.

Chánní -sieve, and "chaj." winnowing basket.

" Daur "-earthen vessel like a naund.

Sand.

"Muttha till"—a sort of whish or brush, with which, and along with sand in the karahi over the fire.

"Hathikra gilli"—a hollow earthen vessel filled with kunkur to make it heavy, and then used as a pestle in crushing parched pulse so as to make it into dal or split pulse.

TOBACCONIST.

Requires only a bit of matting or taut to spread the tobacco on, and a "mungli" or wooden mallet to bruise it with; a "toka" or small chopper to cut it up, and a "channi" or iron sieve to sift out the coarse bits of stalk.

The powdered tobacco is mixed with molasses and beaten with the mungli: some people add sajji to make it strong.

To make tobacco into the "khamira," or mixture for smoking by wealthy persons various spices and perfumes are added, and apple preserve, &c.

Hindustanis chew tobacco with lime or betel nut; Punjabis do not.

SA'BUNGAR-SOAP-BOILER.

His implements are—

Kunál-earthen cauldron.

Chamcha-ladles.

Cháhbacha-small masonry tanks.

Pahauri-a wooden scraper.

Dora - a deep ladle, with a cup attached to a stick.

Channí-a sieve.

Karáhí—a cauldron, or curved iron pan, used by a soap boiler, is built into masonry, so as to form a fire-proof bottom to the tank, and then the soap lye is boiled in it.

Twelve maunds of crude soda (sajjí) and 6 maunds of whitewash (kalaí) are mixed in a masonry tank (cháhbacha) and sufficient water pound over them to cause the water to stand two fingers depth over the mixture; after being well stirred it is left to settle. The clear liquor is drawn off into a second tank placed below the first, and then into a third, in which it is mixed with 20 maunds of sweet oil: the mixture is stirred and left to stand for 15 or 20 days; after which it is put into the tank with an iron bottom and a fire place underneath (bakhárí). It is well boiled. Sweet oil is used (viz., sesamum oil) not "saron" (rape seed), which yields a coarse, hard, and insoluble soap.

INK-SELLER.

Boils his lamp black with gum in a karahí, and when boiled down thick, either makes it into little balls with his fingers for sale, or smears it on a reed frame called 'pathhal,' off which it falls in scales and is collected when dry.

PAHLWA'N-WRESTLER.

He uses the following weapons:-

- " Múnglí "—the callister or Indian sceptre.
- "Bugdar"-short cylinders of wood, with a place cut out in the side for a handle.

"Sangtúr or Sangtola"—a much longer wooden cylinder, three or four feet long, which is held by handles cut out in the thickness of the wood, raised with both hands, and thrown backward over the head.

"Tamán"—a sort of bow, the extension of which strengthens the muscles of the arm.

The clothes they wear consist of a 'samosa,' or head cloth, worn to keep the hair confined. 'Khainch' ornamental strips of cloth, worn on the hips and hanging down on either side; 'langoti and jangya'—short drawers and waist-cloth.

BA'ZIGAR-TIGHT ROPE DANCER.

His apparatus consists of a stout bamboo pole held by four stays; up this he climbs and fixes on the top a "patri" or small wooden stage, or toot-board, from which he exhibits feats.

He dances on a rough rope or on a slippery one; the latter is called "nára," or rope of leather thougs. He ties a cow's horn to each ankle, so that the tip of the horn may curve outwards; he then walks on the rope, the rope being between the sole of his foot and the curved horn, he is thus enabled to maintain a balance on the smooth surface. On a common hemp rope he dances with the aid of the balancing pole. He generally makes a show of lifting heavy beams called "sohága," and jumping over several camels placed side by side. These people mostly come from Rajauri and Punch, and are said to be Kashmírís.

The "lakribáz" is also a performer of this class: he fights with the 'gatka' or basket-hilted singlestick, also with the 'bānk,' a huge two-handed straight bladed sword; or with the "saif" or "phatá," a kind of broad-sword; he performs tricks also with the "maratti," a bamboo pole with a lighted torch at either end,

DIVISION II.

AGRICULTURAL IMPLEMENTS.

Under the division of agricutural implements I have included those rude machines which are used for cotton cleaning, oil pressing, sugar-cane crushing, and raising water from wells. I have also taken occasion to note some experiments which were instituted to compare the efficiency of the native cotton cleaning apparatus with improved saw and other gins. A series of rude implements will also be mentioned, and all will be described under the three divisions, which in the first volume we found convenient in agricultural matters. Thus we shall have to describe the tools and their names as used in the Punjab, (2) as used in the Cis-Sutlej districts, where the vernaculars approach more to those of Hindustan, and (3) those used in the hills.

The cotton cleaning machines have already been noticed. The separation from the seed is done by passing the cotton through two wooden rollers carried between two uprights; the ends of the rollers are formed into screws, which impinge one on the other, so that when a handle at the opposite end of the upper roller is turned, both upper and lower rollers are moved. The rollers can be adjusted closer to one another, according to the nature of the cotton. Such a machine is called "belna" or "velna" The cotton has to be carded and cleaned, which is done with a "pinjan," which has already been described as like a large strung bow, hung from the roof, and the string twanged and let fly against the cotton with the aid of a small wooden billet held in the hand; the workman is called 'nadif. To supersele these rude processes, which, however, are cheap, and considering all things, wonderfully expeditious, various designs of saw-gins and other machines have been tried.

The following extract from the Report on the Dharwar Cotton-Gin Factory (a Government institution) will explain this subject:—

- "The Supreme Government at Calcutta challenged invention by offering prizes in money of a large amount sufficient to induce the best mechanical skill of the country to enter the lists, and at the appointed trials many and varied inventions and modifications were brought forward, but the result proved that the task had baffled the skill of the competitors, and that the "time honored" churka continued to hold its sway in triumph.
- "One or two points essential to success had been overlooked in all these machines, and though some of them in short trials appeared to give promise of success, and obtained prizes, still, when brought into practical use, it was found that they could not surpass the "churka" even in the single requirement of quantity of out-turn of work, and ultimately all hopes of obtaining such a machine seemed to have been abandoned.
- ⁶ For some years back I have paid very considerable attention to this subject, and after careful practical study succeeded in producing a machine entirely free from the above defects; and, on proceeding to England. I took with me working models of this machine and also supplies of seed cotton. I was thus enabled personally to lay these models before some of the first machinists of the country, and to explain where the former difficulties lay, and the exact nature of the articles now required.

- "Various parties have been engaged, each introducing his own modification with regard to the application of the power &c., but the practical result is the production of machinery which, with the estimated labor of one man, gives an out-turn of upwards of 100 pounds of cotton wool per day, with the additional advantage of allowing no seed to pass through.
- "At the very highest estimate, the quantity of cotton cleaned by the best native churka does not exceed 20 pounds per man per day of 12 hours. With such a great advantage in economy, not to mention expedition also, as well as the yearly increasing scarcity and cost of labour, owing to the amount taken up by railways and other public works, the benefit of such machinery, when it becomes generally known, will be appreciated, and the cleaning of native cotton by its use will in all probability become a separate occupation in itself.
- "The saw-gin destroyed native cotton, and its value was lowered in the market; nevertheless, labor was scarce, and the Broach saw-gin, driven by steam, found ample employment. I saw at that place in the cleaning season of 1859, the carts laden with seed cotton crowding to the gins, and their owners striving for precedence. The exports from Broach at the time at which the above estimate of profits was taken, amounted, I believe, to about 45,000 bales per annum.
- "I may here observe that, although the cultivation of native cotton is capable of extension to an enormous degree, yet the amount of manual labor available is barely sufficient to clean the quantity now produced. Any large extension without the aid of cleaning machinery therefore cannot be expected, and this remark is the more applicable, when it is considered that the chief increase in cotton cultivation must be looked for in new districts, such as those of Central India, where the population is thin and searcely sufficient to till the land."—Report on the Cotton Gin Factory, Dharwar, pages 17 to 19.

I shall merely add a brief table shewing the result of some trials with different kinds of machinery.

It is impossible to go at greater length into the subject in a work devoted to describing the existing manufactures and machinery of the Punjab. Indeed the introduction of even as much as I have admitted can only be justified by the consideration that there has been so much interest excited by the question of cotton gins rersus charkha or belna, that it is difficult to mention the one without some allusion to the other.

RESITETS of several trials made at Nurnachee in 1861-65 with American and English Save and Roller Cotton-Gins upon "Indigenous Sind" (native) and "Multeer grown Egyptian" (exotic) uncleaned cotton.

NIO GO NOLDITAGOSTIC									æ	RF41 LTS.			7	
	Naunsu turer.	Price at Kurriichee	Motor power.	Kind of seed Cotton used in experi- ment.	Time occupied.		Weight of seed cofton used.	Clean cotton		Seeds.	Mores		Clean cotton btanned per hour.	RPMARKS.
	,	,	;		}—				1			<u> </u>	, —	
					hours, minutes lbs	Inute 1	by 10%.	lbs. oz.		IIм. 07. IIм. 02	<u>.</u>		los. oz.	
A cotton-gin of 18 saws, can be c	Carver & Co.,			Mulleer.										evidently better adapted
worked by either power or hand.	Massachusetts	-		grown										lor tong than short-stap- led varieties; does not ap-
	ر. چ.	Rs. 200.	I man.	Egyptian.	•	ניג	21	:	71 **	6.7	:	1 6	31 21	
				Sind mdi-								-		repaired by a smart vil- lage carpenter. Fibre of
	Č.	Do.	Do.	genous.	:	115	:	·	13.51	9		12.51	\$	cienned collon does not appear to be injured.
	Messig, Garnett.			Mulleer-					 -			•		Two men employed in
wide, compact inform, and requir- ing to be fed with cotton seed in	Cleckheaton.			grown		;					}			
. —	Torkshire.	Its. 125.	l man.	Ery ptian.	:	=======================================	:		F1	-	<u>-</u>	<u>-</u>	3	fres and
				Sind indi-										way Seed comes out larily stript of cotton.
	Do.	Do.	Do.	genous.	:	11	_	-	-74 -77	긔	n II	,,3	13	
A Roller gin worked by hand, the	Messrs. Platt			Mulleer.										This gin cleans the cotton well the seeds com-
roller of wood and not covered Brothers and Co about Rs.	rothers and Co	about Rs.		n wind										out out well stript of cotton. Fibre not mjured in the slight of degree
	Oldham.	€	Do.	Egy p tunn.		9	:	:	<u> </u>	. 11.6	:= 	<u>-</u>	ם	
								_						

. W. HUGHES.

Inspector of Cotton of Sund.

Kurruchee, 17th February 1865. The oil pressing machine has already been described. It is called "kohlu."*

The sngar-cone mills have already been described.† The "velna," the one like the oil mill or kohlu, used in the Cis-Sutlej districts, and the one used in Kotar, will be found in Volume I. But I should mention that the plate facing page 304 represents an improved sugar mill invented by Mr. Buchanan of Gujret. Its peculiarity, which the plate cannot show, is that by aid of a curved iron sheet at the back, the canes pass through the upper rollers and into the lower ones again without difficulty. Mr. Buchanan furnished a memo, on this machine, which I append. The plate in Volume I, at page 304, was, I should mention, intended for this volume, but the binder appropriated it for the first, unknown to me!

"This is a model on the scale of \$\frac{1}{2}\$ths the proposed size, designed to be worked by water power, by an endless band attached to a drum fixed to a water-wheel; the water-wheel being erected on the falls of the rajbahas reticulating the Goordaspoor district, or similar falls used by natives for the grain mills, as either undershot or Archimedian fly water-wheel will apply. The principle is that of the mills in general use in the West Indies, but with the addition of another pair of rollers contrived to work in opposition, the contrivance (iron plate directors) is also original. In the West Indies the mills are worked by horses or mules yoked on by levers

"The natives bring forward as a plea for not improving their sugar-cane, that their mills are not suited or powerful enough. Their mills, although showing a fair knowledge of mechanical power—hardly to be expected from them, still requires 16 men and 8 pairs of bullocks to work it for 24 hours, producing but 8 or 9 maunds of goor; this is unnecessarily expensive. Their apparatus is also rude, and it is continually hable to mishaps when working. The working of this machine will not be a quarter as expensive as the other, besides being capable of bruising stiffer cane, and giving a much greater out-turn."

Before taking leave of the sugar-mills, I propose to give an account of the parts of the "Dāl-kohlú," a sugar-mill used in Ambala, and generally in the Cis-Sutlej districts. In these it is seen the rollers (belna) are little if at all used.

The huge hollow mortar or vessel which holds the canes is made of sal (Shorea robusta) or other hard wood, and is called kohlú; it has a rim of iron called "kundal"

The roller which presses the canes is called 'lat,' and is made of kibar or shisham wood. This is kept pressing against the side of the kohlu as it rolls round and round by a beam called "mákri," and to this is attached the long lever, which is moved in a circle by a yoke of cattle, and which walking round and round cause the lat to roll like a huge pestle in a mortar. This lever is called "mának thambá," and at the end of it is the driver's seat "pát".

To work the mill, the lât is removed, cames placed all round the kohlu, and then a huge wooden cup called "dânt roda," like a lining to the kohlu, is put in: thus the cames are enclosed between two walls of wood; the lât is then fixed inside the 'dânt-roda,' and the two being thus pressed together the cames between are strongly crushed; a false wooden bottom is put into the dânt-roda and called "jâr-pichar;" the expressed juice

^{*} See Punjab Products, Volume I, page 431.

[†] Id. Volume I. pp. 205-6 and plates,

runs through this into the kol or hollow receptacle under the kohlu, thence it is drawn by a drain or half-pipe (patnála) into a naund or "kund," a great earthen receptacle.

It is now boiled in a "bel-karahí" and stirred with a short spoon, háthí, or a headed stick called "mūsad." The boiled juice is stored in a large pan called "chákh," being moved there into by aid of a sort of pan called "cháshní.". A long ladle used in helping this operation is called "dhora".

The Plough.—The plough used in the Punjab is a very simple affair. A somewhat long heavy beam, gradually coming to a point at one end, and rounded at the other end, supplies the place of the whole of the ploughshare and other arrangements of an English plough. This beam is called "kur;" it is shod at the point with an iron blade called phāla, which pierces the soil, and the beam behind it getting gradually broader forces the soil of the furrow aside as it advances. The furrow is not of course very deep, but in all soft sand and sailāba soils this cheap plough is quite sufficient.

To continue the description: from the extreme heavy end of the 'kur,' a handle, consisting of a sloping stake and a hand-piece at the top, is erected at a slight angle, by which the ploughman guides the course of the plough; further on, a stout curved beam (sanná) is fixed into the "kur" and slopes away in an opposite direction to the handle or "jangi." This beam gets thinner towards the end, and its elongated end forms the pole on either side of which the oxen are yoked.

The plough-share is made of kíkar or ber wood. When they use the "nali" or tube for drill sowing, they tie it on to the stake called "jangi," which is fixed to the plough handle. The nali is a tube of bamboo, with the mouth rather wide and funnel shaped: it is used in sandy soil for wheat sowing, and in some soils for gram and jowár also—it deposits the grain deeper in the soil than the ordinary hand process.

The bullocks are harnessed by a yoke called panjálí, consisting of two parallel bars, one of which goes above and the other below the neck of the animal; it is fitted with four cross bars, two at either end, between which the neck of the animal is confined. The two outer bars are moveable, in order to let the yoke be put on and taken of. The upper beam of the yoke is called "júla," and the lower "phat;" the inner and fixed crowbars are "mutyá"; the outer moveable bars or pins "arli."


On the subject of ploughs, an extract from the report on the revised Settlement of the Ferozepore district may be given.

"The plough deserves further notice. There are two descriptions of ploughs, one called the "muna," the other the "hal." They will best be understood by the following drawing.—(See sketch facing this page.)

Of these, the minna is considered by far the better sort of plough. It penetrates much deeper into the ground than the hal, and goes deeper and deeper at each successive ploughing, as the surface soil gets more pulverized, but it can only be dragged by strong cattle, and is used only in the rohee. The hal is the plough of the "bhet" lands.* It is a very inferior machine to the minna; it only scratches the surface of the ground, but a heavier plough would be of no use with the small breed of cattle that are alone found in the "bhet."

^{*} Low moist lands near the river,







The parts of the plough given (Amballa d strict) by Ma Waxaan, are as follows: the plough used Cis-Sutlej does not make really differ from that in the Punjab proper.

Hal.—The whole plough.

Halis.—The shaft connecting the plough with the yoke (made of sil wood)

Hal—the wooden beam that carries the ploughshare (made of kikar, shisham or khair wood.)

Pátha-the frame with iron rim (kāt) which holds on the ploughshare.

Phálí-the ploughshare of iron.

Júá-a single yoke for quiet oxen (shisham or tút wood)

Panjálí—a double yoke, into which the necks of oxen are fastened by "gathá" or straps of leather.

Nari or Nurká, leather thong by which the yoke is attached to the shaft (halis.)

Pachwansa—a small wedge by which the phalf or share is firmly fixed into the patha (made of kikar or tut (mulberry) wood.)

Paini-santa—bamboo handle and leather thong forming the ploughman's driving whip. The stick with a goad fixed to it at one end, and a lash at the other, is called "purani" in Punjab.

It now remains to describe the other agricultural tools used in the plains.

Kuhárí or kulhárí—a small, somewhat heavy headed axe, used for wood cutting &c. (Kulhári—Cis-Suttej.)

Dátrí—a curved sickle with a rough serrated edge (Daránti Cis-Sutlej.) See sketch facing next page.

Ramba—a sort of trowel with curved handle (Khúrpa Cis-Sutlej.)

Phaurá or Kasi—the tool shaped like a mattock, but with a broad shovel like blade, that takes the place of our spade. (Phaora, karkasi, Cis-Suthj.)

Thoká— a chopper formed of a wooden handle, or back into which the blade is fixed by two points at either end (Gandása Cis-Suth j.) See sketch facing next page.

Khodál (Cis-Sutlej) a pick for digging kankar.

Kasi or Kasoli (Cis-Sutlej) a shorthand hoe, used for hoeing sugar-cane fields.

Gahan—(Cis-Sutlej) a sort of harrow, for scratching up the ground for rice sowing when the ground is covered with water. It is stuck full of pags about two inches long.

Sohágá—a heavy beam, drawn by horses and oxen, to smooth over the land after sowing &c., (mera or sohága Cis-Sutlej.)

Karáh—a heavy beam or frame of wood, made of pieces nailed together and having an iron plate attached, used for clod crushing and levelling. (Pelna or ád Cos-Sullej) It is drawn by men, two men standing on it to increase the pressure.

Jandra--a large wooden rake, with a long handle and a beam and teeth of kikar. The teeth are not at right angles to the handle, but on the same plane. It is so held at an incline by one man, that it presses against the earth, and then two others, each seizing a rope that is attached just above the teeth-bar, on either side, drag it along. The jandra is used principally on preparing the kvári or small beds for irrigation, with a rim or ledge of earth round the edge to confine the water. (Jandra Cir-Sutley)

Khôpa-leather caps put over the eyes of cattle when working the wells.

The implements used in the threshing floor ('phir') are as follows. The floor i self is selected on a hard clean place, and is 'leped' over with mud, and made perfectly clean and smooth; the cut wheat, &c., being thrown down, it is trodden out by oxen, who drag after them a sort of frame called 'phalá.' This consists of four rough bars or sticks arranged as a frame, and one across the middle, the inside is wattled in with dry twigs and boughs of the cotton plant.

The action of the rough surface of this against the corn, aided by the trampling of the oxen's feet, not only frees the grain, but breaks up the straw into fragments, which forms "bhúsa." When sufficientlytrodden, the whole is tossed and turned with a huge wooden pitch-fork, "tarangri" * (Jeli Cis-Sutlej), consisting of nine long wooden prongs, bound to a stout stem or handle with thongs of raw hide.

The rope that keeps the cattle together in the yoke in threshing floor is called "dáiras" in the Cis-Sutlej, and "jotar" in the Punjab.

In the hills the plough can only be used where there is a tolerably large area for each field; but it often happens that the fields rising in terraces one above the other arounly a few feet in breadth. In such localities the plough gives way to hand hoeing and digging

The plough, when used is just like that of the plains. Some of the tools are especially adapted for stony soil and for breaking up stones too large to move without assistance. The tools are as follows.

Kasi-a small hoe or mattock, with a rather narrow blade and handle, about two feet long.

Mend—a heavy solid bar of iron, about 3 or 4 feet long, set in a wooden handle, used for splitting and breaking stones.

Chikrí—Is made in two shapes : one is a light hand-hoe with the handle a foot long, and the blade crooked; the other (b.) is merely a hooked stick, shod with iron at the point; both are used for digging out weeds and thinning various kinds of crops and loosening the earth round the roots of maize, &c.

Rambhi—a hoe like the 'Phaora,' the blade about four inches broad, used in rice fields only.

Besides these several of the Hill States of Simla, sent.

Daránti-the curved sickle not unlike that used in the plains,


Dhángrá or Dhángrí—a small axe. (Gandása in Kanaiti.)

Kudáli—a small hooked hoe or pick.


The 'Kudáli' of the Bhagal State is a mere bit of hard wood hooked and pointed. The point has been heated in the fire to harden it.

The reaping hooks or sickles have rather the iron part of the handles longer than those of the plains.

^{*} a similar tool with five prongs is called Panjangula.











In Kangra the	e fol	lowing implements are used :-			
Hal and Lohála,		Plough and Ploughshare, (cost	-,)	Rs.	$\overset{-}{\overset{-}{0}}$
Máhi,	•••	A heavy horizontal block of wood dragged by oxen smoothing surface of a field,		į.	3
Mach,		Similar to the above but curved in shape and used only muddy lands,	in 	0	21
Dandrál,	•••	A harrow with eight or ten bamboo teeth dragged by oxused for opening the soil round the young corn,	en,	0	5 }
Mánjah, Kodal Kodálí,	}	Hoes for weeding,	}	0	8 4
Bhukráň or Kuthela Bharota,	or 	A wooder club used for crushing stiff clods of earth,		0	1
Tringul,		A three-pronged pitchfork,		0	2
Drántí,	•••	A small hook,	•••	0	2
Khabar Drántí,	•••	A hook with teeth like a saw to cut long grass,		0	4
Kahi or Kasi,	•••	A mattock,		1	0
Rambhá,	•••	A small iron instrument for digging up grass roots and weeds,	all	0	2
Kulhárú or Chhau,	•••	Axes for cutting wood,		$\left\{ egin{matrix} 0 \\ 0 \end{array} \right.$	8 4

I conclude this class by reprinting the Jury Report on Agricultural Implements in 1864. It contains also a note on an improved saw-gin.

REPORT OF THE JURY ON AGRICULTURAL AND HORTICULTURAL IMPLEMENTS.

"Under this head are found but seventy-nine articles exhibited in all—from General No. 10,590 to No. 10,669. The majority of these also, are merely rough models of the very primitive implements in use throughout the Panjab, and require no notice.

"The Section is however by no means wanting in the exhibition of articles of real and actual interest and worth. From the district of Gurdaspur, for instance, some valuable models have beem supplied, viz:—

No. 10,632, a sugar mill.

No. 10,633, a cotton gin.

No. 10,634, a cotton press.

"These machines were the contributions of a Mr. Buchanan, and their construction displays considerable ingenuity. A memorandum by the exhibiter explaining their mode

of construction and working is attached. The Jurors regret much that these models were not made with more care, and better finish. They have no doubt that one and all of them would work well, if properly made; but the models submitted were altogether too rough to admit of their working being satisfactorily tested. It is on this account only that the Jurors do not think they are justified in awarding to Mr. Buchanan the prize of Rs. 200 offered by the Rajah of Kupurthalla for a model of a sugar mill. They however gladly award that gentleman a medal for the general collection.

"As carefully executed models none surpass the contributions of Sirdar Bhagwán Singh of Amritsar.

No. 10,619, instruments used by the gardener.

No. 10,620,

ditto

by the cultivator.

No. 10,630, model of an English plough.


- "The Jurors consider the Sirdar to be well deserving of a medal for these donations, and this they award.
- "And lastly, to Mr. McNabb, the exhibitor of a neatly contrived working model of a cotton belna of steel, the Jurors award a third medal. This little model is perfect in its construction, and attracted considerable notice, especially from the native visitors to the Exhibition, by all of whom it was thoroughly appreciated.
- "The contributions of Messrs. Lepage and Co., of Calcutta, pickaxes, and kothális were also approved of not being however of Panjab manufacture, these cannot compete for the prizes offered.
- "The Jurors cannot close their report on the articles submitted to their inspection under this Section without bringing prominently to notice the existence of machinery in the Hazara district for the cleaning of cotton, worked by water power. The model contributed by the Hazara Local Committee is rough, and small; but as they are of opinion that the use of water as a motive power in the working of machinery is much neglected, they notice the existence of this—to this part of the Panjab—novel method of cleaning cotton, in the hope that it may attract attention and prove useful."

MEMO. BY MR. BUCHANAN.

- "The undersigned begs to state that in forming the designs for these machines, he held in view the circumstances of the country with regard to the materials to be procured for making them. Complications of the most trifling kinds had to be set aside, so as to meet the capacities of the people and the indigenous artizans; they can all, he is convinced, be made by the latter. The canal districts were also held in view as affording cheap motive power, and the designs were made accordingly.
- "I.—Cotton Press. This model is on the scale of one-twentieth of the proposed size. It is the Surat Cotton Press principle, arranged so as to work by an endless band on a drum, to be worked either with water or animal power. The Surat press working on the capstan mode, at the base of the screw piles, is very disadvantageous and incommodious. It requires many men to work it, and the time occupied in the pressing of each bale is unnecessarily long. In this machine but twelve minutes will be required to press a

bale with the drum worked by a bullock. The time will be shorter if worked by water power. The press beam can be re-elevated by lowering the endless band on the lower wheel (top of machine) by the lever appendages common and well known in all machines worked by the strap.

"At Gurdaspur, I calculated that a machine made up thus would cost Rs. 220. The screw piles, bar and cogged wheels being "sheeshum" wood, the remainder deodar. In making the cogged wheels, a little ingenuity is required: the teeth and indentations



should be separate pieces dove-tailing into each other. In the teeth, the grain of the wood should be longitudinal, in the indentation pieces transverse. The reason for this is obvious, as the teeth will then bear considerable pressure (double of what will be required in this machine). If the teeth had the grain of the wood parallel to the plane of pressure, they would inevitably Another advantage is gained should warpage take place in any of the pieces or they be worn away, they can be easily replaced by new ones. There are many excellent plans, I believe, in practical carpentry of making wooden cogged wheels, and the native indigenous artizans are not ignorant of some.

"II.—Cotton Gin. Owing to my removal from Gurdaspur, I was unable to quite complete this machine. But it is sufficiently prepared to give an idea of the principle. Both the "churka" and the Macarthy gin principle have been applied, the latter being that the staple is caught up by the rough fibres of the leather covered cylinder. revolving under a fixed blunt-edged knife, the staple being freed from the seeds by the resistance of the rack: and the seed held from following by the teeth of the rack, which is placed before the leather cylinder. This method answers fully with long stapled cotton; but with the short staple degenerate country cotton it does not act, the seeds being also small. When the indigenous cotton is improved by culture in its quality, the Macarthy principle will then answer better than the "churka:" the latter both dirties and tears the fibre. To accommodate the machine to the present native cotton, the steel knife is removed, and a polished steel cylindrical bar is substituted, so as to revolve by contact with the leather covered cylinder. The rack should also be removed. The fluted cylinder at the back is for clearing the staple from the leather one. There is a box in the machine into which the cleaned seed falls through the trellis work at the top.

"The originality in this machine is the adaption for working the cylinders by the treddle or the common foot lathe apparatus. Some substitutions have been made and the appliances simplified.


"The native churka is a very rude contrivance: a person by working all day can only gin 1½ seers of cotton. In a medical point of view, it is much to be deprecated, as from the unnatural and awkward position the worker has to sit to it, it is very injurious and unhealthy, so that a cheap and simple machine not having these disadvantages is much to be desired.

"A gin made up thus will cost at the outside about Rs. 25. When this specimen was being made it became very popular. The carpenters whom I had employed received orders for many."

Under this head I may describe an apparatus used in the Hazára district, where small hill streams are abundant. Properly speaking the machine is made up for husking rice, but I have seen models of the same kind of machine applied to turning mill-stones, and also to turning the cotton cleaning rollers commonly used in the country.

The apparatus is called Píkú,* It consists of a small over-shot water-wheel fed by a stream of water.

Two walls or supports being built up about 7 or 8 feet apart, in the centre of each a block of wood is let in (called mondhi); these blocks have each a hole or notch in which the ends of the axle or lath rest. The "lat" is a short round wooden bar, double spindle shaped, or thus—




At one end, about 1\(\frac{1}\) feet from the socket, is fixed the "charakh" or wheel, consisting of from 17 to 24 radiating pieces of wood, broader at the outer edge than at the inner, which is inserted 3 inches into the body of the "lath." These radiating pieces or fans are called "kham" (= wing) and each is 15 inches long. A water-course, here called "khatta" (Punjabi 'kul') is now conducted to a convenient height above the wheel, and from thence a water trough is let down at a convenient angle to within 3 inches of the wheel; the stream of water sets the wheel in motion. The outer trough is made 8 inches wide at the upper end, gradually diminishing to 4 inches at the end over the wheel: it is 8 inches deep, and is called "parnála."

If a rice husking machine has to be made, a deep hole or excavation is made in the bank behind the axle or 'lat' (a suitable position having these features is of course selected) and in this the mortar for holding the rice is fixed; two upright posts or "môna"

^{*} The papers from which these details are taken were furnished by Captain Wace, Settlement Officer, Hazara, and accompanied by drawings.

are erected in front of it, carrying between them a circular rod, which has a round head-

piece inserted at right angles, and which, when the rod descends, hits the rice in the mortar and removes the husk. The next requisite is to communicate a motion to this pounder, by making it alternately to rise and fall hammerwise; for this purpose at the end of the 'lat' opposite the wheel, and about the same distance (1! feet) from the socket, a curved piece of wood like a parrot's beak, and called "chapér," is inserted. As the axle revolves, this alternately catches the end of the rod carrying the pounder, lifts it up, and then owing to its curve slips away from under it, when the hammer falls by its own weight; and when the point of the 'chapér' comes found again it catches the rod, raises it, and lets it fall



again, and so on. In 24 hours such a machine will husk six ass loads of rice, estimated at 14 maunds 25 seers standard weight, but this is at full working power.

When the water power is wanted for a mill or a cotton 'belna' the chaper is not used, but a similar wheel and the further end of the axle fitted with cogged wheels suited to give a vertical or horizontal movement as may be required.



DIVISION III. HORTICULTURAL IMPLEMENTS.

Very few of these exist; the rougher work of preparing garden land is done with the ordinary agricultural tools, such as the plough, the jandra.' The only small tools the gardener uses are the following—

- 'Kasi' as before.
- 'Pháora' Do.

'Chuhá rambá,' a sort of iron fixed in a wooden handle; it is made of a bar of iron, the extreme point of which is flattened and hammered out into a thangular blade. It is used for digging up plants in transplanting &c.

"Gháí ramba" is the broad rambá or khúrpa with short curved handle used by grass-cutters in scraping up grass, and by a gardener as a trowel, also as a hand hoe for weeding.



Sickle, as before described.

Cháku, grafting knife.

To prepare large beds, they use a rake or jandar like the agricultural one; only the better taught mâlis in European gardens use the rake. Dutch-hoe, shears, &c., &c.

CLASS XXX.

Not represented.

CLASS XXXI.

DIVISION I.

BUILDING CONTRIVANCES.

There is absolutely nothing in this class to enumerate as in the former classes, but it seems to afford a suitable opportunity for a few remarks on the style of building at present seen in various parts of the Punjab. To this I shall add a note upon native bridges and method of building wells.

I must omit all mention of the more ancient buildings. Of the early Mahomedan style of 12th to 14th century we have some fine specimens at Delhi. These are nearly all constructed of the fine red sandstone brought from Jaipúr and Central India, while for the coarser work (as in the fort of Toghlakábád) the hard gritty stone found in the vicinity of Delhi is employed.

White marble from Jaipur is also used; very little cement appears, but all the stones are beautifully fitted and joined and occasionally metal clamps are employed.

The buildings of the later Mogul empire of the 16th and 17th centuries are, many of them, constructed of the same stone, which must have been imported at a vast expense. But among these buildings appear numerous structures made of small but beautifully burnt bricks; they are not above 6 to 8 inches long and 1½ inch thick; they are mostly burnt through like chert-stone. Vast mounds are still to be seen in the vicinity of Lahore and other towns, which are the debris of the gigantic kilns in which these bricks were burnt.


Vast thickness and solidity characterize the brick structures, and the abundant use of a most solid and tenacious mortar, which so cakes the bricks together that when it has been desired to remove a fallen mass of such masonry, the workman's iron pick has proved unequal to the task of separating the materials and the mass has had to be blasted with powder like a rock. Such cement was made by obtaining the best lime free of all ash and impurity. Our Engineers wish now that they could obtain such.

The houses of the poorer class of agriculturists all over the plains require no special description; they are invariably made either of sun-dried bricks smeared over with a mixture of mud and cow-dung, or more often the wall is built up somewhat irregularly by plastering cake over cake of mud, the outer coating being mixed with chopped straw (bhúsa) and cow-dung to make it bind. Small low hovels, with a couple of rudely made wooden flaps for a door, and perhaps a window with a wooden shutter are thus built;

they are roofed with poles either chil (pine) "balis" where procurable, or stems of small sized mulberry, kikar, and shisham trees; over these tiles are laid, or "sirki" (a sort of thatch of the munj grass) and then mund is plastered on outside. The roof is made strong enough to bear a few people on it, and has a raised edge all round, with a wooden gutter pipe to draw off water. In the hot weather the people sleep on the roof. In a wealthy village, houses constructed of burnt bricks are more frequent, and are then built with two stories. A kachá (cutcha) house consists of a sort of verandah in front and one or more little dark rooms behind; they have no fire-places, and not even a hole for smoke, as the people generally light a fire outside and only use a chafing dish of hot embers juside.

Where the house has to accommodate several members of a family, the rooms and the verandah are ranged round the side of a small court-yard or "sahn," which is approached by one door in common to the whole.

The only attempt I have seen to improve the style of the ordinary peasant's hut is in a model sent to the Central Museum by the Reverend Mr Golaknath, Missionary at Jálandhar. He has merely improved upon the ordinary design so as to afford more privacy and security to each house. There is the usual court-yard or "sahn"; at the front is a sort of covered entrance or "deora"; alongside, a shed for horses or cattle, and at the opposite end of the yard are the dwelling rooms in two stories; a staircase outside leads to the upper story, both stories having the "dálán" or verandah outside, and the "kothri" or rooms within. The plan of arrangement is this—



An ordinary house is known by the name of "ghar or "makán", a large mansion is called "haveli." This generally has an entrance gate, at each end of which are rooms in which porters or servants can live; over this is the entrance called "deora," and inside the sahn, round which are the rooms of the family and the ladies' apartments: every house has a good roof space with access by stairs; the roof adjoining the women's apartments is protected at the edge by a high screen made of perforated stone-work, or slabs of tiling perforated in imitation of stone.

On the roofs of large houses various small and often oddly shaped rooms are constructed, looking like towers and turrets from below. These are constructed for coolness, and to enable the inmates to enjoy the evening or the morning breeze. The shape of houses is often strangely irregular, and the building looks as if it had been added to piece by piece without reference to any general design. A house intended for business or for

the temporary residence of men, is constructed perhaps with a few rooms or open shops on the ground floor and a large room above opening on to the street and separated from it only by a low balustrade and certain wooden lattices which can be closed up with shutters. Such a building is called "baitak."

A square court-yard furnished with a separate gate and fitted with stalls for horses and cattle, and rooms for servants and "syces" or grooms, is called "tabela." One is always either attached to a large house or built separately for the use of the house.

I have now to add a few extracts taken from various sources, describing the ordinary dwelling houses of the mass of the population in various districts in the plains, and afterwards, of the hills. From Mr. Prinsep's Settlement Report of Scalkot the following is extracted, and is applicable to the houses of the entire agricultural population of the plain districts of the Punjab as far as Amballa:—

"There are only two kinds of houses in ordinary use, and these are made of mud or built of baked bricks. They are huddled together, a congeries of flat roofed huts, separated by narrow alleys, and plastered over with a primitive mixture of the earth, chopped straw, and cow dung, and surrounded outside by rows of cow-dung, (used in these parts for fuel) by stacks of straw sheds for weavers, goat pens, places for meetings, and temples for worship. All the available space is filled up with heaps of village refuse required for manure. In the larger villages where the residents may have amassed wealth, may be seen a few "hawellees" or houses of 'pukka" masonry. Each family lives in a separate court-yard, and this is all the privary which exists. Cattle and their owner consort together. I have seen them living in the same apartment. In the arrangement of houses or enclosures there seems to be little attempt at order or cleanliness. It is no wonder then that much sickness or liability to epidemic should result in certain seasons."

In the Jach Doab, the following detailed account from the Settlement Report of the Shahpur District by Major Davies must be quoted:—

"The dwellings of the common people, throughout the district consist of one or more rooms called "kothas," with a court-yard in front. This court-yard, named "verhá" is often common to several houses. These rooms are built ordinarily of clay, gradually pilot up in successive layers and then plastered. The roofs are invariably flat and are used as deeping places during the hot weather. In the court-yard is generally seen a manger ("kurli"), and a house in which the cattle are sheltered from the cold in the winter months, which structures (called "sath" in the Bar,' where they are very capacious) consist generally of four walls covered with a thatch. The only exceptions to the above general description, are the habitations of the people in the 'Thal,' and in the hills. The former are often composed of nothing but wood and grass, and the latter are built entirely of boulders cemented together with clay; as however walls of this kind have little or no power of resisting rain, the roof is always supported on strong posts driven into the ground, the walls acting merely as a defence against the weather. As a rule the houses of the zemin lars are built for them by the village carpenter ("Tarkhan") or potter ("Kumhár"), who receive their food while the work is going on, and a present of clothes or money when it is finished; payment for work at a fixed rate is only made by Khatris and other non-proprietors. The timber used for roofing is usually "kikar" or "ber" in the plains, and "kao" (wild olive) in the hills, the first two being usually the produce of the zemin lars' own fields; beams of deodar or shisham are only to be seen in the houses of the rich.

"The requirements of a population low in the scale of civilization are few, and we see this exemplified in the furniture of their houses, which consists almost entirely of necessaries. It would be tedious, though not perhaps devoid of use, to give a complete description of all the articles in every day use in a household of this part of India, I shall therefore only enumerate the more important. First, there are the receptacles for storing grain, of various sizes, from the dimensions of a small room to those of a beer barrel. These are made by the women of the house, of fine clay mixed with chopped straw. The larger kind called "sakar." are square, and hold from forty to fifty maunds; the smaller description. "kalhoti," are cylindrical in form, and hold but a few maunds. Next are to be seen some spinning wheels, (as many as there are women), an apparatus for churning milk, an instrument for cleaning cotton ("belna"), a number of circular baskets, with and without lids, made of reeds ("khári," "taung" &c), in which are kept articles of clothing and odds and ends; trays of reeds ("chhaj," "chhakor") used in cleaning grain; a goat-skin water bag ("kúní"), used on journeys, or when employed in the fields at a distance from home; a set of wooden measures for grain ("topa," "paropi" &c.); a leather bag ("khallar") for carrying flour when away from home; a variety of cooking vessels, some of iron, and others of a composition resembling bell-metal; a number of earthen pots and pans, in which are stored grain, condiments and other articles of food; a coarse iron sieve ("parún"); a pestle and mortar ("daurí"), in which to pound spices and condiments. These, with a few stools ("pirá." "pirí"), and cots complete the list of the fittings up of an interior here; and the same, with a few minor changes, would probably answer as a description of the furniture of a peasant's house in any part of the Punjab. It must not be supposed that all these things are disposed without order: space has to be economized, and everything, not in use is therefore carefully arranged on shelves resting on pegs driven into the walls round the rooms."

As a sample of the house building farther 'down country,' but still showing how much alike the system of building everywhere is, I will give an extract from the Amballa Settlement Report:—

of mud, or clods of dry earth, taken out of the tanks when they are dried up, or from the dried up and cracked rice fields. The roof of the kotha is also of mud; the beams which support it, and which are principally made of sál wood,* rest partly on the mud walls and partly on upright beams, of drek or bukain, † about six feet high. Across these beams are placed smaller ones, of the bukain, or mulberry tree; over this, grass, and over the grass about three inches of earth is laid. Some of the houses possess a chimney or rather a hole in the roof, to let the smoke escape. It is always made in the middle of the room, and covered up, when it rains, with a gharra. Every house has a "kotha," a large chest made of earth, about five feet square, outside, and four feet square inside, with a door in the middle on hinges. In this grains, and the cooking utensils, are placed. The kotahs are more or less ornamented, according to the taste

^{*} Shorea cobusta. This wood is not to be had up country.

⁺ Melia sempervirens.

and wealth of the owners. The rest of the furniture of their houses consists of a 'land,' or shelf in a corner, and "alla" a cupboard in the corner, or in the wall; the door of this, and of the kota, are made of mangoe or jamun. There is a 'manja,' or charpái, a bed for sitting and sleeping on; this, however, is only used in warm weather, and then out in the open air, by the men. In the cold weather, they make a bed on the ground of sugar-cane leaves, and straw, for the sake of warmth. Two or three ghairas for water, a charkha, or spindle for the women, who all occupy themselves in spinning; a "chakki," hand mill for grinding grain, which also falls to the lot of the female members of the family; "batta," a round stone (pestle) with which they bruise and pound the spices on "sil," a flat stone which they use as a mortar; katorah, a wooden bowl-like dish, used as a kneading trough; "baili," a small brass drinking pot; katorah, one of a larger size; "lunda," or karcha, a large iron pot used for cooking; "chenka." a swing table, hanging from the roof; "chalni," sieve for the atta-and "dor," the wooden spoon. The doors are all fastened from the outside, with an iron chain, and lock at the bottom; and in the inside, by a chain over a staple.

"No light is procurable but through the door. The women sit outside to spin. Spinning, grinding the corn, destroying the vermin in the heads of their children or friends, and nursing, are the only occupations of the women, except of the Jatni, and low caste women who work in the field also.

"The villages are generally compactly built, on ground a little raised, with one or two principal lanes, about eight or ten feet wide, running through them; from these lanes other blind paths branch off to the different "hawelies" or houses. In the khádar, (low land) between the Jamna and the canal, the houses are generally on high ground to avoid mundations. To the west of the canal, they are built on the "dhang" or high precipitous bank of the old Jamna; by this plan the people are near the water, and generally conveniently situated for their bangar, as well as their khadar lands.

"The houses are generally smeared with mul once a year, after the rains, which gives them a tidy appearance. Thatched houses (chappar) are cheaper than kothus, but they are colder in the winter, and generally inhabited by the lower castes, Gujars, Pháras, Chumárs & . I consider it is a sign of an interior village to have more chappars than kothus. The Rujouts, both Hindus and Mussulmans, the Jats, Kimbohs and Brahmus, are all comfortable about their houses."

Houses in the Hills.

I have now to describe the houses in the hill districts. They exhibit more variety than those in the plains, and they have also to stand harder usage. There is often heavy rain, and every winter snow many feet in thickness. The consequence is that substantial walls, and plant roofs far projecting over the edge of the house, are the features of most districts; but flat roofs are not uncommon, even in districts where snow falls.

Stone is invariably used by itself or with mud, or where there is a timber frame work stones are filled in between.

Wood being generally abundant and hitherto obtained and used free of cost, and without the least regard to economy, a great portion of the front of every house, including the upper verandah, is mad, of wood work.

Chamba, Pangi &c.—In Chamba city the houses are built of wooden frames filled with slabs of the schistose slaty stone that abounds, in that particular style of masonry called a tattar chul." The buildings are made up of layers of stones and beams of wood and at the corners there is a sort of frame work of wood, one beam being furnished with a tenon and the other with a mortise (chul) to receive it. The centre part of the wall has many beams of wood occasionally introduced between the layers of stone; this kind of building, which has been incorrectly stated to be peculiar to Kulu, is to be found all over the hills. The Chamba houses are built up with stones at the sides to the top, and are two stories or even three high; the front is generally made of wood; the beams on the first floor project and form a support for a sort of verandah, which invariably fronts each floor and makes the whole house look as if made of wood; the first floor of the ground has generally the best apartments, and the pillars and railings are sometimes prettily though rulely carved. The roof is pent shaped, with projecting curves and covered with large irregular and thick slates held by wooden pegs, but oftener by shingles or slabs of pine-wood not sawn but split.

In the villages of Chamba, the houses are smaller, built up with mud and stones, having only one story above the ground floor. The upper one has a woo len verandah or open front with pillars, which can be boarded up in the cold season. In the "Chamāh" district flat roofs are common, and mud and stones plastered over smooth and afterwards colored with whitewash or some colored earth work, are generally adopted. In the higher hill districts flat roofs are not so common, and pent roofs predominate. In Pangi the houses of the few wealthy or inhabitants of the "kotis" or official houses of the Chumba State, are built of stone and timber in the "tattar chúl" style; they have two or three stories, sometimes furnished with open verandahs, but always on the side facing the inner enclosure; on the outside they present a plain fort-like appearance, with windows higher up furnished with sun-shades or small hanging balconies prettily carved. They have sloping roofs, slated or shingled.

The poor people's houses in Pangi are the most wretched dens imaginable; such is the collection of filth both inside and outside that it is qu'te necessary in travelling to make a circuit and keep as far from a house as circumstances will permit.

The houses are small as a rule, having one ground floor, the rooms of which are dark and low; this is built of stones and mud, or rarely stones and timber, and has a door and windows: over this is a second storey, a room built entirely of wood; in fact it is rather a sort of open "baitak" or sitting place, consisting of wooden posts all round, which are only partly boarded in, except during the winter, when every part of the house is closely boarded over, leaving only the timest exits, for no one goes out except when it is impossible to help so doing.

All the winter the people crouch in their houses: they rarely if ever use fire, and get warm only by contiguity: they never change their thick and usually filthy woollen garments, so that the odour of a house may be imagined; to add to this, the poorer people have to store up in summer their whole winter supply of food. A portion of this consists of butter, which is kept in jars, and certainly does keep wonderfully; for drinking they collect quantities of sour milk, which is deposited in a large earthen pan or receptacle sunk in the ground of the lower story: the milk is kept for months, till covered with green mildew and frequently full of maggots: the stench of it is indescribable. Fire is

often dispensed with for cooking, and a mess is made up of maize-meal moistened with water, and with this "lassi' or sour milk, and flavoured with "chukri," which is a powder made by collecting young rhubarb stalks in the spring, drying and then crushing them up for use. A few of the upper rooms in houses—generally very old houses—exhibit curio is carving. I amex a sketch of the peculiar way in which a room I saw was room I, and how the centre of the ceiling was carved; the roof was supported by pillars composed of oblong bricks of deodar wood placed across and across. The wood was black and hard with age; the front of the room had an open veranda, and the other sides all wood; it was approached by a rule flight of stone steps.

Kúln, Plach &c.—The houses in Kúlú are not unlike those in Chamba, but in no part of the valley are they like the Pangí houses: the climate is however nothing like so rigorous, nor is the gently sloping and fertile valley of Kúlú—I speak of the populous parts—in any degree like the remote and secluded Pangí, with its steep precipices and hugo crags inaccessible save over lofty passes—a prey to avalanches and to bitter winds.


The Kúlú houses have generally only one story above the ground floor, built much as before described, but there are houses with two stories. As I am writing I have a sket h of the Munáli village before me. The houses are several of them two-storied: the lower story is built of stones carefully plastered over and whitewashed; it is approached and also lighted by a single door set in a heavy wooden frame with some carving on it; the ends of the rafters forming the first floor above this project a good way out, forming a verandah roof to the lower floor. The second floor projects above the ground floor, inasmuch as the front, composed wholly of pine planks, is brought up to the extreme edge of the aforesaid rafters; two large square apertures are cut in this boarded front; the rafters forming the roof of this story again project, and on it is built a second but very low garret story, also of wood: the two ends of the house are of stone and plaster up to the top. The roof is pent and projects a very long way over the building all round, giving a peculiarly picturesque appearance. It is composed of shingles of wood: a beam at the top of the roof serves as the means of fixing on the shingles on one side, which have their ends projecting above it; the shingles on the other side have their ends under it.

A beautiful specimen of an old Kúlú house may be seen in the Munáli (Dúngri) forest: it is attached to the temple there, which is ancient and covered with curious carving, I cannot here describe it as I should be trespassing on antiquities, which are not within the scope of my book. The house is built in an oblong, with one wing at right angles. It has only one story above the low ground floor, and the usual pent roof; the rafters supporting the floor of the first story project I should think seven feet at the ends and sides of the house, and a series of pillars or uprights extend from the outer edge to the roof, which covers over all. All round the edge is a balustrade, which is covered with devices of serpents, birds, and fancy patterns; above the balustrade the spaces between the pillars and the roof are generally filled in with planks, except at the ends of the verandah and at certain intervals where there are sort of windows; the verandah is approached from outside by a stout plank or slab with steps notched or cut into it. At the top of the steps there is a sort of passage running through the house, and supported by black wooden pillars carved.












Diagram shewing arrangement of root in a ?



Towards Plach, and in the neighbourhood of the Mandi State, the character of the houses alters, and bears witness probably to bygone days of insecurity. Every house is tall, square, broad based, and slightly smaller at the top than at the base; it has a pent roof, or rarely a flat one, and looks like a fort; the lower story consists of bare walls of stone plastered over and colored with white yellow or grey earth; no entrance is to be had, and no window seen, but habitation appears to commence about 9 or 10 feet above, where the rafters of the second floor project all round and forms the floor of the verandah which surrounds the room inside; this verandah floor has no balustrade and rarely any pillars attaching it to the roof or to the verandah above (unless there is a second story) and it is perfectly frightful to see the reckless way in which little children are left to foll about on this insecure and aerial boarding; the wonder is they do not always fall over but then they are accustomed to it; a notched pole or set of moverble steps gives access to the habitable rooms above; if this is withdrawn the proverbial castellate character of one's house is realized.

The only use which the outside of the ground floor is put to is to hold against its outer walls a sort of rude rack work in which the dry fodder destined for the wiater's supply is stored, consisting of dry stalks of the vinaranth and "batúa" crops, (Chrispodiaceous plants) or of hay and straw. I have seen separate buildings or rather sheds, consisting entirely of such rack work stored with fodder, each tier of rack work being approached by a rude ladder. Women may be seen climbing about among the ratters gathering down or storing up the fodder as the case may be. In these parts women do nearly everything, field work included; actually driving the plough is the only thing they do not habitually do. They by no means realize the poetic ideal that "men must work and women must weep," but rather that men must smoke and women must work!

To pursue our way further, we approach the Tibetan or semi-Tibetan hill districts, and for a description of their houses I shall have recourse to the travellers who have specially noticed them. In Cunningham's Ladakh, the following description of the houses is given:—

"The generality of the houses throughout Ladak are so much alike that a description of one will serve for all. The houses usually consist of two or three stories and sometimes of four. The foundations and lower parts of the walls are built of stone, the upper walls of large sun-dried bricks, $20 \times 10 \times 16$ inches. In the better houses some of the rooms are of considerable size, twenty-five feet long and eighteen broad, but they are always very low, the highest not exceeding seven and a half or eight feet. The rook of these large rooms are always supported by plain wooden pillars. The roof is tormed of poplar spars five or six inches in diameter, peeled white, and laid only one to one and a half feet apart. The beams are covered with small straight pieces of popular branches about one inch in diameter peeled white and placed touching each other. Generally they are laid straight across the beams; but sometimes at different angles, in the alternate Pitervals so as to form a pattern like herring bone. The whole is then covered with a layer of leaves and a thick coat of well beaten clay. The floors are generally of earth, but the better sort are paved with small slit pebbles about the size of turkey's eg_s, set in clay with the flat surfaces upwards. They form a clean, hard, smooth and lasting flor. The principal room generally has a balcony towards either the south or the west, from ten to twenty feet in length, and usually about two seet and a half in walte, where

the family sit to enjoy the sun in the winter season. The doors are mere rough planks of wood, joined together by wooden tenons, and sometimes strengthened by cross bars fastened with wooden pieces. Purdahs or wadded curtains are also used as an additional means of excluding the cold wind; but when the doors are shut, there is only a dum light admitted into these apartments through one or two loopholes, which are closed with small shutters at night. If supplied with glass windows and fire places, many of these bouses would form very comfortable residences; but at present they must be wretched hel itations for the winter.

The houses of the poorer classes are generally of two stories; the lower storey being appropriated to their cattle. The roofs are much more coarsely made, and the rooms are small and very low, being sometimes under six feet in height. In Ladakh, the upper storey is usually reached by a flight of earthen steps; but in Lahúl, by the sleping trunk of a room otched into steps.

The roy d palace at Le is a large fine looking building, that towers in lofty pre-eminence ever the whole city. It is 250 teet in length and seven stories in height. The ontor walls have a considerable slepe, as their thickness duminishes rapidly their increased height. The upper stories are turnished with long open balconies to the south, and the wills are preced with a considerable number of windows. The beams of the roof are supported on carved wooden pullars, and covered with planks pointed in various patterns on the outside. The building is substantial and plain; but its size and height give it a very imposing at positione.

To the remote district of Spiti the houses exhibit a new pecularity. I quote from Mr. P. Ugerto i's "Tour in Spiti" *

"The houses in Spiti are comfortably built, and strangely enough, though stone and state abound as they do, they are built of sun-dried bricks, and have flat roofs made of earth had on racters and twigs. The usual form of building is an oblong square. The lower storey is used for cattle pens, and the upper storey is built on three sides only, with parapet wals on the tourth side, so that the centre forms a kind of open court."

• The houses are high solid for like looking buildings outside. The upper part being plastere twith a wash of some white or colored clay.

The windows appear to be all on the upper storey, which increases their fort like appearance

Houses of Simla States, Kanawar and Basahir.

Boven I So do the houses are all built of flat stones which are interspersed with bars of word, with boross at the corners of the house, lying one on the other, but are not fitted in with curon and mortise as in the "tattar-chul" building: sometimes the house is plastered.

The beams which form the rest of the basement room project beyond the wall and form the foundation of a be cony, which however, has no railing or pillars, and is merely sheltered by the roof, which has an additional flap or fly, so to speak, for the purpose

In many cases the lower room has a single small door and no window; and the room is often so low that a good sized man could not stand outside on the ground under the balcony without knocking his head against the beams. Occasionally the balcony is boarded in up to the roof.

The windows are extremely small, and consist of plank within plank, like this-



baving only a small aperture in the middle.

The balcony runs round three sides of the house. Large house are built in the same way, but with two tiers of rooms and balconies outside, being in fact continuations of such rooms. Access is gained from the ground floor to the upper rooms, not by a ladder outside, but by a notched pole inside the lower room, fitted to an open trap or hole in the floor.

This style of house is observed all up the valley of the Sutlej; in places where there or large buildings for temples or residences of idols, the regular building of wood and stone may be observed to good effect. These large fort-like structures have generally only balconies of carvel wood above, and below a good space of masonry. The building is quite regular and true, and consists of alternate layers of the tabular schistose guess stone which abounds, and straight, neatly dressed, beams of deodar (eg lar); they are not joined at the corners, but merely lie across, the stones being a ljusted accordingly. The effect of the grey stone contrasted with bands of the deep brown which the colar acquires in time, is picturesque. Sometimes, as at the Rogi temple, the beams are carved all over.

Higher up in Kanawar, which is a district of the territories under the Raja of Basahir, the pent roof disappears. The best examples of the next style appear at Chini and the village of Pangi, a few miles further on. The houses still have the basement of stone and wood in layers, and an upper verandah or beleony of wood generally boarded in all round; but the roof is always flat to avoid the effects of the furious wind. The roof is made of poles spread over with birch bark and then plastered with mud; every flat roof has a rim or low balustrade, like the edge of a tray, consisting of boards naried round. At a hed to a large house, numerous smaller ones, entirely of wood may be seen; often one or more of these little houses, no bigger than a large chest, may be seen resting on the roof of a larger house, and supported only on a few slabs of stone.

Lastly, turning to the Kashmir State, Lieutenant Lowther thus describes the houses at Srinagar: *

"Deodar and pine timber are very much employed in building both houses and boats; nearly all the buildings (even the palace) are wooden; in some of them we occasionally find noble specimens of imperishable deodar. The "great mesque," nearly 400 years old, contains some fine straight pieces, used as pillars to support the roof; they are set up in basements of black marble, which durable material they are fast resembling

in hardness and color. There are seven principal bridges (over the main stream) many of them having shops and stalls of wares set out upon them: two or three are strikingly aerial creations, which our tornadoes of Hindoostan would soon blow to 'Jericho,' but here the only damage to be apprehended as during an unusually high flood. Such I was informed had occurred some years back, when these, and countless other houses were swept away, to be shortly re-built in the ancient style. The only stone or brick structures I could find were pier heads of bridges, occasional mosques and temples, and a fort: wood from its being plentiful, portable, and cheaply put together, is the material in general use Most of the dwellings have two, and even three stories, and these are very hastily made by driving timbers into the ground perpendicularly, at the different angles of the intended rooms. Across these, beams are miled horizontally at intervals, and then a light flooring of poplar or willow planks, is laid across longitudinally for a flooring. are trained by nailing thin boards of fir over the exterior frame work, and plastering them with compost: light and air being admitted through carved trellises, which open and shut like sash windows. The roof is almost always gable, of thick planks, thatched with many layers of the waterproof birch bark; and the hollow portion of it is used as a loft for storing fire-wood, kitchen stuff, lumber, &c Some of the more wealthy Pandits and merchants have small gardens overhanging the quays in front of their residences: these soldom contain anything very tasteful, or ornamental; occasionally indeed a trellis may be met with covered with a flourishing vine, or a rambling gourd, evidently cultivated for shade; sometimes a gay patch of double hollyhocks, or a solitary rose bush, relieved the dingy as proaches; but generally speaking the open plats are filled with graves, and weeds, or offensive rot heaps. In some of the more ruinous suburbs, I noticed highly cultivated fields of tobacco, growing down to the brink of the water, and the markets were well stored with the dried leaf, which is an article of general consumption."

It is not, however, to be supposed that all houses in Kashmir are built of wood. Around Srinagar itself many houses are built up of stones with pent roofs. And in the other valleys, as for instance that of the Kishngunga, which I visited in 1867, there are houses very like those in Kulu, with projecting eaves, wooden verandahs and stone foundations.

Among the poorer classes, however, log huts are not uncommon, and on the right bank of the Kishingunga there is a small village called "Atai Makam Ghazi Abdulla," the resting place of some Mohamadan Saint; it is entirely of wood. The houses are in fact log huts, the walls of split poles rudely joined, and projecting one over the other at the corners, the pent roof is always made of loose and irregularly shaped pine shingles, half haded or rather pegged on to a central beam; what happens when rain falls on to such a roof may be better imagined than described.

-+₩+-

DIVISION II.

OF BRIDGES.


I cannot here speak of the remains of Muhamadan and Sikh bridges. There are in Kashmir and Delhi, and elsewhere, bridges of the time of the Mogul Emperors and earlier, which exhibit the style employed.

There is the usual pointed Muhamadan arch; great strength of masonry, and rarely if ever have they more than a small span of arch. Sikh bridges were built exactly like them, and all the bridges we have in the plain districts are now of European design.

In the hill districts however, and in Kashmir, there are certain primitive kinds of bridges which deserve notice.


The first and most satisfactory is called 'sanga' or 'sangla.' The large bridge at Chamba is the best specimen of this bridge: two piers of wood and stone work ('tatar-chúl' work already described) are erected, and at the proper height above the highest flood mark a first tier or row of stout beams is built: the beams slant upwards, and project a little way over the stream. Across the ends a stout square beam is impinged by large wooden pegs, then out of the pier another row of stout beams project at an angle such that they rest on the cross beam just described and project beyond it again. On this second tier another cross beam is placed, and if now the second tier projecting partly across the stream from either pier leaves the intervening space of such a width that beams can be laid across, the said beams are placed in position: if not, other tiers of projecting beams are added till the space between the ends for either pier is so diminished that long beams can be laid across and so complete the connection. The bridge is then finished by a paving of transverse shingles pegged down with wooden pegs, and in very good bridges a hand rail is added.

The arrangement is easily understood from the diagram.



When a sanga is not well made, the cross pieces or footway are either only held down by large stones at the edges or else left loose. In this case the traveller must take care to walk just in the middle, otherwise a piece might tip up and a fall would be the result. Small bridges of this kind are often fitted with mere hurdles, which tip over m this way, and to get across one is rather an acrobatic feat.

The next sort of bridge is a jhúla or rope bridge. Usually it consists of a series of roughly twisted strands made of boughs of the Parrotia Jacquemontiana (syn. Fothergylla involuerata) which English travellers often mistake for the hazel: there is a resemblance however. Four or five strands thrown across form the footway, they are secured at either end by a series of stakes driven into a pile of stones for a rude pier, or are attached to branches of trees when such grow conveniently. Two other ropes are now suspended, one on either side, as handropes or rails: and the passenger has to cross grasping a rope on either side. In order to keep these three ropes in their relative positions as far as possible, side-stays called 'lingrá' (Chamba territory) are added thus:



and further to prevent the whole collapsing and the side ropes closing in, spits or cross-bars of stick are placed at intervals as at (a) (a).

When it is recollected that these bridges swing about in the wind, and with the vibration caused by the motion of the passenger, and that further if they are not more than eight feet over the stream, the motion of the water makes the bridge seem to be going away from under the feet, the process of crossing such bridges is not, to all persons at any rate, a pleasant one.

The cross sticks (a) (a) are however an unnecessary difficulty. On the Kishnganga and Jhilam they are not used, but the ropes are kept apart by making the side-stays every here and there of wood, either by tying two sticks together in the shape of a letter V and fixing the ropes to the respective points, or using a naturally forked branch of a tree for the purpose.

At Muzaffarabad on the Kishnganga, there is a "jhúla" (below the region of Parrotia trees) made of single strands of twisted hide!—one for the feet and one on each side for the hand rail. These bridges common on the Ravi, Chenab and Jhelum and on the Beas tributaries are not used on the Sutlej.

Leaving these unpleasant bridges, there is yet another kind of bridge, or rather method of crossing streams, called on the Ravi, "garoru" or "karoru," and I believe elsewhere "jhula." It consists merely of several strands of rope usually of the baygar grass (Andropogon unrolntum) slung from a stout post on one side to a stout post on the other. A hooked piece of abler wood hangs over this, and to it is attached two ropes leading one to one side and the other to the other of the stream; the ropes in question being kept attached to the main strands by running loops. From the abler hook an arrangement of ropes depends: the passenger thrusts either leg through a loop of rope and holds on to the centre rope generally allowing bruself to be secured by a blanket or scarf passed round his body.

As the central strands have a natural curve, the hook being let go descends rapidly enough to the centre of the stream, and men on the other side then begin gradually pulling it up the opposite incline till the further bank is reached.

Hutton, quoted by Dr. Stewart,* mentions one in Kanáwar (Upper Sutlej) made of val's hair rope.

I should mention that when a jhula or one of these swing bridges or karorus has to be put up, the first difficulty is to get a single strand across the stream; and it is generally effected only by effecting a crossing somewhere else, and laboriously carrying the rope to the desired spot by parties simultaneously working on the opposite bank, but as such bridges are often put up for forest purposes, it is now easy to fit it one by shooting from a gun a weight carrying a string, by which first a thin rope and ultimately a thick one can be pulled across.

Lastly, I have to notice a kind of pile bridge, which is quite peculiar to Kashmir. All the other bridges may be seen anywhere. The bridges consist of piles of logs of deodar timber laid crosswise one over the other at requisite distances, and then planking and a roadway over the top.

I extract Lieutenant Lowther's description from the 7th Vol. of the Trans. A. H S:-

"The bridges are wonderful erections of their kind; their visible substance certainly does not inspire confidence in the beholder, but yet theory has given way to practice, and many of them, after five hundred years, uphold the gothic style of engineering. Two main points there are which have wastly favored them: -1st. -There is not a white aut, or any subaqueous insect to devour their material; the melted snow and icy season together keeping off this description of vermin. 2nd.—Cold itself is a most effectual preservative, and constant immersion in a temperature, never even warm, must vastly contribute to prevent fungi or structural decomposition. Occasionally the winds and waves may dislodge a plank, or capsize a supporting beam, but their very simplicity conduces to the tapidity and solidity of their renovation. The principle that yields moderately to the united force of the all-powerful elements, wind and water, evidently surposses that which endeavours to combat them by artifice. Many a massive randard and lordly buttless has been levelled to the earth by tides, flood, and air, to which these Kashmerian structures have remained scatheless for centuries; for be it known that one night from a sullen thaw the frigid Jhelum often rises twenty feet, driving the inhabitants of the lower districts to their rude craft on its bosom; and often does the hurricane without sign or warning sweep down with mad violence (especially around the Wólar Lake) without shaking these (apparently) shetky communications from their antique foundations. They appear to be built in the following primitive manner:-The number of arches according to the breadth of the stream, having been decided upon in its lowest state, (which is often such as to present nearly half of the dry bed) substantial piles are sunk, or buried at those points, and well covered with layers of stones and shingle; a projecting break-water, at an acute angle, being often constructed to turn the velocity of the current: (this appears very effective in its application). Upon this basis rests the stack, or pile of wood, forming the square compartment. (which from its shape can hardly

be called arch, though it answers that purpose effectually): these huge logs are all heaped in tiers crossways, and are usually carried up to 30 feet, or more, so as to be far above the highest watermark: fine sound pine timbers are then laid longitudinally, so as to have their ends meeting on the centre of these heaps; smaller pieces cross them again, and to these are nailed with wooden pegs all the planks which constitute the flooring, (generally fir for lightness.) Through this apparently crazy invention the wind whistles, and the water hisses in wild harmony, but, as I said before, this very plan of ingress and egress to their united forces is the safety of the whole."

DIVISION III.

→*\!*

WELLS.

It would not be proper to close this Chapter without a notice of well staking. It is performed in the Panjab by a class of men known as "Tobá."

A great portion of our cultivation is dependent upon well irrigation, and the apparatus used for raising and distributing the water has already been described partly in this volume and partly in Vol. I.

Every one acquainted with the Panjab alluvial plains knows that they are divided by the great rivers into tracts of country called "Doabs"—a tract between 'two waters.' In the lands near the river, termed 'sailaba,' the moisture is so great that wells sunk reach abundant water at 10 to 15 feet, and the ground is moist by constant percolation upwards. And this seems to be the feature that characterises "sailaba." The word indeed literally means land that is liable to be flooded (sailab), but much land that is not actually flooded is called sailaba, while as far as I am aware no land that has not the abundant upward percolation alluded to, ever is. Wells sunk in the sailaba are often 'Lacha,' i. c. more pits, without brickwork; or if brickwork is used, it only descends to a short depth, and a well is consequently sunk at a comparatively small cost. Further inland and away from the river the water level recedes, and water is had at the depth of 30, 40, 50, 60 and 80 feet; the cost of sinking wells constantly increases, and beyond this limit wells are not made as a rule. In the Mukatsar pargana of Firozpúr district there are wells 150 feet deep, but rarely used for agricultural purposes; and when they are, the water has to be lifted by the 'charsa' or leather bag and rope—for the weight of the water pots and ropes of a Persian wheel at such a depth would be too great for cattle power to move. Proceeding inland again, the land rises to the 'bar' and 'thal' or desert portions; here the cost of wells would be so great that well cultivation ceases, and scanty crops are given by the annual rain-fall, and the rest of the land is left to the often dense but stunted thickets of jhand, karil, and other trees that form the staple produce of the fuel reserve lands, or to vast grazing grounds, over which herds of cattle roam during the grazing season.

Passing the "bar," the same order of things in encountered, but in reversed order; till we reach again the 'sailaba' of the other river of the Doab.

In order to sink a well, a hole is first dug one two or three feet greater in diameter than the intended shaft of the well: the digging is continued till the sand and water level is reached. This done, a circular wooden basis or foundation has to be laid down, composed of curved pieces of broad flat wood termed "nimchak." They are in fact segments of a circular ring or rim of wood, which forms the basis of the whole. Nimchaks are in the Panjab generally made of kikar or ber wood, towards Sind they use tamarisk wood (which is remarkable as kikar is abundant) considering that it, behaves better under water. On this nimchak the circular masonry lining of the well is built up like a tower with bricks and mulfor mortar, but sometimes lime. If lime mortar is used the masonry is allowed a long time to dry before the sinking is commenced, and two methods are adopted: either the whole prascury is built up at once, which I understand is the method followed in the south, or else the masonry is built up only to the edge of the soil, and the upper portion not added to the evlinder until the portion first built has all been sunk below the water. In the Panjab the portion under the water is called "kothi," and when the upper portion is added it is built projecting about 3 melies beyond the kothi and is called "tarági." When the well is made in this latter method, the lower part of the masonry is bound round with strong bands of twisted munigross, which compacts it together while sinking. On the top of the masonry edge a platform of planks is erected, but resting on the ground not on the masonry, which has to sail, gradually without interfering with the platform. Where the whole cylinder is built up at once, it is raised first to the level of the soil; and then as many feet above the soil -10 to IS feet—as it is afterwards intended to sink below the water level; for, as just stated, the mimchak is only put down when the water level is reached. In the latter method the platform has to be erected in a different manner. On the top of the masonry well stoupoles are arranged so as to leave a good space open in the centre, but so to project over the outer edges of the masonry that a broad platform of planks or 'pilchi' or basket work can be erected and which projects all round far beyond the masonry. Over the central aperture a common windlass is now fixed, and the well surker or toba descends by a repousually worked by bullocks; at first there is but little water at the bottom; he descends armed with a huge iron shovel, called in the Panjab Chhaim, and towards Sind "bel." it is merely like a very large 'phaura' or shovel, but has a short woo len handle ai cat 15 inches long, inclined very much towards the blade.

A stout rope is attached to it and the "tobi" descending guides the chlim as well as he can, throwing his weight on it so as to cause it to strike into the said and water and bring up a load of sand. This sand, being hauled up, is immediately throw a upon the broad platform just described; and by continually doing this a great we glob is placed on the top of the masonry, which causes it to sink rather rapidly. The tooks tell me that the art of throwing the chham is considerably disieult; at first of course the road is a mere slush of sand and water, but gradually the "toká" has to make his way be diving down through several feet of water. Also the placing of the ballast on the p'efford requires attention, for if the brickwork were badly loaded it would suck crocked and lulge and break up. When the whole of the misonry has sunk down to the level of the soil, the outer hole being larger than the shaft, earth has to be carefully filled in and stamped down. And then the edge of well can be finished off by a broad masonry edge or "chabutra" or by a place for the Persian wheel, as may be required.

The "Tobá's" tools are :-

The "Chhám," already described,

"Teshi," a small adze for shaping bricks.

"Kandı," a trowel.

Baskets, rope &c. &c.,

A 'cutcha' (kachá) well or well without masonry cylinder is called "kharōri," and lasts only about a year unless indeed very little water is required from it: it does not cost more than 40 to 50 rupees to sink a well 'kacha,' but a kacha well cannot be sunk over 15 feet. In 'Clarke's Agriculture of the Rechna Doab,' an estimate is given of the cost of digging and lining a pucka well, which I here copy. I doubt whether at the present rates of bricks, labor &c. it could be done so cheap, but the list is interesting as exhibiting the sort of reward giving to the well makers, and the custom of giving the goat, and the turban &c. is universal.

"The average diameter of wells is five and three quarter haths (twenty-two inches to a háth) i.e., 10 feet $6\frac{1}{2}$ inches, estimated cost 162 rupees.

"Sinking a shaft, ten rupees, i. e., one and a quarter mani of wheat.

					Rs.	As.
A goat to workme		•••		•••	1	0) \$
Masons, @ 1 hath	per,	•••	• • •		27	neater 0
Food for Masons,			•••	•••	7	
Laborers,	•••	•••	•••	•••	15	ss; the
Tobá or well-sinke			• • •	•••	8	0 👼
Food for three tol		•••	• • •	•••	4	8 8 2
Lángi and turban	to tobás on	completion,		•••	4	$\mathfrak{E} \cdot \frac{\omega}{\omega} \mid 0$
	•••	•••	• • •	•••	1	d veel costs less
1,10,000 bricks,	•••		• • •	•••	6 0	0 2 6
Carriage of ditto,		•••	•••	•••	11	g o
Munj, mata	rial used in	the band	•••	•••	2	0 !
3X (41) (1)	ini useu m	the ound,	•••		1	4 83
Baskets,		•••		•••	0	sailuba land a tch nearer, less
Spale,			• • •	•••	1	0 2 2
Chak of 'Ber' we		•••	•••		6	0 2 3
Making the same,	••	•••	• • •	•••	2	0 12 2
Nails,	•••	***	•••		1	0 8 8
						$-\frac{\pi}{2}$
				TOTAL,	162	In sailtha land being much nearer,
						ã. ر <u>⊸</u>

"It is reckened unlicky to choose the fractional measure of three quarters for other things, but for a well the reverse of this, perhaps because there is some verbal relation between "pawan" and "pam," water. The wells in this district generally take about nine score of thirds or water-pots. "Chuks" are often contracted for at the rate of one rupce per hath of the well's diameter, thus for seven rupces a man will give a chuk, and bed it in its place in the shaft, for a well of 7 haths diameter."

As this table was drawn up some years ago, I subjoin another which shews the cost of well sinking in different soils, also the difference caused by having the diameter so large as to admit of a double Persian wheel apparatus.

The names of soils require a note. Sailába has been before explained. The Mánjhá Mítha or "sweet upland" refers to that soil midway between the bar and the sailába where water is at a moderate depth and the soil is sweet or unimpregnated with salts of soda. The "Khárá Mánjhá" is 'salt highland' where the soil is hard and salt, and water at a great depth.

Description of Soil.	Depth before reaching water.		Pakka Well.				Krenr Well. (Single wheel only employed)				
			Single Wheel.		Double Wheel.		Diameter.	Cost.			
				Diameter in feet.	Cost.	Diamoter in feet.	Cost.				
					Rs.		Rs.				
Sailába,		10	feet.	10	196	13	275	10 feet.	40		
Do.,	••,	15	,,	10	225	13	320	10 ,,	55		
Mánjhá Mítha,	,,,	30	٠,	10	390	13	550	Canno	annot be sunk.		
Do.,	•••	5 0	,,	10	670	13	900)				
Mánjha Khárá		80	9	10	1.100	13	1.600				



SECTION D.

FINE ARTS.

INTRODUCTION.

It is peculiarly difficult in a work of this kind to write a fitting introduction to a section devoted to the enumeration of specimens of fine art in the Punjab.

It would be inconsistent with the obvious purpose of a work monded for the office table and for work-day reference to enter even into the borders of the land of metaphysical speculation, and yet I feel that even a brief introductory note on the subject must necessarily touch upon such bord rs.

To understand a series of manufacturing processes, and afterwords to describe them, is merely a work of careful observation and of detailed writing: to understand the art of a country is another matter. Both it is true have two producing causes in common—Nature and Society. Monufactures are merely the offspring of the wants of the body—of the objy in its struggle with Nature, its cold, its heat, its sensations, and its diseases; or in the relations of Society, its government, as commonies, and its quarrels. Fine art, on the other hand, is the offspring of the mind—of the mind in its perceptions of beauty, grandeur, lower, harmony, and repose, in Nature; and in its sympathies and emotions resulting from the contact with others, in Society.

Fine art and manufacture often combine together; but the art alone is what this section is concerned with, and that in its present form, arises from the native mind; and before we can understand the art, we must to some extent understand the mind.

To examine this subject minutely, interesting though it would be, is, as I before said, manifestly impossible in a book like this. I must be

content to take the results without speculating on the causes, and if in a doing I lose a definite sequence or order in my remarks, and note, as I fear I shall have to, somewhat discursively, such peculiarities in native art as strike the examiner of a collection, I can only crave the indulgence of my readers.

There is one preliminary difficulty with regard to Art expression which is recognized more perhaps in a collection of works of native art than in such a collection in Europe—I mean the mere mechanical power of expression.

The actual work of drawing, the perspective, the method of delineation, and the style of producing 'effect,' are as a rule inferior; and this will surely be admitted when we have once reflected that the mere minuteness and delicacy of handling which many native works exhibit, and which occur in rendering the separate hairs of a beard, or the pearls on a tiny necklace, are a species of mechanical power intrinsically of a low order.

In the present state of native art, we at once observe, as in any other very early art, an extreme conventionality of treatment:—the adoption of certain forms, which may or not be satisfactory representations of certain objects or phenomena, to do duty always for all subjects or phenomena of that class. All native pictures have the skies painted exactly alike: if clouds are introduced they are so in a conventional form, and of an invariable tint. If trees are introduced, their color and treatment is always the same. It is not that a particular tree cannot be imitated: if the artist is bent for the purpose of his subject, on drawing an orange or a mango tree, he will render separately, and with accuracy, theorange leaf and the golden fruit, but it always is stiff, intractable, and regular:—conventional in its individuality.

To express any effect of light and shade: to paint a storm cloud, to eatch the gleam of the sun-light playing on wind-waved branches or rippling wheat fields:—all these things are as impossible to the skill of the native artist as they are foreign to his idea of painting.

Some few native artists copy Nature, but very few. They learn by mere routine when young, and execute copies of works that have been done in the same faulty and conventional style as they themselves ultimately, and as a matter of course, attain to.

There were two native artists whose works in the collection showed a real endeavour to draw things as they are: their names are Kishndas of Kaparthala, and Bishndas of Amritsar. Many of the best works of the former were in simple pencil outline, with very little shading. The Maharaja of Patiala's artist is also better than most.

I do not know that the imitative faculty is very strong among native artists; but I have occasionally seen studies of figures, representing different castes and tribes, which have caught expressions of face and other peculiarities very faithfully; still the force of conventionality is such that it is traceable in every work, and is like a blight upon every promise of higher purpose and better execution.

It is only another phase, after all, of that great curse of India—custom. What has been, is, and shall be, seems to be the determination of the mind of the masses; and son follows father in the same trade and with the same implements, from generation to generation. Improvement must come from without, or not at all; and it may be predicated for a certainty, that without the establishment of schools of design in this country, art will never make any material progress.

A number of the Dutch paintings which are admired by a certain class of minds, and please to some extent all minds,—because the mere success of imitation is instinctively pleasing,—owe their entire merits to their excellence in imitation.

The order of merit is not a high one: the mere accuracy of representation of a number of tin cans, a few carrots, a cabbage, a cut lemon, or a wine glass, is not anything very great or very noble: but it is true imitation. Lights on the glass, with all the innumerable reflections and counter-reflections, are really reproduced; the texture and crispness of the leaves, the metallic surface of the vessels, are all truly expressed;

but such is the baneful effect of conventionality in native art, that however correctly an artist could give the exterior form, he would shade his glass purely according to his idea of 'how shading ought to be done.'

No native artist has any idea of using his eyes. This is to a certain extent true of any person before he has any teaching in art. We have to learn to see things before we draw them. native artist this is more than usually the case. I cannot help writing down an instance that occurred to me a short time ago. A youth who had already made fair progress in the copying of flowers and other objects, : sked for some lessons in drawing and perspective. Anxious to see what he could do, I took a rose, half opened, with one bud and just two leaves, and laid it on a thick book, so as to raise it to a convenient height for seeing The rose and the bud were fairly drawn, and one leaf hanging over the edge of the book, but the other leaf lying on the book was hidden partly by the flower which was in front of it. The draughtsman immediately drew the whole leaf, but standing straight up behind the rose. I pointed out that it was not sticking up like that. The leaf was rubbed out and drawn, but this time below the surface of the book, as if the latter were a hollow glass box full of water. I drew the leaf for him, and he immediately objected to the result, 'because the whole of it' was not shown. At last it dawned upon him, that as he could only see part of the leaf he was only to draw what he could see. He afterwards made rapid progress, soon perceived the effects of foreshortening and distance diminution, and readily enough acquired the rules of simple perspective; but he had learnt so far to see, and that was the starting point.

Native artists are quite wanting in any sympathy with Nature, or love of beauty for its own sake. The English word 'picturesque' could not be represented in the language; there is no trace of such an idea in their books.

Take Walter Scott's description of Edinburgh in Marmion.* I quote this as every one knows it: the passage which commences—

"The wandering eye could o'er it go,
And mark the distant city glow
With gloomy splendour red;" &c.

And compare it with any descriptions in the Anwar-i-Subaili, or in any other Persian or Indian book of modern or comparatively modern time, and notice the picture-squeness of the one and the materiality, however prettily expressed, of the other.*

Perhaps this defect the oriental writers have in common with all early poets and authors. It is said that Virgil is never picturesque; with him a grove is always thick, shady or black, or impenetrable; the sun is bright, shining or burning—mere enumerations of material qualities. More rarely, the sea and rocks, and so forth, being associated with danger, are distinguished by epithets more or less abusive.

One reason why there is so little landscape drawing among natives is this want of perception. They have no admiration of form, and no capacity of receiving ideas of grander, harmony, or repose. I have never met a native in this country who seemed at any rate to enjoy a beautiful view.

Natives, however, excel in two branches of art, which gives them great power in certain classes of manufacture. Unable to design a good form or outline of a solid, they will design a piece of tracery, arabe que or flat pattern, with surprising skill; hence the beauty of their embroiday, their chasing in metal work, their illumination of manuscripts, and their surface wood-carving.

The other branch of art is coloring. Natives seem to have quite an instinct for color, without the faintest idea of the theory of light, and its composition, or the rules about complementary colors; they have so ized the results empirically, and in nearly all their works exhibit a project knowledge of contrast and combination.

In painting, the use of European water-colors is becoming more common, but hitherto there has been a considerable mechanical difficulty in colors: they were nearly all body or opaque colors, ground up in river

^{*} I do not speak of the older writers. I should be afraid to say that some of the Sanskrit writers are not picturesque—Kalidásá in the Sakuntala, for instance.

Oriental writers are abundantly fanciful in metaphor and smale in their descriptions, but that is not picturesqueness.

mussel shells. Brushes were made of the fine soft hair of the squirrel ("guleri,"). They are very small in size, and fine in point, bound by thread to a stick, without the use of quill or metal as with us; they are however well adapted to the usual style of painting with painful finish, minute touches, and endless stippling.

The reader will now be prepared for the list of specimens, which follow.

CLASS XXXII.

Unrepresented.

CLASS XXXIII

SPECIMENS OF WRITTEN CHARACTERS.

The principal place in which manuscripts are now copied is Kashmir, where excellent paper is made.

Formerly the art of writing, "khúshnavísí," was in great repute. It was quite a fine art. The writer would prepare his ink and his pens with great science, and then patiently elaborate every letter with the greatest care, and finally put in the diacritical points of the letters, not always in relation to the letter they designated, but, like figures in a landscape piece, for effect and adornment.

The Nastálik, or plain flowing Persian hand, is now the only one that is written well by any considerable number of people. The art of fine writing like many others of a useless character is dying out before the wants of a more practical age. Plain neat writing for the lithographic press is more in demand.

Besides the writers in Kashmir, and His Highness the Maharaja of Patyála's State penman, and Imam Wairdi* (a real artist) at Lahore, there are hardly any Khúshnavíses of repute in the Punjab. Whenever they do write it is in the Nastáhk style; the Nashk, or Arabic style is very rare, and still more so the ornamented Arabic or Suls. Natives have an intense dislike to our printed "nashk," which they can with difficulty read, and prefer a lithographed "tálik."

One kind of writing deserves to be noticed: the nail writing. It consists simply in embossing with the end of the thumb-nail, letters, flowers and other forms on the paper For this purpose the thumb-nail is allowed to grow to a great length and cut into a point. By the adroit rubbing first with one side, then with the other, the letter is raised up, and the field or surface below rubbed down evenly: sometimes color is introduced, the field decorated with branching flower-work and the surface of the raised letter gilded. I have a picture of a stag and of a bird raised and gilt in this way.

Imám Wairdi at Lahore is the best artist I have seen, but one or two other men do the work also.

Of other fantasies in fine writing, those in which the collection of 1864 most abounded, were,—writing inside a bottle, writing on glass and then silvering it over behind; and, lastly, writing letters in either Nastálik, or in peculiar form (suls and togra-suls) combined and twisted together so as to form a tiger, a group of birds, a flower, or a vase of flowers. I have one of the latter before me at this moment done at Lahore. It is on glass, and consists merely of the letters of the alphabet (Persian) combined to form a group of three flowers coming out of a vase.

The letters appear silvered as ordinary looking glass, the ground is mottled, made by rubbing on gold paint (gold leaf ground fine) mixed with ink.

Some of the most beautiful writing is to be seen on seals. But at Delhi only is this well done, and even there the work is far surpassed by the Kashmir artists. The seal engraver's art has been described already.

Besides these ornamental writings, for common correspondence the running or Shikasta' Persian is used.

Hindu shopkeepers, and Musalmans also in villages, keep their accounts in what is called 'landa', a rude and very clumsy degradation of the Devanágri. This style of writing varies so, that a Lahore shopkeeper could not read the 'landa' of the villages in other pergunnas of the same district, nor could a Jalandhar 'banya' read the writing of his brothers in Sealkot.

The bankers and larger merchants generally, whether Hindu or Muhamedan. keep account books in a very regular and neat looking hand (also a corruption of Nágri) called "Mahájani" or Saráfi; "and of course there are special characters used by Naurya merchants and Parsees.

In Kashmir, "Shástri" (or Nágri) is used in the corrupted forms, as Shárda and Dogra. The Catalogue also mentions a specimen of the "Bhot" writing, which I presume to be Tibetan used by the Buddhists.

In the Chamba districts a rather peculiar corruption of Nágri is used called Chambiálí, and on the Sutlej another variety is in use in Basáhir.

The following list gives an idea of the articles exhibited in 1864:-

LUDHIANA.

929.—[10827]. Writing by the nail (Asghar Husain).

930.-[10831]. Writing cut out with scissors.

AMRITSAR.

931.—[10840]. Poetry &c., in illuminated characters.

932.-[10838]. Lines containing date and praise of the Punjab Exhibition, &c.

SEALKOT.

933.—[10842]. Grain of rice with writing on it (MUHAMMAD RAMZAN).

LAHORE.

934.—[10514]. Specimens of hand-writing on frames.

935.—[10849]. A series of "firmáns," of the Emperors Shah Jahán, Alamgír, Mohamad Shah, Ahmad Shah Dúraní, Taimúr Shah; and a "nikanámah," marriage deed, of the time of Mohamad Shah, (Pandit Manphul).

936.—[]. Copy of 'Yusaf and Zulaika,' by the celebrated writer Mir Ali Katib (Delhi.)

937.—[10859]. "Adh-Granth." The earlier of the sacred book of the Sikhs compiled under the orders of Arjan, fifth Guru.

- 938.—[10860]. Janm Sákhi.—The life of Bábá Nának. A M.S. written in Kashmir about 25 years ago. Title page beautifully illuminated.
- 939.-[10847]. 'Joshan' or Kurán in the "Khat-i-raihán" a style of writing.
- 940.—[10861]. Volume of poetry written with the nail and illuminated by Imám Wairdi of Lahore.
- 941.—[10863]. Arabesques in nail work (Khat-i-nákhún) Lahore, by Ghulam Mustafa.

MONTGOMERY.

942.-[10870]. Specimens of writing from Pákpattan.

PESHAWAR.

943.—[10877-8]. Specimens of both Persian and Hindi writing.

KASHMIR.

- 944.—[10883]. Persian plain writing, "Khat sha'áí sáda."
- 945.—[10884]. Twisted or combined letters, "Suls Pechán."

Specimens of the other characters before alluded to were sent.

PATYALA.

946.-[10890]. 13 copies of hand-writing of different kinds used in the country.

CLASS XXXIV.

PAINTINGS AND DRAWINGS.

The best paintings are the miniatures executed on ivory at Delhi. They are usually of an oval size, but occasionally oblong with the edges rounded. Ivory is sawn up into very thin plates, which are most carefully seasoned and pressed that they may not curve, and are finely polished. The painting when finished is protected by a very thick but clear glass, smoothed off at the edges like a pebble.

The glass is made at Aleppo, and is polished with 'burbura,' corundum and oil, at Delhi.

The paintings consist either of portraits or of landscape subjects, the latter being almost entirely confined to ruins and ancient buildings at Delhi or at Agra.

As regards portraits, the most usual are pictures of kings and of the beauties of the courts of the Mogul Emperors: modern portraits are however copied from photographs, often with surprising fidelity. Even by transmitting an uncolored photograph, accompanied by a sufficiently careful description, a miniature may be obtained in about a month's time. A single figure is usually charged at 50 Rs.

The work is always executed either in color, which is generally soft, rich, and effective, or else in Indian ink—mere light and shade. These latter are often pleasing, especially in the landscape subjects, for then the very conventional treatment of the trees and sky becomes less prominent than in the colored ones. They use gilding freely along with color. The earlier paintings of interiors and buildings, minutely finished as they were, had generally such impossible perspective that the whole effect was destroyed. This has been to a great extent remedied by the introduction of photography. As all these miniatures are copied from photographs of the buildings, the right perspective is copied undesignedly and without knowledge.

These works exhibit absolutely no originality, nor can any improvement, other than what the introduction of photography just alluded to and the supply of better colors from Europe account for, be traced.

The best painters at Delhi at the time I am writing, are Ismail Khan and Ghulam Hosain.

The pictures are executed in all sizes, from a tiny miniature, to be set in a stud, button or bracelet, to the larger size which is occasionally seen set in silver and mounted on a casket of carved abony or sandal-wood. A few of the paintings may be enumerated.

947.—[10899]. &c. Pictures of the Táj Mahal, at Agra, the Fort at Delhi, the Badsháhi Mosque, the Kashmir Gate of the City, the Diwán Khás of the Palace Delhi, the Kutab Munar, the Tomb of Humáyun, &c.—Ismail Khan.

948.-[10906]. Small sketches for setting in bracelets.

949.-[10908]. 12 studs and sleeve links.

950.-[10918]. Picture of the Tomb at Mecca.-Nazr Ali Khan.

951.—[10929] Portraits of Emperor Akbar, Aurangzeb, Nádir Shah, Jahángír, Alamgír, Humáyun; also of the wife of Shahjahán, the favorite wife of Jahángír—Núr Mahal &c., &c.—Ismail Khan and Ghulam Husain Khan.

952.—[10954]. A large picture executed on paper representing the Nawab of Jhajjar on a hunting expedition.—Ghulam Husain Khan.

KANGRA DISTRICT.

953.—[10964]. Picture of the tea plant, by Attara of Kangra.

This is a rather faithful drawing of the tea plant, about one-fourth the natural size.

954.—[10967]. Picture of Gaddis (or hill shepherds). This picture, which is ethnographically interesting, is now in the Lahore Central Museum. It is drawn on English foolscap paper, in outline with a pen, and a very slight shading of color.

The proportions and perspective are extraordinary, but the dress and habits of the Gaddis are portrayed to the life. The dull-grey full bosomed flannel coat, inside which several little lambs and kids are stowed to keep them warm, and are seen in the picture peeping out, drolly enough,—the flint and steel, the knife, and the ladies always carrying the heaviest loads;—all these are excellent.

AMRITSAR.

955.—[10975]. Book of colored portraits of castes and tribes, by SANI.

956.—[10976]. Series illustrating the Shawl trade, by Bishn Singh of Amritsar. The shawl weaver.

- .. cleaner.
- " darner and piece joiner.
- ., presser.
- " wool washer.
- , ,, dyer.
- 957.-[10981]. Pieture of an Ekka.
- 958.—[10982]. The Darbar or Court of Ranjit Singh.
- 959.—[10985]. The Municipal Committee of Amritsar in session.

All these are by BISHN SINGH.

LAHORE.

960.—[11016]. Illustrations of the work "Amír hat."

961.—[11017]. Do. of the Sudama Charitra.

962.-[11018]. Do. of the Ramáyan. (Artist unknown).

Two ancient drawings, one representing in outline, quaint but true, a gentleman reflecting previous to swallowing a glass of physic which he holds in his hands, and which, to judge by his expression, must be eminently disagreeable: the other a winged angel riding on a horse, which on closer examination is found to be the form of a horse made up by a combination of snakes, tigers, birds, antelopes and fishes. These were exhibited and afterwards presented to the Museum by Pandit Rada Kishn of Lahore. There are one or two native artists at Lahore, but their works are not of sufficient merit to be described.

Oval pictures of Sikh Chiefs and ladies on ivory are executed by these people, but so inferior to the Delhi work as to merit no place in the collection.

PESHAWAR.

- 963.—[11034]. Portrait of Khwája Muhamad Khan.
- 964. -[11035]. Portrait of Yusufzai woman. Muhamad Ji, of Peshawur.

KAPURTHALA.

- 965.—[11036]. Album of outline drawings—of birds, figures, plants, &c., Kishn Singh. These show greater promise of improvement in native art than almost anything in the collection.
- 966.—[11039]. Study of an agriculturist with his wife followed by a beggar. The figures in this were admirable.
- 967.-[11037]. Portrait of Amir Dost Muhammad Khan on glass.

KASHMIR.

968.—[11043]. Portrait of His Highness the Maharaja Ranbír Singh of Jamu and Kashmir, G. C. S. I.

This is a faithful likeness, but stiffly drawn.

FARIDKOT.

- 969.—[11044]. Picture of a rich Hindu beauty (on ivory). This is well finished and colored, but the feet are drawn out of perspective: the figure could not stand at all in reality with the feet in such a position.
- 970.—[11044]. A most wonderful drawing—perspective apart—showing the lamentable results of drinking "post" or decoction of poppies. The expressions of the persons in various stages of incipient or advanced stupefaction are given with painful accuracy. The above are by Gopal Singh of Faridkot.

PATYALA.

By the State artist (his name is not given.)

- 971.—[11045]. Portrait of Maharaja Karm Singh.
- 972.—[11046]. Portrait of Maharaja Narendar Singh, the late ruler of Patyala.
- 973.—[11047]. Portrait of Maharaja Mahendar Singh, the present Maharaja.
- 974.—[11051]. Drawings of animals.
- **975.**—[11050]. Album of pictures.

All these are most excellent, the coloring and finish is good, and the expression of the faces really true to life. The portrait of the late Maharaja Narendar Singh is in the Museum at Lahore.

CLASS XXXV.

MODELS.

The collection in the Exhibition of 1864 was principally rendered interesting by the number of models of European design, which could find no place in this book at all, were it not for the circumstance that they were made by native hands. The Jury's Report is given as it is issued, and sufficiently notices these articles.

White box wood and the wood of Karil (Capparis aphylla) seem to be the materials preferred for modelling. The models consisted of the following groups:—

Mr. J. Gordon's models of buildings at Amritsar.

Models of canal falls, and other canal-engineering contrivances.

Models of churches.

Eliminating these, the purely native models were very few.

- 976.—[11012]. Model of the Taj at Agra in soapstone, belonging to the Central Museum Lahore: it is doubtfully of Punjab workmanship.
- 977.-[]. Model of the Tomb of Hazrat Salim Chisti, at Fattihpur Sikri, exhibited by Rai Kanaya Lal, Executive Engineer.
- 978.—[10997]. Model of the great 'Darbár' or Sikh temple at Amritsar. Exhibited by Sirdár Bhagwán Singh.

This was made at Amritsar, and is elaborately finished, colored and gilt to represent the original. It takes to pieces and exhibits the interior decorated with the embroidered canopies, the copy of the "Granth" &c., &c, in minute fac simile of the original.

- 979.—[10957]. Model of the Kutab Minár near Delhi, carved in ivory by Jitt of Delhi.
- 980.—[11022]. Model of Jahángir's Tomb at Shádara near Lahore, by Iláhi baksh, a Lahore workman,—made of ivory colored.

Great ingenuity and delicacy of work is displayed by these models. The best model of all, that of a Railway carriage, executed at Lahore, has been already noticed.

981.—[11042]. Model of the "Sangla" or wooden bridge over the Ravi at Chamba. (Vide the note on these bridges under Section C. page 333.)

Lastly, there was in the Exhibition of 1864 a small mechanical model of a singing bird, made by a workman at Nábha. This article I did not see, but the Jury described it as follows:--

"No. 11,100 is a musical toy sent by the Raja of Nabha. On winding up the box the lid opens and discloses a small bird, which flutters its wings and sings in an extremely discordant manner, until the machinery and the listener is exhausted. The workmanship is rough, and the toy is of course copied from a Parisian model, but considerable ingenuity has been displayed in the imitation."

JURY REPORT ON THE FINE ART SPECIMENS.

Jurors:-

Major General A. A. Cunynghame, C. B. E. A. Raikes, Esqr., H. M. 93rd Highlanders.

Lieut-Col. R. Maclagan, R. E., Baden Powell, Esquire. Ghulam Mahbúb Subhaní.

Lepel Griffin, Esqr., B. C. S., Reporter.

In scarcely any part of India are the fine arts in so low a condition as in the Panjab. In Delhi, indeed, which is politically included in the province, the art of painting on ivory has for long been cultivated with great success, but in the Panjab proper there is, at present, little in painting, sculpture, or architecture, worthy of notice. The reasons for this state of things are simple, and it is so desirable that they should be fully appreciated, that a few words in explanation of them may not be considered out of place in this report.

During the rule of the Muhammadan emperors, in the days of their strength and still more in the days of their weakness and decline, the Panjab was the battle field of India. Army after army of invaders poured down upon its plains from the north-west frontier, sometimes successful in reaching Delhi—the object of their ambition—sometimes driven back by the Imperial forces, but always a curse and a scourge to the Panjab, destroying its harvests and decimating its population

There was no cultivation of the fine arts at that time, for the people were poor and it was all they could do to support and defend their families.

When the Moghal empire fell, the prospects of the fine arts did not improve. The condition of the Panjab between 1760 and 1810 resembled that of England during the reign of King John. In every direction rose forts of brick or mud, the homes of petty chiefs and barons, who with two or three hundred horsemen behind them ravaged the surrounding country and carried off the plunder to their strongholds. Those of the 8ikh chiefs who were the most powerful, were only the most successful robbers: any differences between them were only differences of degree.

At length Ranjit Singh rose to power on the ruins of the Sikh confederacies. But he had won his kingdom by the sword, and had no reverence for the brush or the chisel. His life was passed in incessant war to extend and consolidate his empire, and he had no time to devote to the fine arts. Like most of his nobles he was grossly illiterate, and could neither read nor write, and in his Court, in its most brilliant days, there were but three men who could be truly called educated.

The ten years succeeding the death of Ranjit Singh were years of anarchy and revolution, and the Panjab first found rest when, in 1849, it was annexed to the British Empire.

It will not then be considered strange that the fine arts have not flourished in this province. They are the result of peace and civilization, and it was not to be expected that they should arise in the midst of war and barbarism; but for the future there is good hope. No one who has carefully examined the articles exhibited, not only in the Department of Fine Arts, but also in that devoted to Manufactures, can fail to have been struck

with the promise of future excellence which they display. The native of the Panjab possesses many of the qualities which ensure success in art. In common with the inhabitants of lower India he has an instinctive appreciation of color, and though without any knowledge of the principles which should regulate its use, is often more happy in his combinations than the educated workman of Europe. His color is often exaggerated but it is always warm, and rich and fearless. The native artist is also patient: for weeks and months he will work at his design, painfully elaborating the most minute details; no time is considered too long, no labor too intense to secure perfection in unitation or delicacy in execution. The greatest failing in native artists is their ignorance of perspective and drawing, and it is fortunate that this want is the most easy to supply. Nothing is required but schools of design and judicious instruction to effect a great change both in the fine arts themselves, and in art manufactures in the Panjab.

The Government has at present under consideration a scheme for the establishment of a school of design at Lahore, and although the difficulties at first may be great, there can be no doubt of the benefits that will evenually result from it.

Class XXXIII may be divided into two divisions, one including drawings and paintings, the other models. It is proposed to notice these division separately.

Among the paintings most worthy of notice is a collection by Pundit Manphúl. Many in this collection are of considerable antiquity, and it is interesting to note the changes in the art during the last three hundred years. Painting has undoubtedly declined in the Panjab, and the reasons for its decline are noticed at the beginning of this report. There is a delicacy of treatment about the old paintings which is almost entirely wanting in the works of the present day.

The collection commences at No. 11,015, with an interesting series of 15 of the Emperors of Delhi. Most of these were painted by Purkhu, an artist in the service of Raja Sansár Chand of Katoch, who was a great patron of art, and prepared a fine collection of paintings. There is a remarkable clearness of tone and delicacy of handling in most of Purkhu's works, but he was not so great a master of color as many other artists inferior to him in other respects. His son Ramdyal, who is still living, inherits much of his father's talent. Number 76 is a clever portrait of Maharaja Gulab Singh, said to be one of the best likeness ever taken of that prince. The next painting to it 77, is an interesting Portrait of Raja Sansár Chand by Purkhu. The series of Muhamadan Saints, Nos. 88-100, are very interesting. The paintings are by different artists, whose names are unknown, and some of them are very old. The most noticeable among them are Bahauddin Zakaria, who died at Multan, A. H. 666; Syad Julál Bokhári of Uch, A. H. 686; and Dáta Ganj Baksh, whose tomb is at Lahore, A. H. 465. An unnumbered portrait of Maharaja Ranjit Singh, said to be an admirable likeness, was hung at the entrance of the Court; there are very few really good likenesses of this monarch. The best was taken at Rupar in 1831 by Jiún Rám, a painter of Meerut, in the suite of Lord William Bentinek. Ine Pattiala paintings, 11045-11049, are well executed, especially the portrait of Maharaja Karam Singh.

But the most clever and truthful paintings in this class, are the work of Bishau Singh of Amritsar. This artist has exhibited no less than ten paintings, three of them of considerable size. These latter 10,983—10,985, represent the Durbars of Maharaja Ranjit Singh and Maharaja Sher Singh, and the Municipal Committee of Amritsar, and are of

great merit. The perspective of the buildings is incorrect, but the figure drawing is admirable. The color is tasteful and rich, the likeness are good, and the expression of the faces is varied and truthful. A series of six pictures, Nos. 10,976—10,981 of smaller size, illustrating the processes of the shawl manufacture, is equally good. The best of the series are Nos. 10,979 and 10,980, shawl pressing and cleaning. In these the detail is most carefully worked out, yet is not allowed to interfere with the unity of the design, and the coloring is especially good.

No. 10,964 is a very curious work illustrating, in different compartments, the trades carried on in the Kangra hills. As a painting, however, it has no artistic merit.

No. 10,975, a book of water color drawings of different tribes in the Panjab, by Sani of Rawalpindi, possesses considerable merit; also some outline drawings, (unnumbered) by Kishen Singh, a Kupurthalla artist. The Delhi paintings on ivory have been treated of elsewhere. The only Delhi paintings in Class XXXIII are two, representing the Nawab of Jhajjar hunting the boar and the leopard. These are animated, clever works, and the grouping of the figures is good, but the color is poor, and the drawing most indifferent.

The majority of the models exhibited have been, as might be supposed, prepared under European superintendence.

The most noticeable are a series of four, executed from the designs of Mr. John Gordon, Executive Engineer of Amritsar. The workmanship and carving of all these are extremely careful and good. The first, No. 10,991, is a model of the Town Hall and Municipal buildings now in course of erection at Amritsar, at an estimated cost of 1,25,000 rupees. This, when completed, will be one of the finest buildings of the kind in India. It has a frontage of 280 feet, and, with its quadrangle, covers an acre of ground. The second, No. 10,990, represents the Amritsar Government College, lately finished; it adjoins the Town Hall, and is similar to it in style. The third, No. 10,993, is the Clock Tower at Amritsar now in course of erection, at an estimated cost of 23,000 rupees; the style adopted in this building is the decorated Gothic. The ornamentation, though simple, is very effective, and the proportions are singularly graceful. It is proposed to place in it a clock with illuminated dials, and as it is situated on the highest ground in Amritsar, and is itself 145 feet in height, it will be a very prominent object in the city. The fourth model sent by Mr. Gordon, No. 10,992, is of an ornamental gate for the new public gardens at Amritsar. The detail of this work is very rich. The wings and piers are to be constructed of plastered brick, the gate itself is wrought iron; the estimated cost is 1,000 rupees.

The Barí Doab Canal Workshops at Madhopur exhibit some well executed models—Nos. 11,001 to 11,004. The most noticeable of these represents two of the nine bays of the Dumrai fall, in the 1st Division of the Bari Doab Canal. This fall, which has been found to answer better than any other, is the invention of Captain Dyas, R. E., Director of Canals, Panjab. It is as great an improvement on the simple perpendicular fall, as that is on the Ogee, which has been found so disastrous in its action on the Ganges Canal. In Captain Dyas' system the water, falling from the higher level, passes through a wooden grating, which diminishes the velocity of the water at the crest of the fall, and distributes it over a much larger area than would in any other plan be the case, rendering the flow of water from

the cistern gentle and equable, and preventing the destruction of the bed of the canal. This very interesting model has been more particularly noticed here, as it was observed that many visitors to the Exhibition mistook it for a cotton gin. Lieut. Garstin, Bari Doab Canal, exhibited several well executed models connected with the canal works—Nos. 10,986—10,989.

Nos. 11,025 and 11,033 were models of the Churches at Gujrat and Derah Ghází Khán, in wood. The workmanship of these was good.

Two models of bridges were specially worthy of attention. The first (unnumbered) was exhibited by the late Mr. Byrne, Executive Engineer, and represents the bridge lately built over the Gaj, near Dharmsálá. The design is clever and bold, and being a laminated wooden arch, is well adopted for hill torrents. The second (unnumbered) shows five arches of the masonry bridge in course of construction over the Markunda torrent near Amballa. This model is most beautifully executed.

Sirdar Baghwán Singh exhibits a complete model of the Darbár Sahib, the great Sikh Temple, in Amritsar: great care and labour has been expended on this work. The elaborate ornamentation of the temple has been perfectly reproduced, and the whole model takes to pieces, showing the interior, which is as highly finished as the exterior.

Two models in soap-stone are worthy of notice for the delicacy of their workmanship, one representing the Juma Masjid at Delhi; and the other, exhibited by Karheya Lal, Assistant Engineer, the tomb of Salim Chisti at Fatahpur. A work of equally minute and careful detail, is 10,975 by Jitú, the Kuth Minar at Delhi, executed in ivory.

One of the best models in the Department is that of a first class Railway carriage, (unnumbered). This was entirely made by natives, and is a most creditable production. Although on a very small scale, the detail is given well and carefully, and the verkmanship is admirable.

A thermantidote (unnumbered) is also worthy of attention. The mobine is worked by treddles, and by the same action the water is raised by a force purp to the top of the tatties, the surplus returning to the reservoir.

The last model to be noticed here, is the wooden bridge over the Ravi at Chunba. This is a curious and picturesque structure. It was built in its present form about forty years ago by Raja Charrat Singh. The model contributed by the present Raja gives a very exact representation of it.

PRIZES.

Models.

					Rs.
1	Mr. John Gordon's models.—'	The Am	ritsar To	wn Hall,	
	College, Clock Tower, and	the Orna	mental G	late of the	
	Rámbágh,		•••		70
2.	Model of Railway Carriage,		•••	•••	50
3.	Sirdar Baghwán Singh's mode	el of the	Darbár	Sahib at	
	Amritsar.		144	•••	50 with Medal.

	Pe	aintings	•		
4.	Bishen Singh, Amritsar,	•••	•••		50
5.	Pattiala State,	•••	•••		30
6.	Sani, book of paintings,	•••	•••	•••	25
7.	Kishen Singh of Kapurthalla	, a bo	ok of paintings,	•••	30
	MEDALS AN	D CEI	RTIFICATES.		
	MEDALS AN	D CE	RTIFICATES.		
8.	Model of the Kuth at Delhi,	•••	•••	•••	Certificate.
9,	Model of Thermantidote,	•••	***	•••	Do.
10.	The Madhopur models,	•••	•••	• • •	Do.
11-12.	The Gujrat and Dera Ghazi	Khan	Churches,	•••	Do.
13.	Model of Bridge over the l	Ravi,	•••		Medal.

ENGLISH INDEX.

\mathbf{A} .

Adze—Skill in using, p. 209. Agricultural Tools and Implements, p. 310. Agricultural Tools in the Hills, p. 316-7. Agricultural Implements—Jury Report on. p. 317. Amputation—Native method of, p. 265. Amulets, pp. 177, 179. Architecture-Styles of, p. 322. Sec also "Building." Armour -Chain armour, p. 294. Armour and Arms, inlaid, p. 293, and No. 828 p. 168. Armourer's art, p. 144. Armour—Miscellaneous—as maces, warquoits &c., p. 295. Arrows - See Bow and arrows. Art -- See Fine Arts. Do. Schools of-p xxi. Astrolabe described, p. 262. Astronomical instruments, p. 260. B.

" Bábul" work of Delhi, p. 186-7. Barrel - See Gun. Betel nut, used for knife handles, p. 145. Blacksmith's tools, p. 151. Blankets, p. 28, Do. No. 228—212, p. 29, Bouts of the Indus described, p. 256. Do. of Kashmir described, p. 255 Do used on Panjab Rivers, p. 253. Bo kbinder, his tools, p. 301. Boring—See Ear-borer. D_{ij} See Gun. Bracelets of lac. p. 242. Bow and arrows, how made, p. 295. Bridges-Pile-of Kashimir, p. 335. D., . Notes on -p, 333. Varieties of -in the hills, p 333-1. Building - Contrivances for—Class XXXI, p. 322 - 338.

Cobbler, his tools, p. 301-5. Celeines in pottery, how made, p. 221. Celetropis fibre-Fabrics from p. 75. Camon -Iron-how made, p. 281. Practice of casting - by natives. p. 282. Do. Small portable—invented by Guláb Singh, p. 284.

D., The gun "Zamzama" described. p. 282-3.

Do. Specimens of—No. 557 &c., p. 75.

Caps Emboddere I at Delhi, p. 456. Do. Woollen of Labul &c. No. 644, p. 110 No 651, p. 111, &c Do from Peshawur, No. 662, p. 117. Carriages See Carts of European fastaon made in the Panjab Report on p 249 Do. by Bhajjan Lal, p. 250 Do. by Mr Chapman of Amritsar, p. 250. Carpets (Cotton), p. 10 H.
Do. Derajar Notice of p. 51 of the Lahore Central Jail, p. 26. Do (Wodlen), p. 26 Carpenter, his tools, p. 299. Carts -Native -The parts of described, p | 246-7 Native | Advantages of--p | 246 Do. Do. what londs they carry, p. 215 Carved Work Class XV, Division Hop. 205. Carving -Conspectus of, poxym $S \in \text{Ivory}$ Dσ Carved sticks p 205. Casting metal vessels described, p. 141 Cataract. Native implements for treatment of, p. 265. Central A a-Dresses from an

Lahore Museum p. 129. Chairs of Courat, p. 201 Chairs No Cought a Vern Trolay

CHAPMAN, Mr. R. Shoads design I by. No. 350 362, p. 15 Characters - Sc. Writing

Cheese-maker, his appointus, p. 507. Che wele work, 1 61

Chintz (Russian p. 13) Clocks (Native made, pp. 258–202 Clocks)—Norumber Colon, Silk, Wood Chaining - An ades of Class X9, p. 101--120.

Calacompations, p. 223

Coloring -Native method of art p 345 6. Convers as a -8 Burbane

Costrate S Dress Cotion fibries of Multim p. 2

Do. do. of Hashyarpore, the Douba,

Do. and wool mixed tabries, p. 13.

element to pleasures, p. 540. Cosh and may 7, elob trang h. p. 9 $D_{\alpha_{*}}$ Di.

 \mathbf{D}_{O}

fall a General review of Jury Re- $\mathbf{D}_{O_{\epsilon}}$ рост р. 15 - 19

fibras, July R viteo p. 14, 19 do Pressaw rhotto p. 18, 19, do Table of all bods of sact Do. Do. Do. $y_1 y_1 y_2 \cdots y_r \cdot y_r y_r y_1 y_1 y_1 \cdot y_1 = 23$

Gr. Mr. Billianon - design, p. 319

Do.

cloth preferred to wool, p. 28. Do. Do. do.Localities of—p. 2. Do. prints, p. 13. See Saw-gins, p. 310. Do. Cutlery—General account of—in Jury Report, p. 152 -3. Jury Report on the collection of 1861, p. 152. of Ludhiana No. 736--740, p. 145. Progress m—at Sealkote, Delhi and Wazirabad. Report of Jury on (1864), p. 152. at Sealkote-Method of working-Do. described p. 146 -- 7. of Shahpur, p. 148. Do (Sub-class C) p. 144 -152. Do. of Wazirabadand Nizamabad, p. 117. D. Daggers, p. 292. Dancer on tight rope, his apparatus &c., p. 309 Dapline fibre Paper made from, p. 80-81. paper of Nepal, p. 81. Þσ Dead ir Burability of, p. 332. Design - Skill in that —as opposed to solid, xiii. Dermond Art of cutting, p. 193. Drimond The Kohmúr History of, p. 195. Tavernier's account of, p. 197. Drawings in outline by Kishn Das. No. 965. p 352 Drawings and Paintings, p. 350. Dress (Class X) Conspectus of, p. xv. Dresses work in the Punjab —General account of, p. 101. Dress of the Hill districts, p. 106-7. Do. Takirs -Note on p. 118. Dresses of the Proutier, p. 113. Dress - Articles of - from the hills, detailed, p. 110 Dress of Ambila District, p. 101. Do. Balti people p. 119. Bunnoo district and Waziris, p. 114. D) of eastes inhabiting the plans, p. 101. Do. Chumba, p. 112. Chomba, turber particulars, p. 120. Dress of Hazara discort, p. 114. D . Hindu cartes, p. 102. D., Kulu people p 107 Dresses of Lidakh p 105 - Further details about, p 119. Dress of Labul, cost of, p. 111. D . Labore, Amritsar, p. 102. 1), Luni p 111. 1).. Musidiaans, p. 102. Mrais'us, p. 102 Dresses of Pesh ratir, p. 116. Dress of people of Spen, p. 109 Dress of Selves p. 103 D) Sasa district, p. 101

Shakpur district p. 195.

Cotton manufactures (Class V), p. 1-24.

General view of, p. iii.

do.

Dress of Simla Hill States, p. 113. Yarkand, p. 120. Drums—See Music. Dyer, his apparatus, p. 299. Dyeing shawl wool described, p. 37. Dσ. silk, p. 60.

 \mathbf{E} . Earboring operation described, p. 268. Embossing and chasing in metal, p. 185 Embroidery (Class 1X), p. 96-100. Ditto General view of, M ditto Ditto Coarse—worn by peasantry. No 622, &c., p. 100. of Delhi, p. 96. Ditto Ditto No. 592, &c., p. 99. Embroidery of Derajat. p. 100. Ditto Ludhiana, p. 98. Ditto Kaslımir, p. 98. Ditto Ludhiana. Specimens, No 605 -609, p. 99. Ditto Patterns, Method of tracing p. 98—9. Two principal kinds of, p. 98 Ditto Ditto on leather, Kasúr, Lahor. p. 100. in gold—Process described. Ditto p. 96-7. Enamelling—The art of—described, p. 184. 191. Enamelling at Jaípúr, &c., p. 192. Enamel-Black—done at Lahore, p. 191--2 Encaustic tiling called 'kásí'—Origin of the term, p. 233. Encaustic tiling, p. 220.

Engraver—Sec Seal.

Fancy cotton cloths, p. 9. Fancy Manufactures (Class XX), p. 241-2 Felt of Central Asia-See No. 311, p. 33 Duto No. 265, p. 30 Fibrous Manufactures, Class VIII (p. 74 - " Do. ditto General view of - NO sey. not being woven. p 8 ditto Do. et seg. Filigree—Silver—work, p. 25, p. 167. Fine Arts—Introductory note on, p. 341 Jury Report on, p. 354-8. Ditto

in Panjah -Backward state atcounted for, p. 35.

Points of defect and excellence Ditto In what respects native artis: Ditto succeed, p. 365.

Ditto want of perception of natives " matters requisite for, p. 343.

Firearms. (Division II of Class XXVIII) p. 285.

 Γ lax - Indom –worked up at Belfast. p 🐔 Flowers imitated in paper, No. 847. in wax.No. \$19, p. 211. Ditto

The flaps carved from wood and every, p. 210. Furniture (Class XV, Division I), p 203 Progress in design and manufac-Ditto ture. p. 206--7.

See Wood Carving. Ditto

G.

Gems:—Art of cutting, p. 193. Gilding - Process of, p. 171. Gilding - See also Silvering. Gilder of leather, his tools, p. 301. Gilt work, how made, p. 171. Glass bracelets (chúrí) Art of making, p. 239. Do. colored, made at Hushyarpore, p. 236. Do. globes, silvered Art of making, p. 237. Glass imported for Aleppo, p. 240. (dass manufactures (Class XIX), p. 235 - 249 Do, making at Hushyarpur, No. 838, p Do. ditto Lahore, p. 235. Karnál, p. 237. Patyála, No. 841—845, p. Do. ditto Do. ditto ditto Conspectus of Class XX. Glazed tiles and pottery, p. 220. Gold-beater, his work described, p. 174. Gold-beater's skin-Mystery made about process of preparing. p. 173. Gold embroidery—Purposes to which put. p. Gold filings-Value of-p 185. Gold lace, p. 162. Gold plating—Sec Plating. Goldsmith-Different kinds of work described, p. 184-5. Goldsmith's work of Delhi, p. 166. Do. ditto Kangra, p. 186. Do. shop-The soil of-bought up. p. 185. Gold -See Silver, also 'Inlaid' and "wire drawing." Gold thread (Kalábatún) how made, p. 161. Goojrat work - See Inlaid Gourd shell used in making musical instruments, p. 277. Grain-parcher, his apparatus, p. 307. Grass (Múnj) string and other fabrics, p. : 57-58. Green stone used for knife handles—Sec Plasma. Guitar See Music. Cun barrels of Kohát and Bháwalpúr. p. 257- 3. duto how made in different fashions p. 287.

Gun carriage — Material required for, p. 281

Guns Jury Report on, p. 51.

See Cannon.

See Firearms.

Do.

Do.

11.

Agriculture of the -p 316.

Hats (straw) made at Lahore Jail, No. 590,

Hardware, p. 143

P 59

Hides

Do

Do

Hul-

See Leither

Horticultural implements, p. 321 Houses of Chemba and Pangi, p. 327.

of Ba slav, p. 330 of Spen, p. 330

of Kulu p 328.

of Krshning described, p. 331. [),, of Ladokh, p. 329. Do. of Plách, p. 329 Do. in the mountainous Districts, p 327. Do of the poor (Shahpur District), described, p. 324 - 5. Do. of the peasantry, Cis-Sutlej, p. 325. of the peasantry described, (Scalkot), р 321 D_{θ} of the peasantry Attempt to improve. p 323 of the peasantry, described, p. 323. Houses of the wealthy, described, p. 323 1. Howitzer, native, p. 281. Implements So Agricultural. Implements Sec Tools. Boats used on the, p. 256 Indus river Ink Native how made, p. 308 Inland armour, No 829 p 168 Inland work in gold of Wultan, No. 833, p. 168. Indaed work orgodd, p. 167 et seg Illuminated bloks, p. 118 - 9 Instruments, Astronomical, &c., p. 260. Do of Music Class XXVI, pp. 270 79 Instrum ats. Philosophical, Class XXI, pl. Instruments Surgical-Jury Report on, p. 268 9. Instruments Surgical, p. 264 5. Instruments See Surgical. Instruments for weighing &c. Class XXIII. p 25% Irriga ion - Maclimery for, p. 243 Iron used for gun-barrel making, p. 287 Lyony bracelets Manufacture of, p 214 5 Do carving Jury Report on extracted, p 215 Do. Carving (Class XVI.) p. 211 Do Paintings on s-p 350 Do. from will depleme, preferred, p 211.

Jade Articles of, p. 202. Der See Plasma.

Do. whence obtained, p. 211.

Jewellery - (Chapter XIII), p. 175-181. Da. Conspectus of, p xvii. Contrast between the-of hills and Do. places, p. 175. Do. Great variety of nomenclature for, p 175. a means of saving money to pea-Do. santy, p. 175. Do. Art of chasing and embossing described, p. 185. of Chumba, p. 176. Do. of Lahul, p. 176 Do. of Ludakhi p 177. Do. of Pangi, p. 176. Do. of Spin p. 177. Do. Do. of Della, p. 186. of the Derajat, p. 178. Do. of Hazara, p. 176. Do. of Kulu, p 178 Do. worn in the plains. List of, p. Do. 181 - 183.Mode of finishing, p. 184. Do. Method of setting stones for, p. Da. Do. Prizes awarded for-in 1861, p. 1190. Report on -- by Jury of Exhibition Do. mi 1864, p. 189. Do. of Shahpiir, p. 179. of Simla States, p. 178. Do.

К.

Kaolin See Pettery. Kineob - See the Vernacular Index. Kinyes—Prizes awarded for, p. 153.

L.

T. ie bracelets (No. 860), p. 242. Loce made of paper, p. 242. Lacquer, how made, p. 212 Lacruered ware of the D raint, p. 213. Lacquered ware (Class XV. Division III). p 213 Lapidary, his trade, p. 193. Larmer (Class X) Consportes of, xv Do work (Class XI), p. 121-132. Lacher of Kaled, p. 124 Peshawar, p. 124, 131. Do. Kábed, p. 124, 131, []... Nurpur p 122 Kungra, p 123, 126, Do. Do. Da. Guirat, p. 123. D , Hushyərpir, p. 126. D., Specialist Pro 125-6 work of Synla, p 614-126, locki vases, No 671, vc. p 125, D. Excellence of a nancient buildings, p. Lane Looks Keels used by natives, (No. 912-13.) 1.280

Locks: Ingenious puzzle, No. 914, p. 281, Locking-glass making, p. 239, 240 Loom—Parts of—described, p. 297, Loom—Miniature used by gold lace-maker, p. 162.

M.

Machinery (Sec. C). Introductory view of. p. 212. Machines for raising water, (Class XXII). p. 243. Machines, small, for various purposes, (Class XXVII), p. 280. Manufactures—General account of, p. i—xxii. Manual trades—Sec Tools. Mason---See Stone-cutter. Matting, how made, (No. 381.) p. 85, 303. Mendicants, their dress &c., p. 118. Metallic manufactures, (Class XII). p. 137-201. Metals-Non-precious-Work in, p. 137-155. Metals -Precious-Work in, p. 156-201. Metal workers tools, p. 150. Metal work - Conspectus of, p. xv. Metal vessels, how made, p. 111. Mirrors of steel, No. 771, p. 150. Models (Class XXXV), p. 353. Do. of European design, described, p. 356. Do. of railway carriage, p. 252. Moorerof's account of shawl manufacture, Museum - Dresses in the Lahore—described, p 119 Musicians held in contempt, p. 270. Musical Instruments Class XXVI, p. 270-9. Drums, p. 278-9. ditto Musical Instruments—Miscellaneous, p. 278. Music Octaves and notes used in. p. 270. Do. prohibited to Mohamedans, p. 270. Do. System of -p. 270. Do. Stringed instruments of, p. 272—3. Music-Wind instruments of. p. 277-8. Musical toy of Nábha. p. 353. Muslins, p. 9.

N.

Natives power of workmanship p. 259. Needlemaker, his trade described, p. 301. Nose mending—Surgical process in Kangra, p. 267.

O.

Obstetric art and practice. Ordnance and Arms (Class XXVIII) p. 282--295 Ornaments - See Jewellery. Ornamental Manufactures (Class XX.) p. 241 Ρ.

Padlocks-Sec Lock. Paintings (Class XXXIV), p. 350.

Duto from Ameitsar, p. 351. Dit o Kapurthala, p. 352. Dato Peshawar, p. 352.

Ditto Patyala, p 352

Duto Jury's remarks on the noteworthy ones in the 1864 collection, p. 355.

Painted ware of Kashmir, p. 218.

Palm (Chamcerops) of the frontier—Tabrics from, No. 583, p. 86.

Do. leaf matting, fans &c., p. 86. Paper (Division II of Class VIII), p. 77-84.

Do. from flax, No. 572, p. 82.
 Do. Buten roots, No. 574, p. 83.
 Do. Plantain fibre, No. 574, p. 83.

Marze &c., No. 576, p. 83, Rags, No. 569, p. 82, Palm leaf, No. 570, p. 82. Do. Do.

Do.

Do Bhúsa, No. 571, p. 82.

Further account of process of making Do. in Jury Report, p. 92+3.

Do. flowers, No. 817, p. 241.

Do. Jury Report on, p. 91--95. Do

History of, p. 90, Do. of Kashmír - Process of making kept secret. p. 95.

Dο. of Kashmir No 577, p. 83.

making described. p. 77.

making, only by Mohamedans. p. 91.

Do. made at jails of fibres, p. 79 et seq

Do. of Sealkote, p. 560-78. Papier maché ware, p. 218 *ce*

Patterns and the names of them used in Kashmir shawls, p. 39-40.

Pattern—See Design. Pearl borer, his trade described, p. 192.

Pec₁-5 iows, No. 851, p. 241.

Persian wheel—See Well.

Pith—Toys made of, No. 856, p. 241. Plasma--A translucent green stone brought from Central Asia, see No. 764, p. 148

Plating in gold and silver described, p. 173.

Plough—Description of, p. 314.

Powder-horn – Ancient kind of, p. 202. Porcelain—Sec Pottery.

Pottery (Class XVIII), p. 220-231.

Do. Attempts to make from supposed kaolm, p. 226.

 \mathbf{p}_0 . Black and silver-of Hazara &c. p. 321.

Do. Colors produced in—p. 223.

 $1)_{\alpha}$ Conspectus of—p. xix

Do. clay—Sorts of, p. 225-6, p. 239

Do. Finer kind not used: reason for this.

Do. Glazed—Enumeration of specimens.

Do. unglized, p. 228.

Do. imitated from European pattern- at Ludhiana, p. 233.

Pottery Jury Report on p. 222

J)... rilic described p. 225 Do. of L. hore and other Jods, p. 222 221.

Peculiar hand of those Devi Ismail Da. Khan p 231.

Rolatida, p. 228 Do.

Tov - m p 230 1)...

Do. Vessels of large size of burned-Hashvarpur, p. 230.

Potter's wheel and Gods described p. 228

wheel described by the Jury, p. 232 Prayer wheel of Thibet described, p. 144 Precions metals Work in Class XII,

Division II, p. 156 -174

Print - See Cotton.

Q.

Quarrying Tools used in.

R.

Railway carriage Model of, p. 252.

Railway plant, p. 252.

Razors, p. 741 - 145.

Rifle - See Gun

Rifle-horing Native process of, p. 289 (6)

Ropes of goat hair No. 411 &c., p. 49
Do of munj. No. 586, p. 87.

Rope of various fibres, No. 587 - 589, p. 89 Rope twister or maker, his apparate embed, p. 203,

Russia leather-Process of making, p. 124.

S.

Saddlery - Native -- described, p. 132.

Sandals p 134

Satur -Russian, p. 63. Sawgms -- Experiments with, p. 311.

Seal engraver, his trade, p. 193

Serpentine Curs of, p 202 Shawls of American, p Betsey.

Ditto Nurpur, p. 42

Datto (rujiat, p. 12 Shawls - Aduloration of, p. 43.

Ditto Altering and joining of, p. 46

Dute. General account p. 33

Dutto of Ludho'ma, p. 42

Shawl olgoig-Scalket manufacture, p.45.

Do making -Account of p. 36.

Shawls, Report of J. rv on h 53 -55

Shawl daty - How levied in Kashenir, p. 46. Shawls of plain shawl wood, (Sabschass B.)

Cl. - M. p. 47. Showl preterry described, p. 39 -40.

Do wood - La alutes at depolities of p. 33.

do Method of Caming, pool Do.

falries of Kashmir described. Į 4,, p 40.

Foliacs of generally described, Do. dο ъ 34.

Shawl wool-Imports of real and Kimaani Т. wood compared, p. 94 Showis - Value of exports from Punjob, p. 44. Table liven, &c., p. 10. Showls woven in the Punjab, p. 41 Tanner Process of, p. 121. T 4 - Specimens of, No. 158-170, p. 12 Sheds (ordname) manufacture described, p 281 Tayonnia's account of the Koh-i-mir dia-Shoes -Description of the varieties worn in mond, p. 197. the Puriph, p. 133-1 Teapot—Currons form of-used in Spiti, p. 140. Show of Pelia, p. 455 Do. used in Kashmir, p. 33-40. Shoes worn in Derrjit p. 133. Ten s, p 13. Shoes of straw and grass used in the hills -Thibet teapots, p. 140. See Class N. p. 110, 111. Do. metal work, p. 140. Shoes worn in the Hills No. 707 - 12, p. 133. Do-Limas dress, p. 111—119. Sick fabries. General view of, p. vin. Tm foil p 142. nee with in the Punjab--List Tinsel, Method of making, p. 161. of, p. 65. D). oranment maker, p. 194. Silk falaris (Class VII), p. 57 -73. Tinder poushes used in the Hills, p. 177. .. friesem ker's tods. p. 208. .. monitacture Prizes awarded, p. 73. Tools and in abnumbs used by various trades (Class X XIV), p. 296—321. Price of -in the raw state, p. 57. Tools used in Agriculture, p. 310. "throwing," p. 58. Do. of the armourer, p. 300. .. this of dyeing, described, p. 60. Do. b øk-binder, p. 304. .. winding, described, p. 58. black mith, p. 151. Do. werring described, p. 61. Do. used in blasting, quarrying, &c., p. 306. Silver at acles, for use or ornament (Sub-Do. used by cheese-maker, p. 307. Class C4 Class XII (p. 165). 8.lver filagree w gla. No. 825, &c., p. 167. 8.evering glass - Vg of, No. 840, p. 238. Do of the colliber, p. 301. Do. the carpenter, p. 299. Do. the coiner, p 301. Salver pla ing So. Plating. Salvering on lac. Process of p. 242. Do. the firework maker, p. 302. Do. the grain parcher. Silver we k of Kas'marr p. 165 - 167. Siphon Application of omatoy, (No. 859). Do, and implements of sweetmeat seller, p. 396. Stass Kungra terther. Do of the ink-seller. Do. kite-maker, p 302. Smil, boxes No. 8' (p. 165) 8 (p. 64), 2 boxed of p. 508, 8; cools. Almonta time of (p. 161) Do. leather gilder, p. 304. Ð. mat-weaver, p. 303. metal worker, p. 150. "Blartyá" and "Tatyar," p. 141. Do. Si and S. Jos. Medicalor working, p. 145-7. Do. ... whence observed, p. 144-5. Do. millstone rougher, p. 306. Şock---Cirring one p 2 5 Do needle-maker, p. 301. Stone and or, has tools, p. 305 Storesp Wor, his tra ... p. 113. Do. rope twister, p. 303. Do. paper maker p. 92, 3, 305. Strong on the lap 12 Sugar career ods | Docots of p 331, | Pare 2 off | M. Laborais de ign p 319 Do. pine stem maker, p. 302. Do. pleaser of cloth, p. 298. Do palse grimler (Pápargar). 🕒 Sug reemo press -M. Bi HANAN'S chiprove-1). soap-boiler. m at sea, p. 313-4. Sun Jail Novel approartion of, 4 No. 852), Do. saddler, p. 304. Do silk dyer, p. 299. p 211 Do silk fringe and lace maker, p. 298. Surgical als ruph wis of Scatkot sent to Paris Do. stone currer p 305. m 1817 pt 1111 Do tight rope dancer, p. 309. Strated isto execution 5 70 6, 22 1)... tobracomst. p. 308. Ditto drto Coss AXV, p. 264 -weaver, p. 297. Do. 2011 11,1 white-mith or tinman, p. 302. 1111 . P por on-p 2"), Do. wrestler, p. 308-9. So Lery - State of amond natives, p. 265 Toxels are le at Jails, Nos. 139 to 145, p. 10. Sales of Peshewer in 150. To Se No p 241 Teales, See Tools Sa 248 of 1 (8m) very p. 1 (c). S cords of Libert 1 (No. 705 - 770 p. 150). Sec. 48 to see a fight (g. r. 2.6). The V (1 1 1 very p. 2.7) were p. 2.03. Trappings -See Saddlery. Tribal colors, resemblance to the Scotch tartaes see p. 116. Sale to be seeder, his operators, p. 300 Trousers -- Varieties of, p. 102-3.

Turning-Native lathe described, p. 212 Turned wood ware (Class XV. Division III). p. 211. Turbans—Varieties of, p. 103-4.

V.

Velvet. p. 63, Vertu -Articles of (Class XIV), p. 202 Vessels of a household, described, p. 138-9 Vessels of brass &c. how made, p. 141. Vetermary surgery -- Native practice of. p. 268.

W.

Water wheels in Hazára, p. 320-1. Wax flowers, p. 849 -241. Web-Weaver's method of preparing, p 1 Weaving -Four styles of, p. 2 Weaver - Tools of, p. 297. Weighing and measuring Anstruments for p 258. Wells -Method of sinking p. 337. Well-sinker, his work described, p. 337. Well sinking-Costs et. p. 338-9. Well - Parts of its apparatus described, p 211-5. Wheels of a cart how made, p. 247 Wire-drawing Processes described, of soy, p. 157.

Wire-draw (i.2) Three successive processes described, p. 159 – 161. Datta to fing the ingot or kundla, p 157 tax on the most (p-157) gill big the $m_{\rm co}$. For each end Dylor D. 10 Ditto contaker ton of workings. p. 157 Wire Gold L. o sivenione of p. 170 Wood carving Jury Report on p. 2005. Wood Carving Starty Reportion (1.20%)

Do Winnth ethics in a Co. XV (1.40%)


Wood in clash of Spitt No. 25 (1.50%)

Do Jabares. General volwet of sey vi.

Do Jutto. General decomposition of the met with cathod angeloge 25. data of his, woo 7 % 3 data of J. Leville of J. Re D_{α} Of 10 1 8 X p 10 51 Do dago ditto 1.000 1050 Da data Pro Sale I for to 12 Do $\Delta T \approx \pi^{-2} 25 = 62$ 1). dr o 1.0 Λ° . 1),, march 1 course .1 11.. of the Hill Drivets Do p:1000 Shirt with double or poor

0.304 With all who there in to do to en-XXXIII. Da Strate of the

p 317



VERNACULAR INDEX AND GLOSSARY.

The name of a district place l after a wird indicates that the term is locally well " P_ji " = $Pan_j\acute{a}bi$, "P." = Persian, "H" = Herdi, "A." Arabic, S — Sanskrit

	$Paz^{\alpha-1}$		Page
Abkliora, Abkora tútídár, a drinking pot,		Alwan Red cotton cloth,	21
with or without a spout (tútí), has a	138	Ambila District, dress of	104
handle and lid,	22	Amliskin Needle on handsworked, as	
Abra lihâf, a print coverlet, Ahran, a heavy square anvil without	شن	opposed to kankår or loom woven.	
points, (ct prom),	141	of shawls.	35
Abshár, a stripe pattern, No. 317.	32	American, showle of	12
$\Lambda dolá (Cis-Sutlej) = Kutta, q/r.$		Anchal, very broad gold or silver abbon.	
a stand or box, for supporting any		or edging.	16
apparatus,	193	Anam, (No. 74 Jewellery),	153
the beam which supports the		A'nda, (Cis-Sutley), the ring round the	
moveable mast in a river boat.	253	axle-tree.	247
Addi, an iron bar, in the native turning	213	A'nk, an eye part of a bahli or bullock	
frame or lathe,		earriage.	247
block; earrying the wheels of an ekka, &c.,	218	Anga, see Angarka at is the body part	
Adhotar, coarse muslin,	22	of the Angarka without the skirt	
Afglim Dress, see Peshawar.		and tails.	163
Aftaba, a brass ewer from which water is	ı	Angia, a small five place, a portable for-	
poured into the silfehí,	139	nace,	20%
A'gal, (Hills) a crowbar,	306	Angocha, a small sheet of printed cotton.	189-13
Agaura, one of the 'tabla' or pair of		Angarka, a sort of long cost, firing aglit	
drams with a spot, No 901.	279	to the boly, and hone ng do yn be-	102
Ama Siz, a looking-glass maker,	240	low the knee, opening in trout,	183
$\Lambda k = Mudár, q, v.,$		Angushtri, (No. 89 Jewellery),	183
Akuli = Nihang, q. v.,		Angushtana (No. 91 Jewellery).	
Alla, (Cis-Sutlej) a cupboard,	326	Angushtri - Mundii, $q \neq i$, Angushi = Angushtri, $q \neq i$.	153
Alácha, a Kábuli silk piece used to make	67	•	
pujámas,		Angya = Ang) q. e. Anjana, manganese used na makang	,
Alfa, a peculiar kind of shirt, worn by beggars and "fakírs,"	118	pottery glaze.	. 221
Alghoza—a flageolet, No. 881,	. 277	A'r-the cross-yard supporting a squar	
Alwan, plain cloth of pashmina,	. 39	sail.	254
, yak tára-Alwán (q. v.) of single		Arerian (well gear), &c.	245
thread,	. 50	Arlı, side bars or pins, in a yoke for	r
, plain woven pashmina or shaw	1 .	oxen.	311
wool cloth.	383-17	Ari-kash (or parnai kash) a sawyer,	3(+)
imported cloth of Turkey, rec	l _	Ar, a cobbler's awl	
color,	2	kundiwda an awl with hole for the	305
Amáina, a large loose turban of shawl	. 104	thread used in leather stitching.	. 300 276
&c., worn by Musulmans,	•	- a bridge of a su mgi, &c., No. 874	199
Alwan dotara, shawl wool cloth wover with fine double thread, No. 401		Ará, a big saw.	
woven of double thread	•	A'san, a small pile earpet to kneel on a	t 51
hence richer and heavier than the		proyer time.	202
'yak tára' fabric,	. 50 !	Ashith, a kind of Parel 2 3d com.	

	Page.	Ì	$\mathbf{P}_{^{\mathrm{Bge}_{s}}}$
Asl-tús, the finest and softest shawl wool, No. 103,	48	Baitak, a house with an open sitting, room on the 1st floor,	321
Astar (pottery), a coating of paint or		Bakhárí, a tank with an iron bottom and	
varnish, preparatory to the applica- tion of some delicate color,	225	furnace below, used in soap boiling,	308
Astarláb, an astrolabe,	262	Bálá, (23, Jewellery),	181
Atái, an amateur musician,	274	Bálá Balá-kh &c , Khúngridár (No. 34	181
Attardan, (No. 68, Jewellery)	83	Jewellery),	119
a casket fitted with vases for		Báltí province : dress, of Baltoa, a big bucket for water,	138
holding a tr or perfume essences, No.		TOTAL DESCRIPTION TO THE RESERVE OF	181
815,	166	Bah Bahaduri, (No. 30 Jewellery) Báli, (No. 30 Jewellery),	181
A'teran, frame for winding off thread pre- vious to forming skeins	1	Bali-pati, (Montgomery district) earrings	
A 201 1 1 2 1 1 1	303	worn by both sexes.	180
Asta Sarta	63	Banát, broad-cloth, English or Persian.	50
Angén (A) — Hothréin	0.0	Bánawá, a kind of fakir,	118
A	217	Bandúk rakh-dár, a gun—rifle bored,	286
Awan. (C) Sutief) the axie,	÷ 11	Bandúk, a gun : or matchlock,	
В		toradár, a matchlock fired with	
Bába Nának's fakirs : a sort of devotee	119	a slow match,	286
Bábul work, so "Khardár"		Bandúk mah sipaia : a heavy gun requir-	
Bag, reins in native horse trapping made		ing a sort of pronged support.	3.7"
of silk, &c.,	132	No. 928,	287
Bagar, the notch at the arrow end to fit		Bandúk masáládár, a gun fired with a percussion cap. ("Masála" the	
the bowstring	295	percussion composition in the cap),	286
Bagdaur, a leading rope or halter, either of silk or other material, No. 540	71	Bandúk patharkalah, a matchlock with flint pan,	286
Bacha mitti, an earth ball used in moulding bombshells, &c.		Randar the trings attribad to a sail for	
$Badeh = dumeli, q \cdot r.$	281	reefing,	254
Bádlá, thin silk, perhaps any very gauzy		Banjára, the native oculist: his skill	
fabric,	65	described,	265
Bahawalpur silk,	61	Bánnu, a woman's veil	23
Bahawalpur, Lungts of	69	Band (No. 87. Jewellery),	183
Bagh, a sort of yeal of course cloth	0,0	Bank, a large vice for bench or table use.	151
embroidered, No. 622. Bahin, a silver ornament for the arm,	100	Bank, a large sword, used in show fighting,	309
(Jach Doab),	179	Ban-kath, coarse catechu,	123
Baluita, (Shahpur) a sort of armlet,		Bánkiya, a sort of scoop used by tur-	310
Bahh, more correct way of spelling.		ners,	213
Baili, a country carriage drawn by oven	. 217	Bánkáň, (No. 82 Jewellery),	183
Bai, part of a carriage, (ve page),	3.4-	Bān munj. string. No. 886,	87
Bajrá caste (Sirsa) dress of.		Bannúchi, dress of people,	111
Bailt, a small brass drinking pot. (Cis-	. 191	Bánsrí, (H.) a flute, No. 879,	277
entry).	200	Bára, the holes in a "jandri" or wire-	159
Barloni, a small tool which is used to		drawer's steel plate,	7 (1)
propol the wire drawer's heavy drun wheel,	1	Bari, a polishing paste used by lapidaries,	245
Báin, (p. 86 Jewellery),	. 159	Bari. (well gear), Bark. (Kabul) a fabric of camel's hair,	
Barr, (well gear),	. 183	(soft),	51
Bur en a classes i	. 245	Bărădari, an open garden house or pa-	
Bur (5), a class of devotees, their dress,	118	vilion,	201

VERNACULAR INDEX

	Page.		Page.
Barbá, a sort of file used in enamelling work,	191	Bhúrá, a thick coarse hair cloth, (goat's hair),	.,
Bard, a sheet like 'loi, '	51	Bhusá: broken straw	316
Bark shutri, camel hair cloth, No. 431, .	50	Bichú, a scorpion : a nettle.	
Barílá, (well gear),	245	Bichúá, a dagger, <i>ve plate</i> ,	292
Barma (Barmá—kumánchi) bow and		Bél-karálif, a sugar-boiling cauldron.	311
drill' for boring holes,	299	,	2, 294
Barmaur dress, described	120	Bilohá (Multan) a tool used in enamelling,	194
Bartá, a wooden bar, covered with a polishing composition used by stone		Bín, a stringed musical instrument, No. 865,	273
carvers,	306	Bin-Jogi, a sort of pipe used by snake	277
Bartá, a needle maker's grinding wheel,	301	charmers, No. 884, Bindli, tinsel,	211
Barwata, (No. 22 Jewellery),	181	Bindli, tinsel, Bindligar, maker of tinsel ornaments,	194
Baryán, a kind of fried cake, made by	307	Boda, (No. 12 Jewellery),	181
'papargars', Basola = $tesh\acute{a}$, q , v .,	517	10 11 1 1	307
Batti, a candle—a roll or stick of seal-		Bohr, (No. 48 Jewellery),	182
ing wax, lacquer or any other sub-		Birhamgand, (No. 94 Jewellery),	183
stance made up in this form,	212	Birbah (No. 28 Jewellery),	181
Battı, a leather tag, part of a fiddle		Bishnavi caste, (Sirsa) dress of	101
No. 874,	276	Boryá-baf, a mat weaver.	303
Bází-gar, a tight rope dancer,	309	Bugdar, a sort of dumbell used by	
Bazú, an arm : (well gear)	211	gymnasties,	308
Bázúband, (No. 71 Jewellery)	183	Bugchá, a printed cloth for wrapping	
Beluá, the native cotton cleaning roller,	1	bundles, &c.	23
Belua, a rolling pin, see chakla		Bulák (No. 13 Jewellery),	152
Belná, a screw and roller apparatus, for cleaning cotton,	310	"Bulbal chashin", a pattern produced in weaving,	2
Beluá, the sugar-cane press,	313	Bulghar, a sort of leather,]24
Bétár = Salotri q , v .,		Bünd, a spotted sheet worn by women.	23
Bhalohal: (well gear)	211	Bund Minn a kind of stiff ("waxed)	
Bhangi, the scavenger caste	192	spotted silk.	65
Bel (towards Sind), = Chhám, q, v, \dots		Bunda, a ring used by ear-horers.	265
Bera, the rope of a dhankli, q, r, \dots	211	Bunda or bundela, a sort of earring in- correctly called 'duricha,' in the list,	
Beri, a large heavy boat, its construction		No 29	181
and parts described,	253-4	Bundi, a kind of sweetment.	30%
Bharmar Lahorí, a kind of matchlock used by the Sikh army	286	Burbura (Della) a powder formed of dis-	
Bhartyá, a maker of brass vessels; see		integrated felspar	227
tatyár,	141	Burdán, ticken, No. 116,	259
Bharota = Bhúkráñ q. v.		Burkú, a tool used in gun barrel boring.	230
Bharpúnja, or Bhárpúnja, a grainparcher.	307	Burka, a veil or shroud for women, see note,	102
Bhátrá, the ear-borer,	268	Buraki, a turner's pointed chisel,	213
Bhatti, a forge, a furnace, a kiln for firing pottery, No. 151,	225	Bûrya (well gear),	244
Bhawan, a wheel on a well worked with	243	C.	
the "láo-charas," Bliawatta (No. 75 Jawallang)	183	- -	
Bhawatta, (No. 75 Jewellery) Bhúkrān (Kangra) a mallet for clod crush-	200	Chabitra, a flat masonry platform or	
ing in the fields.	317	edging to a well, Xe , for sitting on	307
Bhúrá, coarse goat hair cloth, or sack-	50	Chaldar Chamkiai, a scuif, Peshawur, No. 35,	ā
ing,	50	±100 (100) ■	

	Page.		Page
Chágul, a leather vessel for earrying water on a journey, No. 672,	123	Chán, wheat bran used in polishing needles,	302
Chaim, a goldsmith's tool,	1×5	Cháng, a musical instrument,	274
Chain, a cold clasel for cutting iron,	151	Cháp, a seal, a stampa "chop" or	
Chaj, a winnowing basket,	302	order bearing an official seal.	
Chalibreha a small masonry tank, used	1	Cháp (Hazára)=múndri, q. v.,	176
by soup boilers,	308	Chapkan, or jackets fitting close to the	
Chh'an (Pji) a well sinker's shovel,	3:17	body opening at one side of the front.	104 -
Chama, cymbals, No. 892,	278	and prefixing.	104-5
Chak, a potter's wheel,	258	Chappar, a thatch, a hut with thatched roof,	326
Chakki, a hand-mill.	302	Chapér, a curved piece in the "Píkú," q. r.	321
Chakki-rah a mill-stone rougher,	306	Chapli, Sandals of leather (and also of	
Chakla and belmi, a pastry roller and	01	patta, q. v.) in the frontier, No. 668.	117
bard,	306	Chaple (Frontier districts) leather sandals,	
Chakla, a stone slab for grinding on,	139	No. 715,	134
Chakli (well gene),	211	Chapú, a flat boat,	254
Chaki3 (Robak &c.), a country cart, a "hackery",	246	Charkh, the rope twister's apparatus, see fig. 1 at page,	3(1)
Chakor, a[tray or]shallow basket of straw or reed.	$^{+325}$	Chackha, a skeleton wheel, for spinning,	,
Chakra, the "war-quon"	295	&c.,	1
Chakh (Cis-Sutlet) a pan for receiving		Charkhi, wire-drawer's wheel,	159
sugar-cane pace when boiled.	311	Char-diva, a lamp with 4 receptacles for oil and wick.	138
Cháku a penknife, a gardner's grafting knife,	321	Chârjâma, a sort of horse housing, in two	
Chally, a finger ring plam, or at any rate	021 :	pieces, one for each side under the	
the same all round the hoop No 150.	183	saddle.	301
Challa (No. 9) Jewellery),	183	Charkh, a needle maker's grinding wheel, Charkhana, check,	22
Challe, boot long, worn on the toe.	180	Chargul, an ornament worn by women	
Chalut, a sieve,	139	in Hazara,	176
Chamba, jewellery of	176	Chargah sitár, a sort of sitár, y. v.	
Chamba, houses of, described,	327	Chártára, a musical instrument, No. 869,	274
Clamba, dress of people,	112	Cháráina, sort of armour plates, worn by	
Chamba dress, further particulars,	120 1	the Sikhs,	294
Chamra icak, a sort of Persian leather,	124-5	Charna, a sort of portable cattle-feeding	
Chamúta, a leather strap	266	trough, made of goat hair, No. 437,	. 5∪
Chamta-charms, Parchment,	194	Chúra, = Bhangi, q/r .	
Chamkah, corruption of " Champakalli," q/r .		Chishni syrup; (Cis-Sutlej) a vessel for taking out boiled cane juice,	314
Champakalli, (No. 60 Jewellery),	182	Chaskú, a cloth dyed with kussumbha.	0.0
Chandanhar, (No. 58 Jewellery),	152	and printed	23
Chandarmah, (No. 57 Jewellery).	182	Chat, a grain bag, No. 430,	50
t ankangan (Shahpiir) a silver armlet		Chatai, matting, No. 581.	95
worn with chairs,	179	Chateri, derived from "chitarna"to adorn, embellish.	185
Chanda, a kin Loi hammer, used in making		Chatera, the embosser or chaser of silver	100
a wire-drawing plate. Claimform, (No. 17 Jowellery),	159	and gold in work,	189
Cabijar, (No. 93 Jewellery),	181	Chattú, a wooden pestle and mortar 299,	139
Column, a stock us of by weavers,	181 ,	Chatra cloth covering of a carriage or	
Cuhau Kingrai = Kullara q	297 ₍	ekka canopy,	247
- main - it tringed if I	• '	Chaun = par 'nda q , v ,	

	age.	1	Page.
Chausi, broad cotton cloth, the web hav-	7	Chin, embroidered game, &c., No. 804,	164
ing 100 threads, No. 79,	•	Chim, a China silk tabin (Yarkard).	65
Chausúti, plain cotton cloth, 1 thread, No.	7	Chilása, a lapidary's wheel,	193
Chauras bírá, a narrow chisel,	300	Chunta, tongs, forceps.	169
Chaurasi reti, a square or two-faced		Chhil tamba, oxidiz d copper filings, .	223
file, No. 151,	297	Chin, a tool for dressing and squaring	0
Chaurasi, a small chaurasá, q. v.,	142	building stones,	305
Chantahi, a bed cover, also used as a wrapper by villagers, No. 46,	6	Chinal, a caste of people in the Deraj (t. who make carpets,	51
Chauras-mekh, a small square anvil,	141	Chinwa guldar, a flowered silk of Bu- khara,	665
Chaurasa, a sort of spiter for making	159	Chírna, a goldsmith's tool	18
holes in a wire-drawer's plate,	166	Chirm, one of the turner's tools.	213
Chaurí, a fly-flap, No. 823,	100	Chirni, a tool for cutting leather,	305
a fly-flap, ingeniously made of wood or ivory,	210	Choga, a woollen long coat or cloak with	
Chakal (well gear),	211	skins, No. 302-3,	32
Chedni, a tool for scraping leather, used by book-binders,	304	Chott-phill (Shahpir) a flat shield like ornament worn on top of the head	150
Chenka, a swing table -a slab suspend-	996	by Arora women.	106
ed by four strings from the roof,	326	Cholu (Kangra) a long coat Choli, a sort of stomacher coloring the	,
Cheri-ran-lá, a sort of plane used in levelling, &c.,	300	breast only, worn by peasant wo-	3, 105
Chit Abra, a kind of printed cotton, No.	13	Chop, a peasant woman's veil or wrapper	
185,("Chintz" corrupted) cotton print-		of red cloth, No. 636, p. 190 and	15 23
ed in colors, &c., No. 184,	1:3	Chopat, part of the potter's which	225
pattu, a woollen wrapper, stamped		Chosá, a thin long rasp.	276
with a pattern like chit or print.	50	Chuhá rambha, a gardener's tool,	321
- randar, a kind of print with striped	21	Chukri, a powder of the dried and stalks	325
pattern,		of the rhubarb.	211
Bundri, spotted do.,	••	Chuhakh (well gear). Chotiyé stays to support a new length-	
Bútidár sprigged do.,	••	wise) in the "best or tives was.	253
Marpech-stripled, do., Shakargah, print with figures of	••	Chori phil, a round spherical I said	
aninals, No. 302.	••	forest in torm from the or of some of	1. 1
Nakl-irání, a kind of print.		the same name in the Jach Deab	1~1
Chij. wastage allowance in goldsmith swork. (Delln),	187	Chúnní, a colored cotton cloth brought from Bombay.	23
"Chick," a screen of reeds or split bam-		Chúni báilh, a searf of gold mes o	163
boss, hanging up before doors, &c.,		No. 792. Chibu malmal, chap tilai No. 805	161
No. 555.	87	Chuneria, an embroidered not \$5 m. No	
Chikan, embroidery or insertion work in thread,	21	801.	164
Clukú, a mould for cheese pressing.	307	Chúi (Chumba) a long cat or choda	120
Chikira, a fakir's fiddle, No. 877.	276	Chhura, a big knife used by Afghans, Ac.	201
Chikri (Hills) a hooked stick used in		Chhuri, a small kinte.	1
agriculture, (fig.),	316	Chúci. (No 85 Jewest ev).	153
Chilli=Jhirmil, q v.		Churdar, a kind of a n town l.	3 \7 215
Chitkan (Hazara) sort of ear-ring	176	Churgar, ivory bracelet to oker,	1٠)
Philamehi, a flat metal basin, for washing	100	D.	
in, Chin, a seam,	139 115	DeVái-Rúmi, they are a season of	65
· ······ a stalli,	4.0	,	

	Page.			Page
Dabi, a wooden scraper used by sweet-		1	Daryaíbáf, the silk-weaver,	61
mest maker	307		Daryai, specimens of Nos. 451-474,	67 - 8
Dabkai, the workman who flattens gold			Daryai, plain silk fabrie,	••
wire into tinsel and shargles	160	İ	Daryái Dhúp-chañ (lit. sun-ray) shot silk,	62
Daditak (Hazara) a sort of forchead or-		1	Daryá = Dairá q. v.,	
nament,	176	i	Dastár, a loose full turban of a length of	
Daf, a kind of drum, the only lawful instrument for Musulmans,	270	1	eloth,	103
Daftar, a volume, an office, a book of			Dasti = (Derajat) ponchi q. v.,	
gold or silver leaf,	171	,	Dastúr, a syringe,	266
Daftri kut, goldbeater, his work des-		ł	Daur, a large earthen vessel used by	9
cribed,	173		grain parchers,	307
Dafli, a kind of tambourine, No. 907	. 279		Daurú, a small drum, No. 910,	279
Dagá, a boat used on the Indus	. 257	1	Dauri (Jach Doab)—a kettle and mortar,	325
Daman-alkhalik, a garment or skirt and			Dedí=tandaura, $q. v.$,	
body joined (alkhalik (A)) No. 598,	99		Dastána, a glove, a flat brush for spread-	305
Danni see Dauni,	•		ing newly-made paper,	.,,,,,
Daum (No. 13 Jewellery),	. 181	1	Dashi (Kashmír), the edging at the ends of a long shawl,	
Danda, the support of the canopy on ar			Dah-musht, a broad variety of Kash-	
ekka, &c.	. 21		miri paper, No. 578,	83
Danda kasanwala (Pii.) sticks used for		,	Dátrí, a sort of siekle,	315
 wringing out skeins of silk from the dye vat, 	299	,	Dedhí, an iron piece used with 'Sumbha',	
Daira, a large tambourine, No. 906,	279	1	see	151
Dairas (Cis-Sutlej) — jotar $(P_i)^i = q^i e^{-ix}$			Deg, steel filings, used in fire-work	
Dalan, the verandah or roofed, but other		i	making,	303
wise open space in front of a room		1	Deg, a cauldron, still larger than Degeha,	
(kothri).	. 323		and of the same shape,	
Dal-kohlú, a sugar-cane press, (Ambala			Degeha=Degehí, a cooking pot,	139
and Cis-Sutley),	. 313		Delhi, shoes of	135
Danda, a short stick for turning wheels			Delhi cutlery,	111
Ac.	224		Delhi, paintings	350
Dank, Jeweller's foil,	186	:	Delhi, looking-glass making,	240
Dandral (Kangra) a sort of harrow of	r 317		Deora, the entrance passage to a house,	323
rake.			Dirg, a musical term" tenor,"	271
Dant-roda, a wooden cup forming par of a sugar-cane full.	. 313		Dera Gházi Khan, dress of	113
Dar, a weight used in the tinsel maker'			Derajat embroidery,	100
apparatus.	. 160		————carpets	51
Daránta (Cis-Sutlej) Deám q v.,			——turned ware,	213
Darari-danda, a rolling pin and concave	į.	1	Dewat, the 6th note in the musical scale	
receptacle used by native needle	-		" La,"	270
makers for flattening wire,	. 301		Dig (Lower Hills).="Min." q/v	
Darlor, the Sikh temple at Amritsar, re		ſ	Dibba, a small round box. No. 809	165
markable model of, No. 978	. 353		Didbán, the sight at the breech of a	3.14
Dari ("Durree") method of making des		1	eannon, see " Makki."	281
cribed,	10-11	i t	Diwali, thin plates of gold and silver,	
Dari (Durree) a stout twill cloth, wover			prepared for the gold-beater to make out 'leef.'	17 :
hke a durree (carpet ponly finer - (Ludhiana),	- 17			211
			Dhakar (well gear),	
Dari ("Durree") the well-known cottor striped or patterned carpeting of			Didkawali, v.c.Kathi, Dhāila (Sirsa) the string which ties	
India,	'`. 8		the angra or coat,	104
Darain see Drén,	•	1	Dharmchí (Hills) an iron ladle, No. 731	
•			Zament (tim -) an in in laute, To 10 i	

	Page.	;	Page.
Dhángra (Simla Hills) an axe	316	Dodung Jalardar a fine double	- "B".
Dhanyárí, a glass-maker's blow-pipe,	237	lungs or searf.	51-6
Dhaussá, a kettle-drum, carried on horse-	25.0	Dopatta, a searf of silk or muslin, worn	
back, No. 902,	278	Dora, a cup attached to a rod, - a sort	65
Dharwar, cotton cleaning experiments, at	311-12	of lade,	3065
Dháná, the curb, in European saddlery and harness,	148	Doran, woodlen cleff, (Kulic) No. 285	31
Dhanak, very narrow gold ribbon,	162	Dori, an non-straining ladle to separate	
Dhankli, a machine for raising water,	243	the curd for cheese-making,	307
Dhang (local) high ground on the bank		· Dori, a kind of edging or narrow braid in	
of the Jumna,	326	gold and silk, No. 788	163
Dhātri, a curved iron—a siekle, &c., No. 29	8, 315	Doru (Kangra) a woman's gown,	107
Dhatúrí—(well gear),	211	Dorya, a cottor fabric colored with me	
Dhátú (Kulu) a woman's cap,	107	stripes, No. 53. Dorya or striped fabric, (cotton)	(i
Dhedha (Derah Ghází Khán) =tahband		Dorya, a leash consisting of a burch of	22
q. v.,		silk throads, fastened at the ends.	
Dhauri, coarse leather shoes,	103	they are often worn to suspend	
Dhedú (pji.) a kind of large ear-stud	180	charms or anothers, &c., round the	
Dhedú, (No. 31 Jewellery),	181	neck, No. 538	71
Dhella, small weights for separating the	100	Dosangi=Kharwant, q. 1	
gold strands, in tinsel making	169	Doshida, a long shawl,	35-11
Dhera, a sort of skeleton drum for skeining and winding off thread.	298	Doshida is a pair of shawls, made wall, the "kinara," or edging at different sides	
Dhiwat manta of an alcha on bold	217	so that one may be worn over the other	
Dhoi, see tak.		for thickness, as well as appearance	
Dhol, a kind of drum, No. 898,	278	for then both sides show as right sides,	50
Dhol (well gear)	211	Dosā'i, a caste of people who make cups	
Dholak, a kind of drum, No. 899	278	and plates out of leaves.	306
Dholna, a sort of amulet = silwatta, q/v .	2,0	Dosíla, a cotton fabric with broad stripe in blue and orange,	6
Dhoti, a waist cloth worn round the		Dosuti, plain coarse white cotton cloth,	7
loins by Hindus, &c., in lieu of		"Dotaln, 'a wrapper or sheet,	46
trowsers,	8	Dotára, a musical instrument, No 876,	276
Dhotar (Adhotar) coarse muslin,	113-9	Dotiya (Kabul) a woman's veil- Barriu.	23
Dhúmchi, a crupper,	132	Dráz, a kind of plane used by car-	-
Dhúra, the axle in an ekka,	218	penters.	3(*)
Dhúna, small cups made out of leaves, by Dosālís,	902	Préñ, an inflated buffalo skin, used by	
Dhúp-Cháñ, see Daryái,	306	swimmers in torrents.	127
"Dokad-dár," a sort of pattern in a		Dughdught (Montgomery), a sort of	15/1
shawl (Kashmir),	39	necklider, Daner no a ter not (State)	-180 -140
Dokh, a Central Asian cotton fabric,	23	Dungs no, a tea-pot. (Spiti), Dress of Kangra District.	106
Dol. Dolchi, vessels for drawing water,	138	Dres (corrupted from English dress-	1,7,1
Dom, a "Mirási" muscian.	270	piece) figured muslin of all kinds.	21
Dhúmkar-(Kulu) a woman's shawl or		Durrees of wool, (Balidwalpur) No. 218.	27
wrapper,	107	Dukh, part of the apparatus in silk	
Dhúsá (Kabul) a coarser kind of khosá		thread, twirling or throwing,	59
q. v.,	51	Dulra, (Hazāra) a neeklace of metal beads,	176
Doába, see Hushiarpur,		Dulmiyañ, silk net.	63
Dómúlí, a sort of hammer	142	Dúmbá, the broad-tailed sheep,	122
Dondá, or dondí, boats used mostly on	0	Dúmeli, the cascabel or ball at the end	281
the Jhelum,	255	of a cannon,	201
		,	

	Page.		Page
Dür (No. 27 Jewellery)	181	Galicha = Kalicha, q. v.,	
Dúra, a kind of whitish blanket (Basāhir)	101	Galím, (P.) a blanket,	29
No 278,	31	Gamcha, a lump of dough used in clean-	
Durmá, a kind of woollen pattu	51	ing gold-lace,	305
Dungá, a punt or broad boat (Kashmirí)	255	Ganga-jamni, work in silver and gold	
,		combined, as with a silver ground and	
E.		gold flowers, &c.,	167
****		Gangan (well gear),	211
Ekka or yakka, slight carriage drawn by one horse,	246	Ganga-Sagar "the ocean of the Ganges,"	
Ekka, description of	248	a large ewer.	139
Ekwát, a sort of small anvil used by	-1 0	Gandhar, the 3rd note of the musical scale "Mi"	30.5
goldsmiths,	185	Ganra / mall	214 200
Eksun, (coarse, thin, single-thread) cotton		Garí or Gadí, the common country cart,	216
cloth,	7	Gariri, a sort of carpet, Dera Ghazi Khan,	≟ 151 3
Etkor (Waziri) a coat made with seams,	115	No. 223,	27
(see "Halka") to fit the body,	115	Gárhá, very coarse and thin cotton cloth,	8
F.		Garwá, Garwí, water pots.	139
		Gatka, a 'single-stick,'	309
Fard, a single shawl,	50 3	Genda, rhinoceros hide used for shields,	2.14
Fard Shal, a single long shawl as op-	;	Géru, mast stays in a boat,	253
posed to dóshala, q. v., Fakír's dress, note on	50 ;	a grass-cutter or scraper,	321
Fakit s dress, note on Falitá, a slow match, made generally, (if	118	Gatra, a sword belt, No. 773,	162
for guns) of the air-roots of the Bohr	'	Gazi, a bow of a fiddle, &c.,	276
tree, and for cannon of thread soaked		Gazí, coarse cloth,	8
in powder and spirit of wine.	285	Ghan, a wheelright's sledge hammer,	299
Fatila, falítá, $q \rightarrow .$		Ghar, a house,	323
Fig., tape, narrow gold edging, No. 799	164	Chatí, diaper, a fine cloth,	6.16
_		Ghetta, a sort of broad curved slipper,	
G.		worn in Delhi by women, and by effeminate men, see plate.	135
Gághi, a girdle of woollen cloth, worn by		Ghori, the bridge of a stringed instru-	
• men in Lahul,	107	ment,	277
Godb, a ream of paper of 240 sheets.	93	Ghota, s sort of burnishing tool,	186
Gaddi, hill shepherd, remarkable picture of (No. 954).		Ghubara, a mortar (ordnance),	285
Gaddi, a cushion, a pad,	351 '	Gilaf, a cover. (gilaf takya) pillow cover	
Gabba, a kind of cloth (wool),	301		190-13
a carpet made of different colored	50	Gilás, a straight-shaped cup like our	
Pice is of paritisewn together.	50	tumbler, probably copied in metal and called "gilás" as a corruption of	
Gadi, (well gene).	245	"glass," grate as a corruption of	138
Gadah — Girror Gádi, 9 v.,	- 10	Gilmi randa, a sort of plane for cutting	
Gillior, (well genr),	245	out grooves,	3(n)
Gadela, an elephant pad.	132	Girdhanak, a stick for turning the loom-	
Gazra, a plured skirt of coarse fabric		main,	297
Car in native, A. Londy guarsur	105	"Girdhának" a long reel, used in tinsel making,	143/4
Gagras, p opic who apply leeches,	267	Girádana khat. (Waziri) a married wo-	160
Gahan (Casala) a harrow used in rice cultivation,		man (aat.	115
Gajra (No. 84 Jewollery).	315	Gokru, a kind of bracelet.	179
The model of the	183	Gokru-mukesh, see mukesh,	2.0

	Page		Page.
Gokru, origin of in Jewellery.	187	Hamam dasta, enly for Hawang q e.c.	
a burr, a form of ornament (No		Hawang dasta, a pestle and mortar,	139
77. Jewellery)	183	Hamayal (Hazara) Har q 1.	176
Golah, a plane used for moulding, &c.,	331 X 4	Handi (Multán) Embosser's tools.	191
Gol bírá, a small chisel.	300	Handí a cooking pot or kettle, made of	
Garorú (Ráví) a rope across a stream, by means of which passengers and		pottery, the same shape as a degeli- which is brass,	139
goods are slung across, by a pulley arrangement.	331	Hangi, a large horse-han sieve, used by silk-dyers.	299
Goshwara, a border : also = bálí, q/r ,		Hanj a rope in a boat's rigging,	254
Gotá chobí, a piece of wood cut to an edge, used in polishing leather.	305	Hansam (Hazara) Hash, $q(\ell)$,	176 152
Gola-sel, a shell (ordnance)	284	Háshiya, a border or edging mostly of	
Golrá reti, a rat`s-tail file, p. 151,	237	shawls, for the various kinds, so plate	36
Golra, a tool used in embossing metal,	185	Hassi, a necklet, like a torquea,	178
Gotá, narrow gold ribbon or silver		Hash, like thas only smaller	178
(safed gotá),	162	- a 'hass' (No 65 Jewellery).	125
Guchhi marwarid, (No. 20 Jewellery)	181	Hatá, a two-handed sword	293
Gujrat Shawls.	12	Háth, a hand or arm, a measure 22	
Chair, origin of, p. 123 and	201	inches.	.3.3%
Gold, inlaying of, p. 168, and	29	Hathá, a heavy frame which hits over the "Shana in a loom so plate,	206
work, see Koftgari,		Hatha, a perforated beam, in matsweav-	2,
Guláb-pásh, a vase for sprinkling rose- water, No. 316.	166	mg.	30.3
Gulbadan, a striped silk piece, manufacture described,	62	Hatheli, a wooden mullet or polishing block, used by leather dressers.	121
specimens of, Nos. 439-450.	67	 Háthí, a spoon used for stirring sugar- when boiling, 	314
- — a striped silk piece imitated in Pashmina, No. 397.	48	Hathua, the trunmons of a cannon,	254
Guluband (No. 63 Jewellery).	183	Hathyar, tools, weapons,	
Gunti, a kind of cotton cloth.	21	Handa, the "howda" or chair for ading	
Gul-sam, a tool used in embossing metal.	185	on an elephant (m various forms)	_
Gun, a grain bag of goat hair, No. 127.	49	Hauda-amárí, a howda with a do ne or	
Gunkare. (Kulu) anklets of zinc.		canopy,	132
pewter, &c., worn by women in Kulu,	108	Hathkalı, a hand-vice.	151
Gunya, the gnomon or carpenter's square,	300	Hathikra-gilli, a pottery pestle weighted, used for crushing grain,	308
Guthyan, flat rings, worn on the toes,	150	Hathaura, hathauri, a haumer -et pussim	151
(Hazára).	176	Haul dil (No. 63 Jewellery),	152
Н.		Haus, a tank or masonry pit, used for	
Hainkal, a horse's neck ornament	132	storing pottery clay, paper-making	-3.1.1
Halb, Aleppo-glass enported from	240	materials. &c., &c., et plassem.	2.39
Halis, (Cis-Sutlej, the plaugh	315	Haweli, or Haveli, a mansion, a large dwelling house.	323
Halka (Wazíri) a sort of seamless coat,	115	Hazári, a broad cotton cloth, white.	2.2
Hainkal (No. 55 Jowellery),	182	Hazara, dress of p ople.	111
Hájám (Pj.) = Nat. q/r		Hazara Jewellery.	176
Hal, the plough,	314	m izara yewenery.	320
Hal, a pointed beam in a plough, which serves as the ploughshare.	315	Hor (Delhi), a sort of gold ribbon No	166
Halwai, the seller and maker of sweet-	*1*	783. Hogh, a kind of hywnzer.	415.5
meats,	306	Hoth, a kind of hownzer.	2,0

	Page.		Page.
Húka, vases of leather, No. 671	125	Jangam fakír, a sort of devotee for their	
Hushyarpur and the Doába; cotton of the	3	peculiar dress,	118
leather similar to Kangra		Járpáchar, part of the sugar-cane press.	313
work,	122	Jaráh, a surgeon,	266
I.		Jathi, a coil of dark brown woollen thread, plaited with the hair by Kulu women	
Iklákí, a sort of square scarf, (Multán),		Jauhar, water-mark on swords,	293
No. 491,	69	Jauhar-dar, having a "jauhar" watering	
Iláka-band, the maker of silk girdles, &c.,		or water-mark. on steel, gun barrels. &c	287
Indawá-jat, a porter's knot, or coil to en- able a load to be borne on the		Jhálú, (well gear),	915
head, No. 279,	31	Jhang-kangan, (No. 88 Jewellery),	1
Instáb (P.) a kind of shoe, No. 718,	135	Jhang, demand for cotton fabrics from	-
Haka-band, silk fringe and tassel maker,	298	the Jail, No. 84,	. •
Lar-band a netted girdle or string for the paijamas or loose trousers,	71	Jawa or jabba, a sort of wooden peg to play certain stringed instruments with,	
J.		Jazail, a long heavy kind of musket,	,
Jabbal (Hills) a jumper used in boring		used in forts, &c	. 28:
for blasting purposes,	306	Jerú, part of a carriage,	
Jahángírí, kághaz a large sort of pa-		Jhabba, a tassel,	_
per, No. 561,	. 79	Jhamkan, tinsel pendents to Jewellery.	
Japur, enamel of,	192	Jhánj, a kind of cymbal, No. 893,	. 27
Jajam, printed cotton floor cloth No. 192, Jablunizri, (Wazíri) children's shoes,		Julium, horse bits and stirrups well	
Invent (No. 61 Lon all may)		made at,	
In the state of th		Jhirmil, a Bukhára silk fabric,	, 66
Jallan (well gear),	142	Huil, a saddle cloth.	Ðŧ
Jalāna khat, (Wazíri) an unmarried	245	, baili, a large pair of sacks for	
woman's coat,	115	grain, carried by a bullock, No. 435,	. 50
Jálí, net (fabric),	21	, an elephant's housing,	132
Jalil (No. 36 Jewellery),	182	Jhúla, the yoke or yoke beam,	246
Jaharang, a set of musical glasses or		a rope or twig bridge,	334
rather bowls, No. 888,	278	(on Sutlej) a means of crossing	
Jalthaman, (well gear) &c	245	streams=Garorú on Ravi, q. v.,	
Jamai (Waziri) an embroided white scarf.		Jhúmká, (No 31 Jewellery),	181
worn by young women.	115	Jhúmar (No. 19 Jewellery)	181
Jandam, silk with woven sprigs of flowers,	65	Jild, a volume, jild-sáz-a book-binder.	304
Jámawar, a sort of shawl with a pattern		Jilli, gold-beater's skin; method of pre-	
in stripes, intended as its name implies for a gown piece (jama).	40	paring	17:
, technical varieties of in Kash-	H.J	Jín. jean (cloth),	21
mr.	40	Jok, a leech,	267
Jandar, paper-making apparatus (pulp- pounder), No. 93,	305	Jotar (Pji.) a rope for keeping the oven together in threshing or treading out	
the powerful roller and vice, used in wire-drawing, see plate,	158	the corn,	910
Jandra, a large rake used in agriculture.	315	Jorá, = kainsí (music) q. r.,	
Jandri, a perforated steel plate, used in		Jowál, (or chat q. v.) bags of asses' hair cloth,	51
Jangs, the handle for guiding the plough.	155-9 • 34	Juá, a single yoke of light construction for quiet oxen,	315

Kálbút, a block used in rope-making, 303	-, shawls, see Núrpúr,
heddle of a loom 298	, district, dress of 106
Kalá, a stick fit on which hangs the	process of nose-mending 267
Kakrezi, olive green color in pottery, 221	Kangra leather, process described, 121-2
Kakrel, a kind of deer skin 122	gun barrel making 288
worn by Bilúch women, 114	a square thin rod of iron, used in
Kakka (Dera Ghází Khan) a boddice	method of gilding. 158
Kajai, the snaffle in European harness and saddlery, 148	
Kainth, a sort of wire-cutting shears 301	Kandla, the cylindrical silver ingot, the basis of work in wire-drawing 157
Kainsi, small cymbals, No. 890, 278	artizans. 157
Kaitún mothradár, see No. 785, 160	"Kandla kash" confederation of these
Kaitún, braid, No. 787, 163	wire
lers, &c., 309	minute the stage of the magnitude is
Kain the ornamental cloth, worm by wrest-	Kandla kash, the drawer of suver ingots
Kagmak, a fabric of camel's hair (Kabul), 51	a well sinker's trowel. 338
Kághaz tíkli-dar, gold ornamented paper. 81	Kandí (No. 69 Jewellery), 183
neath. 135	Kanch, lump glass, the basis of the pottery glaze, 221
supports for the heel, but have a raised iron piece on the heel under-	Kee, No. 704, 131
Kafshi, slippers, or half shoes, with no	steel, 15, powder horn shot ilesk, &
Kafgir, a skimmer or flat ladle 129	soldier's belt, holding kente, fluit and
cleaning metal, 301	Kamr-khísá, (Peshawar) a hunter - or
Kaf, a mixture of emery and oil, used in	Kamrak, a kind of cotton cloth (cambric), 21
'Kaddar, 'a shawl pattern. 39	Kambhal, a blanket. 29
Kældma (Basáhir) a kind of blanket, . 277-31	round the waist, passing.
báftá, 23	Kumarband, a girdle or searf & . &c , ted
Kadak, coarse cotton cloth of Kashmir=	Kalhoti, a cylindrical vessel of mud- plaster for storing grain, 325
Kachar, silk refuse 58	Kálícha, small rug or pile carpet, 26
(Kangra) breeches, 106	Kálín, woollen pile carpet 26
waist, just covering the loins, 101	No 317. 32
Kach (Sirsa)=sáfa, a cloth round the	Kalam kar, a stripe different from Abshar.
Kach=kanch q. v.,	Kahar, caste of camel-owners, in Shahpur, 120
Kábyá, a soldering iron 302	straightening arrow shafts 595
a mausoleum 41	Kalib, an iron tube for heating and
Kabr-posh, a covering of embroidery or shawl work for a tomb or shrine in	Kalái, tin (pure). 238
Kabuli pashm, Kabul wool, 33	Karoar, entring children Ssandals (Wazita), 115
Kábul leather, p. 124 and 131	class of musician, 270
P. 1 1 1 120	Kalanwat, a player on the tambura, a
K.	of the "onkar" bred, or the monal pheasant's crest, No 794, p. 164 and 120
	in helmet or turban, either of feathers
No. 668, 117	Kalghi, a round plume of feathers, worn
Justa (Pesháwar), leather shoes,	metal, 161
Júta, a shoe, &c.,	to red and white silk according to the
Júta, a shoe. ct passim, 106	Kalabatún, gold and silver thread, made by twisting the fine drawn wire on
Júta, nágphani=ghettá q. r.,	Kalabatun saz=tilá bat, q r .
plough, 311	Kalbút, a shoe-maker's last, 305
Jula, the upper bar of an ox yoke in a	work of kinds, which in progress, 215
Julá, a weaver, his tools 297	Kalbút, a block or cylinder for mounting
Page.	1
Page	, n

	Page.		Page
Kangré (Kashmír) a chaumière or fire- dish,	231	Karáon, the foot board, for moving the heddles in a loom,	298
Kangan, small bracelets	173	Karabín, a carbine, a short barrelled piece	
	183	with rather wide mouth.	255
Kangnú, (Kulu) a variety of Gunkaré'		· Kárd (P)=chhúri, a small knife,	294
$q = v_{-}$,		Karandi (Hills), a scoop-headed wire, used	
Kanga padam (Thib.) tobacco-pipe of		in clearing out a blast hole	306
Spiti and Lahul,	140	Kárchi, an iron plate for parching grain,	3.47
Kan-mailiya, an ear-cleaner, a sort of		Karnal glass,	237
barber-surgeon,	267	Karóru, (Ráví), see Garoru.	
Kání, a water bag. No. 693,	130	Kúrti, a small kurta, q. v.	
Kunni reti, a saw sharpening file	300	, Karnphúl, bunches of silk and tinsel	
Kámkár, loom-woven, the more valuable		ornaments, worn in the ear. No. 795,	164
kind of shawl,	35	¹ Karnphúl, (No. 31 Jewellery.)	181
***	275	Kartál, bones, No. 895,	278
Kánún, a psaltery, No. 871		Káríru, a round mallet, used by potters,	225
Kanawez, a fabric of plain shot silk		Karwála, the large earthen pot used in	
i. e. with a thread say of green one		raising water with a "dhankli."	211
way, and red, the other, the same as		Kashmir, boats,	255
the Dary s í Dhúp-chan of the		Kashmirá' (cloth), European, "Cash-	
Panjab, only better, and made in		mere."	50
Bukhara, or especially Persia, 66,	70	Kashmir emigrants from	43
Kanassí, a two-edged file		houses in described,	331
Kansı, a sort of bell-metal of which plate and vessels are made,	4	paper, excellence of manufac- ture, a scarf,	91-95
Kanerna, a gold-smith's tool,	185		et 84 .
Kantala (No. 33 Jewellery).		——————————————————————————————————————	335
Kanthkanthi, (No. 32 Jewellery),	152		65-167
Kantúra, a musical instrument, No. 872,		——————————————————————————————————————	
Kap, a book-binders paper-cutting		Kashka=Tíka, (No. 16).	181
•knife.	304	Kası, a sort of mattock or rather shovel,	315
Karánch, thin iron bars, used in making		(Hills) a small hoe	316
the case of a bomb-shell.	285	•	
Kara, (No. 77 Jewellery)	183	Kasi the encaustic tiling work, seen on old buildings.	233
Kar-chob, heavy gold embroidery for			
saddle cloths, cashions, &c.	96-7	Kasoli (Cis-Sutlej) a small 'Kasi' or hoe for sugar-cane fields.	315
Kar-i-chikan, embroidery on silk or		·	203
thread.	98	Katth, a sword used in show-fighting.	151
Kar-i-khaiát, turned and lacquered		Katíra, goldsmith's shears,	151
ware, et seq.	211		169
Kir-t-kalandani, the painted ware of		Kath, goldsmith's scissors,	
Kashinir.	718	Káthí, a saddle,	132
Kár-i-nunakkash, painted ware,	218	laryanwálí, a saddle, ornamented	132
Karah or karaht, an open hemispherical cauldron, tet massu	. 1 1 (9	with huge tassels	
1		dhákawáli (Derajat) the same	132
Karáh (P.) a beam or frame of wooden	l I	Katár, a steel punch used in perforating	159
beams, used in heavy lands as a clod crusher,	315	a wire-drawer's plate.	292
Kárjan, (well gear),	214	, a kind of dagger, see plate,	305
Karkası Cis Sutlej i see kaşt,	• 11	Katra, the wooden saddle tree Katora, a small flat cup for drinking	138
		i axacera, a sman nai cub for (frinkling,	****

	Page		Page.
Kathila, leather tags in a fringe maker's miniature loom.	298	Kharj, the key note or 'Do' of musical scale,	270
Kathmála, a sort of necklace, (Derajat),	178	•	~/**
Kataya, the wire-drawer in the second stage,	159	Kharori, a "cutcha" well (without masonry).	338
Kaunchá, forge-tongs,	151	Kharwa, coarse red cotton cloth (madder &c.,) No. 78,	8
, a shovel for taking hot sand used in grain parching.	307	Kharwant, part of a kharwa, or shaping block, used in making metal pots,	
Kaush, a sort of female shoe or slipper.	102	Ac.,	142
Kaul, a flat cup, (see katora) called so for		Kharwá, a block for shaping vessels.	142
 Káñwal ' the lotus flower, which it is supposed to resemble in shape, 		Kháshí, the frame which supports the fine screen or strainer, used in making	
Kauntá, (Jhelam), a ferry boat, one end		paper,	305
is pointed, the other flat and square.		Khásá, soft calico, a fine long cloth,	21
$K\hat{a}wy\hat{a} = K\hat{a}by\hat{a}, q, v.,$		Khah, a stout cloth made of asses' hair.	٠,
Keta nukri, silver marbles for toys, No. 822,	1	(Amritsar),	51 115
What lan	$\frac{166}{253}$	Khat (Wazir), a woman's coat or boddice,	
Khadar, coarse muslin,		Khatta (Hazára) a water-course.	320 300
	22	Khatkash, a tool for marking lines,	.)(17 /
Khaftán, (Pers:) a short cloak worn in Kabul and on the frontier with a		Khâtamband, maker of stronger musical instruments.	276
hood, No. 663,	117	Kheri (Shahpur) leather sandals,	
Khakhi, grey or "ash" color, 117 et p	assim,		134
Khal, leather; a tanned hide, No. 699	131	Khes, a wrapper -description of	.5
a single skin used as a bellows		bāfī, a peculiar kind of weaving.	2
to urge a small fire	151	báfí, account of	.;
Khallar, a leather bag for carrying flour, &c.,	325	chandana, a kind of wrapper	12-6
Khalil. (No. 35 Jewellery),	181	—— gadrá, a kind of wrapper,	11 6
Khalkal, (No. 97 Jewellery).	181	— Dabba, a large check klies or	.).)
Khalúah, (Cis-Sutlej), munni, q. v	217	wrapper	22
Khalwa, bellows.	151	—— do-rukha, a "khos" with two right sides:	٠. الله و
Khamira a mixture of tobacco with molasses, &c., &c., for the huka,	308	tukrdár, a wrapper or khes, with pieces of different color joined to-	
Khanji, a covered part of the boat when		gether.	22
the boatmen sleep.	254	searlet silk of Lahore, No. 182.	69
Khárdár, (kár-i-khárdar) "the work		Klungri, a sort of clinker, used by in-	
of points" the "babul" gold work.	186-7	layers. Khizán, scratching with chequered lines	170
Kharitá, the ornamental bag of embroid-		previous to gold plating.	172
ery or kincob, in which oriental letters are despatched,	11	Khod, a helmet.	201
Kharití, a sort of "chàtelaine."	180	Khojar, a felt saddle pad, No. 268	30
Khanjar, a "hanger" sort of short	•	Khilauri, a sort of tool for burnishing.	156
curved sword.	291	Khōpa, a cocea-nut shell, also the small leather caps (shaped like the end or	
Khangar, people who restore the cartilage		point of the shell, used to blind	
of the nose,	267	cattle turning the Persian well-wheel	
Khanjrí, a tambourine with bells, No.	a=4	No 696,	130
907.	279	Khora khundadar and khora singal, raw	
Kharchá, kharchí, ladle large and small,	139	silk.	57
Khari panjángla, (No. 92 Jewellery), Khari (Jack Dook) a ka kat	183	Khoste mufflers for feet of cattle, used	130
Khari (Jach Doab) a basket,	325	by thieves, No. 597,	

	Page.		Page.
Khosa, (P.) a fine piece of pashmina cloth,	}	Koh-i-núr. (P). 'mountain of light.' The	
a kind of (alwan) very soft, worn		celebrated diamond; history of,	195
as a shawle at either end there is a		Kohât, making gun barrels at,	288
slight border woven, (zanjira),	51	Kohlú, an oil mill or press,	313
, mufflers of felt to put on cattles'		Koftgari work,	167
feet, used by thieves, No. 266,	30 +	, recent improvements, No. 167.	8
Kandahárí, a cloak of white Kan-		, process described,	169
dahar felt, No. 305,	33	, tools, used in 179-70,	70
Khubba, (well gear)	241	Koft-tilá=koftgári work, q. e.,	
Khúntí (Kulu) a sort of woman's frock	107	Kora kapra, unbleached coarse cloth, No.	
"Khúrpa," a flat trowel or scraper	123	94	8
Khurpi, a tool for scraping out pots and	İ	Kotha, a hut, the ordinary peasant's mud	
kettles, used by sweetmeat-makers,	306	hut.	00=
Khud-rang, natural colored or undyed,	1	Kothi, part of the masonry of a well,	337
applied to woollen fabries,	108	the chamber in guns and ordnance, &c.,	185
Khúrja, (South Punjab) camel bags of		Kothrí, a room in a native house,	323
woollen or goat hair stuff, often	49	Kúá (Pji) mast of a boat,	253
prettily ornamented,	184	Kubbi mekh, a sort of anvil, see woodcut.	141
Khúngrú (No. 98 Jewellery),	3	Kuch, weaver's brush for cleaning the	1
Khushab, fabries from		web.	2
Khwancha, (P) a trays used by itinerant sweetmeat sellers,	306	Kudáli (Hills) a piek or mattock,	316
Kila, a post, an upright peg. &c.,	158	Kul (Pji) a water-course,	321
Kunkháb (rulg, kincob) a fabrie of silk		Kulla-zirra, a chain armour cap or head	
with gold or silver in woven pattern,	156	piece.	294
method of cheating in manufac-		Kulfí, a small narrow funnel shaped vessel	
ture,	156	for preparing ices in, No. 818,	166
, introduced into Kashmir,	156	Kulhárí an axe. 29	99-315
Kimukht, a sort of speckled leather made		Kulú, dress of people,	107
from asses'-hide,	125	houses of described,	328
Kınára-báf, the maker of silk edging and	125	ornaments	178
fringe, the maker of gold ribbon lace,	61 169	Kumán=gazi, q. r.,	
Kinári, wide gold and silver ribbon, often	162	Kumhar, a potter, trade described,	225
has a pattern printed or pressed on		Kund, a large earthen vessel (Cis-Sutlej).	314
tt,	162	Kundá≡the "dabkais" anvil see.	160
Kincob, see Kimkhab,		Kumánch, a musical instrument, No. 869.	. 271
King, a musical instrument used by beg-		Kumánchí (Kashmir) a large fiddle	350
gars, No. 867.	274	No. 878,	276
Kirch, a straight sword, the European		Kamangar, wrestler and bow maker	265
Infantry Officer's sword,	291	Kundi, a forge-hook or poker.	257
Kirmání wool, called Wahab shahi, a soft white wool from the province of Kir-		Kundí, a hook, a hooked rod, used by glass bracelet makers	239
mán, used in adulterating shawl wool.	41	Kundí, a hook, fine hooked instruments,	
Kishta, unripe dried fruit of the apricot,		used by banjaras or oculists,	265
used for cleaning gold and silver	172	Kundan, a rim or edge put on in setting	
Kishinganga river, houses in the valley	į.	stones in a ring.	186
of described,	332	Kundan saz, the workman who sets	
Kishti, a tray a flat shield, a flat bottom-	3= 1	• stones for Jewellery,	186
ed boat.	251	Kundal. (Cis-Sutlej) iron rim to bind the	
Koba, a mallet of wood, used by book-binders,	304	"Kohlu" or basin of an oil or	313
omdets)	υ./± ,	-ngar press,	014

	Page.		Page.
Kunāl=nānd, q, v_0 ,		Langai, (Waziri) a kind of woman's	
Kunal=nánd, q. v.,		searf.	115
Kunjí, a key,	280	Langota, a warst cloth,	32/5
Kúní (Jach Doab) a goat skin, for		Lins, a rope holding the end of the	
carrying water on journeys	325	weaver's web	297
Kuppa, a vessel made of animal integu-		Laryanw ili, see káthí,	
ment, or even of hide, for holding oil.	100	Lassi, sour milk,	328
&c., &c., No. 692,	130	Lath (well gear),	211
Kuppí, a smaller size of Kuppí, q. v	300	Lar, a necklace of several thread or rows "sat-lar," 7 rows, &c.,	180
a small vessel used in "cupping"	266	I for a second for a second for the second	130
Kur, the ploughshare or pointed heavy beam that cleaves the soil,	314	T -41 / T 1 4b	21
Kurand, powdered corundum, or applied	.,,,,	Lathi, mandrel in gun-boring,	287
to emery,	149	Latti, small stick twirled in the hand by	2
		a patient during bleeding.	266
dahar,	305	Lat, roller or pestle in a "kohlu" or oil	
Kúrt, a Kabul fabric of goats' hair,		mill.	313
Kurta, a short coat, more like a shirt,	102	Latkan (No. 44 Jewellery),	182
Kurta of the Jach Doab, see,	105	Launda (Hills) an iron cooking pot, No	
Kutháli, a crucible, generally made like		734	140
a small round pot of fire clay and		Laung, (No. 46 Jewellery),	282
cotton wool in shreads, pounded to-	197	Laus sunchri, gold epaulettes No. 772,	162
gether, et passum	. 1.07	Lengá a thick plaited skirt of a woman's	1
Kuthela, (Kangra) a club for clod- crushing in agriculture,	317	dress,	103
Kutta, (well gear),	111	Levi, paste (flour and water).	303
Kúrlí, a sort of manger or rather feeding		Líháf, a coverlet or counterpane, No.	13
trough for cattle,	324	195. - Langrú (Chenáb) side ropes or stays in a	1.,
Kutbiládar, (Jewellery)	181	twig bridge,	334
·		Loh, see Tawá.	
L.		Loha-chun, a preparation of iron filings	
Lachak, drill (cloth),	117-9	used in coloring pottery.	324
Ladákh Jewellery of	177	Lohála, (Kangra) ploughshare.	317
houses of,	329	Loi, a woollen wrapper, a fine kind of	
	108	blankets, No. 243	29
	119	Loi sádá, plam woollen loi	50
Laddú, a kind of sweetmeat made of gram		Loryak arz, single breadth,	
paste, alluded to,	307	— Do arz, double,	
Lagam, a horse's bit,	132	- ()11 111111 (11 11 11 11 11 11 11 11 11 11	
Labore Jail, carpets	26	- kınaradár, having a colored border,	
Labul people, dress of described,	107	Lahori, a kind made of Kabul wool	
Lakri-báz, a single stick player	309	at Lahore.	50
Lál pathar, used in glass making	239	Loi, varieties of, see list at	.,,,,
Lama, dress of.	111	Loi Kásligari, a loi, striped made at Kásligar,	51
-, curious boots, worn by, No. 720,	136	Lunda, an iron cooking pot. (Crs-Sutlej).	326
Land (Cis-Sutlej) a shelf, across the corner	200	- 11 1 . 6	42
of a room,	326	embroidery, No. 605,	99
Landa, a style of writing, used by village shop-keepers, &c.,	348	Lotá a small spherical brass pot, for	
Lao-charas, a rope and bucket for raising	.,	holding drinking water and for about	
water,	243	every other purpose unaginable,	138

	Page.		Page.
Lucha, a skein or 'bunch' of gold wire	į	Mahajani, written character used in	
or silk, &c., •	161	mercantile book-keeping,	348
Ludhiana cutlery, No. 736 - 740	145	Máhi. (Kangra) = Sohága, $q. v.$,	
Lung, a cloth for the loins,	23	Máiñ, a head ornament (Hazara),	176
Lunga, a sort of carpet, (Dera Ghazí	i	Mairáb, part of a bullock carriage,	217
Khan), 2	23-27	Majá, part of a bullock-carriage,	247
Lúngí, a long searf, worn on the head or as a waist cloth,	3	Mujla (Jach Doab) a cloth worn round the waist and legs,	105
anárdání, a kind of searf	30-1 69	Makki, a fly, (ordnance) the sight on the muzzle of a cannon,	284
	22-5	Makan-Zin. (Duck) a kind of cotton cloth,	21
, chautání, a kind of scarf, No.	!	Makhmal, velvet,	63
16,	4.	Makherna, a fly fringe for horses' head	111)
fakīri, a cheap coarse kind of lungi, No. 7.	4	often of colored silk, No. 533,	71
, of silk Shahpúr,	69	Makra, (well gear)	211
, Jurys' account of these scarves	15	Mákrí, (Cis-Sutlej) the beam or lever in an oil or sugar press,	313
Jallá, Khoriwalla, a kind of		Málá = H ár, $q. v.$,	
lunghi, No. 25,	4	(No. 51 Jewellery),	152
No. 15,	4 :	Malmal, muslin	15
Sáví, a green and white lúnghi,	26~1	Mának thamba. (Cis-Sutlej) part of a sugar-cane mill,	313
, tirtán No. 17	18-4	Mannaphanna, a prayer wheel of Thibet,	111
of the frontier districts, informa-	-	Malá, a sort of spoon, used by glass	111
tion about,	116	melters,	239
Lúcke (Hazara) colored glass rings, worn in the ears,	176	Málá. (or Mál) (Cis-Sutlej) (well gear),	245
Lýrtá, a goldsmith's tool,	185	Malida, cloth of shawl wool fulled or "rubbed" so as to have the surface	
		felted like cloth, No. 384,	17
М.		Mankal, a fire holder or portable stove, (Peshawár),	
Machhán besir, (No. 49 Jewellery),	182	Mandil Gujratí, a close woven silk and	
Machhúa, (Jhelam) small boat, fishing boat,		gold fabric, used for twisting up into one of those turbans that look as if	
Madham, the fourth note in the musical scale "Fa,"	270	made of coils of rope. Mandil, a sort of drum, No. 908.	65 279
Machh-machhlin, No. 38 Jewellery.	182	Mania a had dame	326
Mach, (Kangra) a sort of beam or	1.45	Mánjah (Kangra) a kind of hoe.	317
harrow, used in rice field, ∞e ,	317	Maratti, a pole with lighted torch at	
Madham-sírir, a kind of sitár, g r.,		either end, used by show-fighters,	309
(Tambita).	272	Mardang, a postman's horn, No. 886, Maroli, a part of the wire-drawers'	277
Madar, fibre of Calatropis Hamiltonii, fabrics form,		apparatus described	156
Maduri, people who care snake bites by	75	Martol, carpenter's hammer	299
charms,	267	Masad chobi (P.) a malet, used in pre- paring sugar for making 'halwa,	36

	Page.	1	Page.
		Miyangi, a sort of clusel	300
Mashk, a goat skin water bag, carried by bhistis,		Mizrib, a wire finger-stall used in playing guitars &c.	272
Mashki, one who carries a mashk, a bhisti or water carrier.	128	Mohlá, a wooden pestle, used by firework- makers,	302
Māsha, a weight used by goldsmiths=	188	Mohn-mala (No. 67 Jewellery),	183
8 rattis (q. v.). Mashajú, incorrect for Mushajjar " flow-	;	Mohána, (Sindh) a boatman,	256
ered," applied to silk and satin, also		Mohr kand, a serl-engraver: his trade,	193
to damask table linen. No. 137	10	Mohrán (No. 62 Jewellery),	182
Mashrú, striped satin, partly made of silk and partly cotton.	ნა	Mohari, a cornelian or agute point mounted on an iron handle for polish-	. 104
Mashru solchí, a kind of satin (Chinese)	(2,2		C 194
Mashru badshahi, a kind of satin	66	Moná, (Hazara) an upright post, part of the Phiku or rice cleaning mill,	320-1
Mathána-danda see Darári,	.	Mor-phunwar (No. 91 Jewellery)	182
Matsán, a kind of polishing or "buff wheel," used by cutlers.	149	Morní (No. 45 Jewellery),	182
Mattan, the ground, field, or plain colored centre of a shawl,	39	Moti-winh, a pearl borer, his trade des- erbod,	192
Maskalá, a crescent shaped tool, used in	ı	Murki, (No. 24 Jewellery)	151
polishing metal by sikligars.	300	Muddhi, a wooden block let into	
Masnad, the embroidered curpet on which	99	the ground to which missle are fixed.	151
dignitarios sat. (No. 612), et. passim. Matha=Nihán, q. e		Munj, a tall grass (saccharner ma .ja)	
Mauli a head ornament, (No. 9 Jewel-		rope, &c., made from it, No. 586	87
lery),	181	Munj grass, other fabries made from	7.4
Máwá, a glutinous preparation of wheat	. 222	Makesh bati húí, twisted tinsel.	164
used in glazing pottery. Mokh, a nail, the upright posts in a loom		Mukesh, flattened gold wire for embroidery of a heavy kind,	161
Mejra (Montgomery), a sort of cymbal		Mukesh gokru, waved mukesh, made by	
(No. 894), · · ·	. 278	erimping "mukesh batihur" with iron tongs, No. 776-162.	161
Mend. (Hills) a crowbar, a tool for split ting stones.		Mukesh ki tand, wire for making	
Mendá, a ram,	. 122	'muke-h.']60
Mikráz, (A) seissors.	, 266	Mikat, a finsel crown, worn at weddings,	121
Mín. (Hills, Kúlú &c.), a lever bar	. 306	Müngli, a club or maliet used for bruis- ing tobacco,	30-3
Miná, enamel, rods of colored glass used	200	Mángh, a cal'ister or Indian sceptre, use l	-,
m ornamenting glass bracelets.	$\frac{239}{191}$	pr gymnastics.	S: 3
Mínakár, enamolling process: described	101	Manna, (Firozpúr) a kind of plough,	314
- origin of the term, $Mir = Mir = x$	•		1. 47.
Mir, a screen of fine grass stalks used in		Mitheliang, a Jew s harp, No. 896,	256
paper making see "Khashi."	. 305	Münch:=Angushtri, a ring set with stones or having an organization front.	183
Mirási, name of a caste : often the same		Munif. (Pp.) the rollings on either side	,
as nat, a musician, barber and astro	- 2 & 270	of the country cart, which hold the	
	104	loud together.	217
Mirzai, (Ambala), a long coat.	201	Mansla, dress of,	102
Mirzá Khám, a sort of sword.		Múrebhan, (H S) a 'semi-tone' or quater	9-1
Miyañ, a sword sheath,	301	tone in music. Mick, an implement used by car-boners.	271 269
	5 & 266	Mariassia kar, the workings who sets	203
Miyan-tarash a gouge or scoop.	-1	powels and precents stones.	186
* manual manage or secolar	•	•	

	Page.		Page.
Mus, a screw mould,	151	Naubat, a large kettle drum, No. 903,	278
Musad, (Cis-Sutlej) a stick for stirring		Navak (H.) small boats generally used	
sugar cany juice in its first boiling	314	like those in European fashion.	255
Mushajjar Russian Satin,	65	Necháband, maker of pipe (Huka) stems,	202
		Newar, a sort of strong broad tape, also	
ported),	65	for girths.	132
Muttha, a block or cylinder of wood,	239	Nihái, a steel plate let into the "Dabkais"	
Muttha-tíli, a whisk used in agitating	0.1	anvil for flattening gold wire into	160
grain during parching	307	tinsel,	2.7
Mutya, fixed cross bars in a yoke for oven,	31 1	Nairi, (Kashmir), a flageolet, No. 883	153
At., 117 18 6.1	65	Nauratn (No. 72 Jewellery), Necha, the long flexible snake or tube of	1
Market and the state	65	the "huka," No. 553,	72
	0.9	Nihan, a turner's chisel,	213
N.		Nihangs, a sect of Sikhs, their dress,	103
Nadáf, a cotton cleaner,	310	Nihangs, their arms:	295
Naherná, a sort of lancet	266	Nikadh, the 7th note in the musical	
Nái, a barber, who combines also the duty		scale "Si,"	270
ot surgeon, and genealogist (!)	267	Nimchak, curved pieces of wood used as	
Nai, the barber caste,	102	the foundation of the circular ma-	
Nai, a pipe or reed (music), No. 880,	277	sonry of a well,	337
Namu, a sort of sprigged muslin or other		Nímáchándí, metal for enamelling on	191 151
	13-21	Nimgird reti, a half round file	_
Nainsukh, 'nainsook' a sort of cloth,	21	Ningaz, a foot and a half rule,	3(11)
Nál, a blow pipe, 184 $\epsilon t p$	1	Nim-zari, embroidery in colored silk and	
Nal, a shuttle (weaver's).	298	gold thread together,	215
Nali, a tube for drill-sowing,	314	Nishar, (well gear),	251
Naipál paper,	81	Nizák : a tool, used in boring gun-barrels,	117
Nakára, a kettle drum, No. 901,	278	Nízamábád (Gujranwalla) cutlery of,	301
Nakdú, (Spiti) an inkhorn, No. 730,	139	Nok, a pointed chisel,	•
Nam (No 63 Jewellery),	182	Núrka (Cis-Sutlej) = nari. q. v	
Namda, felt. No. 265, felt. No. 311,	30	Núrpúr, leather, process of making de- scribed,	122
	32	Núrpúr, shawls,	18
Nán, a turner's chisel for rough work,	213		
Nand, (naund) a very large and thick hemispherical bowl of burnt pottery	İ	0.	184
used by dyers, &c. &c., 122 et p	ussim.	Obchí, a howitzer gun	
Nánka, a silk fabrie worn by Kábulis, &c.,	66	Orna, a sheet covering the head and body, worn by women,	101
Nanakshahi (rupees). Sikh rupees.		_	
known by the pipal leaf always on		Ρ.	
one side,	157	Pagri, a turban properly applied only to	
Nara, a rope, used by tight rope dancers,	309	the flat close folded turban of the Handu shop-keepers, 103 et p	การสาก
Nart, sheep and goat skin or hide,	123	Páhldar, a ritle barrel in facets, not	
- a native snaffle, No. 762,	148	round	285
- a leather which attaches the plough yoke to the shaft,	21=	Pahlwán, a wrestler,	300
Nasar, (Cis-Sutlej) = Nishár, $q, v,$	315	Pacharkárí, the art or process of joining	
No. bl. Anolog. And Communication	347	in stone,	300
No. bton . fo 11. \ 11 . 1 . 1.	266	Pachwán-á, (Cis-Sutlej), a small wedge	01.
Nastahk, Persian flowing hand-writing.	347	in a plough,	315
Nath, (No. 12 Jewellery),	182	Pag. (Jach Doab)—Pagri, a villager's	105

	Page.		Page.
Pahauri, a wooden scraping tool,	308	Paránda, a silk ornament for the hair,	
Pahzeb, "feet adorner," (No. 95 Jews		Sec. No. 537	71
ellery),	184	Parinda, a light boat used in Kashmir,	255
Parjáma, variety of shape,	102-3	Parnái, a small narrow bladed saw,	299
Panti-santá (Cis-Sutlej) a plough driver's	***	Parnát kash=árt kash q. e.,	•
white and goad,	316	Paropi, a gram measure,	325
Painjm, part of a cart, Painsi or painsadi) broad cotton cloth,	245	Parún (Jach Doab) an iron sieve,	325
(500 threads in the web).	76 7	Paswaj (Kangra) a woman's gown of	
Painsar, part of the treddle in a loom.	298	light texture and gay color, see	107
Pairthan (Derajat) an under shirt,	113	Pashin, shawl wool, see	33
Pairkara, ankle rings,	176	Pashanna, shawl wool, q \(v\),	
Parzwan bulák, q/r ,	176	Pát, part of the sugar-cane mill, (Cis-	010
Pak (Jhelum) a square sail of a boat.		Suffej.)	313
Pakpatan, description of	211	. Patta-ká bandúk, a method of making gun barrels.	287
Pakáwaj, a kind of large drum, (No.		Patta, a strip of iron prepared for making	2.,,
990),	278	barrels,	288
Palan, a camel's pack,	132	Patta, the leaf of the Afghan dwarf palm	
Palutt, a musical term "treble,"	271	(chamerops) No 583,	86
Pampat, glass making at,	238	Pattali, gold ribbon broader than gots,	162
Pancham, the "dominant" (fifth) in musical scale, "sol,"	270	Patang, a paper kite, patang-saz a kite maker,	302
Pangi, Jewellery of,	176	Pathhal, a frame used in making native	3112
(Upper Chenab), houses of, des-		ink,	308
erihed	327	Pathrainí, an iron graver for tracing	
cribed, (Basahir), houses des-	331	patterns (Multan) used in gold inlay- ing work,	169
Pannigar, the leather gilder,	304	Patili, a small covered cooking pot,	138
Panír, cheese, panírgar, a cheese maker,	307	Patka, a searf, No. 181,	69
Pápargar, a grinder of pulse and maker		Pattal, plates of leaves made by Dosális,	306
of sort of biseuits, (papar),	307	Patha = fitá, $q = r$,	,
Parát, a flat circular metal tray with a	103	Pathá (Cis-Sutlej) part of a plough,	•315
rim.	132	Patholi= Ilakaband, q. v.,	•
Panjali the bar or yoke in a plough, &c.,	314	Patka, a laborer's turban,	103
Panak, a pointed stick for extending the web during weaving	297	Patka a small searf, No. 43,	45
Panni. slips of leather for gilding	304	Patoli=ılákaband, q. r.,	
a sweetmeat maker's cullender or	•). / •	Patra, the wire-drawer's (katava's) bench	
strainer, &c.,	306	or table.	159
Parasgar (Kashmir) the washer of shawls,	35	Patri, a neck chain of silk, carrying	
Parcha, a cloth, a piece of cloth,		amulets, see plate,	176
Parcha (well gear), &c .	245	Patri, a hone,	266
Pardek or Partok (Pashtu)=paijama, q. c.,	115	Patri, a little iron plate or wedge,	289
Parh, gun carriage frame	251	Patrang, a silk dyer,	299
Par-i-táús (Itt Peacock's feather) a sort		Patti, a piece of pattů,	31
of pashmina or shawl wool cloth		Pattu abshár, striped woollen cloth, No.	0.0
with two colors, &c. No. 395,	47	317	32
Par-i-purz, a sort of shawl-wool fabric with a nap, No 396,	49	ehét, woollen cloth stamped with a colored pattern, No 316,	32
Parm-narm, a name given by Akbar to	-	Dahzangi, made at Dahzang, near	•,,,
the fabric of Ibex wool (Shah tus),	33 ,	Ghazm,	51
		-	

	Page.		Page.
Pattu Fodak, a Ladákh fabric of wool	51	Phát, the lower bar in a yoke see Júlá.	314
Pattu (Hill districts) a blanket or wrap-		Phat-pera, the silk winder,	589
per, made of pattu, a breadth of wool-		Phir, a threshing floor.	316
len cloth sewn together, Pattu of Kulu, No. 285,	166 31	Phiri (Kashmir) 'seconds' of shawl wool,	39
malida, see mahda,	151	Phog. dregs or lees of anything after	•
Ramnagri, pattu made at Râm- nagar in Janai,	51	infusion, &c.,	171
narrow woollen cloth,	31	Phogli, a term applied to a coil of fine gold wire in spangle making,	161
Patyála glass	238	Phúl, $=$ Kánsi, q . v .,	
Paunche, woollen leggings worn by women in Kulu,	107	a flower, a head ornament,	181
Paum, a kind of cotton cloth.	21	Phúli (No. 47 Jewellery),	182
a cullender or straining ladle	139	Pichkarí, a stomach-pump = suzák (P.) a syringe for injection,	264
Pérák, a head ornament, worn by married women in Spici, Ladakh. No. 649 1	09,117	Píku, an apparatus used in Hazara for rice cleaning, &c.,	320
Peshawar, lungis,	5	Pílak, the bridge of a "sárangi" No. 871	296
, dresses of,	116	Pinorí, a ball of mixture to be melted	2
, swords of,	50, 291	into glass	239
Pajútra, (Mansera-Hazara) a sort of chain work collar or necklace,	176	Phálkari, a peasant woman's sheet or veil, worked with sprigs of embroid-	
Pech, a wire screw used in surgery	267	ery No. 623,	I(N)
Pecha, a searf worn by Lahouli women,	107	Phúmni (No. 37 Jewellery)	182
Pechak, a reel for gold thread, No. 784,	163	Piála, a cup, a phial, the touch hole of a	a. t
Peshkabz, a kind of dagger, see plate,	202	cannon,	25 i
Peshwiz, (Delhi) a female dress or skirt, No. 595,	99	Pichaura, one of the pair of drums, called 'tabla'—without the spots. No. 904.	27 9
Peta, silk thread for weaving,	58	Pinjan, a large sort of bow, used in card-	210
, the woof in weaving,		ing and cleaning cotton,	310
Peti, a belt or gridle, No. 773.	162	Pipal watrá, (No. 32 Jewellery,	181
Pewañ, two small flat pieces of stone-ware or porcelain, used by fine-wire- drawers to grind the point of a wire		Pirá, píri, a cot, a bed. a low stool —, a cot or small square low bed-stead used to sit on,	525
between, so as to be able to insert the		the seat or canopy fixed on to an	2.45
point in the plate,	159	ekka or vaili,	217
Phaurá = kasi a mattock.	315	a support or stand used by dyers.	299
Phahauri, a shovel for raking ashes from an oven.	139	Pistôl, used as an adopted word from our pistol,	1285
Phal, a ploughshare, a blade, or arrow head,	36.5	Pitambar, (H.) Pit, yellow and ambar	
Phala, the iron point of a plough,	$\frac{295}{314}$	cloth a soft silk "Dhoti" or cloth 10 yards long, forming both a skirt	
- a sort of frame used in the thresh-		and a body covering, or may be	
mg floor. Phalásí, woollen dresses (Dera Ghází	316	worn by men as a Dhoti: $\equiv Sari$	
Khan),	225-27	Pití, pulse (of the kind called mah)	
Phára, the wedge used to adapt the size of the shoe-makers "kálbût"		ground up into a fine paste with water,	307
or last.	305	Pochan (Dera Gházi Khan), a woman's	
Pharfurá, the fine enamelling on the		searf,	111
back of jewelled ornaments, done at Jappur Ac.,	100	Ponehi, (No. 76 Jewellery),	182
Pharni, a leather polishing tool,	192 305	Poncha, ankle ornaments for children,	179

	Page		Page.
Postin, a coat or cloak lined with fur or		Rerá, (Cis-Sutlej) the body or stage of	
sheepskin	117	a country cart wethout the wheels,	217
Potaba, a short turban (Sirsa),	101	Rás, reins for riding or driving,	132
Pothi, a book, used of Hindi and Sanscrit	_ ;	Ras bass" a musical term,	271
books,	78	Rasdhárí, a musician (applied to Hindu	
Poth khákistar, a glass polisher used by	o to	dancers.) &c.,	270
glaziers, &c., &c	240	Rassi, rope, string, rassi-bat, a rope maker or "twister,"	
Paimangu, (Kashmir), a dealer in shawl wood yarn,	37		303
Púj, a sort of devotec,	118	Rasor-khana, the kitchen, in a wealthy house,	138
•	33 -107	Rasúl Shahi fakirs, their dress,	118
Púni, balls of cotton from which thread	.,,	Rath, a chariot, a large four-wheeled	•••
is spun,	1	carriage drawn by bullocks	246
Panjab, dresses of the people described		Ratti, the red seed of Alirus precutorius	
generally	101	used as a weight. Since grains,	157
Pupakh, a kazilbáshi hat, No. 656,	117	Raughan, grease, varnish, oil.	
Rach, the heddles of a loom,	297	Raughan guna, a varnish used in gilding	
Rachi, one of the turner's tools.	213	leather,	304
Rachyáni, barber's or surgeon's case		Reshami, (kaghaz) "silk" or smooth	00
with implements,	267		83
Rafida, a baker's ladle,		Reta, zaffre or cobalt blue powder.	22
Purra, a head scarf, (Peshawar) No.			& 297
35,	5	Rethf. (Sirsa) a kind of cotton cloth No. 77,	7
Purání (Pji)=Pamí sántá. q r.,	32	Dámas sulla mlual	351
Púzí, a horse's head stall,	32	0.4 .4 . 6.61	169
R.		Razai, a quilted and stuffed cotton bed cover.	28
Rafl. a rifle (the word corrupted from the		D 13.4. (N° Por I 31)	182
English),	286	Reza, a narrow iron mould, with a han-	102
Rafugar, a needle worker, who darns and		dle, used to make bars of silver for	
joins shawls, &c., with the utmost	46	wire-drawing.	157
Rág, a melody, a 'piece' of music,	272	Rihl, a book-stand used for supporting a	
Raim, a narrow bar of silver teast in a		Korán or prayer book in mosques,	202
mould) designed to form a 'kandla'		Rikab the 2nd note of the musical scale.	
4	. 157	"Re'	270
Rakh-bur, the apparatus used in rifle-		Rikáb-dawál, the stirrup strap, made of	
boring, &c.,	920	80% in a native gentleman's saddle, No. 539.	771
Rakhdár. (ordnance) rifle-bored,	258	Rabab, a musical instrument, a "rebeck"	,,.
Rambi, a small spade used by gar-		No 866,	271
deners, or for scraping leather,	122	Roda, ivory cutter's tool, see sketch at,	214
Rambhi, (Hills) a sort of hoe, used in	1 . 316	Roda, one of the turner's tools, &c.,	213
rice fields,	•	Rohtak, pottery of	229
a chisel with slanting edge for leather cutting.	r . 301	Rumál, a pocket handkerchief, also a	
"Rampur" Chadars, a sort of square	•	square shawl, used as veils in Pesha	
plain shawl,	. 47	war by women,	40
•	. 34	applies to any handkerchief	
Rămpur wool, Randă, a carpenter's plane,	900	the soft silk one of Bukhara, &c.,	
Ranga, solder for tin sheets.	200	and to square shawls. passim	F.A.
Rangata, the turner's polishing stick,	9) ()	Rummi, a vessel used in cupping,	266

	Page.	P	age
S		Sán, the lapidary's wheel, San, fibre of <i>crotalaria juncea</i> , 75 et p Sán, a polishing wheel used by cutlers, 147 &	
sámbar deer in the Kangra and Hoshiarpur Districts,	122	Sanná the curved beam in a plough to which the yoke is attached.	314
Salpha, short sticks in a rope twister's apparatus.	303-4	Sáncha, a mould, pattern tube in fire- work making,	306
Sabungar, a soap boiler,	308	Sandán, a two-pointed anvil,	141
Sadá-báfí, plam weaving	2	Sandasi or Sahánsí, sort of tongs. &c	139
Sada, plain. (ordnance) smooth-bore, Sadákár, a goldsmith, who works in metal	288	Sanjáb, sable fur, but furs sold as Sanjáb, are generally marmot skins, No. 663,	117
only, (not with gens, &c., see muras-sakar,	175	Sanga, or Sangla. a sort of wooden bridge used in the hills, &c	333
Sadarju kághaz a kind of Kashmir paper, No. 578,	83	Sanyási, lit: ("the abandoner" of the world) a sort of devotee, their	110
Safa, the small colored close fitting turban		dress	118
worn under the dastar, by Sikh gen-	104	Sangtarásh, a stone-cutter or carver,	0.27
tlemen, &c		Sáng-i-safed, a sort of quartz pebble,	221
Hindus)	103	Sang-i-surkh=lál pathar, q. v.,	202
Sáfi, a tool used in boring gun barrels,	289	Sang ghaurí, a sort of onyx or agate	202
Sahn, the interior court-yard of a		Sangal, the chain in the wire-drawer's apparatus	158
house.	323	Sangtúr or sangtola, a kind of dumb-bell	100
Saif. (A) a very long two-handed sword,		or club used by gymnasts,	309
Salotri, a native vetermary surgeon,	268	Saorah (Montgomery District) a sort of	
Salarí, a striped cloth worn as a turban in Shahpur District,	205	necklace, Saongí (carriage)=pírí, q. v.,	180
Salári fakhirana, a coarse searf, worn by		Saptag: the musical octave,	271
fakirs,	23	Sarangi, a fiddle, No. 874,	276
Salàthi a kind of cotton floor cloth,	22	Santúr, a triangle (music) No. 891,	278
Saikalgar, a cleaner of metal goods or armour, vuly: sikhgar,	300	Sanní, a "Jaráh's" forceps for extract- ing teeth,	266
Saili, an ornament in wool for horses' necks (Montgomery) No. 426,	49	Saukan mohra. (No. 64 Jewellery),	182
Sakar (Shahpur), a huge clay vessel for	_	Sannya, pincers,	āl
strong grain,	325	Sárawí fakír=Púj. q. v.,	
Salang, (Kashmir) a kind of woollen cloth, No. 309,		Sári, a silk scarf, large enough to form a skirt round the waist, and also to	
Sábi, narrow coarse cloth (cotton) dyed red with madder,	15	cover the body and head: not worn in the Panjab, but in Hindustan, &c.	
imported cotton cloth, Turkey red colored, No. 97,	8	It is customary to put it on after bathing, mostly worn by women, No. 501,	70
Saltin, a kind of cotton cloth not now in use,	21	Sarhindi, a tool used in making glass bracelets.	239
mba Asli, a kind of print cloth,	23	Sarkanda, tall grass stems, used by	
niosa, a head cloth worn by wrestlers.		weavers,	2
&c., Símein a central Asian cottan febria	309	Sarnái, a bag pipe; an inflated goat-skin	10=
Sámsún, a central Asian cotton fabric,	23	for swimmers, No. 691,	127
Samór, a snow white fur (Russian) imported from Kabul, No. 663,	117	Sarôta, a pair of nippers for slicing betel nut, No. 721,	137
Sán, a polishing wheel,	117	Sarod, a musical instrument, No. 870,	274

1	the cological Library.
1	Central Archaeological Library, NEW DELHI 29 [6]
	New 22101
	Call No 745,2095442 Author-13+1BPace((
	Author-13 HB Powell
	Title- fuelbick of the Manufactors Cold Borrower No. Date of Issue Date of Return 1.1 1.2 10.1.2
	Borrower No. Date of Issue Date of Return
·	1.1 1. 10/10/2
ور ر	"A book that is shut is but a block"
۲۰ س	"A book that is shut is but a block" RCHAEOLOGICAL GOVT. OF INDIA Department of Archaeology NEW DELHI.
₹.	APL GOVT. OF INDIA
4.	Department of Archaeology NEW DELHI.
رزو	2
1	·
	Please help us to keep the book
1	ean and moving.
	4' incompany
	1 48. N. DELHI.